
Grant Broadwater


grbcp5@mst.edu

COMP SCI 5401 FS2017 Assignment 1b


50 Shapes



100 Shapes



100 Complex Shapes



50 Shapes Statistical Analysis

50 Shapes F-Test Two-Sample for Variances

	EA	Random
Mean	0.379555423	0.041888666
Variance	0.026427848	0.001780388
Observations	30	30
df	29	29
F	14.84387204	
P(F<=f) one-tail	6.9447E-11	
F Critical one-tail	1.860811435	

50 Shapes t-Test: Two-Sample Assuming Unequal Variances

	EA	Random
Mean	0.379555423	0.041888666
Variance	0.026427848	0.001780388
Observations	30	30
Hypothesized Mean Difference	0	
df	33	
t Stat	11.01186725	
P(T<=t) one-tail	6.86368E-13	
t Critical one-tail	1.692360309	
P(T<=t) two-tail	1.37274E-12	
t Critical two-tail	2.034515297	

Reject null hypothesis.

Conclude that EA is better than random search.

100 Shapes Complex

100 Shapes Complex F-Test Two-Sample for Variances

	EA	Random
Mean	0.351011236	0.052861629
Variance	0.035070859	0.001403239
Observations	30	30
df	29	29
F	24.99278607	
P(F<=f) one-tail	7.34156E-14	
F Critical one-tail	1.860811435	

100 Shapes Complex t-Test: Two-Sample Assuming Unequal Variances

	Variable 1	Variable 2
Mean	0.351011236	0.052861629
Variance	0.035070859	0.001403239
Observations	30	30
Hypothesized Mean Difference	0	
df	31	
t Stat	8.550718038	
P(T<=t) one-tail	5.85765E-10	
t Critical one-tail	1.695518783	
P(T<=t) two-tail	1.17153E-09	
t Critical two-tail	2.039513446	

Reject null hypothesis.

Conclude that EA is better than random search.