



Anmol Krishan Sachdeva

(@greatdevaks)

Hybrid Cloud Architect, Google

tinyurl.com/geopython-codecarbon





Anmol Krishan Sachdeva
Hybrid Cloud Architect, Google
MSc Advanced Computing
University of Bristol, United Kingdom
LinkedIn: greatdevaks
Twitter: @greatdevaks



- International Tech Speaker
 - KubeCon, PyCon*, EuroPython, GeoPython,
 Geekle, etc.
- Distinguished Guest Lecturer and Tech Panelist
- Conference Organizer
 - EuroPython, GeoPython, PyCon*, etc.
- Represented India at reputed International Hackathons
- Deep Learning Researcher
- Publications at International Journals
- ALL STACK DEVELOPER
- Mentor





Disclaimer

The content and the views presented during the talk/session are the author's own and not of the organizations/companies they are associated with.









- Carbon Emissions and Compute
- CodeCarbon Package
- CO₂ Equivalents of Python Code
- Visualization and Reporting
- Q/A



Carbon Footprint

Total Greenhouse Gas Emissions caused by an individual, event, action, organization, service, place or product, expressed as Carbon Dioxide equivalent



Carbon Emissions and Compute

- Organizations are heavily investing in ML/Al Research,
 Connected Systems, and High Performance Computing
- More computing power ~ More impact on the planet
- Datacenters consume 1%-2% of total energy generated worldwide each year
- Energy used by datacenters has doubled over the past decade and will quadruple within the next decade



Carbon Intensity

The carbon intensity of computing is directly related to the quantity and source of electricity it uses, measured in grams of CO2-equivalent (gCO2e) per kilowatt-hour of power consumed




Factors Influencing Carbon Intensity

- Energy Source(s)
 - Coal, Petroleum, Natural Gas, Tidal/Hydro, Wind, etc.
- Region (even the cloud server region)
- Compute Time
- Hardware
 - CPUs, GPUs, TPUs, etc.



Carbon Emissions and Compute



The figure shows grams (g) of Carbon Dioxide (CO₂) equivalent (e) compared to the amount of carbon sequestered by trees and the emissions from a car.




Carbon Emissions and Coding

- Optimized code runs faster and produces fewer emissions
- Carbon Emissions even vary depending on the underlying coding/programming language
- Python, generally takes a longer time to run and produces more emissions than other popular languages, if coded inefficiently




Carbon Emissions and Coding





Carbon Emissions after Optimizations





CodeCarbon

- Open Source Python PIP Package
- Carbon emission tracking based on power consumption and location-dependent Carbon Intensity
- Seamless integration into Python code
- Estimation for both Cloud and On-premise (private) computing resources



Getting Started with CodeCarbon

- Install the <u>CodeCarbon Package</u>
- Checkout the <u>official documentation</u>
- Embed CodeCarbon in the Python codebase
- Run the code and let CodeCarbon do the tracking
- Visualize the carbon emissions using the dashboards and reports
- Follow recommendations and perform optimizations



Online #1: Embedding CodeCarbon

```
1 from codecarbon import EmissionsTracker
3 tracker = EmissionsTracker()
4 tracker.start()
6 # GPU Intensive code goes here
8 tracker.stop()
```



Online #2: CodeCarbon Decorator

```
1 from codecarbon import track_emissions
3 @track_emissions
4 def training_loop():
        # GPU Intensive code goes here
6
7 if \underline{\hspace{0.1cm}} name\underline{\hspace{0.1cm}} = "\underline{\hspace{0.1cm}} main\underline{\hspace{0.1cm}}":
         training_loop()
```



Online #3: CodeCarbon Context Mngr.

```
1 from codecarbon import EmissionsTracker
2
3 with EmissionsTracker() as tracker:
4  # GPU Intensive code goes here
```



Offline #1: Embedding CodeCarbon



Offline #2: CodeCarbon Decorator

```
1 from codecarbon import track_emissions
2
3 @track_emissions(offline=True, country_iso_code="CAN")
4 def training_loop():
5  # GPU Intensive code goes here
6
7 if __name__ = "__main__":
8  training_loop()
```





Noteworthy Points

- CodeCarbon only writes the CSV format outputs for the carbon emissions in the directory where the code is executing
 - The CSV file gets written once the complete code execution is done
- *flush()* mechanism can be used to register carbon emissions related intermediate data while running for long running code



Key Takeaways


- Inefficient coding can cost a fortune (not only money but the planet itself)
 - Operations optimization is must
- Measure and report carbon footprint of algorithms to make sustainable choices through optimizations
 - CodeCarbon provides ESTIMATES
- Choose cloud server regions wisely
- Spread a word in the community to track



Happy Green Coding!

tinyurl.com/geopython-codecarbon





Anmol Krishan Sachdeva

Hybrid Cloud Architect, Google

MSc Advanced Computing, University of Bristol, UK

LinkedIn: https://linkedin.com/in/greatdevaks

Twitter: https://twitter.com/greatdevaks