

Standards

{{SITE_NAME}} — {{CITY_STATE}}

Warranty · Testing & Certification · Compliance

LIFETIME WORKMANSHIP — TRANSFERS WITH THE PROPERTY

1. Three-Tier Warranty

GCC warrants its installed low-voltage infrastructure at three levels. Each tier is distinct in duration and pass-through posture. Together they deliver the strongest coverage in the KCMO + STL Div 27/28 market.

Tier	Scope	Term
Tier 1 — Lifetime Workmanship	All GCC installation labor. Covers wire-map errors, termination defects, labeling errors, physical install quality.	Lifetime — transfers with the property.
Tier 2 — 5-Year GCC-Furnished Hardware	GCC-furnished passive hardware (patch panels, jacks, faceplates, cable, fiber housings, racks, ladder racking) installed by GCC.	5 years from substantial completion.
Tier 3 — Manufacturer Pass-Through	All active equipment and any component carrying a manufacturer warranty. GCC processes RMAs on behalf of owner at no additional cost during the manufacturer period.	Per manufacturer — GCC facilitates.

What the Lifetime Workmanship Warranty does

- Covers GCC's physical install: pull, dress, terminate, label.
- Follows the property — future owners inherit the coverage on transfer of title, no paperwork.
- GCC re-pulls, re-terminates, and re-certifies failing infrastructure on a service ticket at no cost for life.
- Excludes damage from third-party work, environmental events, or owner modifications (Bid Proposal Exclusion §7.K).

2. Testing & Certification

Every copper drop and every fiber strand installed by GCC is certified before the substantial completion punch closes. Testing is evidence-based; LinkWare PDF reports are delivered at closeout.

Copper — every drop, Permanent Link test

- Instrument: Fluke Networks DSX-8000 CableAnalyzer — the accepted industry standard.
- Test class: Class EA (Cat6A) on every drop — GCC baseline is Cat6A plenum; Cat6 substitute is not offered.
- Parameters reported: wire-map, length, insertion loss, return loss, NEXT, PS-NEXT, ACRF, PS-ACRF, propagation delay, delay skew.
- Fail = re-terminate + re-certify. Drop is not closed until it passes.

Fiber — every strand, bidirectional

- Bidirectional OTDR trace for each strand.
- OLTS insertion loss verification end-to-end.
- Fusion splice verified at ≤ 0.1 dB (typical ≤ 0.05 dB in-house).

Reporting

- 100% of installed infrastructure certified — no sampling. Every drop. Every strand.
- LinkWare PDF reports delivered to GC and owner at closeout, indexed by Class 3 label.
- Reports archived by GCC for life-of-installation reference.



3. Compliance Standards

All work executed in compliance with the following published standards as a minimum. Stricter project spec governs when applicable.

Standard	Scope
TIA-568.2-D	Balanced twisted-pair telecommunications cabling
TIA-568.3-D	Optical fiber cabling components
TIA-569-D	Telecommunications pathways and spaces
TIA-606-C	Administration — Class 3 labeling (GCC default on every job)
TIA-607-D	Generic telecommunications bonding and grounding
BICSI TDMM	Telecommunications Distribution Methods Manual, 15th Edition
NEC / NFPA 70	National Electrical Code — applicable low-voltage sections
OSHA 29 CFR 1926	Construction safety



4. Closeout Deliverables

Every GCC job closes with the following documentation package delivered to GC and owner.

- LinkWare PDF test reports for every drop and every fiber strand, indexed by TIA-606-C Class 3 label.
- As-built drawings reflecting any field routing deviations, cable counts per run, and MDF / IDF equipment layout.
- Labeling schedule — every label printed, every drop accounted for.
- Warranty registration package: Tier 1 workmanship transfer letter, Tier 2 5-year hardware registration, Tier 3 manufacturer warranty cards.
- Owner training sign-off if in-scope per job.



5. Field Staff Certifications

- OSHA 10-hour construction safety — minimum for every field tech.
- OSHA 30-hour construction safety — every foreman.
- BICSI Installer Level 1 or 2 — every terminating tech.
- Manufacturer-specific installation training where the cable system requires it (Panduit, CommScope, Corning).
- Background check clearance on demand for K-12, healthcare, and federal sites.