

APPENDIX B: CUTSHEET DEVELOPMENT



Appendix B – Cutsheet Memo

Cutsheet Development Process

After all potential projects were scored, the priority projects were identified. Three projects were removed from the list because they are in Caltrans ROW, which elevated three other projects for which cutsheets would be developed. Additionally, during cutsheet development, three projects were removed because an adopted Precise Plan had already codified their proposed future conditions. After these refinements, 17 cutsheets were developed. Appendix C contains the full list of potential projects evaluated as part of the scoring and prioritization process. All infrastructure recommendations will require further public engagement and engineering review to confirm design adequacy and feasibility prior to implementation.

Table 1: Identified Priority Projects

Rank	Project Name	Extent	Total Score	Short Term Alternative	Long Term Alternative	Notes
1	California Street	South Shoreline Boulevard to Showers Drive	88.5	Y	Y	
2	California Street	Showers Drive to Del Medio Avenue	87.5	N – pilot project installed in 2025	Y	
3	Whisman Road	Dana Street to Fairchild Drive	78.5	Y	Y	
4	Escuela Avenue	El Camino Real to Crisanto Ave	76.5	Y	Y	
5	California Street	Hope Street to South Shoreline Blvd	74.5	Y	Y	
6	Showers Drive	California Street to El Camino Real	73.5	Y	Y	
7	West Middlefield Road	Moffett Blvd to Old Middlefield Way	69.5	Y	Y	
8	Latham Street	Escuela Ave to Showers Drive	68.5	Y	Y	
9	South Shoreline Boulevard	Montecito Avenue to El Camino Real	68.5	Y	Y	
-	El Camino Real*	Rengstorff Ave to Shoreline Blvd	67.5			Caltrans ROW
10	Latham St/Church St	Castro Street to Escuela Ave	66.5	Y	Y	
11	Rengstorff Avenue	Garcia Avenue to Leghorn Street	66	N – Complete Streets Study underway in 2025	Y	

Rank	Project Name	Extent	Total Score	Short Term Alternative	Long Term Alternative	Notes
-	Rengstorff Avenue**	El Camino Real to Leghorn St	66			N - Planning study underway
12	Dana St	Bush Street Moorpark Way	65.5	Y	Y	
-	E Middlefield Rd	Moffet Blvd to Central Expy	64			N - long-term design completed
13	Miramonte Ave	El Camino Real to Marilyn Drive	64	N - Complete Streets Study underway in 2025	Y	
-	North Shoreline Blvd**	Plymouth Street to Montecito Avenue	63.5			Removed – Refer to Precise Plan
14	Garcia Avenue	Amphitheater Parkway to Bayshore Parkway	63.5	Y	Y	Removed Amphitheater Parkway (Garic Avenue to Bill Graham Parkway)
15	Evelyn Ave	Bush Street to South Bernardo Avenue	62.5	Y	Y	
16	Phyllis Avenue	El Camino Real to Grant Road	61.5	Y	Y	
17	Sylvan Ave	Moorpark Way to El Camino Real	57	Y	Y	Removed The Americana (El Camino Real to Continental Circle)

Rank	Project Name	Extent	Total Score	Short Term Alternative	Long Term Alternative	Notes
-	North Shoreline Blvd**	North Road to Plymouth Street	57			Removed – Refer to Precise Plan
-	Moffet Blvd**	RT Jones Road to Central Expressway	56.5			Removed – Refer to Precise Plan

**City of Mountain View will coordinate with Caltrans to pursue changes on these corridors*

***Being addressed through an adopted Precise Plan or a separate planning effort*

Most projects were developed with two alternatives: resurfacing and reconstruction. In some cases, a resurfacing alternative was not included if a related study is underway or a project has been recently implemented.

Resurfacing alternatives assume the street will undergo routine maintenance, including a grind and overlay, creating a “blank slate” for installing bike facilities. These alternatives do not involve moving curb lines; therefore, the existing curb-to-curb width defines the space available for reallocation. The scope for these alternatives typically includes pavement markings, signage, and Class IV bikeway elements such as rubber armadillos or flexible delineator posts. Sidewalk construction or other concrete work is not included, although minor sidewalk maintenance may be performed to meet Title II ADA requirements. Where projects intersect or cross another agency’s right-of-way (e.g. Caltrans, Santa Clara County, etc.), coordination will be needed.

Reconstruction alternatives assume the street is fully demolished and rebuilt within the existing right-of-way, typically as part of a major capital project triggered by utility replacement or a similar scale of work. These alternatives allow for curb line adjustments and the installation of permanent Class IV bikeway separation, such as curbed planting strips along the bikeway. No additional right-of-way acquisition is assumed. Reconstruction projects may affect drainage patterns, trees, medians, and other existing features which will require further feasibility analysis. These projects are long-term, visionary concepts that would be implemented only when or if an opportunity for full reconstruction arises.

A basis of design was established that set criteria for various widths of elements that comprise the cross section.

Table 2: Basis of Design

Cross Section Element	Width (min. unless noted)
Sidewalk	5 ft
Sidewalk planting area	4.5 ft
Travel Lane	11 ft
Turning Lane	12 ft
Bike lanes (including curb + gutter)	5 ft

Buffered bike lanes	2 ft + 4 ft
Bike lanes	6 ft (preferred)
Parking lane	8 ft

Existing widths were then measured and documented in a spreadsheet to assess the available curb to curb and right-of-way width. For some projects, both widths vary within the limits. The most constrained segment was used to develop cross sections to represent a cross section that can be applied along the corridor. Future efforts will assess how to allocate excess width (e.g. widen Class IV buffers). Cross sections were developed using measurements from high-quality aerial imagery; however, field verification during future design may identify discrepancies that require adjustments. Once dimensions were reviewed and approved, cross section graphics were developed using these values. These graphics represent nominal width of each element and further design for these projects will refine dimensions.

Each cutsheet provides a narrative describing existing conditions like posted speed limit, traffic volume, destinations, transit service, existing cross section elements like travel lanes, bike lanes, sidewalks, planted space, turn lanes, etc. In addition, cutsheets also describe proposed changes in each alternative and implementation considerations as well as illustrative cross sections detailing the elements and widths. The cutsheets include area maps illustrating project limits and nearby destinations served by the improvements like schools and parks. Finally, the plan goals are linked to the project to describe how ATP goals are advanced by a given project. This narrative content, the maps, the plan goals, and the cross section were then compiled into a single page cutsheet for each project. The cutsheets present draft concepts, and final design of each project will require feasibility analysis, engineering review, and community input.

CALIFORNIA STREET



South Shoreline Boulevard to Showers Drive (1.38 miles)

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.

PROPOSED CONCEPTS

1. Existing: California Street was redesigned in 2025 to remove one travel lane in each direction to add Class IV bikeways between Showers Drive and South Shoreline Boulevard and add 3 mid-block crossings. The land use along the street is primarily single-family residential toward the east and multi-family residential with some commercial toward the west. Destinations along or just off this street include Rengstorff Park, Klein Park, Castro/Mistral Elementary School and Mountain View Academy. Valley Transportation Authority Route 21 operates along California Street. The posted speed limit is 35 mph.

2. Reconstruction: This reconstruction concept proposes upgrading the existing bikeway buffers to planting strips and constructing protected intersections at Escuela Avenue, Rengstorff Avenue, and at Shoreline Drive. This concept will alter existing drainage patterns and have implications for future design and construction.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK



SAFETY AND COMFORT




SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves the **All Ages and Abilities** bicycle network and **access** to schools, parks, and senior centers in a **disadvantaged community** area of Mountain View.
- Improves **safety and comfort** through physical separation of bicyclists and vehicles on the roadway and decreases crossing distances for pedestrians at intersections.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.



CALIFORNIA STREET

Showers Drive to Del Medio Avenue (0.5 miles)



PROPOSED CONCEPTS

1. Existing: This segment of California Street is predominantly characterized by multi-family residential development, with occasional commercial uses. Class II bike lanes are provided between Showers Drive and San Antonio Street; however, west of San Antonio, the bike lanes are replaced with on-street parking. A center turn lane replaces the median near Showers Drive. Recent development just east of San Antonio Street has enhanced the pedestrian realm with detached sidewalks and planting strips and a Class II bike lane in each direction and a mid-block crossing at Aspen Way. This segment of California Street connects Mountain View bike network to Palo Alto, accesses Community School of Music and Arts and provides access to transit on San Antonio Street including Valley Transportation Authority Route 21 and MVgo D Shuttle. The posted speed limit is 35 mph.

2. Resurfacing: This concept narrows both travel lanes and one parking lane and consolidates parking to one side to create space for a Class IV bikeway in both directions. A parking analysis will be necessary to understand the feasibility of this proposal.

3. Reconstruction: This concept upgrades the Class IV bikeways to include planting strips and repositions the on-street parking adjacent to the travel lane. This concept also proposes the construction a protected intersection at San Antonio Road and reconstruction at intersection with Showers Drive. This concept will alter existing drainage patterns and have implications for future design and construction. Project will require additional data collection to verify justification for parking changes. Coordination with San Antonio Precise Plan will be required.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK



SAFETY AND COMFORT



SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves the **All Ages and Abilities** bicycle network and **access** to commercial services and Del Medio Park in a **disadvantaged community** area of Mountain View.
- Improves **safety** through physical separation of bicyclists and vehicles on the roadway and decreases crossing distances for pedestrians at intersections.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.



These concepts are draft and not final. Final design of the proposed improvements will require further community input, feasibility analysis, and engineering review on a case-by-case basis, and final plans may differ from what is shown here.

WHISMAN ROAD

Dana Street to Fairchild Drive (1.43 miles)




PROPOSED CONCEPTS

1. Existing: This segment of Whisman Road has primarily residential land use frontage, with some commercial frontage near Dana Street. Class II bike lanes exist along the corridor and connect to the Hetch Hetchy Trail, with on-street parking provided on the west side between Gladys Avenue and Fairchild Drive. The roadway has one travel lane in each direction from Fairchild Drive to East Middlefield Road and expands to two lanes in each direction for the remainder of the segment. There are no midblock crossings in this segment. The posted speed limit is 35 mph and there is 25mph school zone in front of Vargas Elementary School.

2. Resurfacing: This concept proposes removing one travel lane in each direction to install Class IV bikeways. There are no major implementation considerations for this concept.

3. Reconstruction: This concept proposes widening the city-owned bridge over Central Expressway to match the right-of-way width on the southern approach. The concept includes narrowing the median, upgrading the Class II bikes lanes to Class IV bikeways and increasing the width. The concept also proposes adding a sidewalk on the east side, and incorporating planting strip to increase separation between pedestrians and vehicle traffic. A cycle track segment at Vargas Elementary should be considered as this project develops. This project also reconstructs the Pacific Drive and Whisman Station intersections and constructs a protected intersection at Dana Street. This project includes curb relocation as well as Santa Clara County and Caltrain coordination. Project will require additional data collection to verify justification of lane reconfiguration. Sidewalk widening will be constructed to maintain roadway widths as feasible. Coordination with details in East Whisman Precise Plan will be required.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY



SAFETY AND COMFORT




SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** by completing a gap in the sidewalk network that provides better access to schools and other key destinations such as parks, commercial areas and transit.
- Improves **safety** through physical separation of bicyclists and vehicles on the roadway, and decreases crossing distances for pedestrians at intersections.
- Improves **sustainability** and biodiversity through increases in pervious surface area and plantable space.



ESCUELA AVENUE

El Camino Real to Crisanto Avenue (0.5 miles)




PROPOSED CONCEPTS

1. Existing: Escuela Avenue is primarily residential land use frontage, with some commercial uses near El Camino Real. The corridor also serves Castro/Mistral Elementary School and the Day Worker Center. The street provides one travel lane in each direction and on-street parking. Two improved crossings are provided—one serving Mistral Elementary and another serving a Red Route bus stop. At the California Street intersection, Valley Transportation Authority Route 21 serves the transit stops. Escuela Avenue also connects to a bike- and pedestrian-only entrance to Rengstorff Park. The posted limit is 25 mph.

2. Resurfacing: This concept proposes narrowing travel lanes to reallocate width for the widening of parking lanes to create a visual narrowing of the street to manage speeds. There are no major implications for this concept but this project intersects with Caltrans right of way which will require coordination.

3. Reconstruction: This concept proposes narrowing parking lanes to reallocate width to the sidewalks, increasing separation between pedestrians and vehicular traffic as well as adding trees where feasible in the parking lane width. The concept also includes reconstruction of the intersections at Crisanto Avenue and California Street and constructing a pedestrian and bicycle crossing to Rengstorff Park. In addition to Caltrans coordination, this concept will alter existing drainage patterns by relocating curbs.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK



MOBILITY AND CONNECTIVITY

WHY IS THIS IMPORTANT?

This project:

- Improves the **comfort** and **accessibility** of walking to local schools, parks and community services through greater separation between the sidewalk and vehicles moving on the roadway in a disadvantaged community area of Mountain View.
- Improves **mobility** and **connectivity** through improved marked crossings at intersections and a mid-block/local road marked crossing.



CALIFORNIA STREET

Shoreline Boulevard to Bush Street (0.32 miles)

PROPOSED CONCEPTS

1. Existing: California Street is primarily fronted with single-family homes, with commercial uses concentrated near the intersection with Castro Street. The corridor features continuous Class II bike lanes, on-street parking, attached sidewalks, and a landscaped median with trees. East of Hope Street, the roadway narrows to one travel lane in each direction, on-street parking, and detached sidewalks. California Street serves as an important connection into Downtown Mountain View. Nearby destinations include Pioneer Memorial Park, Eagle Park, and Mercy Bush Park. The posted speed limit is 35 mph.

2. Resurfacing: This concept proposes narrowing both travel and parking lanes to install wider Class II bike lanes. There are no major implications for this concept.

3. Reconstruction: This concept proposes narrowing the median to create detached sidewalks or widen existing sidewalk planting strips. The project upgrades the Class II lanes to Class IV bikeways with a curbed planting strip. This concept reconstructs the intersection at Castro Street. This project could require tree removal and will include curb relocation along the median and sidewalk which will alter existing drainage patterns. East of Hope Street, the available right of way narrows which means the cross section will look different in that section.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES




MOBILITY AND CONNECTIVITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** through improved marked crossings at intersections and more physical separation between bicyclists and vehicles in the roadway.



WEST MIDDLEFIELD ROAD

Moffett Boulevard to Old Middlefield Way (2 miles)

PROPOSED CONCEPTS

1. Existing: West Middlefield Road has a mix of single family residential, multifamily residential, and commercial land use. The cross section includes attached sidewalks, continuous Class II bike lanes, two travel lanes in each direction, and a planted median with trees. The posted speed is 35 mph. There are no mid-block crossings but there are two beacon crossings (Victory Avenue and Independence Avenue) and enhanced pedestrian crossing signage at San Pierre Way and Terra Bella Avenue. Middlefield Road has a connection to the Permanente Creek Trail at Farley Street and also serves as access for people biking or walking to Crittenden Middle School, Monta Loma Elementary School, and Theuerkauf Elementary School. The Gray Route operates along Middlefield Road. The posted speed limit is 35 mph and 9,000 vehicles in a day were counted east of Rengstorff Ave in 2024.

2. Resurfacing: This concept proposes narrowing the travel and bike lanes to install Class IV bikeways. There are no major implications for this concept.

3. Reconstruction: This concept proposes upgrading the Class IV bikeways to include curbed planting strips. Additionally, the project reconstructs the Old Middlefield Way intersection and constructs a trail connection at Farley Street along with upgraded crossings at San Veron, San Pierre, and Terra Bella. This concept will alter existing drainage patterns by relocating curbs and have implications for future design and construction. Project will require additional data collection to verify justification for parking changes.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY



SUSTAINABILITY AND BIODIVERSITY



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** through physical separation of bicyclists and vehicles on the roadway, a new trail connection and improved marked crossings at intersections.
- Improves **access** to schools and other key destinations such as parks, commercial areas, and transit.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.



These concepts are draft and not final. Final design of the proposed improvements will require further community input, feasibility analysis, and engineering review on a case-by-case basis, and final plans may differ from what is shown here.

LATHAM STREET

Showers Drive to Escuela Avenue (0.84 miles)




PROPOSED CONCEPTS

1. Existing: Latham Street has primarily multi-family residential frontage. The cross section operates as two travel lanes with parking on both sides and attached sidewalks. There are speed humps between Ortega Avenue and Escuela Avenue. Castro Elementary School is the east end of this segment and has a 15 mph school zone for Castro/Mistral Elementary School. The posted speed limit is otherwise 25 mph. Approximately 2,000 vehicles use this street west of Rengstorff Avenue (2024 count) each day. The development patterns have created long block lengths which makes the crossings and sidewalk connections to north-south streets important for pedestrians as well as those trying to access Valley Transportation Authority Route 22 one block south on El Camino Real. Nearby parks include Klein, Rengstorff and Gemello Parks.

2. Resurfacing: This concept proposes narrowing the travel lanes to widen the parking lanes to create a visual narrowing to manage vehicle speeds. There are no major implications for this concept.

3. Reconstruction: This concept proposes narrowing parking lane to widen sidewalks and provide landscape strip. Sidewalk widening will be explored for the entire length and will be determined based on space available and ADA needs. Mature trees are intended to remain with the proposed improvements. The concept also proposes adding trees where feasible in the parking lane. Spot improvements include constructing crossings at Showers Drive, midblock between Ortega Avenue and Rengstorff Avenue, midblock between Rengstorff Avenue and Escuela Avenue, a protected intersection at Rengstorff Avenue, and a protected intersection at Escuela Avenue. This concept will alter existing drainage patterns by relocating curbs.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK




MOBILITY AND CONNECTIVITY

WHY IS THIS IMPORTANT?

This project:

- Improves the **comfort** and **accessibility** of walking to local schools, parks and community services through greater separation between the sidewalk and vehicles moving on the roadway and at intersections in a disadvantaged community area of Mountain View.
- Improves **mobility** and **connectivity** through improved marked crossings at intersections and a mid-block/local road marked crossing.



These concepts are draft and not final. Final design of the proposed improvements will require further community input, feasibility analysis, and engineering review on a case-by-case basis, and final plans may differ from what is shown here.

S SHORELINE BOULEVARD

El Camino Real to Montecito Avenue (1.1 miles)

PROPOSED CONCEPTS

1. Existing: South Shoreline Boulevard has continuous Class II bikes lanes, on-street parking, and three travel lanes in each direction and attached sidewalks. There is a planted median with trees from El Camino Real to Villa Street. North of Villa Street the median narrows and is not planted; there is no sidewalk until Jackson Street. This street provides access to Eagle Park, Pioneer Memorial Park, and Mountain View Public Library, and Mountain View Academy. There is one mid-block crossing at Mercy Street where a median restricts vehicle traffic from crossing South Shoreline Blvd. Valley Transportation Authority Route 21 can be accessed at the intersection with California Street and Gray Route can be accessed at Villa Street. There is a connection for bikes and pedestrians to access Evelyn Street which is grade separated from South Shoreline Boulevard. Valley Transportation Authority Route 40 has a stop pair at Wright Street. The posted speed limit is 35 mph.

2. Resurfacing: This concept proposes removing one travel lane in each direction to accommodate Class IV bikeways and relocating parking away from the curb to provide separation between the bike lanes and vehicle lanes. Traffic operations, parking analysis, and maintenance considerations and costs must be evaluated to determine the feasibility of this concept. This project intersects with County and Caltrain right of way which will require coordination.

3. Reconstruction: This concept proposes upgrading the bikeway buffers to curbed planting strips. This design also incorporates additional sidewalk planting space. Spot treatments include the Montecito Avenue intersection and constructing improved Central Expressway ramp crossings and a bike connection at Dana Street.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK



SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** through physical separation of bicyclists and vehicles on the roadway and improved marked crossings at intersections and Central Expressway ramp crossings.
- Improves **access** to schools and other key destinations such as parks, community resources and transit.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.



LATHAM/CHURCH STREET

Escuela Avenue to Castro Street (0.85 miles)



PROPOSED CONCEPTS

1. Existing: This street is primarily single-family residential with some multi-family and commercial land use. The block lengths are short and intersections are generally all way stops with marked crosswalks and some curb extensions to shorten crossing distances for pedestrians. The cross section includes two travel lanes. There are no bike lanes and the sidewalks are attached. The intersection with Shoreline Blvd is the only signalized intersection and is large which can make crossing uncomfortable for people walking or biking. Destinations on this street serves the Castro/ Mistral Elementary School, Mountain View Whisman School District preschool, Eagle Park, and Pioneer Memorial Park. Castro Street is an important connection into downtown for people walking or biking. The posted speed limit is 25 mph and approximately 1500 vehicles a day use this street (2024 count).

2. Resurfacing: This concept proposes the implementation of a bike boulevard which includes speed management devices, bike boulevard markings, and wayfinding. There are no major implications for this concept.

3. Reconstruction: This concept proposes narrowing travel lanes and sidewalk planting spaces to reallocate width to the sidewalks. Sidewalk widening will be explored for the entire length and will be determined based on space available and ADA needs. Mature trees are intended to remain with the proposed improvements. Treatments include a protected intersection at Shoreline Boulevard and pedestrian crossings at Oak Street and Pioneer Memorial Park. This concept may alter existing drainage patterns by relocating curbs.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** through the implementation of a bicycle boulevard and comfort for pedestrians via a widened sidewalks on a low speed/low volume roadway.
- Improves **connectivity** through shorter crossing distances and marked crossings at intersections.



RENGSTORFF AVENUE


Leghorn Street to Garcia Avenue (0.4 miles)

PROPOSED CONCEPTS

1. Existing: Rengstorff Avenue in this segment has commercial land use near Leghorn Street and then corporate campus offices north of the Bayshore Expressway. There are on and off ramps to the expressway in both directions. There are continuous Class II bike lanes but sidewalks are not continuous. This segment is an important connection to Shoreline Park and for employees travelling to and from work at the large corporate campus. South of this segment, from Leghorn Avenue to El Camino Real, a complete streets study is underway.

2. Reconstruction: This concept proposes removing one travel lane in each direction to install Class IV bikeways. Curbed planting strips are added both along the sidewalk and between the bike lanes and vehicle travel lanes to provide increased separation and protection for cyclists. This project also constructs a protected intersection at Garcia Avenue/Amphitheatre Parkway and coordinates with the VTA-led 101/San Antonio/Rengstorff Interchange Improvement Project, which will improve crossings at US-101 ramps. This concept will alter existing drainage patterns by relocating curbs and have implications for future design and construction as well as Caltrans coordination. There is no resurfacing concept due to ongoing Rengstorff Complete Streets study. Project will require additional data collection to verify justification for lane reconfiguration.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



**Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).*

GUIDING PRINCIPLES



SAFETY AND COMFORT

WHY IS THIS IMPORTANT?

This project:

- Improves **safety** through physical separation of bicyclists and vehicles on the roadway, and decreases crossing distances for pedestrians at intersections.



DANA STREET

Bush Street to Moorpark Way (0.85 miles)




PROPOSED CONCEPTS

1. Existing: Dana Street is a neighborhood street with primarily residential use but there is some light industrial land use east of Highway 85. From Bush Street to Calderon Avenue the street has parking on both sides, one lane each direction, and the sidewalks are separated from the street by a planting strip. East of Calderon Avenue, a planted median separates directions of traffic and there are Class II bike lanes. East of Pioneer Way, there are two travel lane each direction and no median. The sidewalks are not separated from the street. This street has a connection to the Stevens Creek Trail and directly serves Landels Elementary School. the posted speed limit is 35 mph and about 6,200 vehicles use this street each day (2024 count) just east of Pioneer Way.

2. Resurfacing: This concept proposes the removal of one travel lane in each direction to install Class IV bikeways while maintaining on-street parking. This project intersects with Caltrans right of way which will require coordination.

3. Reconstruction: This concept proposes a road reconfiguration to make room for curbed planted strips between the parking lane and the bike lane. Construction of a protected intersection at Calderon Avenue and reconstruction of the intersection at Moorpark Way is also proposed. This concept will alter existing drainage patterns by relocating curbs and have implications for future design and construction.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK




SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** through physical separation of bicyclists and vehicles on the roadway and shorter crossing distances at intersections
- Improves **access** to schools and other key destinations such as trails and employment areas.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.



MIRAMONTE AVENUE


El Camino Real to Marilyn Drive (0.5 miles)

PROPOSED CONCEPTS

1. Planned, Near Term: This segment of Miramonte Avenue has an active project underway called Miramonte Avenue Complete Streets Study, Project 23-31. Refer to that study for more information about existing conditions. The posted speed limit is 25 mph and 2024 counts collected near Sonia way showed about 6,000 vehicles use this street each day. Destinations along and near this street include Graham Middle School, St Joseph Catholic School, Eagle Park, Pioneer Memorial Park, and McElvey Ball Park.

2. Reconstruction: This concept proposes upgrading the bike lane buffer to a planted strip. Additionally, this concept proposes constructing a protected intersection at El Camino Real and pedestrian crossings at Park Drive and Sonia Way. This concept will alter existing drainage patterns by relocating curbs and have implications for future design and construction.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK



SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** through physical separation of bicyclists and vehicles on the roadway and shorter crossing distances at intersections
- Improves access to schools and other key destinations such as community resources and employment areas.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.



GARCIA AVENUE

Bayshore Parkway to Amphitheatre Parkway (0.6 miles)




PROPOSED CONCEPTS

1. Existing: Garcia Avenue has corporate campus on both sides. Garcia Avenue generally has one travel lane in each direction and a center turn lane as well as continuous Class II bike lanes and some planted medians and mid-block crossings near Marine Way. Garcia Avenue provides access to Shoreline Park which a major destination for recreation and entertainment. The posted speed limit is 35 mph. This street is also addressed in the North Bayshore Precise Plan.

2. Resurfacing: This concept proposes narrowing travel lanes to reallocate space for wider Class IV bikeways. There are no major implications for this project.

3. Reconstruction: This concept proposes installation of sidewalks and a planted median. This concept will alter existing drainage patterns by installing curbs.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES




SAFETY AND COMFORT

WHY IS THIS IMPORTANT?

This project:

- Improves **safety** through physical separation of bicyclists and vehicles on the roadway, and the provision of sidewalks on both sides of the street.



EVELYN AVENUE

Bush Street to Bernardo Avenue (1.35 miles)

PROPOSED CONCEPTS


1. Existing: Evelyn Avenue is a mix of single family, multifamily, and commercial land use. This segment has continuous Class II bike lanes typically with two travel lanes in each direction. There are several multi-family housing complexes in the segment and sidewalk only on the south curb from the Highway 85 exit to Bernardo Street. West Evelyn Ave has a pedestrian and bicycle connection to the Stevens Creek Trail near the West Valley Freeway. This is an important connection into and out of downtown Mountain View and to access Caltrain's Mountain View Station. Nearby destinations include Landels and Vargas Elementary Schools and Magnolia and Chetwood Parks. The posted speed limit is 30 mph.

2. Resurfacing: This concept proposes removing a travel lane in each direction, add a two-way cycle track on the north curb and a Class IV bikeway on the south curb. The two-way cycle track aligns with the proposal for the Mountain View Transit Center improvements on Evelyn Street and Sunnyvale's project to construct a Class I Shared Use Path on the north side of Evelyn. There are drainage implications for this project due to modified curb lines and Caltrain coordination will be required. Traffic analysis will also be needed.

3. Reconstruction: This concept proposes raising the two-way cycle track on the north curb to sidewalk level and creating a shared use path and adding a curbed planting strip to the Class IV bikeway on the south curb. A new bicycle/pedestrian crossing to the Stevens Creek Trail is also included. There are additional drainage implications for this scenario as well as the need for removal of the planted median from Bernado to Highway 85.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.

NOTE: These cross-sections were developed as part of an MTA technical assistance project.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK



SAFETY AND COMFORT



SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves the **All Ages and Abilities** bicycle network and access to employment, transit, and trails.
- Improves **safety** through physical separation of bicyclists and vehicles on the roadway and improved marked crossings for pedestrians at intersections.
- Improves **sustainability** and biodiversity through increases in pervious surface area and plantable space.



PHYLLIS AVENUE

El Camino Real to Grant Road (0.5 miles)




PROPOSED CONCEPTS

1. Existing: Phyllis Avenue is a primarily residential street with some pockets of commercial land use at either end. Phyllis includes on-street parking, a continuous Class II bike lane, and a wide center turn lane. In some segments, a planted median is present. At the south end, there is a large shopping center which attracts pedestrian traffic along and across Phyllis Avenue. There are no mid-block crossings - the only crossing in this segment is at the all way stop at Hans Avenue which also has some traffic calming elements to manage turning speeds/trajectories. Phyllis Avenue is an important connection for people walking or biking to Imai Elementary and Graham Middle schools. The posted speed limit is 30 mph and about 5,600 vehicles use this street each day (2024 count).

2. Resurfacing: This project proposes narrowing the existing lane widths to install Class IV bikeways that are parking protected. This project includes protected intersections at El Camino Real, Hans Avenue, and Grant Road and constructing mid-block crossings at Tyler Park Way and Pamela Drive. This project intersects with Caltrans right of way which will require coordination.

3. Reconstruction: This concept proposes that upgrading the bike lane buffer to curbed planting strip and widening the sidewalk by removing the center turn lane. This scenario would require traffic analysis.

This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY



ACCESS, EQUITY, AND ALL AGES AND ABILITIES NETWORK



SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** through physical separation of bicyclists and vehicles on the roadway and shorter crossing distances at intersections.
- Improves **access** to schools and other key destinations such as community resources and employment areas.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.



SYLVAN AVENUE/THE AMERICANA

Moorpark Way to Continental Circle (0.6 miles)


This cross-section shows only the typical section of the street; it does not represent every aspect of the roadway. Some segments may need to be addressed differently.

PROPOSED CONCEPTS

1. Existing: Sylvan Avenue is a mix of single family, multifamily, and commercial land use. Sylvan Avenue has Class II bike lanes and one travel lane in each direction. There is parking on both sides of the street from East Dana Street to Moraga Drive and continuous sidewalks. Sylvan Park is in the middle of this segment and a popular destination and has a pedestrian crossing. The posted speed limit is 30 mph and about 6,000 vehicles travel on this street each day (2024 count).

2. Resurfacing: This concept proposes narrowing travel lanes to reallocate space for wider bike lanes. This project intersects with Caltrans right of way which will require coordination.

3. Reconstruction: This concept proposes constructing a separated bikeway on both sides of the street. This concept also includes enhancing pedestrian comfort by spot-widening the sidewalk to provide accessible pedestrian clearances throughout the corridor. Additional intersection improvements and speed reduction measures could be implemented. This project requires Caltrans Coordination and a parking utilization study. Cross-section shows the most constrained section. South of Dana St, parking on one side can be retained with this option.



*Illustrative concepts have been developed with references from AASHTO Bike Guide (2024), NACTO Bikeway Design Guide (2025), CA MUTCD (2014), and, Caltrans DIB-94 (2024).

GUIDING PRINCIPLES



MOBILITY AND CONNECTIVITY



SUSTAINABILITY AND BIODIVERSITY

WHY IS THIS IMPORTANT?

This project:

- Improves **mobility** and **connectivity** through physical separation of bicyclists and vehicles on the roadway and improved marked crossings.
- Improves **sustainability** and **biodiversity** through increases in pervious surface area and plantable space.

