

R

2019-09-03

Contents

1	Lecture	5
1.1	Goal	5
1.2	References	5
1.3	Evaluation	5
1.4	Schedule	5
1.5	References	6
2	Introductin	7
2.1	What is R / Rstudio	7
2.2	R / Rstudio installation	7
2.3	Rstudio interface	14
2.4	R programming basics and terminology	14
3	introduction of data	15

Chapter 1

Lecture

- : 1213 (13:00~16:00)
- :
- : 042-860-4372, haseong@kribb.re.kr (1143)
- site: <https://greendaygh.github.io/Rstat2019/>

1.1 Goal

- . R

1.2 References

- Using R for Introductory Statistics by John Verzani
 - Free version of 1st Edition
 - * <https://cran.r-project.org/doc/contrib/Verzani-SimpleR.pdf>
 - * <http://cbb.sjtu.edu.cn/~mywu/bi217/usingR.pdf>
 - Second edition
 - * <https://www.crcpress.com/Using-R-for-Introductory-Statistics-Second-Edition/Verzani/p/book/9781466590731>
- R for Data Science (<https://r4ds.had.co.nz>, <https://github.com/hadley>)
- <https://resources.rstudio.com/>
- (,)

1.3 Evaluation

- 50% / 50% / 80 S, 80 U

1.4 Schedule

- 1 - R basics / introduction of data

- 2 - Univariate data – Summary statistics (, ,)
- 3 - Bivariate data – Correlation / Independence (, ,)
- 4 - Multivariate data – R data structure (, R , R)
- 5 - Populations – Families of distributions
- 6 - Sampling – Distribution and CLT ,
- 7 - Statistical inference
- 8 - Confidence intervals
- 9 - Significance test - parameteric ()
- 10 - Significance test – non parametric ()
- 11 - Goodness of fit - parametric ()
- 12 - Goodness of fit – non parametric ()
- 13 - Linear regression – basics & simple LR
- 14 - Multiple linear regression
- 15 - Analysis of variance
- 16 - Logistic / Non-linear regression /
- 9/25 ()

1.5 References

- R <https://www.r-project.org/>
- Rstudio <https://www.rstudio.com/>
- Packages for biologists <https://www.bioconductor.org/>
- R (, , ,)
- <https://cran.r-project.org/doc/manuals/r-release/R-intro.html>
- <https://cran.r-project.org/doc/manuals/r-release/R-data.html>
- <https://cran.r-project.org/doc/manuals/r-release/R-admin.html>
- R ebooks
- <https://bookdown.org/>

Chapter 2

Introductin

2.1 What is R / Rstudio




- R is a programming language that runs computations (<https://www.r-project.org/>)
- RStudio is an integrated development environment (IDE) that provides an interface for the programming (<https://www.rstudio.com/>)

2.2 R / Rstudio installation

- Install R first and then install RStudio second

• R



The screenshot shows two web browser windows. The top window is the R Project for Statistical Computing homepage (r-project.org). It features the R logo, a navigation menu on the left, and sections for 'Getting Started', 'News', and 'News via Twitter'. The 'Getting Started' section explains that R is a free software environment for statistical computing and graphics, available on various platforms. The 'News' section lists recent releases of R (3.6.1 and 3.5.3) and upcoming events like useR! 2020. The bottom window is the CRAN Mirrors page (cran.r-project.org/mirrors.html). It provides information about the Comprehensive R Archive Network (CRAN) and lists various mirrors around the world, categorized by country. Each entry includes a URL and the name of the hosting institution.

The R Project for Statistical Computing

[Home]

Download
CRAN

R Project
About R
Logo
Contributors
What's New?
Reporting Bugs
Conferences
Search
Get Involved: Mailing Lists
Developer Pages
R Blog

R Foundation
Foundation
Board
Members
Donors
Donate

Help With R
Getting Help

Getting Started

R is a free software environment for statistical computing and graphics. It compiles and runs on a wide variety of UNIX platforms, Windows and MacOS. To [download R](#), please choose your preferred [CRAN mirror](#).

If you have questions about R like how to download and install the software, or what the license terms are, please read our [answers to frequently asked questions](#) before you send an email.

News

- **R version 3.6.1 (Action of the Toes)** has been released on 2019-07-05.
- useR! 2020 will take place in St. Louis, Missouri, USA.
- **R version 3.5.3 (Great Truth)** has been released on 2019-03-11.
- The R Foundation Conference Committee has released a [call for proposals](#) to host useR! 2020 in North America.
- You can now support the R Foundation with a renewable subscription as a [supporting member](#)
- The R Foundation has been awarded the Personality/Organization of the year 2018 award by the professional association of German market and social researchers.

News via Twitter


The R Foundation Retweeted

CRAN Mirrors

The Comprehensive R Archive Network is available at the following URLs, please choose a location close to you. Some statistics on the status of the mirrors can be found here: [main page](#), [windows release](#), [windows old release](#).

If you want to host a new mirror at your institution, please have a look at the [CRAN Mirror HOWTO](#).

0-Cloud	https://cloud.r-project.org/	Automatic redirection to servers worldwide, currently sponsored by Rstudio
Algeria	https://cran.usthb.dz/	University of Science and Technology Houari Boumediene
Argentina	http://mirror.fcaglp.unlp.edu.ar/CRAN/	Universidad Nacional de La Plata
Australia	https://cran.csiro.au/ https://mirror.aarnet.edu.au/pub/CRAN/ https://cran.ms.unimelb.edu.au/ https://cran.curtin.edu.au/	CSIRO AARNET School of Mathematics and Statistics, University of Melbourne Curtin University of Technology
Austria	https://cran.wu.ac.at/	Wirtschaftsuniversität Wien
Belgium	https://www.freeststatistics.org/cran/ https://lib.ugent.be/CRAN/	Patrick Wessa Ghent University Library
Brazil	https://cran-r.c3sl.ufpr.br/ https://cran.fiocruz.br/ https://vps.fmvz.usp.br/CRAN/ https://brieger.esalq.usp.br/CRAN/	Universidade Federal do Parana Oswaldo Cruz Foundation, Rio de Janeiro University of Sao Paulo, Sao Paulo University of Sao Paulo, Piracicaba
Bulgaria	https://cran.bf.uni-sofia.bg/CRAN/	Bulgarian Academy of Sciences



The screenshot shows the CRAN website with the following content:

The Comprehensive R Archive Network

Download and Install R

Precompiled binary distributions of the base system and contributed packages, **Windows and Mac** users most likely want one of these versions of R:

- [Download R for Linux](#)
- [Download R for \(Mac\) OS X](#)
- [Download R for Windows](#)

R is part of many Linux distributions, you should check with your Linux package management system in addition to the link above.

Source Code for all Platforms

Windows and Mac users most likely want to download the precompiled binaries listed in the upper box, not the source code. The sources have to be compiled before you can use them. If you do not know what this means, you probably do not want to do it!

- The latest release (2019-07-05, Action of the Toes) [R-3.6.1.tar.gz](#), read [what's new](#) in the latest version.
- Sources of [R alpha and beta releases](#) (daily snapshots, created only in time periods before a planned release).
- Daily snapshots of current patched and development versions are [available here](#). Please read about [new features and bug fixes](#) before filing corresponding feature requests or bug reports.
- Source code of older versions of R is [available here](#).
- Contributed extension [packages](#)

Questions About R

- If you have questions about R like how to download and install the software, or what

CRAN

[Mirrors](#)
[What's new?](#)
[Task Views](#)
[Search](#)

About R


[R Homepage](#)
[The R Journal](#)

Software

[R Sources](#)
[R Binaries](#)
[Packages](#)
[Other](#)

Documentation

[Manuals](#)
[FAQs](#)
[Contributed](#)



The screenshot shows the CRAN website with the following content:

R for Windows

Subdirectories:

- [base](#): Binaries for base distribution. This is what you want to [install R for the first time](#).
- [contrib](#): Binaries of contributed CRAN packages (for R >= 2.13.x; managed by Uwe Ligges). There is also information on [third party software](#) available for CRAN Windows services and corresponding environment and make variables.
- [old contrib](#): Binaries of contributed CRAN packages for outdated versions of R (for R < 2.13.x; managed by Uwe Ligges).
- [Rtools](#): Tools to build R and R packages. This is what you want to build your own packages on Windows, or to build R itself.

Please do not submit binaries to CRAN. Package developers might want to contact Uwe Ligges directly in case of questions / suggestions related to Windows binaries.

You may also want to read the [R FAQ](#) and [R for Windows FAQ](#).

Note: CRAN does some checks on these binaries for viruses, but cannot give guarantees. Use the normal precautions with downloaded executables.

CRAN

[Mirrors](#)
[What's new?](#)
[Task Views](#)
[Search](#)

About R



[R Homepage](#)
[The R Journal](#)

Software

[R Sources](#)
[R Binaries](#)
[Packages](#)
[Other](#)

Documentation

[Manuals](#)
[FAQs](#)
[Contributed](#)



- Rstudio

The screenshot shows the RStudio website. The top navigation bar includes links for Products, Resources, Pricing, About Us, and Blogs. The main heading is "RStudio". Below it, a subheading reads "Take control of your R code". A paragraph describes RStudio as an integrated development environment (IDE) for R, including a console, syntax-highlighting editor, and tools for plotting, history, debugging, and workspace management. A link is provided to see more features. Another paragraph states that RStudio is available in open source and commercial editions and runs on the desktop (Windows, Mac, and Linux) or in a browser connected to RStudio Server or RStudio Server Pro (Debian/Ubuntu, RedHat/CentOS, and SUSE Linux).

Two main options are presented: Desktop and Server. The Desktop option includes the text "Run RStudio on your desktop" and a link "RStudio Desktop >". The Server option includes the text "Centralize access and computation" and a link "RStudio Server >".

Below this, the "RStudio Desktop" page is shown, featuring a comparison table between the "Open Source Edition" and the "Commercial License".

	Open Source Edition	Commercial License
Overview	<ul style="list-style-type: none"> Access RStudio locally Syntax highlighting, code completion, and smart indentation Execute R code directly from the source editor Quickly jump to function definitions Easily manage multiple working directories using projects Integrated R help and documentation Interactive debugger to diagnose and fix errors quickly Extensive package development tools 	<p>All of the features of open source; plus:</p> <ul style="list-style-type: none"> A commercial license for organizations not able to use AGPL software Access to priority support
Support	Community forums only	<ul style="list-style-type: none"> Priority Email Support 8 hour response during business hours (ET)
License	AGPL v3	RStudio License Agreement
Pricing	Free	\$995/year

At the bottom of the comparison table, there are two buttons: "DOWNLOAD RSTUDIO DESKTOP" and "BUY NOW".

Download RStudio - RStudio

[rstudio.com/products/rstudio/download/](#)

RStudio

Products Resources Pricing About Us Blogs

Choose Your Version of RStudio

RStudio is a set of integrated tools designed to help you be more productive with R. It includes a console, syntax-highlighting editor that supports direct code execution, and a variety of robust tools for plotting, viewing history, debugging and managing your workspace. [Learn More about RStudio features.](#)

RStudio Team

RStudio's new solution for every professional data science team. RStudio Team includes RStudio Server Pro, RStudio Connect and RStudio Package Manager. [LEARN MORE](#)

RStudio Desktop Open Source License	RStudio Desktop Commercial License	RStudio Server Open Source License	RStudio Server Pro Commercial License
FREE	\$995 per year	FREE	\$4,975 per year (5 Named Users)
DOWNLOAD	BUY	DOWNLOAD	BUY

R-3.6.1-win.exe

전체 보기

RStudio Desktop 1.2.1335 — Release Notes

RStudio requires R 3.0.1+. If you don't already have R, download it [here](#).

Linux users may need to import RStudio's public code-signing key prior to installation, depending on the operating system's security policy.

RStudio 1.2 requires a 64-bit operating system, and works exclusively with the 64 bit version of R. If you are on a 32 bit system or need the 32 bit version of R, you can use an older version of RStudio.

Installers for Supported Platforms


Installers	Size	Date	MD5
RStudio 1.2.1335 - Windows 7+ (64-bit)	126.9 MB	2019-04-08	d0e2470f1f8ef4cd35a669aa323a2136
RStudio 1.2.1335 - macOS 10.12+ (64-bit)	121.1 MB	2019-04-08	6c570b0e2144583f7c48c284ce299eef
RStudio 1.2.1335 - Ubuntu 14/Debian 8 (64-bit)	92.2 MB	2019-04-08	c1b07d0511469abfe582919b183eee83
RStudio 1.2.1335 - Ubuntu 16 (64-bit)	99.3 MB	2019-04-08	c142d69c210257fb10d18c045ff13c7
RStudio 1.2.1335 - Ubuntu 18/Debian 10 (64-bit)	100.4 MB	2019-04-08	71a8d1990c0d97939804b46cfb0aea75
RStudio 1.2.1335 - Fedora 19/RedHat 7 (64-bit)	114.1 MB	2019-04-08	296b6ef88969a91297fab6545f256a7a
RStudio 1.2.1335 - Debian 9 (64-bit)	100.6 MB	2019-04-08	1e32d4d6f6e216f086a81ca82ef65a91
RStudio 1.2.1335 - OpenSUSE 15 (64-bit)	101.6 MB	2019-04-08	2795a63c7efd8e2aa2dae86ba09a81e5
RStudio 1.2.1335 - SLES/OpenSUSE 12 (64-bit)	94.4 MB	2019-04-08	c65424b06ef6737279d982db9eefcae1

Zip/Tarballs

R-3.6.1-win.exe
위스폴

전체 보기

2.3 Rstudio interface



2.4 R programming basics and terminology

- Console:
- Code: R /
- Objects (): ()
- Data types: Integers, doubles/numerics, logicals, and characters.
- Object types:
- Vectors: combine function `c()` For example: `c(6, 11, 13, 31, 90, 92)`
- Factors:
- Data frames: 2D matrix
- Conditionals (,):
- if: `==`, `&` (AND), `|` (OR) Ex: `(2 + 1 == 3) & (2 + 1 == 4)` returns FALSE / TRUE
- for, while:
- Functions (), also called commands: . - (arguments) - (output)

Chapter 3

introduction of data

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter `??`. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter `??`.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 3.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 3.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2019) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).




Figure 3.1: Here is a nice figure!

Table 3.1: Here is a nice table!				
Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2019). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.13.