Manuscript Title

Authors

- **John Doe**
  ⓘ [XXXX-XXXX-XXXX-XXXX](#) · ⓖ [johndoe](#) · 🐦 [johndoe](#)
  Department of Something, University of Whatever · Funded by Grant XXXXXXXX

- **Jane Roe**
  ⓘ [XXXX-XXXX-XXXX-XXXX](#) · ⓖ [janeroe](#)
  Department of Something, University of Whatever; Department of Whatever, University of Something

Recognition by peers or the general public can greatly affect the trajectory of a scientist's career. Whether the recognition is the inclusion of their name in print as an expert, an invited lecture, or an award, each form of recognition paves the way to future accolades. Regardless of an individual's merit, biases can skew which scientists are even considered for recognition. To combat biases, audits can identify if specific groups are being unintentionally neglected and hold the recognizing body accountable.

The use of auditing methods has produced evidence that they can help reduce disparities. In science journalism, Adrienne LaFrance, supported by Nathan Matias, and Ed Yong performed self-audits to quantify gender disparity in their quoted or mentioned sources [1/,2/]. While a secondary audit performed by LaFrance showed no improvement from her initial audit, Yong, through continuous self-auditing, was able to achieve gender parity in his reporting.

In award recognition, an audit of the International Society for Computational Biology (ISCB) honorees revealed a significant disparity against people with East Asian name origins and towards US-affiliated scientists. After this study was made available to the public, the following set of honorees had the highest mean predicted probability of an honoree having an East Asian name of any previous year. Additionally, the nominating committee inducted the first China-based fellow into ISCB [3].

Audits can also provide evidence for specific corrective actions. In a recent study of disparities in scientific journalism, it was found that people with an East Asian name origin were under-quoted and under-mentioned [4]. However, this disparity was almost completely removed after adding the additional constraint of being on a US-affiliated paper cited in the article. This implies that source gathering beyond authors in publications may be regionally biased, arguing for more regionally focused or co-located journalists.

Audits of representation would ideally be done with all individuals self-reporting gender, ethnicity, and other group markers [5]. While this may be possible prospectively in some scenarios, surveying for self-identification is impractical for large groups and often impossible retrospectively [6/]. Computationally derived predictions allow for diversity audits on a scale that would not be possible otherwise. Numerous tools exist to algorithmically infer gender, nationality, and ethnicity information using only the feature most likely to be non-missing in a relevant dataset: an individual's name. Most of these models are highly scalable, allowing auditors to define the scope of their target group and background population as broadly as needed.

Prediction models are not a panacea; several factors limit both their accuracy at recapitulating self-reported information and their ability to address the underlying motivating questions of diversity

audits. For an example of the former, gender associations of a given name can vary by culture, potentially biasing gender predictions where additional information is not available [7]. For an example of the latter, most gender prediction models are trained on binary gender labels, which occludes assessing the representation of transgender, non-binary, and intersex individuals [8].

Proxy predictions of ethnicity via name origin are more difficult still; the choice of categories to probabilistically predict on is non-trivial and difficult to define. Furthermore, there is no one-to-one mapping between having a name from a linguistic group and belonging to a minoritized or underrepresented group. Colonialism, immigration, and structural racism have affected most groups' linguistic history and inclusion or exclusion from scientific communities in complex ways that are nearly impossible to parse from names alone. For instance, these classifiers are usually unable to distinguish if names of Hispanic origin come from the Iberian Peninsula or from Latin America [3]. If a target and background population had identical probabilistic proportions of Hispanic names, but the target group primarily consisted of individuals from Spain and Portugal, underrepresentation of Latin American scientists would then go unnoticed in an exclusively computational analysis.

Recognizing the aforementioned shortcomings, we propose the following recommendations for the creation and deployment of automated auditing tools: 1. *Transparency.* Publicly provide all tools, code, and data used in the analysis. This is to enable public scrutiny and transparency to those being audited and those whose data you are using. If the data is private, we recommend providing de-identified or aggregated data.

2. *Individuals know best.* Self-identified demographic information should be used in preference to automated predictions.

3. *Aggregates only.* Audit results should not affect individuals. Gender expression and ethnicity of an individual are not for an algorithm to decide nor are they the focus of an audit. The analyses must focus only on aggregate estimations and any intermediary predictions on an individual should not be used independently. In addition, analysts must be mindful of hidden subpopulations that may be obscured when calculating aggregate statistics.

4. *Inform the public.* While internal audits can help institutions monitor their practices, the key goal is to remove disparities in public-facing forms of representation. We believe transparency and the ability to track progress over time is the most effective method to achieve this.

This manuscript is a template (aka "rootstock") for Manubot, a tool for writing scholarly manuscripts. Use this template as a starting point for your manuscript.

The rest of this document is a full list of formatting elements/features supported by Manubot. Compare the input (`.md` files in the `/content` directory) to the output you see below.

Basic formatting

Bold text

Semi-bold text

<div align="center">Centered text</div>

<div align="right">Right-aligned text</div>

Italic text

Combined *italics and **bold***

~~Strikethrough~~

1. Ordered list item
2. Ordered list item
   a. Sub-item
   b. Sub-item
      i. Sub-sub-item
3. Ordered list item
   a. Sub-item

- List item
- List item
- List item

subscript: H_2O is a liquid

superscript: 2^{10} is 1024.

[unicode superscripts](#)^{0123456789}

[unicode subscripts](#)$_{0123456789}$

A long paragraph of text. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Putting each sentence on its own line has numerous benefits with regard to [editing](#) and [version control](#).

Line break without starting a new paragraph by putting
two spaces at end of line.

Document organization

Document section headings:

Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

A heading centered on its own printed page

Horizontal rule:

`Heading 1`'s are recommended to be reserved for the title of the manuscript.

`Heading 2`'s are recommended for broad sections such as *Abstract*, *Methods*, *Conclusion*, etc.

`Heading 3`'s and `Heading 4`'s are recommended for sub-sections.

Links

Bare URL link: https://manubot.org

Long link with lots of words and stuff and junk and bleep and blah and stuff and other stuff and more stuff yeah

Link with text

Link with hover text

Link by reference

Citations

Citation by DOI [9].

Citation by PubMed Central ID [10].

Citation by PubMed ID [11].

Citation by Wikidata ID [12].

Citation by ISBN [13].

Citation by URL [14].

Citation by alias [15].

Multiple citations can be put inside the same set of brackets [9,13,15]. Manubot plugins provide easier, more convenient visualization of and navigation between citations [10,11,15,16].

Citation tags (i.e. aliases) can be defined in their own paragraphs using Markdown's reference link syntax:

Referencing figures, tables, equations

Figure 1

Figure 2

Quotes and code

> Quoted text

> Quoted block of text
>
> Two roads diverged in a wood, and I—
> I took the one less traveled by,
> And that has made all the difference.

Code `in the middle` of normal text, aka `inline code`.

Code block with Python syntax highlighting:

```python
from manubot.cite.doi import expand_short_doi

def test_expand_short_doi():
    doi = expand_short_doi("10/c3bp")
    # a string too long to fit within page:
    assert doi == "10.25313/2524-2695-2018-3-vliyanie-enhansera-copia-i-
        insulyatora-gypsy-na-sintez-ernk-modifikatsii-hromatina-i-
        svyazyvanie-insulyatornyh-belkov-vtransfetsirovannyh-geneticheskih-
        konstruktsiyah"
```

Code block with no syntax highlighting:

```
Exporting HTML manuscript
Exporting DOCX manuscript
Exporting PDF manuscript
```

Figures

Figure 1: A square image at actual size and with a bottom caption. Loaded from the latest version of image on GitHub.

Figure 2: An image too wide to fit within page at full size. Loaded from a specific (hashed) version of the image on GitHub.

Figure 3: A tall image with a specified height. Loaded from a specific (hashed) version of the image on GitHub.

Figure 4: A vector `.svg` image loaded from GitHub. The parameter `sanitize=true` is necessary to properly load SVGs hosted via GitHub URLs. White background specified to serve as a backdrop for transparent sections of the image.

Tables

Table 1: A table with a top caption and specified relative column widths.

Bowling Scores	Jane	John	Alice	Bob
Game 1	150	187	210	105
Game 2	98	202	197	102
Game 3	123	180	238	134

Table 2: A table too wide to fit within page.

	Digits 1-33	Digits 34-66	Digits 67-99	Ref.
pi	3.14159265358979323 846264338327950	28841971693993751 0582097494459230	78164062862089986 2803482534211706	`piday.org`
e	2.71828182845904523 536028747135266	24977572470936999 5957496696762772	40766303535475945 7138217852516642	`nasa.gov`

Table 3: A table with merged cells using the `attributes` plugin.

	Colors	
Size	**Text Color**	**Background Color**
big	blue	orange
small	black	white

Equations

A LaTeX equation:

$$\int_0^\infty e^{-x^2} dx = \frac{\sqrt{\pi}}{2} \tag{1}$$

An equation too long to fit within page:

$$x = a + b + c + d + e + f + g + h + i + j + k + l + m + n + o + p + q + r + s + t \\ + u + v + w + x + y + z + 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 \tag{2}$$

Special

⚠ **WARNING** *The following features are only supported and intended for `.html` and `.pdf` exports. Journals are not likely to support them, and they may not display correctly when converted to other formats such as `.docx`.*

> **LINK STYLED AS A BUTTON**

Adding arbitrary HTML attributes to an element using Pandoc's attribute syntax:

> Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot. Manubot Manubot Manubot. Manubot Manubot. Manubot.

Adding arbitrary HTML attributes to an element with the Manubot `attributes` plugin (more flexible than Pandoc's method in terms of which elements you can add attributes to):

> Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot. Manubot Manubot Manubot. Manubot Manubot. Manubot.

Available background colors for text, images, code, banners, etc:

`white` `lightgrey` `grey` `darkgrey` `black` `lightred` `lightyellow` `lightgreen` `lightblue` `lightpurple` `red` `orange` `yellow` `green` `blue` `purple`

Using the [Font Awesome](#) icon set:

✔ ❓ ★ 🔔 ✖ ⋯

🏴 Light Grey Banner
useful for *general information* - manubot.org

ℹ️ Blue Banner
useful for *important information* - manubot.org

🚫 Light Red Banner
useful for *warnings* - manubot.org

References

1. **I Analyzed a Year of My Reporting for Gender Bias (Again)**
   Adrienne LaFrance
   The Atlantic (2016-02-17) https://www.theatlantic.com/technology/archive/2016/02/gender-diversity-journalism/463023/

2. **I Spent Two Years Trying to Fix the Gender Imbalance in My Stories**
   Ed Yong
   The Atlantic (2018-02-06) https://www.theatlantic.com/science/archive/2018/02/i-spent-two-years-trying-to-fix-the-gender-imbalance-in-my-stories/552404/

3. **Analysis of scientific society honors reveals disparities**
   Trang T Le, Daniel S Himmelstein, Ariel A Hippen, Matthew R Gazzara, Casey S Greene
   Cell Systems (2021-09) https://doi.org/gmhq49
   DOI: 10.1016/j.cels.2021.07.007 · PMID: 34555325

4. **Analysis of scientific journalism in <i>Nature</i> reveals gender and regional disparities in coverage**
   Natalie R Davidson, Casey S Greene
   Cold Spring Harbor Laboratory (2021-06-22) https://doi.org/gkscd5
   DOI: 10.1101/2021.06.21.449261

5. **Ten Simple Rules to Achieve Conference Speaker Gender Balance**
   Jennifer L Martin
   PLoS Computational Biology (2014-11-20) https://doi.org/gf853n
   DOI: 10.1371/journal.pcbi.1003903 · PMID: 25411977 · PMCID: PMC4238945

6. **How to Ethically and Responsibly Identify Gender in Large Datasets**
   MediaShift
   (2014-11-21) http://mediashift.org/2014/11/how-to-ethically-and-responsibly-identify-gender-in-large-datasets/

7. **A Data-driven Approach to Studying Given Names and their Gender and Ethnicity Associations**
   Shervin Malmasi
   Proceedings of the Australasian Language Technology Association Workshop 2014 (2014-11)
   https://aclanthology.org/U14-1021

8. **Racial and ethnic imbalance in neuroscience reference lists and intersections with gender**
   Maxwell A Bertolero, Jordan D Dworkin, Sophia U David, Claudia López Lloreda, Pragya Srivastava, Jennifer Stiso, Dale Zhou, Kafui Dzirasa, Damien A Fair, Antonia N Kaczkurkin, … Danielle S Bassett
   Cold Spring Harbor Laboratory (2020-10-12) https://doi.org/gj7mdc
   DOI: 10.1101/2020.10.12.336230

9. **Sci-Hub provides access to nearly all scholarly literature**
   Daniel S Himmelstein, Ariel Rodriguez Romero, Jacob G Levernier, Thomas Anthony Munro, Stephen Reid McLaughlin, Bastian Greshake Tzovaras, Casey S Greene
   eLife (2018-03-01) https://doi.org/ckcj
   DOI: 10.7554/elife.32822 · PMID: 29424689 · PMCID: PMC5832410

10. **Reproducibility of computational workflows is automated using continuous analysis**

Brett K Beaulieu-Jones, Casey S Greene

Nature biotechnology (2017-04) https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6103790/

DOI: 10.1038/nbt.3780 · PMID: 28288103 · PMCID: PMC6103790

11. **Bitcoin for the biological literature.**
Douglas Heaven
Nature (2019-02) https://www.ncbi.nlm.nih.gov/pubmed/30718888
DOI: 10.1038/d41586-019-00447-9 · PMID: 30718888

12. **Plan S: Accelerating the transition to full and immediate Open Access to scientific publications**
cOAlition S
(2018-09-04) https://www.wikidata.org/wiki/Q56458321

13. **Open access**
Peter Suber
MIT Press (2012)
ISBN: 9780262517638

14. **Open collaborative writing with Manubot**
Daniel S Himmelstein, Vincent Rubinetti, David R Slochower, Dongbo Hu, Venkat S Malladi, Casey S Greene, Anthony Gitter
Manubot (2020-05-25) https://greenelab.github.io/meta-review/

15. **Opportunities and obstacles for deep learning in biology and medicine**
Travers Ching, Daniel S Himmelstein, Brett K Beaulieu-Jones, Alexandr A Kalinin, Brian T Do, Gregory P Way, Enrico Ferrero, Paul-Michael Agapow, Michael Zietz, Michael M Hoffman, … Casey S Greene
Journal of The Royal Society Interface (2018-04-04) https://doi.org/gddkhn
DOI: 10.1098/rsif.2017.0387 · PMID: 29618526 · PMCID: PMC5938574

16. **Open collaborative writing with Manubot**
Daniel S Himmelstein, Vincent Rubinetti, David R Slochower, Dongbo Hu, Venkat S Malladi, Casey S Greene, Anthony Gitter
PLOS Computational Biology (2019-06-24) https://doi.org/c7np
DOI: 10.1371/journal.pcbi.1007128 · PMID: 31233491 · PMCID: PMC6611653