DATABASE PROJECT

DATABASE ON WEB APPLICATION

ANIMATION SHOWTIME

เว็ปไซต์สำหรับแสดงข้อมูลและตารางฉายอะนิเมชั่น



 BY

Thanathip Saroch

Lertprasitphan Triamchaisri 5610502101 5610506964


บทนำ

เว็ปไซต์สำหรับแสดงข้อมูลและตารางการฉายอะนิเมชั่นในประเทศญี่ปุ่น เป็น เว็ปแอพพลิเคชั่นที่พัฒนาขึ้นเพื่อช่วยให้ผู้ที่ติดตามอะนิเมชั่น ในการรับรู้ข่าวสาร, ข้อมูลและตารางฉายของอะนิเมชั่นที่กำลังฉายอยู่ในปัจจุบันและที่กำลังจะเข้าฉายใน อนาคตด้วย

เว็ปไซต์สำหรับแสดงข้อมูลและตารางการฉายอะนิเมชั่นในประเทศญี่ปุ่น จะ ประกอบไปด้วยฐานข้อมูลต่างๆที่เกี่ยวกับ ข้อมูลของผู้เขียนเช่นประวัติการเขียนใน อดีตต่างๆ ข้อมูลเกี่ยวกับอะนิเมชั่นเช่นชื่อเรื่อง,เนื้อเรื่องย่อและผู้เขียน ข้อมูล เกี่ยวกับเวลาการฉายเช่นวันที่ฉาย ช่วงเวลาที่ฉาย โดยจะนำข้อมูลเหล่านี้มา แสดงผลโดยสามารถที่จะเพิ่ม,ลบ,อัพเดต

ผู้สร้างหวังว่าเว็ปแอพพลิเคชั่นนี้ในอนาคตจะช่วยให้ผู้ที่ติดตามอะนิเมชั่นได้รู้ ข่าวสารที่รวดเร็วและเวลาฉายที่ตรงมากขึ้น หากรายงานเล่มนี้มีความผิดพลาด ประการใด ผู้จัดทำต้องขออภัยมา ณ ที่นี้ด้วย

Entity-Relationship Diagram



Data Dictionary(พจนานุกรมข้อมูล)

1. พจนานุกรมข้อมูลตาราง animationinfo

Attribute	Туре	Nullable	Meaning	Key
AID	varchar(8)	Not Null	หมายเลขอะนิเมชั่น	PK
AName	varchar(100)	Not Null	ชื่อเรื่อง	_
ADesc	varchar(1000)	Not Null	เนื้อเรื่องย่อ	_

Normal form

Table นี้มีเพียง AID เป็น primary key และ non-key ตัวอื่น ขึ้นกับ primary key เพียงตัวเดียวทำให้ไม่เกิด transitive และเป็น 3NF(Third Normal Form)

ดำสั่งที่ใช้สร้างตาราง animationinfo

```
CREATE TABLE IF NOT EXISTS `animationinfo` (
`AID` varchar(8) NOT NULL,
`AName` varchar(100) NOT NULL,
`ADesc` varchar(100) NOT NULL)
ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

แสดงผลข้อมูลตัวอย่างใน ตาราง animationinfo ด้วย คำสั่ง

SELECT * FROM `animationinfo`



2. พจนานุกรมข้อมูลตาราง animationnews

Attribute	Туре	Nullable	Meaning	Key
NewsNo	int(11)	Not Null	หมายเลขของข่าว	PK
Date	date	Not Null	วันที่	-
News	varchar(50)	Not Null	หัวข้อข่าว	-
DescNews	varchar(500)	Not Null	เนื้อข่าวย่อ	-

Normal form

Table นี้มีเพียง NewsNO เป็น primary key และ non-key ตัวอื่น ขึ้นกับ primary key เพียงตัวเดียวทำให้ไม่เกิด transitive และเป็น 3NF(Third Normal Form)

คำสั่งที่ใช้สร้างตาราง animationnews

```
CREATE TABLE IF NOT EXISTS `animationnews` (
`NewsNO` int(11) NOT NULL,

`Date` date NOT NULL,

`News` varchar(50) NOT NULL,

`DescNews` varchar(500) NOT NULL)

ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

แสดงผลข้อมูลตัวอย่างใน ตาราง animationnews ด้วย คำสั่ง

SELECT * FROM `animationnews`

–T→	▼ News	NO Dat	te	News	DescNews
🗎 🥜 Edit 👫 Copy 🧔 De	lete	4 201	15-05-23	Sekai Project Adds Tobari & the Night of the Curio	Also: Resette's Prescription, Sacrament Sheep, Mem
🗆 🥜 Edit 👫 Copy 🍓 De	lete	5 201	15-05-23	Nisekoi: False Love Sub.Blu-Ray 3 is released	Another love interest gets added to the Nisekoi pi
🗎 🤌 Edit 👫 Copy 🥥 De	lete	6 201	15-05-23	Queen's Blade Grimoire Books Get 2-Part OVA Series	Kinji Yoshimoto returns as chief director for new
🗆 🥜 Edit 👫 Copy 👌 De	lete	7 201	15-05-23	Queen's Blade Grimoire Books Get 2-Part OVA Series	Kinji Yoshimoto returns as chief director for new
🗎 🥜 Edit 👫 Copy 🍥 De	lete	8 201	15-05-23	City Hunter Manga Gets New Original Anime DVD	XYZ Edition release celebrates 30th anniversary of
🗋 🤌 Edit 👫 Copy 🍃 De	lete	9 201	15-05-23	Gainax Founder, Evangelion Designer Make TV Anime	Hiroyuki Yamaga reunites with Honneamise collabora
🛮 🥜 Edit 👫 Copy 🧔 De	lete	10 201	15-05-23	Magi: Sinbad no Bōken is 5th OVA to Ship With 7th	Japanese publisher Shogakukan is listing that it w
🕽 🥜 Edit 强 Copy 🧓 De	lete	11 201	15-05-23	TAGRO to End Hen Semi/Abnormal Physiology Seminar	Comedy about ordinary person surrounded by abnorma
🥒 🥜 Edit 👫 Copy 🍅 De	lete	12 201	15-05-23	Crowdfunding Campaign Seeks to Expand Animator Dor	Project is US\$15,000 goal would establish more hou
🕽 🥜 Edit 强 Copy 🧔 De	lete	13 201	15-05-23	Ultraman/ Linebarrels of Iron Manga Creators Shimi	Viz to release Ultraman manga in N. America — Viz
🛮 🥜 Edit 强 Copy 🍅 De	lete	14 201	15-05-23	Ultraman Creators Shimizu	Viz to release Ultraman manga in N. AmerUltraman m
🔾 🤌 Edit 👫 Copy 🍓 De	lete	15 201	15-05-23	Food Wars! Shokugeki no Soma – Episode 8	This week the kids of Polaris head off on their sp
🗎 🥜 Edit 👫 Copy 🍅 De	lete	16 201	15-05-23	New Figures Imagine Free! Guys as Tiny Tots	The upcoming High Speed! -Free! Starting Days- fil
🗋 🤌 Edit 💃 Copy 🎯 De	lete	17 201	15-05-23	Japan Animation TV Ranking, May 11-17	Pokemon XY back in top 10
🛮 🥜 Edit 强 Copy 🥥 De	lete	18 201	15-05-23	Assassination Classroom – Episode 18	Assassination Classroom is usually more creative t
🗎 🥜 Edit 👫 Copy 🧓 De	lete	19 201	15-05-23	Lance N Masques TV Anime to Air This Fall	The official website for the Lance N Masques telev
🛮 🥜 Edit 👫 Copy 🥥 De	lete	20 201	15-05-23	Classroom Crisis Anime Ad Reveals Core Cast	Showtaro Morikubo, Sora Amamiya, Ari Ozawa star in
🕽 🥜 Edit 强 Copy 🧔 De	lete	21 201	15-05-23	College Student Working on Hatsune Miku Robot	As a serious upgrade from a body pillow, a Japanes
🗆 🥜 Edit 👫 Copy 🥥 De	lete	22 201	15-05-23	Ninja Slayer From Animation - Episode 6	Ninja Slayer has pivoted back towards the weird co

3. พจนานุกรมข้อมูลตาราง author

Attribute	Туре	Nullable	Meaning	Key
			หมายเลขประจำตัวของ	
AuID	varchar(5)	Not Null	ผู้เขียน	PK
AuName	varchar(100)	Not Null	ชื่อผู้เขียน	-
			ประวัติและผลงานที่ผ่าน	
History	varchar(500)	Not Null	มา	_

Normal form

Table นี้มีเพียง AuID เป็น primary key และ non-key ตัวอื่น ขึ้นกับ primary key เพียงตัวเดียวทำให้ไม่เกิด transitive และเป็น 3NF(Third Normal Form)

คำสั่งที่ใช้สร้างตาราง author

```
CREATE TABLE IF NOT EXISTS `author` (
`AuID` varchar(5) NOT NULL,
`AuName` varchar(100) NOT NULL,
`History` varchar(500) NOT NULL)
ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

แสดงผลข้อมูลตัวอย่างใน ตาราง author ด้วย คำสั่ง

SELECT * FROM `author`

+	Γ→	~	AuID	AuName	History
	Ø Edit 3 € Copy	Delete	10001	Yoshiki Tanaka	Dr. Yoshiki Tanaka (四中 芳樹 Tanaka Yoshiki born Octo
0	Ø Edit 3€ Copy	Delete	10002	Katsuhiko Chiba	Katsuhiko Chiba is a screenwriter, he debuted in 1
0	🎤 Edit 💤 Copy	Delete	10003	AZUMA Takeshi	2008 - Change Boy - Comedy, Romance, Shounen, Supe
	Ø Edit 3€ Copy	Delete	10004	Yuji Terajima	Yūji Terajima (Japanese: 岸岭 裕二 Hepburn: Terajima Y
	🎤 Edit 🛂 Copy	Delete	10005	Omori Fujino	works ngeon ni deai wo motomeru no wa machigatteir
	Dedit 34 Copy	Delete	10006	Seiko Nagatsu	Allison & Lillia (TV) : Script(7 episodes) Diabol
	🎤 Edit 强 Copy	Delete	10007	Yuu Miyazaki	achievement : Gakusen Toshi Asterisk
	Ø Edit ¾ Copy	Delete	10008	Furudate Haruichi	Haruichi Furudate (古篇 存:Furudate Haruichi?) is a
0	Ø Edit ≩€ Copy	Delete	10009	Kazuma Kamachi	Staff in: A Certain Magical Index (light novel): S

4. พจนานุกรมข้อมูลตาราง showtime

Attribute	Туре	Nullable	Meaning	Key
AID	varchar(8)	Not Null	หมายเลขอะนิเมชั่น	FK
Date	date	Not Null	วันที่ฉาย	-
TimeStart	time	Not Null	เวลาที่เริ่มฉาย	-
TimeEnd	time	Not Null	เวลาที่จบ	-

Normal form

Table นี้มี AID เป็น Foreign Key ซึ่งตารางนี้เป็นตารางที่แสดงความสัมพันธ์ ระหว่างชื่อและวันเวลาที่ฉาย เป็น 3NF(Third Normal Form)

คำสั่งที่ใช้สร้างตาราง showtime

```
CREATE TABLE IF NOT EXISTS `showtime` (
`AID` varchar(8) NOT NULL,
`Date` date NOT NULL,
`TimeStart` time NOT NULL,
`TimeEnd` time NOT NULL)
ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

แสดงผลข้อมูลตัวอย่างใน ตาราง showtime ด้วย คำสั่ง SELECT * FROM `showtime`

+ Options	112	2000		PRODUCE AND ADDRESS OF THE PARTY OF THE PART
← T→	▼ AID	Date	TimeStart •	TimeEnd
🗎 🥜 Edit 👫 Copy	Delete 00000010	2015-05-12	22:00:00	22:30:00
□ Ø Edit ¾6 Copy	Delete 00000009	2015-05-01	21:00:00	21:30:00
Edit ¾ Copy	Delete 00000005	2015-05-03	20:00:00	20:30:00
□ Ø Edit ¾6 Copy	Delete 00000005	2015-05-31	20:00:00	20:30:00
	Delete 00000005	2015-05-24	20:00:00	20:30:00
□ Ø Edit ¾6 Copy	Delete 00000005	2015-05-17	20:00:00	20:30:00
	Delete 00000005	2015-05-10	20:00:00	20:30:00
☐ Ø Edit 🎉 Copy	Delete 00000002	2015-05-04	19:00:00	19:30:00
	Delete 00000002	2015-05-11	19:00:00	19:30:00
□ 🧷 Edit 🎉 Copy	Delete 00000008	2015-07-02	19:00:00	19:30:00
	Delete 00000002	2015-05-18	19:00:00	19:30:00
□ 🥜 Edit 🏂 Copy	Delete 00000002	2015-05-25	19:00:00	19:30:00
	Delete 00000002	2015-08-01	19:00:00	19:30:00
☐ Ø Edit 🎉 Copy	Delete 00000001	2015-05-29	18:00:00	18:30:00
	Delete 00000001	2015-08-12	18:00:00	18:30:00
□ Ø Edit ¾6 Copy	Delete 00000001	2015-04-03	18:00:00	18:30:00
🗎 🥜 Edit 👫 Copy	Delete 00000001	2015-04-10	18:00:00	18:30:00
🗆 🥜 Edit 👫 Copy	Delete 00000001	2015-04-17	18:00:00	18:30:00
	Delete 00000001	2015-04-24	18:00:00	18:30:00
☐ 🌽 Edit 🎉 Copy	Delete 00000001	2015-05-01	18:00:00	18:30:00
🗎 🥜 Edit 👫 Copy	Delete 00000001	2015-05-08	18:00:00	18:30:00
☐ 🌽 Edit 🎉 Copy	Delete 00000001	2015-05-15	18:00:00	18:30:00
	Delete 00000001	2015-05-29	18:00:00	18:30:00
□ 🥜 Edit 🏂 Copy	Delete 00000001	2015-08-05	18:00:00	18:30:00
🗎 🥜 Edit 👫 Copy	Delete 00000001	2015-05-22	18:00:00	18:30:00
☐ Ø Edit ∰é Copy	Delete 00000008	2015-07-04	17:00:00	17:30:00
🗎 🥜 Edit 👫 Copy	Delete 00000003	2015-05-08	16:00:00	16:30:00
□ Ø Edit ∰6 Copy	Delete 00000003	2015-05-20	16:00:00	16:30:00
🗎 🥜 Edit 👫 Copy	Delete 00000003	2015-05-27	16:00:00	16:30:00
☐ Ø Edit ¾6 Copy	Delete 00000003	2015-06-03	16:00:00	16:30:00

5. พจนานุกรมข้อมูลตาราง relationanimationandauthor

Attribute	Туре	Nullable	Meaning	Key
			ลำดับของ	
RNO	int(11)	Not Null	ความสัมพันธ์	PK
AID	varchar(8)	Not Null	หมายเลขอะนิเมชั่น	FK
			หมายเลขประจำตัว	
AuID	varchar(5)	Not Null	ของผู้เขียน	FK

Normal form

Table นี้มีเพียง RNO เป็น primary key และมี AID,AuIDเป็น foreign key และ non-key ตัวอื่น ขึ้นกับ primary key เพียงตัวเดียวทำให้ไม่เกิด transitive และ เป็น 3NF(Third Normal Form)

```
คำสั่งที่ใช้สร้างตาราง relationanimationandauthor

CREATE TABLE IF NOT EXISTS `relationanimationandauthor`

(
`RNO` int(11) NOT NULL,

`AID` varchar(8) NOT NULL,

`AuID` varchar(5) NOT NULL)

ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

แสดงผลข้อมูลตัวอย่างใน ตาราง relationanimationandauthor ด้วย คำสั่ง

SELECT * FROM `relationanimationandauthor`

- Options				
← T→	~	RNO	AID	AuID
	py 陶 Delete	11	00000000	10001
☐ 🤌 Edit 💑 Co	py 🥥 Delete	12	00000001	10001
	py 🥥 Delete	13	00000002	10002
□ 🌽 Edit 💤 Co	py 🥥 Delete	14	00000003	10003
	py 🥥 Delete	15	00000004	10004
🗆 🤌 Edit 💤 Co	py 🥥 Delete	16	00000005	10005
🗎 🥜 Edit 🛂 Co	py 🥥 Delete	17	00000006	10006
□ 🎤 Edit 强 Co	py 🥥 Delete	18	00000007	10007
	py 🧓 Delete	19	80000008	10008
🗇 🔊 Edit 强 Co	py 🥥 Delete	20	00000009	10009
	py 🧅 Delete	21	00000010	10009

6. พจนานุกรมข้อมูลตาราง members

Attribute	Туре	Nullable	Meaning	Key
			ลำดับที่ของ	
id	int(5)	Not Null	username	PK
username	varchar(50)	Not Null	username	-
password	varchar(50)	Not Null	password	-

Normal form

Table นี้มีเพียง id เป็น primary key และ non-key ตัวอื่น ขึ้นกับ primary key เพียงตัวเดียวทำให้ไม่เกิด transitive และเป็น 3NF(Third Normal Form)

คำสั่งที่ใช้สร้างตาราง members

```
CREATE TABLE IF NOT EXISTS `members` (
`id` int(5) NOT NULL,
`username` varchar(50) NOT NULL,
`password` varchar(50) NOT NULL)
ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

แสดงผลข้อมูลตัวอย่างใน ตาราง members ด้วย คำสั่ง

SELECT * FROM `members`

+ Op	tions					
+	T →		-	id	username	password
	Edit	≩ сору	Dele	te 1	siriporn	1234
	@ Edit	≩ сору	Dele	te 2	admin1	admin1
	Edit	≩ сору	Dele	te 3	natty	1234
0	Edit	≩ сору	Dele	te 4	giegie	giegie
	J Edit	≩ сору	Dele	te 6	gotza	123456
O	Edit	≩ сору	Dele	te 7	napza	123456
0	🧳 Edit	≩ сору	Dele	te 8	guideza	123456
	@ Edit	₫ Сору	Dele	te 9	basza	123456
	Edit	≩ d Copy	Dele	te 10	benza	123456

Data retrieve and Modification

insert ข้อมูลลง animationinfo

INSERT INTO `animation`.`animationinfo` (`AID`, `AName`, `ADesc`) VALUES ('00000006', 'Diabolik Lovers More,Blood', 'DesCription: creator');

insert ข้อมูลลง animationnews

INSERT INTO `animation`.`animationnews` (`Date`, `News`, `DescNews`) VALUES (NOW(), 'testNews', 'testDescNews');

insert ข้อมูลลง author

INSERT INTO `animation`.`author` (`AuID`, `AuName`, `History`) VALUES ('10010', 'AunameXXXXXXX', 'History: fffffffff');

insert ข้อมูลลง members

INSERT INTO `animation`.`members` (`id`, `username`, `password`) VALUES (NULL, 'Tutor1234', '55555555');

insert ข้อมูลลง relationanimationandauthor

INSERT INTO `animation`.`relationanimationandauthor` (`AID`, `AuID`) VALUES ('00000001', '10001');

insert ข้อมูลลง showtime

INSERT INTO `animation`.`showtime` (`AID`, `Date`, `TimeStart`, `TimeEnd`) VALUES ('00000010', '2015-05-12', '22:00:00', '22:30:00');

แสดงข้อมูลในหน้าHome

//HOME

"select Date, News, Desc News from animationnews Order by News No DESC LIMIT 10";

แสดงข้อมูลในหน้าNextSeason

//NextSeason

"SELECT

min(S.Date), animation info. Aname, author. AuName, animation info. ADesc

```
INNER JOIN showtime S
           ON animationinfo.AID = S.AID
           LEFT JOIN relationanimation and author
           ON relationanimation and author. AID = animation info. AID
           LEFT JOIN author
           ON relationanimation and author. AuID = author. AuID
           WHERE S.Date >= NOW()
           AND animationinfo.AID NOT IN
           (
             SELECT animationinfo.AID
             FROM animationinfo INNER JOIN showtime S1
             ON animationinfo.AID = S1.AID
             WHERE S1.Date < NOW()
             GROUP BY S1.AID
           GROUP BY animationinfo.AID
แสดงข้อมูลในหน้าOn AIR
//ON AIR
"SELECT animationinfo. Aname, author. AuName, animation info. ADesc
          FROM animationinfo
          LEFT JOIN relationanimation and author
          ON relationanimationandauthor.AID = animationinfo.AID
          LEFT JOIN author
          ON relationanimationandauthor.AuID = author.AuID
          WHERE EXISTS
          (SELECT*
           FROM showtime S
           WHERE animationinfo.AID = S.AID
           AND S.Date < NOW()
           AND S.Date NOT IN (SELECT MAX(D.Date) FROM showtime
D GROUP BY AID)
           )
```

FROM animationinfo

GROUP BY animationinfo.AID";

แสดงข้อมูลในหน้าShowtime

//SHOW TIME

"SELECT

showtime.Date,showtime.TimeStart,showtime.TimeEnd,animationinfo.ANa me

FROM showtime

INNER JOIN animationinfo

ON showtime.AID = animationinfo.AID

WHERE showtime.Date BETWEEN NOW() AND

adddate(now(),7)

ORDER BY showtime.Date";

//HISTORY OF AUTHOR
"SELECT AuName, History
FROM author
WHERE AuName = '\$AuN'";