
ZeroDay Armor
Agents
Threat Intel
Response
Observability
Request Demo
AI-NATIVE CYBER DEFENSE FABRIC
ZeroDay Armor
SECURITY OPERATIONS PLATFORM
Turns cyber noise into orchestrated, observable, self-healing defense. Powered by multi-agent AI.
EXPLORE THE PLATFORM
See LangSmith Tracing →

MULTI-AGENT INTELLIGENCE

Specialized agents. One defense fabric.

Five LangChain agents orchestrated by a LangGraph StateGraph — each with dedicated tools, memory, and retrieval pipelines.

Log Monitor Agent

Parses ingested logs with regex and SIEM patterns, runs GPT-4 anomaly classification, geo-enriches IPs, and streams live events to the SOC dashboard.

Regex Parser | SIEM | IP Reputation | Geo Context | Kafka/Redis

Threat Intel Agent

Enriches incidents via NVD CVE lookup, FAISS vector retrieval, MITRE ATT&CK mapping, and KEV-style exploit awareness. Returns CVSS, affected versions, and patches.

NVD API | RAG + FAISS | MITRE ATT&CK | Web Search | CVE Embeddings

Vulnerability Scanner

Runs SAST analysis (Bandit), dependency checks, and Docker/container audits (Trivy). Generates CWE-mapped risk scores and automated remediation playbooks.

Bandit SAST | Trivy | CVSS Scoring | Docker Audit | CWE IDs

Incident Response Agent

Generates step-by-step containment playbooks from incident descriptions. Severity-classifies events, maps mitigation timelines, and triggers SOAR webhook integrations.

Playbook Gen | Jira Webhook | PII Scrubbing | SOAR | CrowdStrike

REFERENCE ARCHITECTURE — LANGGRAPH CYCLIC SELF-HEAL LOOP



AGENT 01 · TIER 1

LOG MONITOR

Real-time parsing of syslog, auth.log, nginx, CloudTrail & K8s audit logs. 30+ regex patterns + LLM analysis. Detects 14 attack types and maps to MITRE ATT&CK.

REGEX PRE-FILTER | MITRE ATT&CK | ABUSEIPDB | <5S LATENCY

AGENT 02 · TIER 2

THREAT INTELLIGENCE

Semantic RAG over 800+ FAISS-indexed CVEs. Live NVD API v2 lookup. CISA KEV cross-reference. Returns CVSS scores, PoC availability, and threat actor mapping.

FAISS RAG | NVD API | CISA KEV | MMR RETRIEVAL

AGENT 03 · TIER 2

VULNERABILITY SCANNER

SAST via Bandit on Python code. Dependency CVE scan via pip-audit. Docker image analysis via Trivy. Maps findings to CWE IDs with OWASP Top 10 coverage.

BANDIT SAST | TRIVY | OWASP TOP 10 | CWE MAPPING

AGENT 04 · TIER 3

INCIDENT RESPONSE

Generates NIST SP 800-61 aligned playbooks. Produces step-by-step containment commands, SLA timers, and owner assignments. Regulatory impact mapped (GDPR, PCI-DSS).

NIST 800-61 | PLAYBOOKS | SOAR HOOKS | JIRA / SLACK

AGENT 05 · TIER 2

POLICY CHECKER

Gap analysis against NIST CSF 2.0, ISO/IEC 27001:2022, SOC2 Trust Criteria, and PCI-DSS v4.0. Scores compliance %, lists missing controls, prioritises top-5 fixes.

NIST CSF 2.0 | ISO 27001 | SOC2 | PCI-DSS V4

VISION · BONUS AGENT

PHISHING SCANNER

Multi-modal LLM analysis of screenshot payloads. Detects Quishing, BEC, Spear Phishing, HTML smuggling, Thread Hijacking. Processes images locally — no text extraction required.

VISION LLM | QUISHING | BEC | LOCAL INFERENCE

ENTERPRISE SECURITY & GOVERNANCE

- RBAC Zero-Trust — L1/L2/Admin role enforcement; Vuln Scanner locks to Admin-only
- PII Scrubber — IPs, emails, SSNs, credit cards redacted before every LLM call
- Human Approval Gate — `interrupt_before` pauses graph for destructive actions
- SQLite Checkpointer — crash-resumable state, no incident data lost on restart
- SOAR Automations — mock Jira ticket & CrowdStrike host isolation webhooks
- Compliance Export — one-click formal audit report download (JSON artifact)
- LangSmith Tracing — full observability: tokens, latency, cost, hallucination rate

TECH STACK — 100% FREE TIER

LangChain 0.3.9 | LangGraph 0.2.66 | LangSmith | Pydantic v2 | FAISS-CPU | all-MiniLM-L6-v2 | Gemini 1.5 Flash | GPT-4o-mini | Groq Llama 3 | Bandit SAST | pip-audit | Trivy | NVD API v2 | CISA KEV | AbuseIPDB | SQLite | Streamlit | FastAPI | Python 3.12 | Google Colab T4 | pytest 8.3 | pydantic-settings

COVERAGE

94%	Severity accuracy
88%	MITRE coverage

BUILT FOR REAL SECURITY TEAMS.

Deployed on your infra. Zero external data. Full audit trail.

Detection latency	< 5s
Test coverage	42 cases
Critical threats	14 types
Infra cost	$0 / mo
Setup time	30 min

Security Operations Dashboard

Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Live Threat Dashboard

Simulated real-time security operations dashboard. New threats arrive every 4 seconds. Approve or reject critical auto-heal actions. Monitor the self-heal loop in action.

Threats detected	Auto-healed	Pending approval	Critical active	Monitor loops
28	14	1	14	42

Live Threat Feed

MONITORING

CRITICAL | RCE ATTEMPT — 45.33.32.156

23:12:02 · log4j/app · T1190 · JNDI injection -> /bin/bash spawned

MEDIUM | PORT SCAN — 10.0.0.201

23:11:59 · network · T1046 · 28 ports scanned in 4 seconds

CRITICAL | SQLI — 203.0.113.77

23:11:52 · nginx/api · T1190 · UNION SELECT — 512KB response exfiltrated

HIGH | BRUTE FORCE — 185.220.101.45

23:11:49 · sshd · T1110.001 · 12 failed SSH attempts in 30s

CRITICAL | PRIV ESCALATION — 185.220.101.88

23:11:42 · sudo · T1078.002 · Admin login from TOR + sudo useradd backdoor

LOW | ANOMALY — 192.168.1.50

23:11:27 · unusual hours login

Self-Heal Action Log

```
Verify: confirmed — loop restart #41
$ iptables -A INPUT -s 10.0.0.201 -j DROP
23:12:00 ✓ AUTO-HEALED: port_scan (10.0.0.201)
Verify: confirmed — loop restart #38
$ fail2ban-client set sshd banip 185.220.101.45
$ iptables -A INPUT -s 185.220.101.45 -j DROP
23:11:50 ✓ AUTO-HEALED: brute_force (185.220.101.45)
Verify: confirmed — loop restart #35
$ Log entry created — monitoring
23:11:39 ✓ AUTO-HEALED: anomaly (192.168.1.50)
Verify: confirmed — loop restart #32
$ kubectl apply -f mining-block-netpol.yaml
$ kubectl delete pod web-backend-7d9f4 --force
23:11:27 ✓ AUTO-HEALED: cryptomining (10.0.5.12)
Verify: confirmed — loop restart #29
$ iptables -A INPUT -s 10.0.0.201 -j DROP
```

'ZeroDay Armor - AI secure agent bot

Next-Gen AI Security ROBO BOT Proactive, Predictive, and Preventive bot

User: rajat

Logout

Governance Profile

Active Role:

Admin (Full Access)

LangSmith Observability

System Health

Agents	Vectors
5/5	50
↑ Online	↑ Loaded

Security Operations Dashboard

Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Security Log Analysis

Log Ingestion Method:

- (●) Manual Upload
- ( ) Live Stream (Kafka/Redis)

Load PII Test Scenario

Paste Logs here:

```
Jan 15 02:30:45 webserver sshd[12340]: Failed password for root from 185.220.101.45 port 42810 ssh2
Jan 15 02:30:47 webserver sshd[12341]: Failed password for root from 185.220.101.45 port 42811 ssh2
Jan 15 02:30:49 webserver sshd[12342]: Failed password for admin from 185.220.101.45 port 42812 ssh2
Jan 15 02:30:51 webserver sshd[12343]: Failed password for ubuntu from 185.220.101.45 port 42813 ssh2
Jan 15 02:30:53 webserver sshd[12344]: Failed password for pi from 185.220.101.45 port 42814 ssh2
Jan 15 02:30:55 webserver sshd[12345]: Failed password for oracle from 185.220.101.45 port 42815 ssh2
Jan 15 02:30:57 webserver sshd[12346]: Failed password for postgres from 185.220.101.45 port 42816 ssh2
```

Stop Deploy

'ZeroDay Armor - AI secure agent bot

Next-Gen AI Security ROBO BOT
Proactive, Predictive, and Preventive bot

User: Surya Prabhakar

Logout

Governance Profile

Active Role:

Admin (Full Access)

LangSmith Observability

System Health

Agents	Vectors
5/5	50
↑ Online	↑ Loaded

Security Operations Dashboard

Live Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Security Log Analysis

Log Ingestion Method:

Manual Upload Live Stream (Kafka/Redis)

Broker Type: Kafka Cluster

Broker Address: localhost:9092

Topic/Channel: auth-events-production

Stop Stream

Pending Queue Buffer

4 / 5 (AI Batch Limit)

LiveData Tail

```
Apr 05 13:52:53 server-node01 sshd[633]: Login success for user sysadmin from 46.213.124.88
Apr 05 13:52:55 server-node01 sshd[133]: Invalid user admin from 32.196.226.159 port 35433
Apr 05 13:52:58 server-node01 sshd[248]: Failed password for invalid user admin from 112.22.87.70 port 42897 ssh2
Apr 05 13:53:00 server-node01 sshd[211]: Login success for user sysadmin from 81.17.235.9
Apr 05 13:53:01 server-node01 sshd[873]: POST /api/v1/auth HTTP/1.1 401 112 - Mozilla/5.0
```

Real-Time Triage Results

LangSmith Observability

Load PII Test Scenario

Paste Logs here:

```
Jan 15 02:30:45 webserver sshd[12340]: Failed password for root from 185.220.101.45 port 42810 ssh2
Jan 15 02:30:47 webserver sshd[12341]: Failed password for root from 185.220.101.45 port 42811 ssh2
Jan 15 02:30:49 webserver sshd[12342]: Failed password for admin from 185.220.101.45 port 42812 ssh2
Jan 15 02:30:51 webserver sshd[12343]: Failed password for ubuntu from 185.220.101.45 port 42813 ssh2
Jan 15 02:30:53 webserver sshd[12344]: Failed password for pi from 185.220.101.45 port 42814 ssh2
Jan 15 02:30:55 webserver sshd[12345]: Failed password for oracle from 185.220.101.45 port 42815 ssh2
Jan 15 02:30:57 webserver sshd[12346]: Failed password for postgres from 185.220.101.45 port 42816 ssh2
```

System Health

Agents	Vectors
5/5	50
↑ Online	↑ Loaded

Security Operations Dashboard

Live Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Incident Response Playbook

Load PII Test Scenario

Describe the incident:

We detected a severe ransomware payload downloaded by john.doe@example.com routing through suspicious IPv4 node 192.168.45.101. The attacker exploited a domain matching CC number 4111 2222 3333 4444.

Generate Playbook

Inc: RANSOMWARE ATTACK

Resolution Path

User: [REDACTED_EMAIL] | 6.0 hrs

Mitigation Playbook

step	phase	owner	priority	description
1	detection	Incident Response Team	IMMEDIATE	Identify the source of the ransomware payload and confirm the infection.
2	containment	Network Security Team	IMMEDIATE	Isolate the affected system from the network to prevent further spread.
3	eradication	Malware Analysis Team	URGENT	Remove the ransomware payload and any associated malware from the affected system.
4	recovery	System Administration Team	URGENT	Restore the affected system from a clean backup and ensure all security patches are applied.

'ZeroDay Armor - AI secure agent bot

Next-Gen AI Security ROBO BOT Proactive, Predictive, and Preventive bot

User: rajat

Logout

Governance Profile

Active Role:

Admin (Full Access)

LangSmith Observability

System Health

Agents
5/5
Online

Vectors
50
Loaded

Connected

Security Log Analysis

Log Ingestion Method:

Manual Upload Live Stream (Kafka/Redis)

Load PII Test Scenario

Paste Logs here:

```
Jan 15 02:30:45 webserver sshd[12340]: Failed password for root from 185.220.101.45 port 42810 ssh2
Jan 15 02:30:47 webserver sshd[12341]: Failed password for root from 185.220.101.45 port 42811 ssh2
Jan 15 02:30:49 webserver sshd[12342]: Failed password for admin from 185.220.101.45 port 42812 ssh2
Jan 15 02:30:51 webserver sshd[12343]: Failed password for ubuntu from 185.220.101.45 port 42813 ssh2
Jan 15 02:30:53 webserver sshd[12344]: Failed password for pi from 185.220.101.45 port 42814 ssh2
Jan 15 02:30:55 webserver sshd[12345]: Failed password for oracle from 185.220.101.45 port 42815 ssh2
Jan 15 02:30:57 webserver sshd[12346]: Failed password for postgres from 185.220.101.45 port 42816 ssh2
```

Run Log Analysis

Analysis Results

Total Alerts Detected
1

Highest Severity
HIGH

alert_type	severity	affected_user	source_ip	affected_service
brute_force	HIGH	root	[REDACTED_IPV4]	sshd

Evidence Dumps

Security Operations Dashboard

Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Threat Intelligence Lookup

Search CVE or Technology (e.g., 'Log4j RCE'):

Search Intel

CVEs:

No CVEs found related to the query.

Affected Versions:

CVSS Score

0.0/10

↑ Medium

Exploit: Not Available

Patch: Missing

Email Threat & Phishing Scanner

Upload a screenshot of a suspicious email to scan for phishing patterns, malicious URLs, and signs of spoofing.

Upload Suspicious Email Image

'ZeroDay Armor - AI secure agent bot

Next-Gen AI Security ROBO BOT Proactive, Predictive, and Preventive bot

User: rajat

Logout

Governance Profile

Active Role:

Admin (Full Access)

LangSmith Observability

System Health

Agents	Vectors
5/5	50
↑ Online	↑ Loaded

Security Operations Dashboard

Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Vulnerability Scanner

Paste Code or Dockerfile:

```
# INTENTIONALLY VULNERABLE — For testing only
import sqlite3, subprocess, os, hashlib

# CWE-89: SQL Injection
def get_user(username: str):
    conn = sqlite3.connect("users.db")
    query = f"SELECT * FROM users WHERE username = '{username}'"
    return conn.execute(query).fetchall()

# CWE-78: Command Injection
def ping_host(host: str):
    result = subprocess.check_output(f"ping -c 4 {host}", shell=True)
```

Scan Target

'ZeroDay Armor - AI secure agent bot

Next-Gen AI Security ROBO BOT Proactive, Predictive, and Preventive bot

User: rajat

Logout

Governance Profile

Active Role:

Admin (Full Access)

LangSmith Observability

System Health

Agents	Vectors
5/5	50
↑ Online	↑ Loaded

Connected

Security Operations Dashboard

Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Incident Response Playbook

Load PII Test Scenario

Describe the incident:

Generate Playbook

mor - AI secure

BOT Proactive, Predictive, and

Logout

vability

Vectors

50

Loaded

Security Operations Dashboard

Live Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

Compliance Policy Checker

Paste Configuration (JSON/YAML):

```
{
  "authentication": {
    "mfa_enabled": false,
    "password_min_length": 6,
    "password_complexity": false,
    "session_timeout_minutes": 0,
    "failed_login_lockout": false
  },
  "encryption": {
    "data_at_rest": false,
    "data_in_transit": "http_only",
```

Check Compliance

Compliance Gaps (NIST_CSF)

Compliance Gaps (NIST_CSF)

	control_id	status	control_title	remediation
0	AC-1	non_compliant	Access Control Policy and Procedures	Implement Role-Based Access Control (RBAC) and ensure the principle of least privil
1	IA-2	non_compliant	Identification and Authentication (Organizational Users)	Enable multi-factor authentication (MFA) and enforce password complexity requirem
2	SC-28	non_compliant	Protection of Information at Rest	Implement encryption for data at rest.
3	SC-8	non_compliant	Transmission Confidentiality and Integrity	Implement encryption for data in transit (e.g., HTTPS).
4	AU-2	non_compliant	Audit Events	Enable audit logging and ensure logs are retained for a minimum of 90 days.
5	CM-6	non_compliant	Configuration Settings	Establish a configuration management process and ensure centralized logging is imp

💡 Priority Actions:

- Enable multi-factor authentication (MFA).
- Implement encryption for data at rest and in transit.
- Enable audit logging and increase log retention period.
- Implement Role-Based Access Control (RBAC) and principle of least privilege.

📥 Download Formal Compliance Audit Report

'ZeroDay Armor - AI secure agent bot

Next-Gen AI Security ROBO BOT Proactive, Predictive, and Preventive bot

User: USER_01

Logout

Governance Profile

Active Role:

Admin (Full Access)

LangSmith Observability

System Health

Agents	Vectors
5/5	50
Online	Loaded

Connected

Security Operations Dashboard

Live Dashboard | Log Monitor | Threat Intel | Vuln Scanner | Incident Response | Policy Checker | LangSmith Tracing

LangSmith Observability & Native Tracing

LangSmith Tracing is offline. Please toggle 'LangSmith Observability' in the Access Governance sidebar to boot internal metrics.

LangSmith

Application

All applications

Search ⌘ K

Home

Tracing 1

Monitoring

Datasets & Experiments

Annotation Queues

Prompts

Playground

Studio

Deployments

Sandboxes

Settings

Personal

Traces | LLM Calls | Cost & Tokens | Tools | Run Types | Feedback Scores

Group by | Last 7 da

LLM Calls

LLM Count

Number of LLM calls over time

Success Error

LLM Latency

LLM call latency percentiles over time

P50 P99

Cost & Tokens

Total Cost

Total cost over time



Cost per Trace

Median cost per trace

No data available for the selected time range.