

# PRODUCT REQUIREMENTS DOCUMENT

## Project Name: Loyalty Test

**Anonymous Relationship Question + Locked Gift Reward Web App**

**Build Type: Web App + PWA + Android APK Wrapper**

---

## 1. Project Overview

Build a modern web application called **Loyalty Test**.

Loyalty Test allows a registered user, called the **Sender**, to anonymously send a relationship-based question to another person, called the **Receiver**. The Sender attaches a locked gift such as airtime, data, or cash. The Receiver can only unlock the gift if they answer the question correctly based on the Sender's expected answer.

The goal is to create a fun, private, anonymous, gift-driven relationship verification experience while protecting users from privacy abuse, phishing, harassment, and sensitive data extraction.

The product must be built as a **responsive web app first**, then made PWA-ready and wrapped into an Android APK using Capacitor.

---

## 2. Core Product Concept

The Sender wants to know whether the Receiver truly recognizes them as their actual boyfriend, girlfriend, husband, wife, or relationship partner.

Instead of asking directly, the Sender creates an anonymous loyalty question.

Example:

Question:

What is the name of your boyfriend?

Expected answer:

Abel

Gift attached:

₦1,000 Airtime

The Receiver receives an anonymous message:

Someone close to you has locked a gift for you. Answer one relationship question correctly to unlock it.

If the Receiver answers correctly, the gift is released.

If the Receiver answers wrongly, the gift is not released.

The Sender remains anonymous unless the platform later adds an optional reveal feature.

---

### 3. Product Positioning

The app should be positioned as:

An anonymous relationship gift test platform where someone can lock a gift behind one safe relationship question.

Avoid positioning the product as a tool for harassment, public shaming, blackmail, spying, or stalking.

The product must feel:

- Fun
  - Curious
  - Gift-driven
  - Private
  - Safe
  - Mobile-first
  - Nigerian-market focused
- 

## 4. Main User Roles

### 4.1 Sender

The Sender creates the loyalty test.

The Sender can:

- Register
  - Login
  - Create a loyalty test
  - Choose a safe question
  - Enter expected answer
  - Choose a gift type
  - Pay service fee and gift value
  - Send anonymous link by SMS or WhatsApp
  - View result
  - See match score
  - See whether Receiver passed or failed
  - Get refund to wallet if gift is not released, depending on admin setting
  - View wallet
  - View history
  - Refer users
- 

## 4.2 Receiver

The Receiver gets the anonymous link.

The Receiver can:

- Open the link without downloading an app
- See the locked gift
- See one relationship question
- Answer voluntarily
- Submit answer
- Unlock gift if correct
- Decline the test
- Report abuse
- Block future requests

The Receiver must not see:

- Sender identity
  - Expected answer
  - Sender account details
  - Admin dashboard details
  - Full sensitive information
-

## 4.3 Super Admin

The Super Admin controls the entire platform.

The Super Admin must have robust controls over:

- Pricing
  - Service fees
  - Gift options
  - Gift limits
  - Question categories
  - Custom questions
  - Sensitive question blocking
  - SMS settings
  - WhatsApp settings
  - Payment gateways
  - Reward providers
  - Wallet rules
  - Refund rules
  - Abuse reports
  - Users
  - Transactions
  - Analytics
  - Platform content
  - Feature flags
  - Security settings
- 

## 5. Recommended Technology Stack

### Frontend Web App

Use:

- Next.js
- React
- TypeScript
- Tailwind CSS
- ShadCN UI or custom reusable components

The web app must contain:

- Sender dashboard
- Receiver question page
- Admin dashboard
- Public pages

- Auth pages
  - Payment pages
  - Wallet pages
  - Reward pages
- 

## Backend

Use:

- Node.js
  - Next.js API routes or standalone Express/NestJS backend
  - TypeScript
  - Prisma ORM
  - JWT authentication
  - Background jobs for SMS, WhatsApp, rewards, notifications
- 

## Database

Use:

- PostgreSQL

PostgreSQL is the main open-source database.

Use:

- UUID primary keys
- Prisma migrations
- Proper indexing
- Audit logs
- Soft deletes where needed

Optional supporting tools:

- Redis for queues and rate limiting
  - MinIO for open-source file storage if needed
- 

## Mobile APK Wrapper

Use:

- Capacitor

The web app should be PWA-ready and then wrapped into Android APK.

The APK should include:

- App icon
  - Splash screen
  - Native share support
  - Push notification support
  - Deep link support
  - Secure WebView behavior
- 

## Payments

Use:

- Paystack
- Flutterwave

Payment verification must happen on the backend using secure webhooks.

---

## Messaging

Use:

- SMS API provider
- WhatsApp Business API or WhatsApp share link

For MVP, WhatsApp sharing can use generated share links.

---

## Rewards

Reward providers should support:

- Airtime
- Data
- Cash payout, if enabled later

Cash gift should be optional and controlled by Super Admin.

---

## 6. Core App Flow

### 6.1 Sender Creates Test

Step 1: Sender logs in.

Step 2: Sender clicks:

Create Loyalty Test

Step 3: Sender enters Receiver details:

- Receiver name
- Receiver phone number
- Optional personal message

Step 4: Sender chooses question category:

- Partner name
- Partner birthday
- Partner nickname
- Favorite color
- First meeting place
- Relationship memory
- Safe custom question

Step 5: Sender enters expected answer.

Step 6: Sender selects gift type:

- Airtime
- Data
- Cash, if enabled by Super Admin

Step 7: Sender selects gift value.

Step 8: System calculates total payment:

- Service fee
- Gift amount
- Gateway charge, if applicable

Step 9: Sender pays.

Step 10: Backend verifies payment.

Step 11: System creates secure anonymous link.

Step 12: Sender shares link by:

- SMS
  - WhatsApp
  - Copy link
- 

## 6.2 Receiver Opens Link

The Receiver sees:

- Locked gift
- Gift type
- Gift amount or mystery gift label
- Safety notice
- Continue button
- Decline button
- Report abuse button
- Block future requests button

Example:

 You have a ₦1,000 airtime gift waiting.  
Answer one relationship question correctly to unlock it.  
Do not enter passwords, OTPs, bank details, card details, BVN, NIN, or private account information.

---

## 6.3 Receiver Answers Question

Receiver sees one question only.

Example:

What is the name of your boyfriend?

Receiver enters answer.

System compares Receiver answer with Sender expected answer.

---



## 6.4 Result Processing

If correct:

- Gift is released
- Receiver sees success message
- Sender receives notification
- Admin log is updated

If wrong:

- Gift is not released
- Sender receives failed result
- Receiver sees polite failure message
- Gift is returned to Sender wallet or handled based on admin setting

If expired:

- Receiver cannot answer
- Gift is returned to wallet or handled based on admin setting

If declined:

- Test status becomes declined
- Gift is returned or held based on admin setting

If reported:

- Test is flagged
- Admin is notified
- Gift is frozen until review

---

## 7. Gift System

### 7.1 Gift Types

The platform should support:

- Airtime gift
- Data gift
- Cash gift

Each gift type must be controlled by Super Admin.

Super Admin can turn each gift type ON or OFF.

Example:

- Airtime: ON
- Data: ON
- Cash: OFF

If a gift type is OFF, Senders must not see it.

---

## 7.2 Gift Funding

The Sender must fund the gift before the anonymous link is sent.

The system should not send fake gift claims.

Only show:

Gift funded

after payment has been verified.

---

## 7.3 Gift Release Rule

The default rule:

Receiver gets the gift only if the answer is correct.

The Receiver should not get the gift if:

- Answer is wrong
  - Test expires
  - Receiver declines
  - Test is reported and blocked
  - Fraud is detected
- 

## 7.4 Gift Failure Handling

If Receiver does not unlock the gift, Super Admin can choose what happens:

Option 1:

- Return gift value to Sender wallet

Option 2:

- Return gift value to original payment method

Option 3:

- Keep gift value as platform credit

Option 4:

- Manual admin review

Recommended MVP rule:

Return unused gift value to Sender wallet. Service fee is not refunded.

---

## 7.5 Wallet System

Every Sender should have an in-app wallet.

Wallet can hold:

- Refunded gift values
- Referral earnings
- Promotional credits
- Failed reward refunds

Wallet can be used to:

- Create new tests
- Fund gifts
- Pay service fees, if enabled
- Withdraw funds, if enabled by Super Admin

Super Admin can enable or disable withdrawals.

---

## 8. Service Fee System

The Sender pays a platform service fee.

This fee covers:

- SMS API cost
- WhatsApp API cost

- Server cost
- Payment gateway cost
- Platform revenue

Super Admin must be able to set:

- Basic service fee
- Premium service fee
- SMS fee
- WhatsApp fee
- Gift processing fee
- Cash payout fee
- Minimum transaction amount
- Maximum transaction amount

Example:

Service fee:

- Basic test: ₦500
- Premium test: ₦1000

Gift amount:

- ₦1000 airtime

Total:

- ₦1500
- 

## 9. Question System

The question system must protect the Receiver from malicious data collection.

### 9.1 Safe Question Categories

Allowed categories:

#### Partner Identity

- What is the name of your boyfriend?
- What is the name of your girlfriend?
- What is the name of your husband?
- What is the name of your wife?
- What is the name of the person you are in a relationship with?

## Relationship Memory

- What nickname does your partner call you?
- What month is your partner's birthday?
- What is your partner's favorite color?
- Where did you first meet your partner?
- What is your partner's middle name?

## Light Personal Questions

- What is your partner's favorite food?
  - What is your partner's favorite football club?
  - What is your partner's favorite nickname?
  - What special name do you call your partner?
- 

## 9.2 Restricted Question Types

The app must not allow questions asking for:

- Password
  - OTP
  - PIN
  - BVN
  - NIN
  - ATM card number
  - Debit card number
  - Credit card number
  - CVV
  - Bank login
  - Email password
  - Social media password
  - Exact address
  - Exact location
  - Private photos
  - Account balance
  - Bank account login
  - Security question answers
  - Full phone number of a third party
  - Any financial credential
  - Any government ID number
- 

## 9.3 Phone Number Question Rule

The app must not allow users to ask for a full phone number.

Instead, support safe phone-number-based questions only.

Allowed version:

What are the last 4 digits of your partner's phone number?

Not allowed:

What is your partner's full phone number?

The Sender may enter the full expected phone number, but the Receiver only enters the last 4 digits.

The result page should mask phone numbers.

Example:

Expected phone:

08012345678

Display:

080\*\*\*\*5678

Receiver answer:

\*\*\*\*5678

---

## 9.4 Custom Question Safety

Custom questions should be controlled.

MVP recommendation:

- Use templates first.
- Allow custom questions only through safe question builder.

Safe custom question builder example:

What is your partner's \_\_\_\_\_?

Allowed fields:

- First name

- Middle name
- Nickname
- Birthday month
- Favorite color
- Favorite food
- Favorite football club
- First meeting place

Do not allow unrestricted free-text questions unless safety filtering is implemented.

---

## 10. Question Safety Engine

Build a Question Safety Engine.

Every custom question must pass through this engine before approval.

### 10.1 Safety Engine Layers

Layer 1: Keyword blocklist

Block words such as:

- password
- passcode
- OTP
- PIN
- BVN
- NIN
- CVV
- card number
- account number
- bank login
- ATM
- address
- location
- private picture
- nude
- token
- verification code

Layer 2: Pattern detection

Detect and block attempts to request:

- 4 to 6 digit OTP

- 10 or 11 digit phone numbers
- 10 digit bank account numbers
- 11 digit BVN
- 11 digit NIN
- 13 to 19 digit card numbers

Layer 3: Question classification

Classify each question as:

- safe
- risky
- blocked
- requires\_admin\_review

Layer 4: Admin moderation

Super Admin can:

- Approve question
- Reject question
- Ban question template
- Add keyword to blocklist
- Add keyword to allowlist

---

## 11. Response Rate Features

To increase response rate, add these features.

### 11.1 Locked Gift Display

Receiver should see the gift first.

Example:

 ₦1,000 MTN Airtime Locked  
Answer correctly to unlock your gift.

---

### 11.2 Mystery Gift Mode

Sender can choose:

- Show gift amount



- Hide gift amount
- Mystery gift

Example:

A mystery gift is waiting for you.

This must only be allowed when a real gift has been funded.

---

## 11.3 Urgency Timer

Each test should have expiry time.

Example:

This gift expires in 24 hours.

Super Admin controls expiry options:

- 1 hour
  - 6 hours
  - 24 hours
  - 48 hours
  - 72 hours
- 

## 11.4 Simple Receiver Flow

Receiver should not be forced to create an account.

Receiver flow must be:

1. Open link
2. See gift
3. Continue
4. Answer one question
5. Submit
6. Redeem gift if correct

No app download required.

---

## 11.5 One Reminder Only

Sender can send one reminder.

Example:

Your locked gift is still waiting. Answer before it expires.

Receiver must have:

- Decline option
- Block future requests option

Super Admin controls whether reminders are enabled.

---

## 11.6 Gift Proof

Show:

Gift funded and secured.

This increases trust.

Only show this if payment is verified.

---

## 11.7 Branded Link Preview

WhatsApp link preview should show:

Title:

You Have a Locked Gift

Description:

Answer one safe relationship question to unlock it.

Image:

- App logo
  - Gift icon
  - Clean design
-

## 12. Answer Matching System

The system compares:

Sender expected answer  
vs  
Receiver submitted answer

### 12.1 Normalization

Before comparing, normalize:

- Lowercase text
  - Remove extra spaces
  - Remove punctuation
  - Normalize phone numbers
  - Normalize date formats
  - Remove titles like Mr, Mrs, Miss, Dr
  - Support initials
  - Support first-name-only matches
  - Support reversed names
- 

### 12.2 Scoring

Score from 0 to 100.

Statuses:

Passed:

- 90 to 100

Partial Pass:

- 50 to 89

Failed:

- Below 50

Super Admin can configure pass threshold.

Example:

- Strict mode: 95%

- Normal mode: 90%
  - Flexible mode: 80%
- 

## 12.3 Multi-Question Premium Test

Premium tests may allow 2 or 3 questions.

Final score is average score.

Gift release rule:

- Gift released only if total score meets pass threshold.

Super Admin can enable or disable multi-question tests.

---

# 13. Privacy and Security Requirements

## 13.1 Receiver Safety Notice

Before answering, Receiver must see:

This is a relationship gift question. Do not enter passwords, OTPs, bank details, card details, BVN, NIN, private account information, or sensitive information.

---

## 13.2 Data Minimization

Only collect what is needed.

Do not collect:

- Contact list
  - SMS inbox
  - Call logs
  - Exact location
  - Private photos
  - Bank passwords
  - Card details
-

## 13.3 Link Security

Test links must:

- Use secure random tokens
  - Expire after set time
  - Allow only one final submission
  - Never expose database IDs
  - Never expose expected answer
  - Never expose Sender identity
  - Be rate-limited
  - Be protected from brute-force attempts
- 

## 13.4 Anti-Harassment Controls

Add:

- Daily sending limit per Sender
- Weekly sending limit to same Receiver
- Receiver block option
- Receiver report option
- Admin abuse dashboard
- Auto-freeze account after multiple reports
- Message moderation
- Reminder limits

Example rules:

- Maximum 5 tests per Sender per day by default
- Maximum 2 tests to same Receiver per week by default
- Maximum 1 reminder per test

Super Admin can edit these limits.

---

## 13.5 Payment Security

Payment system must:

- Verify payments on backend
- Verify webhook signatures
- Use idempotency keys
- Prevent duplicate payment processing
- Never store card details
- Log gateway references

- Handle failed payments safely
- 

## 13.6 Sensitive Data Masking

Mask sensitive data in dashboards.

Examples:

Phone number:

080\*\*\*\*5678

Email:

ab\*\*\*@gmail.com

Bank account, if later enabled:

123\*\*\*\*890

---

# 14. Super Admin Control Center

The Super Admin dashboard must be powerful and flexible.

## 14.1 Platform Settings

Super Admin can manage:

- App name
  - Logo
  - Support email
  - Support phone number
  - Maintenance mode
  - Public registration ON/OFF
  - PWA install prompt ON/OFF
  - Android APK mode ON/OFF
  - Default currency
  - Default country
  - Default timezone
-

## 14.2 Feature Flags

Super Admin can turn ON/OFF:

- Airtime gifts
  - Data gifts
  - Cash gifts
  - Mystery gifts
  - Wallet
  - Withdrawals
  - Referrals
  - Custom questions
  - Premium tests
  - Multi-question tests
  - SMS sending
  - WhatsApp sending
  - Push notifications
  - Reminders
  - Receiver report button
  - Receiver block button
- 

## 14.3 Pricing Controls

Super Admin can set:

- Basic test fee
  - Premium test fee
  - SMS fee
  - WhatsApp fee
  - Gift processing fee
  - Cash payout fee
  - Minimum gift amount
  - Maximum gift amount
  - Minimum wallet balance
  - Withdrawal fee
  - Referral commission
  - Refund rules
- 

## 14.4 Gift Controls

Super Admin can configure:

- Airtime providers
- Data providers

- Cash payout providers
  - Enabled networks
  - MTN ON/OFF
  - Airtel ON/OFF
  - Glo ON/OFF
  - 9mobile ON/OFF
  - Minimum airtime amount
  - Maximum airtime amount
  - Minimum data amount
  - Maximum data amount
  - Cash payout minimum
  - Cash payout maximum
  - Gift expiry rules
  - Gift refund rules
  - Failed gift retry rules
- 

## 14.5 Question Controls

Super Admin can:

- Create question templates
  - Edit question templates
  - Disable question templates
  - Enable question categories
  - Disable question categories
  - Enable custom questions
  - Disable custom questions
  - Review risky custom questions
  - Approve custom questions
  - Reject custom questions
  - Add blocked keywords
  - Remove blocked keywords
  - Add allowed keywords
  - View blocked question attempts
- 

## 14.6 Matching Controls

Super Admin can set:

- Pass threshold
- Partial pass threshold
- Strict mode
- Normal mode
- Flexible mode



- Name matching sensitivity
- Date matching sensitivity
- Phone last-4-digit matching
- Whether partial pass unlocks gift or not

Recommended default:

- Only Passed unlocks gift
  - Partial Pass does not unlock gift unless Sender manually approves or Admin setting allows it
- 

## 14.7 User Controls

Super Admin can:

- View users
  - Search users
  - Suspend users
  - Unsuspend users
  - Verify users
  - Ban users
  - View user tests
  - View user transactions
  - View user wallet
  - View reports against user
  - Freeze user wallet
  - Manually adjust wallet with reason
  - Export users
- 

## 14.8 Test Controls

Super Admin can:

- View all tests
- Search tests
- Filter by status
- Filter by Sender
- Filter by Receiver phone
- View test details
- Cancel test
- Expire test manually
- Freeze suspicious test
- Release gift manually
- Refund gift manually
- View result logs

- Export tests
- 

## 14.9 Payment Controls

Super Admin can:

- View all payments
  - Search by reference
  - Filter by gateway
  - Filter by status
  - View payment metadata
  - Retry verification
  - Mark manual payment
  - Process refund
  - Export payment report
- 

## 14.10 Wallet Controls

Super Admin can:

- View wallet balances
- Freeze wallets
- Unfreeze wallets
- Add manual credit
- Add manual debit
- View wallet ledger
- Approve withdrawals
- Reject withdrawals
- Export wallet report

Every wallet change must require:

- Admin ID
  - Reason
  - Timestamp
  - Audit log
- 

## 14.11 Abuse and Safety Controls

Super Admin can:

- View abuse reports
- Review reported tests

- Suspend reported Senders
  - Block Receiver phone numbers
  - Block Sender phone numbers
  - View blocked numbers
  - Unblock numbers
  - View repeated abuse attempts
  - View sensitive question attempts
  - Freeze suspicious accounts
  - Mark reports as resolved
- 

## 14.12 Messaging Controls

Super Admin can configure:

- SMS provider
- SMS API key
- WhatsApp provider
- Message templates
- Sender ID
- Reminder templates
- Message limits
- Delivery logs
- Failed delivery retry

Message templates must support variables:

- gift\_type
  - gift\_amount
  - test\_link
  - expiry\_time
  - app\_name
- 

## 14.13 Analytics Controls

Admin dashboard should show:

- Total users
- Active users
- Total tests created
- Total tests completed
- Total tests passed
- Total tests failed
- Total gifts funded
- Total gifts released

- Total gifts refunded
  - Total revenue
  - Service fee revenue
  - SMS cost
  - WhatsApp cost
  - Reward cost
  - Net profit estimate
  - Abuse report count
  - Conversion rate
  - Receiver response rate
  - Payment success rate
  - Gift unlock rate
- 

## 14.14 Admin Roles and Permissions

Support admin roles:

### **Super Admin**

Full access.

### **Finance Admin**

Can manage:

- Payments
- Wallets
- Refunds
- Revenue reports

### **Support Admin**

Can manage:

- Users
- Tests
- Abuse reports
- Help content

### **Content Admin**

Can manage:

- FAQs
- Privacy policy
- Terms

- Question templates

Every admin action must be logged.

---

## 15. Required Pages

### 15.1 Public Pages

- Landing page
  - How it works
  - Pricing
  - FAQs
  - Privacy Policy
  - Terms and Conditions
  - Contact support
- 

### 15.2 Sender Pages

- Register
  - Login
  - Forgot password
  - Dashboard
  - Create test
  - Select question
  - Select gift
  - Payment checkout
  - Share test link
  - Test result
  - Test history
  - Wallet
  - Payment history
  - Gift history
  - Referral dashboard
  - Notifications
  - Profile
  - Delete account
- 

### 15.3 Receiver Pages

- Gift landing page
- Safety notice page
- Question page

- Success page
  - Failed page
  - Decline page
  - Report abuse page
  - Block future requests page
  - Gift redemption page
- 

## 15.4 Super Admin Pages

- Admin login
  - Admin overview
  - User management
  - Test management
  - Payment management
  - Wallet management
  - Gift management
  - Referral management
  - Abuse reports
  - Question templates
  - Blocked keywords
  - Messaging settings
  - Provider settings
  - Pricing settings
  - Feature flags
  - Content management
  - Admin role management
  - Audit logs
  - Analytics
  - Export center
- 

## 16. Database Schema

Use PostgreSQL with Prisma.

Core tables:

### **users**

- id
- full\_name
- email
- phone\_number
- password\_hash

- role
- status
- referral\_code
- referred\_by
- email\_verified
- phone\_verified
- created\_at
- updated\_at

## **loyalty\_tests**

- id
- sender\_id
- receiver\_name
- receiver\_phone
- optional\_message
- question\_type
- question\_text
- expected\_answer\_encrypted
- expected\_answer\_normalized
- test\_token
- gift\_type
- gift\_amount
- gift\_status
- service\_fee
- total\_amount
- payment\_status
- test\_status
- match\_score
- result\_status
- expires\_at
- submitted\_at
- created\_at
- updated\_at

## **test\_responses**

- id
- test\_id
- receiver\_answer
- receiver\_answer\_normalized
- match\_score
- result\_status
- ip\_address
- user\_agent
- submitted\_at
- created\_at

## payments

- id
- user\_id
- test\_id
- payment\_type
- gateway
- gateway\_reference
- amount
- currency
- status
- metadata
- paid\_at
- created\_at
- updated\_at

## wallets

- id
- user\_id
- balance
- currency
- status
- created\_at
- updated\_at

## wallet\_transactions

- id
- wallet\_id
- user\_id
- transaction\_type
- amount
- balance\_before
- balance\_after
- reference
- description
- status
- created\_at

## rewards

- id
- test\_id
- sender\_id
- receiver\_phone
- reward\_type



- network
- amount
- provider
- provider\_reference
- status
- delivered\_at
- created\_at
- updated\_at

## **referrals**

- id
- referrer\_id
- referred\_user\_id
- commission\_amount
- status
- qualifying\_payment\_id
- created\_at
- updated\_at

## **abuse\_reports**

- id
- test\_id
- receiver\_phone
- reason
- comment
- status
- reviewed\_by
- created\_at
- updated\_at

## **blocked\_numbers**

- id
- phone\_number
- reason
- blocked\_by
- created\_at

## **question\_templates**

- id
- category
- question\_text
- answer\_type
- status

- created\_at
- updated\_at

## **blocked\_keywords**

- id
- keyword
- severity
- status
- created\_at
- updated\_at

## **platform\_settings**

- id
- key
- value
- description
- updated\_by
- updated\_at

## **feature\_flags**

- id
- feature\_name
- enabled
- updated\_by
- updated\_at

## **admin\_audit\_logs**

- id
- admin\_id
- action
- entity\_type
- entity\_id
- metadata
- created\_at

## **content\_pages**

- id
- slug
- title
- content
- status
- created\_at

• updated\_at

---

## 17. API Requirements

Base path:

/api/v1

### Auth

POST /auth/register

POST /auth/login

POST /auth/logout

POST /auth/forgot-password

POST /auth/reset-password

POST /auth/verify-phone

### Sender

GET /sender/dashboard

POST /tests

GET /tests

GET /tests/:id

POST /tests/:id/initiate-payment

GET /tests/:id/share

GET /tests/:id/result

### Receiver

GET /t:token

POST /t:token/submit

POST /t:token/decline

POST /t:token/report

POST /t:token/block

POST /t:token/redeem-gift

### Payments

POST /payments/initialize

POST /payments/verify

POST /payments/paystack/webhook

POST /payments/flutterwave/webhook

GET /payments/history

## Wallet

GET /wallet  
GET /wallet/transactions  
POST /wallet/withdraw-request

## Rewards

GET /rewards  
POST /rewards/retry  
GET /rewards/:id

## Admin

GET /admin/overview  
GET /admin/users  
PATCH /admin/users/:id/suspend  
PATCH /admin/users/:id/unsuspend  
GET /admin/tests  
PATCH /admin/tests/:id/cancel  
PATCH /admin/tests/:id/refund-gift  
GET /admin/payments  
GET /admin/wallets  
PATCH /admin/wallets/:id/freeze  
POST /admin/wallets/:id/adjust  
GET /admin/abuse-reports  
PATCH /admin/abuse-reports/:id/resolve  
GET /admin/settings  
PATCH /admin/settings  
GET /admin/feature-flags  
PATCH /admin/feature-flags/:id  
GET /admin/question-templates  
POST /admin/question-templates  
PATCH /admin/question-templates/:id  
DELETE /admin/question-templates/:id  
GET /admin/audit-logs

---

# 18. Acceptance Criteria

The app is complete when:

1. Sender can register and login.
2. Sender can create a loyalty test.
3. Sender can choose a safe relationship question.

4. Sender can attach a gift.
  5. Sender can pay service fee and gift value.
  6. Backend verifies payment.
  7. System generates anonymous secure link.
  8. Sender can share link by SMS, WhatsApp, or copy link.
  9. Receiver can open link without app download.
  10. Receiver sees locked gift.
  11. Receiver sees safety notice.
  12. Receiver answers one question.
  13. System matches answer intelligently.
  14. Correct answer unlocks gift.
  15. Wrong answer does not unlock gift.
  16. Sender receives result.
  17. Receiver can decline.
  18. Receiver can report abuse.
  19. Receiver can block future requests.
  20. Super Admin can control gift options.
  21. Super Admin can control pricing.
  22. Super Admin can control question templates.
  23. Super Admin can block sensitive questions.
  24. Super Admin can manage payments.
  25. Super Admin can manage users.
  26. Super Admin can manage wallets.
  27. Super Admin can manage rewards.
  28. Super Admin can view analytics.
  29. Super Admin can view audit logs.
  30. PostgreSQL is used as the main database.
  31. App is responsive on mobile and desktop.
  32. App is PWA-ready.
  33. App can be wrapped into Android APK with Capacitor.
- 

## 19. Vibe Coding Instruction for Antigravity

Build this product as a production-ready full-stack web app.

Use:

- Next.js
- React
- TypeScript
- Tailwind CSS
- PostgreSQL
- Prisma
- Node.js API
- Capacitor for Android APK wrapper

Build the app in phases.

## Phase 1

Build:

- Auth
- Sender dashboard
- Create test flow
- Question template system
- Gift selection
- Payment initialization
- PostgreSQL schema
- Admin login
- Basic admin dashboard

## Phase 2

Build:

- Payment webhooks
- Secure test links
- Receiver question page
- Answer matching engine
- Result page
- Gift escrow logic
- Wallet refund logic

## Phase 3

Build:

- Super Admin controls
- Feature flags
- Pricing settings
- Gift settings
- Question safety engine
- Blocked keywords
- Abuse reports
- Blocked numbers

## Phase 4

Build:

- SMS integration

- WhatsApp share links
- Reward provider integration
- Referral system
- Analytics
- Audit logs

## Phase 5

Build:

- PWA support
- Capacitor Android wrapper
- Push notifications
- APK/AAB build setup
- Production deployment guide

Final output should include:

- Full source code
- Database schema
- Prisma migrations
- API routes
- Frontend pages
- Admin dashboard
- Receiver pages
- Sender dashboard
- Question safety engine
- Matching algorithm
- Payment webhook handlers
- Wallet system
- Gift system
- README setup guide
- Environment variable example
- Deployment instructions