







Explore -

Study plan

Map

Problem of the day

Repeat what you've learned

Find topic

Description

If you found the previous stage too easy, let's add something interesting. The best loans are probably those with a 0% interest.

Let's make some calculations for 0% loan repayments. The user might know the period of the loan and want to calculate the monthly payment. Or the user might know the amount of the monthly repayments and wonder how many months it will take to repay the loan in full.

In this stage, we need to ask the user to input the loan principal amount. Then, the user should indicate what needs to be calculated (the monthly payment amount or the number of months) and enter the required parameter. After that, the loan calculator should output the value that the user wants to know.

Also, let's assume we don't care about decimal places. If you get a floating-point expression as a result of the calculation, you'll have to do additional actions. Take a look at Example 4 where you need to calculate the monthly payment. You know that the loan principal is 1000 and want to pay it back in 9

months. The real value of payment can be calculated as:

$$payment = \frac{principal}{months} = \frac{1000}{9} = 111.11...$$

Of course, you can't pay that amount of money since it's a float value. You have to round up this value and make it 112. But why do we round it up instead of rounding it down? Remember that no payment can be more than the fixed monthly payment. If your monthly repayment amount is 111, that would make the last payment 112, which is not acceptable. If you make a monthly payment of 112, the last payment will be 104, which is fine. You can calculate the last payment as follows:

$$payment_{last} = principal - (periods - 1) \cdot payment = 1000 - 8 \cdot 112 = 104$$

In this stage, you need to count the number of months or the monthly payment. If the last payment differs from the rest, the program should display the monthly payment and the last payment.

Objectives

The behavior of your program should look like this:

- Prompt a user to enter their loan principal and choose which of the two parameters they want to calculate – the number of monthly payments or the monthly payment amount.
- To perform further calculations, you'll also have to ask for the required missing value.
- Finally, output the results for the user.

When you output how many months it will take to repay the loan, mind the grammar of the sentence. For example, if it will take just one month to repay it, you should output: "It will take 1 month to repay the loan" (using the singular form of "month"). In other cases, use the plural form of "month": "It will take 7 months to repay the loan".

Examples

The greater-than symbol followed by a space (>) represents the user input. Note that this is not part of the input.

Example 1

```
1
    Enter the loan principal:
2
    > 1000
3
    What do you want to calculate?
    type "m" - for number of monthly payments,
4
    type "p" - for the monthly payment:
5
 6
7
    Enter the monthly payment:
    > 150
8
9
10
    It will take 7 months to repay the loan
```

Example 2

```
1 Enter the loan principal:
2 > 1000
3 What do you want to calculate?
4 type "m" for number of monthly payments,
5 type "p" for the monthly payment:
6 > m
7 Enter the monthly payment:
```

```
8
     > 1000
9
     It will take 1 month to repay the loan
10
```

Example 3

```
Enter the loan principal:
1
 2
     > 1000
 3
    What do you want to calculate?
     type "m" for number of monthly payments,
     type "p" for the monthly payment:
 5
 6
7
     Enter the number of months:
8
     > 10
9
    Your monthly payment = 100
10
```

Example 4

```
Enter the loan principal:
1
2
     > 1000
3
    What do you want to calculate?
     type "m" for number of monthly payments,
4
     type "p" for the monthly payment:
5
6
7
     Enter the number of months:
8
     > 9
9
10
    Your monthly payment = 112 and the last payment =
```



Write a program

Report a typo

Code Editor

```
print('Enter the loan principal:')
    1
    2
         loan = int(input())
    3
         print('What do you want to calculate?
    4
         print('type "m" for number of monthly
         print('type "p" for the monthly paymer
    5
    6
         option = input()
         if option == 'm':
    7
    8
             print('Enter the monthly payment:
    9
             p = int(input())
   10
             m = int((loan / p) + (loan % p > (
 <sub>v</sub> 11
             if m > 1:
   12
                 print(f'It will take {m} mont)
 , 13
             else:
   14
                 print(f'It will take {m} mont)
         elif option == 'p':
 , 15
   16
             print('Enter the number of months
   17
             m = int(input())
             p = int((loan / m) + (loan % m > (
   18
   19
             print(f'Your monthly payment = {p
Continue
             Solve again
Solutions (846)
K Correct
```

Great job!

565 learners liked this problem. 64 didn't like it. What about you?














Topics in stage

Quotes and multi-line strings



This content was created 1 year ago and updated 7 days ago. Share your feedback below in comments to help us improve it!





I agree to receive invites to research activities (interviews, surveys)

All courses Go DevOps

Top courses Android Data Analysis

Beginner-friendly C++ Machine Learning

Career paths Generative Al Drafts

Python Math

Java Frontend

JavaScript SQL and Databases

Kotlin Data Science

Bioinformatics

Full catalog Backend

Hyperskill Resources

About Blog

University Careers

For Content Creators

Subscription

Support For Business

Help Center Pricing

Terms







Be the first to see what's new















