





Explore -

Study plan

Map

Problem of the day

Repeat what you've learned

Find topic

Description

The game was interesting, but it went sour. No one was playing a fair game! You've taken 10 pencils, your friend decided that it is unfair and somehow took a negative number! Moreover, you both can't decide which of you won. Maybe, it's time to add new rules to the game?

Objectives

In this stage, your task is to add a new level of control over the game. When typing the input, users can make mistakes, and your goal is to detect them and inform users about them. Also, limit the possible amount of pencils taken. Let's say that players can remove not more than 3 pencils at a time.

There is a lot of work to be done so let's break down your task into smaller parts and go through all of them. Here is a list of mistakes that users can make and the corresponding feedback for each of them:

1. The initial number of pencils is not a numeric string, so it can't be converted to an integer—

The number of pencils should be numeric;

- 2. The initial number of pencils is equal to 0 The number of pencils should be positive;
- 3. If the input is a negative amount— The number of pencils should be numeric (the minus sign is not a numeric);
- 5. One of the players has taken the number of pencils that differs from 1, 2, or 3—Possible values: '1', '2' or '3';
- 6. One of the players has taken more pencils than there are on the table— Too many pencils were taken.

If one of the errors occurs, ask for input once again.

Don't forget to help determine the winner of the game. The player who takes the last pencil loses the game. Print out the result at the end of the game with the line <winner-name> won!

Tip: it seems like a lot, but in reality you just need to check 3 places in your code: getting the initial number of pencils, getting the name of the first player and finally retrieving the number of pencils taken by players in each turn.

Examples

The greater-than symbol followed by a space (>) represents the user input. Note that it's not part of the input.

Example 1: the initial number of pencils is not numeric

Example 2: the initial number of pencils equals 0

```
How many pencils would you like to use:

> 0
The number of pencils should be positive
> 20
Who will be the first (John, Jack):
```

Example 3: the chosen first player is not in the list

```
How many pencils would you like to use:
1
2
    > 5
3
   Who will be the first (John, Jack):
   > JohnJack
5
   Choose between 'John' and 'Jack'
    > John
6
7
   John's turn!
8
9
```

Example 4: one of the players has taken the number of pencils that differs from 1, 2, or 3

```
1 How many pencils would you like to use:
2 > 5
3 Who will be the first (John, Jack):
4 > John
5 |||||
6 John's turn!
```

```
7  > 4
8  Possible values: '1', '2' or '3'
9  > 1
10  ||||
11  Jack's turn!
12  >
```

Example 5: the chosen number of pencils is not numeric

```
How many pencils would you like to use:
1
2
3
    Who will be the first (John, Jack):
    > John
    5
    John's turn!
6
7
8
    Possible values: '1', '2' or '3'
    > 1
9
    10
    Jack's turn!
11
12
```

Example 6: John is the winner of the game

```
How many pencils would you like to use:
1
2
    > 5
    Who will be the first (John, Jack):
 3
    > John
5
    John's turn!
 6
7
    > 3
8
    9
    Jack's turn!
    > 3
10
    Too many pencils were taken
11
    > 2
12
13
    John won!
```



Write a program

Report a typo

Code Editor IDE ♥ +100


```
text = input('How many pencils would )
   1
  2
        while not (text.isnumeric() and int(te
            if text.isnumeric():
  3
                 text = input('The number of pe
  4
  5
            else:
                 text = input('The number of pe
  6
  7
        number = int(text)
        users = ['John', 'Jack']
  8
  9
        user name = input('Who will be the fine
        while not user name in users:
<sub>v</sub> 10
            user name = input("Choose between
  11
 12
        i = users.index(user name)
<sub>v</sub> 13
        while(number > 0):
            print('|' * number)
 14
 15
            user input = (input(f"{users[i]}'
            while not (user input in ['1', '2
<sub>v</sub> 16
                 if user_input in ['1', '2', ':
<sub>v</sub> 17
                     user input = input("Too mage")
 18
<sub>v</sub> 19
                 else:
 20
                     user input = input("Possil")
 21
            number -= int(user input)
 22
            i = (i + 1) \% 2
 23
        print(f'{users[i]} won!')
```


Continue


Solve again

Solutions (295)

CorrectGreat job!









I agree to receive invites to research activities (interviews, surveys)

All courses Go DevOps

Top courses Android Data Analysis

Beginner-friendly C++ Machine Learning

Stage implement · Fair play · Hyperskill

Career paths Generative Al Drafts

Python Math

Java Frontend

JavaScript SQL and Databases

Kotlin Data Science

Bioinformatics

Full catalog Backend

Resources Hyperskill

Blog About

University Careers

For Content Creators

Subscription

For Business Support

Pricing Help Center

Terms







Be the first to see what's new















