COLD PLUNGE

- FiberCore All-in
- Icegalax Chiller
- FiberCore
- AirCore
- ArmorSteel



SCIONTECH GROUP

ThePlungeFactory.com

AMBOHR SCIONTECH GROUP

3/F, Building 19, Fengdong Chuangzhi cloudValley,No.1212,Xi'an, Shaanxi

+86-18991323328/13022816355

info@ambohr.com

www.ambohr.com

AMBOHR®
SCIONTECH GROUP

ICEGALAX

www.icegalax.com

AMBOHR®

www.ambohr.com

JD pump

www.jdpump.com

SCIONTECH GROUP


About Us

SCIONTECH GROUP *is a comprehensive enterprise integrating R&D, manufacturing, and trade, dedicated to the cold plunge industry. Through three specialized brands—**AMBOHR**, **ICEGALAX**, and **JDpump**—the group achieves technological excellence across all key areas of cold plunge systems.*

- ***AMBOHR*** *specializes in advanced water purification using ozone treatment, nano-filtration, and automated chemical dosing systems, designed for commercial care.*
- ***ICEGALAX*** *innovates with the world's first FiberCore All-in-One cold plunge chillers, serving over 100,000 users worldwide.*
- ***JDpump*** *develops detachable pumps that prevent clogging and ensure long-term reliability.*

We continuously enhance our core products—including cold plunge machines, tubs, and pumps—through ongoing technological innovation. The SCIONTECH team is committed to promoting cold plunge culture by providing advanced and reliable solutions, inviting more people to embrace a lifestyle where health, comfort, and technology converge.

CE UL ETL RoHS FC



*A*chieving

*M*eaningful

*B*enefits

*O*ffering

*H*igh-quality

*R*esults

AMBOHR®

01 Pro Solutions 05

02 FiberCore All-in 11



03 Icegalax Chiller 17



04 FiberCore 25



05 AirCore 27



06 ArmorSteel 31



PRO SOLUTIONS

FiberCore All-in

Streamlined design, professional performance, designed for high-traffic venues



- Featuring a patented design.
- 2-stage filtration,7.7x4.5 Inch filter housing,low maitainess.
- Indoor&outdoor use.
- Better water circulation with patent water spray and return water port.
- DC24V 150W Detachable Water Pump – Easy to Clean & Clog-Free.
- Anti-UV.
- WIFI & Bluetooth control.
- Multi-purpose accessory kit, easy to get started.
- Modular components for easy maintenance.

FiberCore Commercial Elite

The ultimate cold plunge solution for commercial environments



- Featuring a patented design.
- three stage filtratio.
- Indoor&outdoor use.
- Better water circulation with patent water spray and return water port.
- DC24V 150W Detachable Water Pump – Easy to Clean & Clog-Free.
- Commercial draining basins available as an option.
- Commercial strainers available as an option.
- Commercial dosing units available as an option.
- Drain outlets compliant with VGB safety standards available as an option.

ArmorSteel ACR

Customized design, hidden chiller



- Durable and sturdy.
- It can be used very well in combination with a sauna room.
- Flexibly customizable into various shapes.
- Patented products boost brand moats.
- Patented ice bath dedicated joint, setting industry standards.
- It can be used outdoors. IPX4.
- Anti-ultraviolet design.
- 120W DC patent detachable water pump. Easy to clean and clogging. DC24V safe voltage.

ArmorSteel All-in C

Space-saving easy clean



- Durable and sturdy.
- Integrated design.
- It can be used very well in combination with a sauna room.
- Customizable appearance design.
- Patented products boost brand moats.
- Patented ice bath dedicated joint, setting industry standards.
- It can be used outdoors. IPX4.
- Anti-ultraviolet design.
- 120W DC DC patent detachable water pump. Easy to clean and clogging. DC24V safe voltage.
- Two-stage filtration.

PRO SOLUTIONS

FiberCore Flex Ultra

The ultimate flexible and powerful combination, matched with the most powerful chiller



- All parts are specially designed for ice baths and hold all patents.
- Patented ice bath dedicated joint, setting industry standards.
- Composite Material, One-Piece CNC-Machined Shell.
- Integrated Filter Housing on Top, Enabling Quick & Easy Filter Replacement.
- Patented water Nozzles & return water ports for enhanced water circulation.
- VGB Safety Certified—— Integrated Drain & Bathtub Design.
- Two-stage filtration.

AirCore S Ultra

Professional-gradeport-able tub for mobility and confined paces



- The world's first developer and manufacturer of split-type compositel ice bath machines.
- Custom composite air intake & exhaust grilles, sleek & stylish.
- 150W DC patent detachable water pump.
- Patented water Nozzles & return water ports for enhanced water circulation.
- 4-layer manual adhesive process.
- Multi-Functional accessory package, quick setup, unrestricted ice bath enjoyment.
- Multi-functional mobile phone stand module unit (optional).
- Two-stage filtration.

FiberCore Flex Pro

Enjoy FiberCore's quality experience at a higher cost-performance ratio



- Patented products boost brand moats.
- 7.7"×4.5" patented high-flow filter housing designed for ice baths.
- Anti-ultraviolet design.
- Two drainage outlets.
- 120W DC patent detachable water pump.
- It can be used outdoors. IPX5.
- Patented ice bath dedicated joint, setting industry standards.
- Patented water Nozzles & return water ports for enhanced water circulation.

AirCore S Pro

A compact, full-featured device that's the perfe… introduction to cold therapy.



- 7.7"×4.5" patented high-flow filter housing designed for ice baths.
- Anti-ultraviolet design.
- 120W DC patent detachable water pump. Easy to clean and clogging. DC24V safe voltage.
- It can be used outdoors. IPX5.
- 4-layer manual adhesive process.
- 3-Layer Thickened PVC Material.
- Multi-Functional accessory package, quick setup, unrestricted ice bath enjoyment.
- Multi-functional mobile phone stand module unit (optional).

PRO SOLUTIONS

AirCore S Mini

Space-saving single-person exclusive equipment, a must-have for private training studios



- Patented ice bath dedicated joint, setting industry standards.
- A 98"*59" high-flow patented filter housing designed for ice baths, with the top open for easy replacement.
- It can be used outdoors. IPX4.
- Patented water Nozzles & return water ports for enhanced water circulation.
- 88W DC patent detachable water pump. Easy to clean and clogging. DC24V safe voltage.
- 4-layer manual adhesive bonding process.
- Thicken the PVC material by 3 layers.
- Two-stage filtration.

AirCore C Mini Lite

Low power, energy-saving and power-saving, cool and cost-effective



- Patented ice bath dedicated joint, setting industry standards.
- A 97 "*65" high-flow patented filter bucket designed for ice baths, which can be opened on the side for easy replacement.
- It can be used outdoors. IPX4.
- Patented water Nozzles & return water ports for enhanced water circulation.
- 88W DC patent detachable water pump. Easy to clean and clogging.
- 4-layer manual adhesive bonding process.
- Extremely narrow design, optimizing space.
- Three-stage filtration.

AirCore S EG

The most economical choice for a genuine ice bath experience



- Durable and sturdy.
- It can be used very well in combination with a sauna room.
- Customizable appearance design.
- Patented products boost brand moats.
- It can be used outdoors. IPX4.
- Anti-ultraviolet design.
- 88W DC DC patent detachable water pump. Easy to clean and clogging. DC24V safe voltage.
- narrow design, optimizing space.
- Three-stage filtration.

Icegalax Basin

Efficient draining for dryness, exquisite and practical to brighten every space



- Made of high-quality acrylic, durable and textured.
- Efficient draining structure enables quick drying without water accumulation.
- Easy to clean and maintain, and can be wiped clean in an instant.
- With a simple and stylish design, it fits various scenarios.
- Patented products boost brand moats.
- Eco-friendly materails.ensures no concerns about health.
- Multi-purpose with more flexible functions.


FIBER CORE ALL-IN

Transform Your Fitness Recovery Routine

FLAGSHIP PRODUCTS

Modular design

- Quick-release rear cover
- Module electrical box
- Easy maintenance



Patent Number：ZL 202330452941.9

Polyurethane insulation layer

- Locks in constant heat
- Foam molding





Patent Number：202430836473.X

UL-certified LED light

- Soft light for eye protection
- Energy-saving and durable
- Accept customized color



DC water pump

- One-second cleaning
- Powerful and smooth
- Safe and worry-free



Patent Number：202430240793.9

Air outlet grille

- Efficient heat dissipation
- Quick disassembly
- Highly effective dust protection



Diamond water outlet

- Diamond Design
- Double-speed flushing
- Cleans with a single wipe



Patent Number：ZL 202330452941.9


Spa massage nozzle

- Patented technology
- Professional therapy
- Soft touch



Filtration system

- Self-replacement cartridge
- High-efficiency water purification
- Deep cleansing



Patent Number：ZL 202330570505.1

LED touch screen

- One-touch intelligent control
- Sensitive touch
- Full status display



EXCEPTIONAL HEAT RETENTION

Special additional insulation with excellent heat retention,keeps the femperature at the desired level fora long time, provide luxury bath experience for loner periods.

- **Improved circulation**
- **Stress relief**
- **Boost immunity**
- **Help muscle spasms**
- **Wound healing**
- **Weight management**



Ice Bath Basin

Upgrade your cold plunge experienc with this sleek sidekick

size:50.4x22x3in(126x56x8cm)



Elevate Your Fitness Game

Reclining Edge's Cutting-Edge Ice Bath Tub Redefines Post-Workout Recovery

Specification

Item	Value
Horsepower	1HP
Noise	50dB
Power Supply	1.19kW
Temperature Range	32˚F to 104˚F（0℃ to 40℃）
Cooling Capacity	3kW
Cooling Time (300L 20℃ to 3℃/Ambient Temp 25℃)	3.5 hours
Color	White/Black
Heating Capacity	heater 1kW
Water Pump Power	150W
In Use/ Operation	Minimum 14˚F（-10˚C）
Filters（Size）	7.7*4.5’’ 20 Micron,40 mesh
Sterilization	Ozone
Waterproof Grade	IPX5
Product Weight	249Lb(113kg)
Size （LxWxH）	76.77in x 31.5in x 27.95in（1950mm x 800mm x 710mm）

Specification

Item	Value
Horsepower	1HP
Noise	50dB
Power Supply	1.19kW
Temperature Range	32°F to 104°F（0℃ to 40℃）
Cooling Capacity	3kW
Cooling Time (300L 20℃ to 3℃/Ambient Temp 25℃)	3.5 hours
Color	White
Heating Capacity	1kW
Water Pump Power	150W
In Use/ Operation	Minimum 14°F（-10°C）
Filters（Size）	7.7*4.5'' 20 Micron,40 mesh
Sterilization	Ozone
Waterproof Grade	IPX5
Product Weight	264.6Lb（120kg）
Size （LxWxH）	76.77in x 37.4in x 27.95in（1950mm x 950mm x 710mm）

*The medication can be purchased locally.



COLD PLUNGE ALL-IN COMMERCIAL ELITE

THE ULTIMATE COLD PLUNGE SOLUTION FOR COMMERCIAL ENVIRONMENTS

Custom-built for gyms, wellness centers, recovery studios, and performance clinics — this 2nd generation system, crafted with sophisticated R&D, makes your business operations more hassle-free and your equipment performance more stable.



ICEGALAX ULTRA

THE MOST POWERFUL CHILLER

Split-type composite material ice bath machine, fully patented hardcore protection, one-piece formed CNC shell showcases unique texture. IPX5 waterproof and UV-resistant design, enjoy outdoor scenarios with ease. The high-flow patented filter bucket + patented water circulation system, combined with a 24V safe DC pump, is clean, efficient and reassuring.



UNLEASH PEAK PERFORMANCE FOR COLD PLUNGES

Icegalax Ultra delivers reliable,
professional-grade cooling for any cold therapy setup.
Serious performance, engineered to last.



LED touch screen




Water outlet





Filtration system





Air outlet grille

Specification

Item	Value
Horsepower	1HP
Noise	50dB
Power Supply	1.19kW
Temperature Range	32°F to 104°F（0℃ to 40℃）
Cooling Capacity	3kW
Cooling Time (300L 20℃ to 3℃/Ambient Temp 25℃)	3.5 hours
Color	White
Heating Capacity	4kW
Water Pump Power	150W
In Use/ Operation	Minimum 14°F（-10°C）
Filters（Size）	7.7*4.5'' 20 Micron,40 mesh
Sterilization	Ozone
Waterproof Grade	IPX5
Product Weight	99.2Lb（45kg）
Size （LxWxH）	27.95in x 15.75in x 17.8in（710mm x 400mm x452mm）

ICEGALAX PRO

FAST COOLING EFFICIENCY

From exclusive connectors to the details of the entire machine, every aspect is tailor-made for ice baths, redefining the professional ice bath experience and opening up a new realm of your "cold therapy"!

TWO TYPES OF WIFI CONNECTION


Press and hold "+" key and "M" key for 3s to enter "Default Mode".

Press and hold Timer + Down + Power button for 3s to enter "Compatibility Mode".





Filtration system
A filter element bucket design that is easy to replace



Water Outlet
More precise water inlet and outlet ports

Air outlet grille
Large air volume leads to faster cooling





Specification

Item	Value		
Horsepower	1HP	1.5HP	2HP
Noise	50dB	50dB	50dB
Power Supply	1.13kW	1.46kW	2.04kW
Temperature Range	32°F to 104°F(0°C to 40°C)	32°F to 104°F(0°C to 40°C)	32°F to 104°F(0°C to 40°C)
Cooling Capacity	3kW	4.5kW	5.7kW
Cooling Time (300L 20°C to 3°C/Ambient Temp 25°C)	3.5 hours	2.8 hours	2 hours
Color	White/Black	White/Black	White/Black
Heating Capacity	4kW	5.7kW	7.5kW
Water Pump Power	120W	120W	120W
In Use/ Operation	Minimum 14°F(–10°C)	Minimum 14°F(–10°C)	Minimum 14°F(–10°C)
Filters （Size）	7.7*4.5'' 20 Micron 40 mesh	7.7*4.5'' 20 Micron 40 mesh	7.7*4.5'' 20 Micron 40 mesh
Sterilization	Ozone	Ozone	Ozone
Waterproof Grade	IPX5	IPX5	IPX5
Product Weight	99.2Lb （45kg）	108Lb （49kg）	165Lb （75kg）
Size （LxWxH）	24.37in x 15.83in x 18.7in （619mm x 402mm x475mm）		

0.3HP/0.5HP

ICEGALAX MINI LITE

Even with low power consumption, it has fast cooling capabilities. Its compact size easily ADAPTS to various scenarios



0.5HP/0.8HP

ICEGALAX MINI

The high-power combination enhances the rapid cooling efficiency, easily meeting the demands of higher intensity and low temperatures



Specification

Item	Value		
Horsepower	0.3HP	0.5HP	0.8HP
Noise	50dB	50dB	50dB
Power Supply	0.4kW	0.5kW	0.8kW
Temperature Range	41℉ to 86℉ (5℃ to 30℃)	41℉ to 86℉ (5℃ to 30℃)	41℉ to 86℉ (5℃ to 30℃)
Cooling Capacity	0.9kW	1.5kW	2.4kW
Cooling Time (200L 20℃ to 5℃/Ambient Temp 25℃)	12 hours	8.5 hours	5.5 hours
Color	White/Black	White/Black	White/Black
Heating Capacity	–	–	–
Water Pump Power	50W	80W	80W
In Use/ Operation	Minimum 41℉ (5℃)	Minimum 41℉ (5℃)	Minimum 41℉(5℃)
Filters (Size)	7*2.7'' 20 Micron	7*2.7'' 20 Micron	7*2.7'' 20 Micron
Sterilization	–	–	–
Waterproof Grade	IPX4	IPX4	IPX4
Product Weight	44.1Lb (20kg)	55.1Lb (25kg)	55.1Lb (25kg)
Size (LxWxH)	0.3HP:17.72in x 10.63in x 15.35in (450mm x 270mm x 390mm) 0.8HP:12.99in x 15.75in x 12.80in (330mm x 400mm x 325mm)		

ICEGALAX EG

CREATE A CONVENIENT
LOW-TEMPERATURE EXPERIENCE FOR YOU



Specification

Item	Value	
Horsepower	0.8HP	1HP
Noise	50dB	50dB
Power Supply	0.8kW	1.19kW
Temperature Range	37℉ to 104℉ (3℃ to 40℃)	37℉ to 104℉ (3℃ to 40℃)
Cooling Sapacity	2.4kW	3kW
Cooling Time (300L 20℃ to 3℃/Ambient Temp 25℃)	4.5 hours	3.5 hours
Color	White/Balck	White/Balck
Heating Capacity	–	–
Water Pump Power	80W	80W
In Use/ Operation	Minimum 14℉ (-10℃)	Minimum 14℉ (-10℃)
Filters (Size)	7*2.7'' 20 Micron	7*2.7'' 20 Micron
Sterilization	–	–
Waterproof Grade	IPX4	IPX4
Product Weight	99.2Lb (45kg)	99.2Lb (45kg)
Size (LxWxH)	21.65in x 10.04in x 25.59in (550mm x 255mm x 650mm)	

Compatible with ultra

FIBERCORE FLEX ULTRA

Simple and intelligent,
with just one click,
you can enjoy a cloud-like
ice bath experience

Capacity: 127.6Gal（483L）
Material: Acrylic + fiber + resin
Size: 66.9in x 31.1in x 26in
(170cm x 80cm x 66cm)













Capacity: 111.2Gal（421L）
Material: Acrylic + fiber + resin
Size: 66.9in x 31.1in x 24in
(170cm x 80cm x 60cm)

Compatible with pro

FIBERCORE FLEX PRO

Ergonomic design
opens up an immersive
ice bath world

INFLATABLE ICE BATH TUB

Unique materials and structure provide
the ultimate ice bath experience


EXTRA LONG COOLING WITH REINFORCED STRUCTURE

Double-layer drop Stitch PVC

Wire-drawing PVC filling

8cm Inflatable Thickness







REINFORCED MATERIAL

Drop-stich sewn PVC surface,
skin-friendly andeasy maintanence.
Scratch-resistant and water-proof
features are ideal for outdoor use.

WIRE-DRAWING PVC

Advanced drop stitch PVC tar-
puline ma-terial filling in the
bathtub, 8cm thick-ness after-
inflating, with superior sup.port
ability while being lightweight.

AIRCORE S

WHAT MAKES THIS ICE TUB DIFFERENT?

Slanted side is both aesthe-tically and functionally unique to offer a more supportive bath.
Ergonomic length and height to fit most body shape.
Inflatable wire-drawing PVC material is light weight and sturdy.







Specification

Item	Value
Bathtub Features	Inflatable, Durable, Easy to Install, Health Care
Number Of Persons	1–person
Usage	Ice Bath Therapy
Type	Tub
Product Name	Angled Ice Bath Tub
Material	PVC
Color	Black /Grey
Application	Athlete Recovery
Function	Cryotherapy
Feature	Angled Shape
Capacity	148Gal(561L)
Style	Indoor& Outdoor Ice Bath Tub
Size	65.12in x 33.46in x 28.74in (1654mm x 850mm x 730mm)

Attachment



Repair kit



Pool cover



Handle pump



Handbag

AIRCORE D

NEW TREND EXTRA LARGE PART ICE TUB HOLDS 4-8 PEOPLE

Octagonal extra large ice bath tub for outdoor ice bath parties and big eve-nts application. Gather a group ofsports fans or ice bath enthusiasts to experience the ice bath chal-lenge, feel the improvement of body wellbe-ing by cryotherapy.







Specification

Item	Value
Bathtub Features	Inflatable, Durable, Easy to Install, Health Care
Brand Name	4–8person
Usage	Ice Bath Therapy
Type	Standard, Pool, PORTABLE, Inflatable, SPA, Sports Recovery
Applicable People	Universal, Unisex,Woman, Adults, MAN, Children
Product Name	Inflatable Ice Bath Tub
Material	PVC
Function	Cryotherapy
Feature	Large Capacity
Color	Black / Grey
Size	78.74in x 78.74in x 29.13in (2000x2000 x740mm)
Keyword	Cold Plunge Ice Bath
Style	Outdoor Ice Bath Tub
Capacity	485Gal(1837 L)
Warranty	1 Year

Attachment



Repair kit



Pool cover



Handle pump



Handbag

AIRCORE C

PORTABLE & GO WITH YOU

Cold plunge anywhere withour portable nylonbackpack.

Exercise Recovery

Mental Health

Boost Metabolism

Challenge Yourself

>Size: 39.37in x 39.37in x 38.98in (1000mm x 1000mm x 990mm)

>112Gal(454L) Capacity

>Bathtub Thickness 8cm

>Drop Stitch PVC

>Color: Black / Grey / White





Other styles

AirCore O



>Size:57.09in x 31.1in x 33.46in (1450mm x 790mm x 850mm)

>149Gal(566L) Capacity

>Drop Stitch PVC

>Color: Black / Grey / White

>Bathtub Thickness 8cm



AirCore B



>Size:30.71in x 30.71in x 35.63in (780mm x 780mm x 905mm)

>74.8Gal(283L) Capacity

>Drop Stitch PVC

>Color: Black / Grey / White

>Bathtub Thickness 8cm



Attachment



Inflatable lid xl



Nylon backpack x 1



Repair kit x 1



Hand yump x 1

ARMORSTEEL ACR

Red pine wood bath tub equipped with an inde-pendent chiller






Specification

Item	Value
Horsepower	1HP
Noise	50dB
Power Supply	1.13kW
Temperature Range	32˚F to 104˚F（0℃ to 40℃）
Cooling Capacity	3kW
Cooling Time (300L 20℃ to 3℃/Ambient Temp 25℃)	3.5 hours
Color	Red
Heating Capacity	–
Water Pump Power	120W
In Use/ Operation	Minimum 14˚F（–10˚C）
Filters（Size）	40 mesh
Sterilization	Ozone
Waterproof Grade	IPX5
Product Weight	275Lb(125kg)
Size （LxWxH）	66.9in x 35.4in x 50in（170cm x 90cm x 128cm）

ARMORSTEEL ALL-IN C

Stainless steel integrated ice bath machine, for lifetime use, never rusts.





Specification

Item	Value
Horsepower	1HP
Noise	50dB
Power Supply	1.19kW
Temperature Range	32˚F to 104˚F（0℃ to 40℃）
Cooling Capacity	3kW
Cooling Time (300L 20℃ to 3℃/Ambient Temp 25℃)	3.5 hours
Color	Silver
Heating Capacity	heater 1kW
Water Pump Power	120W
In Use/ Operation	Minimum 14˚F（–10˚C）
Filters（Size）	20 Micron + 40 mesh
Sterilization	Ozone
Waterproof Grade	IPX4
Product Weight	168Lb（76kg）
Size （LxWxH）	44.5in x 30.7in x 72in（113cm x 78cm x 183cm）

ARMORSTEEL C

>Size: 850x850x1000mm

>104Gal(395L) Capacity

Size can be customized



ARMORSTEEL O

>Size: 1500x770 x610mm
>119Gal(450L) Capacity

Size can be customized



ACCESSORIES



Thermal cover



Phone Holder



Water Filter Cartridge



Replaced Filter



Ozone generator SPA-124



Ozone generator SPA-124 Pro



JDpumpWP-80A



JDpumpWP-60A



Draining basin