



API Documentation

WhatsApp Business API 1.0.0 OAS 3.0

Comprehensive WhatsApp Business API for sending messages, managing templates, and handling file operations. Supports multiple authentication methods and file handling options.

[API Support - Website](#)

Servers

<https://wa.redlava.in>

[Authorize](#)

Messages Send and manage WhatsApp messages



POST </api/v1/whatsapp/sendMessage> Send WhatsApp message



Send various types of WhatsApp messages including text, media, templates, buttons, lists, and more. Supports multiple file handling methods and message types.

Parameters

[Cancel](#)

Name	Description
phoneId	Phone ID for accounts with multiple numbers
string (query)	105036225837218
apiKey	API Key for authentication (alternative to header)
string (query)	apiKey

Name	Description
------	-------------

x-phone-id	Phone ID for accounts with multiple numbers (alternative to query parameter)
string (header)	123456789012345

Request body required

application/json

Examples:

Template message with variables

Edit Value Schema

```
{
  "templateName": "welcome",
  "language": "en",
  "to": "1234567890",
  "templateVariables": [
    "Variable1Value"
  ]
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://wa.redlava.in/api/v1/whatsapp/sendMessage?phoneId=105036225837218&apiKey=fc6d3788c736' \
  -H 'accept: application/json' \
  -H 'x-phone-id: 123456789012345' \
  -H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c6' \
  -H 'Content-Type: application/json' \
  -d '{
    "templateName": "welcome",
    "language": "en",
```

```
"to": "1234567890",
"templateVariables": [
  "Variable1Value"
]
}'
```

Request URL

https://wa.redlava.in/api/v1/whatsapp/sendMessage?
phoneId=105036225837218&apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12f
c8b446f3ad60692c8e30f9e2659c8bb78bc99b

Server response

Code	Details

400 Error: response status is 400

Response body

```
{
  "type": "about:blank",
  "title": "UNSPECIFIED_PHONE_NUMBER",
  "status": 400,
  "detail": "Multiple phone numbers found. Please specify the phone number",
  "timestamp": 1778488735303
}
```

Download

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/problem+json
date: Mon,11 May 2026 08:38:55 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0

Responses

Code	Description	Links
200	Message sent successfully	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value	Schema

Code	Description	Links
	<pre>{ "success": true, "message": "Message sent successfully", "messageId": "msg_123456789", "timestamp": "2024-01-15T10:30:00Z" }</pre>	
400	Bad request - Invalid parameters	No links
	Media type application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	
401	Unauthorized - Invalid authentication	No links
	Media type application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	

POST

/api/v1/whatsapp/sendMessageByCampaign1

Send bulk messages using CSV campaign



Send WhatsApp messages to multiple recipients using CSV file upload. Supports template messages with variables for bulk messaging campaigns.

Parameters

Cancel

Reset

x-phone-id	Phone ID for accounts with multiple numbers
string	123456789012345
(header)	

multipart/form-data

```
string($binary)
```

```
string($binary)
```

5/55

Code	Description	Links
	application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	
401	Unauthorized - Invalid authentication	No links
	Media type application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	

Templates Create and manage message templates



POST

/api/v1/messageTemplate/create

Create message template

Create a new message template for WhatsApp Business. Templates must be approved before use.

Parameters

Cancel

No parameters

Request body required

application/json

Examples:

Basic text template

Edit Value Schema

```
{
  "name": "hello_world",
  "language": "en",
  "category": "MARKETING",
  "components": [
    {
      "type": "BODY",
      "text": "Hello , welcome to our service!",
      "example": {
        "body_text": [
          "John"
        ]
      }
    }
  ]
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://wa.redlava.in/api/v1/messageTemplate/create?apiKey=fc6d3788c730e659bb3e9d62f8e28b5'
-H 'accept: application/json' \
-H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad6069'
-H 'Content-Type: application/json' \
-d '{
  "name": "hello_world",
  "language": "en",
  "category": "MARKETING",
  "components": [
    {
      "type": "BODY",
      "text": "Hello , welcome to our service!",
      "example": {
        "body_text": [
          "John"
        ]
      }
    }
  ]
}
```

Request URL

```
https://wa.redlava.in/api/v1/messageTemplate/create?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b
```

Server response

CodeDetails

400Error: response status is 400

Undocumented

Response body

```
{
  "type": "about:blank",
  "title": "UNSPECIFIED_PHONE_NUMBER",
  "status": 400,
  "detail": "Multiple phone numbers found. Please specify the phone number",
  "timestamp": 1778486965887
}
```

Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/problem+json
date: Mon,11 May 2026 08:09:25 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

Responses

CodeDescriptionLinks

200Template created successfullyNo links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "templateId": "template_123",
  "status": "PENDING",
  "message": "Template created successfully and submitted for review"
}
```



Retrieve paginated list of message templates with filtering and sorting options.

Parameters

Cancel

NameDescription

x-phone-id

Phone ID for accounts with multiple numbers

123456789012345

string

(header)

Request body required

application/json

Edit Value Schema

```
{
  "pagination": {
    "current": 1,
    "pageSize": 10
  },
  "order": [
    {
      "fieldName": "creationTime",
      "dir": "desc"
    }
  ],
  "search": []
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://wa.redlava.in/api/v1/messageTemplate/getTemplates?apiKey=fc6d3788c730e659bb3e9d62f8e;' \
  -H 'accept: application/json' \
  -H 'x-phone-id: 123456789012345' \
```

```
-H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8'
-H 'Content-Type: application/json' \
-d '{
  "pagination": {
    "current": 1,
    "pageSize": 10
  },
  "order": [
    {
      "fieldName": "creationTime",
      "dir": "desc"
    }
  ],
  "search": []
}'
```

Request URL

https://wa.redlava.in/api/v1/messageTemplate/getTemplates?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2

Server response

Code	Details
400	Error: response status is 400 Response body <pre>{ "type": "about:blank", "title": "UNSPECIFIED_PHONE_NUMBER", "status": 400, "detail": "Multiple phone numbers found. Please specify the phone number", "timestamp": 1778486982803 }</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/problem+json date: Mon,11 May 2026 08:09:42 GMT expires: 0 pragma: no-cache server: nginx/1.18.0 (Ubuntu) strict-transport-security: max-age=31536000 ; includeSubDomains transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-xss-protection: 0</pre>

Responses

Code	Description	Links
200	Template list retrieved successfully Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "data": [{ "id": "template_123", "name": "hello_world", "language": "en", "status": "APPROVED", "category": "MARKETING", "components": [{ "type": "HEADER", "format": "TEXT", "text": "Hello , welcome to our service!", "example": { "body_text": ["John", "Doe"] } }] }] }</pre>	No links
400	Bad request - Invalid parameters Media type application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	No links
401	Unauthorized - Invalid authentication Media type application/json Example Value Schema	No links

Code	Description	Links
	<pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	

GET

/api/v1/messageTemplate/syncTemplatesFromMeta

Sync templates from Meta



Synchronize message templates from Meta WhatsApp Manager to the local system.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://wa.redlava.in/api/v1/messageTemplate/syncTemplatesFromMeta?apiKey=fc6d3788c730e659bb:
-H 'accept: application/json' \
-H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b'
```

Request URL

https://wa.redlava.in/api/v1/messageTemplate/syncTemplatesFromMeta?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b

Server response

Code	Details
400	Error: response status is 400

Undocumented

Response body

```
{
  "type": "about:blank",
}
```

Code

Details

"title": "UNSPECIFIED_PHONE_NUMBER",
"status": 400,
"detail": "Multiple phone numbers found. Please specify the phone number",
"timestamp": 1778486991539
}

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/problem+json
date: Mon,11 May 2026 08:09:51 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0

Responses

Code

Description

Links

200

Templates synchronized successfully

No links

Media type

application/json

Controls Accept header.

Example Value

Schema

{
"success": true,
"synced": 5,
"message": "Templates synchronized successfully"
}

GET

/api/v1/whatsapp/syncTemplatesFromMeta

Sync templates from Meta (WhatsApp endpoint)

🔒

⌵

Reports

Get delivery reports and message status

⌵

GET

/api/v1/whatsapp/report/userMessageId/{id}

Get report by user message ID

🔒

⌵

https://wa.redlava.in/Integrations/ApiDocumentation

13/55

Retrieve delivery report for a specific message using user-defined message ID.

Parameters

Cancel

NameDescription

id * requiredUser-defined message ID

string
(path)

msg_12345

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://wa.redlava.in/api/v1/whatsapp/report/userMessageId/msg_12345?apiKey=fc6d3788c730e659t'
-H 'accept: application/json' \
-H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b'
```

Request URL

https://wa.redlava.in/api/v1/whatsapp/report/userMessageId/msg_12345?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b

Server response

CodeDetails

400Error: response status is 400

Undocumented

Response body

```
{
  "type": "about:blank",
  "title": "UNSPECIFIED_PHONE_NUMBER",
  "status": 400,
  "detail": "Multiple phone numbers found. Please specify the phone number",
  "timestamp": 1778487001236
}
```

Download

Response headers

Code

Details

cache-control: no-cache,no-store,max-age=0,must-revalidate

connection: keep-alive

content-type: application/problem+json

date: Mon,11 May 2026 08:10:01 GMT

expires: 0

pragma: no-cache

server: nginx/1.18.0 (Ubuntu)

strict-transport-security: max-age=31536000 ; includeSubDomains

transfer-encoding: chunked

vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers

x-content-type-options: nosniff

x-frame-options: DENY

x-xss-protection: 0

Responses

Code	Description	Links
200	Message report retrieved successfully Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "data": [{ "messageId": "msg_123456789", "userMessageId": "user_msg_123", "to": "1234567890", "status": "DELIVERED", "timestamp": "2024-01-15T10:30:00Z", "deliveredAt": "2024-01-15T10:31:00Z", "readAt": "2024-01-15T10:32:00Z", "templateName": "hello_world", "messageType": "template" }] }</pre>	No links

POST

/api/v1/whatsapp/report/messageSentReport

Get paginated message reports



Retrieve sent message reports with pagination and filtering options.

Parameters

[Cancel](#)

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "pagination": {
    "current": 1,
    "pageSize": 50
  },
  "order": [
    {
      "fieldName": "creationTime",
      "dir": "desc"
    }
  ],
  "search": [
    {
      "fieldName": "creationTime",
      "value": [
        "1710214993000",
        "1713079945000"
      ]
    }
  ]
}
```

[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'POST' \
  'https://wa.redlava.in/api/v1/whatsapp/report/messageSentReport?apiKey=fc6d3788c730e659bb3e' \
  -H 'accept: application/json' \
  -H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad6069' \
  -H 'Content-Type: application/json' \
  -d '{
  "pagination": {
    "current": 1,
    "pageSize": 50
  },
  "order": [
    {
      "fieldName": "creationTime",
      "dir": "desc"
    }
  ],
  "search": [
```



```
{
  "fieldName": "creationTime",
  "value": [
```

Request URL

https://wa.redlava.in/api/v1/whatsapp/report/messageSentReport?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b

Server response

Code	Details
400	Error: response status is 400
Undocumented	Response body <pre>{ "type": "about:blank", "title": "UNSPECIFIED_PHONE_NUMBER", "status": 400, "detail": "Multiple phone numbers found. Please specify the phone number", "timestamp": 1778487010154 }</pre> Download

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/problem+json
date: Mon,11 May 2026 08:10:10 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0

Responses

Code	Description	Links
200	Paginated message reports retrieved successfully Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "success": true, "data": [{ "messageId": "msg_123456789", "userMessageId": "user_msg_123", "to": "1234567890", "status": "DELIVERED", "timestamp": "2024-01-15T10:30:00Z", "deliveredAt": "2024-01-15T10:31:00Z", "readAt": "2024-01-15T10:32:00Z", "templateName": "hello_world", "messageType": "template" }], "pagination": { "current": 1, "pageSize": 50, "total": 150, "totalPages": 3 } }</pre>	

Contacts

Manage contacts

▼

Payments

Manage and retrieve active payment configurations for payment messages

▼

Media

Upload media and fetch media details for public messaging APIs

▲

POST

/api/v1/whatsapp/meta/media/upload

Upload media to WhatsApp and get metaMediaId



Upload a file in Meta media format for later use in message or template APIs. The file is uploaded to WhatsApp and stored locally for reuse.

Parameters

Cancel

Reset

No parameters

Request body required

multipart/form-data

messaging_product Messaging product identifier. Defaults to whatsapp.

string

whatsapp

☐ Send empty value

file * required Binary file to upload to WhatsApp media storage

string(\$binary)

Choose File

1 . 8 Pamplet (1).pdf

ExecuteClear

Responses

Curl

```
curl -X 'POST' \
  'https://wa.redlava.in/api/v1/whatsapp/meta/media/upload?apiKey=fc6d3788c730e659bb3e9d62f8e28t
-H 'accept: application/json' \
-H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c
-H 'Content-Type: multipart/form-data' \
-F 'messaging_product=whatsapp' \
-F 'file=@1 . 8 Pamplet (1).pdf;type=application/pdf'
```

Request URL

https://wa.redlava.in/api/v1/whatsapp/meta/media/upload?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b

Server response

Code	Details
400	Error: response status is 400
	Response body <pre>{ "type": "about:blank", "title": "UNSPECIFIED_PHONE_NUMBER", "status": 400, "detail": "Multiple phone numbers found. Please specify the phone number", "timestamp": 1778487049797 }</pre> Download

Code

Details

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/problem+json
date: Mon,11 May 2026 08:10:49 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

Responses

Code

Description

Links

200

Media uploaded successfully

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "id": "67c9d74a7a6d9c1234567890",
  "phoneNumberId": "123456789012345",
  "filename": "brochure.pdf",
  "localFilePath": "out/123456789012345/2025/03/brochure.pdf",
  "sha256": "a1b2c3d4e5f6",
  "use": "OUT",
  "metaMediaId": "120363401234567890",
  "mediaDetail": {
    "id": "120363401234567890",
    "url": "https://lookaside.fbsbx.com/whatsapp_business/attachment
s/...",
    "mimeType": "application/pdf",
    "sha256": "a1b2c3d4e5f6",
    "fileSize": 245678,
    "messaging_product": "whatsapp"
  }
}
```

400

Bad request - Invalid file upload

No links

Media type

application/json

Code	Description	Links
	Example Value Schema	
	<pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	
401	Unauthorized - Invalid authentication	No links
	Media type	
	application/json	
	Example Value Schema	
	<pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	

GET

/api/v1/whatsapp/media/mediaDetail/{metaMediaId}

Get media detail with reusable public file information



Fetch stored media information by metaMediaId, including media metadata and reusable file access details.

Parameters

Cancel

Name	Description
metaMediaId * required	Meta media identifier returned by media upload APIs
string (path)	120363401234567890

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://wa.redlava.in/api/v1/whatsapp/media/mediaDetail/120363401234567890?apiKey=fc6d3788c7:
-H 'accept: application/json' \
-H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b'
```

Request URL

https://wa.redlava.in/api/v1/whatsapp/media/mediaDetail/120363401234567890?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b

Server response

Code	Details
400	Error: response status is 400
Undocumented	Response body <pre>{ "type": "about:blank", "title": "UNSPECIFIED_PHONE_NUMBER", "status": 400, "detail": "Multiple phone numbers found. Please specify the phone number", "timestamp": 1778487060025 }</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/problem+json date: Mon,11 May 2026 08:10:59 GMT expires: 0 pragma: no-cache server: nginx/1.18.0 (Ubuntu) strict-transport-security: max-age=31536000 ; includeSubDomains transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-xss-protection: 0</pre>

Responses

Code	Description	Links
200	Media detail retrieved successfully	No links
	Media type application/json	

Code	Description	Links
	Controls Accept header. Example Value Schema <pre>{ "phoneNumberId": "123456789012345", "filename": "brochure.pdf", "thumbnail": "https://cdn.example.com/thumbs/brochure.png", "sha256": "a1b2c3d4e5f6", "s3Path": "s3://bucket/out/123456789012345/brochure.pdf", "metaMediaId": "120363401234567890", "mediaDetail": { "id": "120363401234567890", "url": "https://lookaside.fbsbx.com/whatsapp_business/attachment s/...", "mimeType": "application/pdf", "sha256": "a1b2c3d4e5f6", "fileSize": 245678, "messaging_product": "whatsapp" } }</pre>	
401	Unauthorized - Invalid authentication Media type application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	No links
404	Media not found	No links

Users

List agents and agent dropdown options for assignment workflows



POST	/api/v1/user/agent Create agent	
Create a new agent/basic user for the current customer. The backend sets customerId, initializes twoFactor.enabled to false, and decides the final active value based on agent limit rules.		

Parameters

[Cancel](#)

No parameters

Request body required[application/json](#)[Edit Value](#) [Schema](#)

```
{
  "username": "alex_agent",
  "name": "Alex Agent",
  "password": "Test@1234",
  "email": "alex.agent@example.com",
  "mobileNumber": "9876543210",
  "role": "AGENT",
  "phoneNumberIds": [
    "123456789012345"
  ],
  "active": true
}
```

//

[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'POST' \
  'https://wa.redlava.in/api/v1/user/agent?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b5' \
  -H 'accept: application/json' \
  -H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "alex_agent",
    "name": "Alex Agent",
    "password": "Test@1234",
    "email": "alex.agent@example.com",
    "mobileNumber": "9876543210",
    "role": "AGENT",
    "phoneNumberIds": [
      "123456789012345"
    ],
  },'
```



```
"active": true
}'
```

Request URL

https://wa.redlava.in/api/v1/user/agent?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b

Server response

Code	Details
------	---------

400 Error: response status is 400

Response body

```
{
  "type": "about:blank",
  "title": "UNSPECIFIED_PHONE_NUMBER",
  "status": 400,
  "detail": "Multiple phone numbers found. Please specify the phone number",
  "timestamp": 1778487072005
}
```

Download

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/problem+json
date: Mon,11 May 2026 08:11:11 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0

Responses

Code	Description	Links
------	-------------	-------

200 Agent created successfully No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "id": "67d0123456abcdef12345671",
```

Code	Description	Links
	<pre>"customerId": "67d0123456abcdef12345670", "phoneNumberIds": ["123456789012345"], "name": "Alex Agent", "username": "alex_agent", "password": null, "email": "alex.agent@example.com", "mobileNumber": "9876543210", "role": "AGENT", "active": true, "twoFactor": { "enabled": false }, "creationTime": 1774256801291, "lastUpdateTime": 1774256801291 }</pre>	
400	Bad request - Invalid payload or username already exists Media type application/json Example Value Schema<pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	No links
401	Unauthorized - Invalid authentication Media type application/json Example Value Schema<pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	No links

GET	/api/v1/user/agent-list	List active agents for dropdown	 

Retrieve active agents for the current customer, optimized for dropdown selection in assignment workflows.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://wa.redlava.in/api/v1/user/agent-list?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b' \
  -H 'accept: application/json' \
  -H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b'
```

Request URL

```
https://wa.redlava.in/api/v1/user/agent-list?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b
```

Server response

CodeDetails

200

Response body

```
[ ]
```

Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-encoding: gzip
content-type: application/json
date: Mon,11 May 2026 08:11:20 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
```

Code

Details

transfer-encoding: chunked
vary: Accept-Encoding, Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0

Request duration

165 ms

Responses

Code

Description

Links

200

Active agents retrieved successfully

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "id": "67d0123456abcdef12345678",
    "name": "John Agent",
    "username": "john_agent"
  },
  {
    "id": "67d0123456abcdef12345679",
    "name": "Priya Support",
    "username": "priya_support"
  }
]
```

401

Unauthorized - Invalid authentication

No links

Media type

application/json

Example Value Schema

```
{
  "success": false,
  "error": "Invalid request parameters",
  "errorCode": "INVALID_PARAMS",
  "details": {}
}
```

GET

/api/v1/user/team-list List teams for dropdown



Retrieve team id and name pairs for the current customer, optimized for assignment and selection workflows.

Parameters

[Cancel](#)

No parameters

[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'GET' \
  'https://wa.redlava.in/api/v1/user/team-list?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4c' \
  -H 'accept: application/json' \
  -H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b'
```

Request URL

```
https://wa.redlava.in/api/v1/user/team-list?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b
```

Server response

Code

Details

200

Response body

```
[]
```

[Download](#)

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-encoding: gzip
content-type: application/json
date: Mon,11 May 2026 08:11:28 GMT
expires: 0
pragma: no-cache
```

Code

Details

```
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Accept-Encoding,Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

Request duration

173 ms

Responses

Code

Description

Links

200

Teams retrieved successfully

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "id": "67d0aa3456abcdef12345678",
    "name": "Sales Team"
  },
  {
    "id": "67d0aa3456abcdef12345679",
    "name": "Support Team"
  }
]
```

401

Unauthorized - Invalid authentication

No links

Media type

application/json

Example Value Schema

```
{
  "success": false,
  "error": "Invalid request parameters",
  "errorCode": "INVALID_PARAMS",
  "details": {}
}
```

GET /api/v1/user/teams List teams



Retrieve all teams for the current customer.

Parameters

[Cancel](#)

No parameters

[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'GET' \
  'https://wa.redlava.in/api/v1/user/teams?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b5' \
  -H 'accept: application/json' \
  -H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b'
```

Request URL

https://wa.redlava.in/api/v1/user/teams?
apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2
659c8bb78bc99b

Server response

Code

Details

400 Error: response status is 400

Undocumented

Response body

```
{
  "type": "about:blank",
  "title": "UNSPECIFIED_PHONE_NUMBER",
  "status": 400,
  "detail": "Multiple phone numbers found. Please specify the phone number",
  "timestamp": 1778487094640
}
```

[Download](#)

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/problem+json
```

Code

Details

```
date: Mon,11 May 2026 08:11:34 GMT
expires: 0
pragma: no-cache
server: nginx/1.18.0 (Ubuntu)
strict-transport-security: max-age=31536000 ; includeSubDomains
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

Responses

Code

Description

Links

200

Teams retrieved successfully

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "id": "67d0aa3456abcdef12345678",
    "customerId": "67d0123456abcdef12345670",
    "name": "Sales Team",
    "defaultTeam": false,
    "memberUsernames": [
      "john_agent",
      "priya_support"
    ],
    "createdBy": "admin_user",
    "creationTime": "2025-03-20T10:30:00Z",
    "lastModifiedBy": "admin_user",
    "lastUpdateTime": "2025-03-20T10:45:00Z"
  }
]
```

401

Unauthorized - Invalid authentication

No links

Media type

application/json

Example Value Schema

```
{
  "success": false,
  "error": "Invalid request parameters",
  "errorCode": "INVALID_PARAMS",
}
```


Code	Description	Links
	<pre>"details": {} }</pre>	

POST `/api/v1/whatsapp/chat/assignment` Assign chat to agent or team



Assign a chat by receiver number to a team, a specific user, or by round robin. Required fields depend on target: TEAM requires teamId, USER requires username, ROUND_ROBIN can optionally use teamId and source. phoneNumberId is derived from the authenticated user and does not need to be sent.

Parameters

Cancel

No parameters

Request body required

application/json

Examples:

Assign chat to a team

Edit Value Schema

```
{  
  "receiverNumber": "919876543210",  
  "target": "TEAM",  
  "teamId": "67d0aa3456abcdef12345678"  
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://wa.redlava.in/api/v1/whatsapp/chat/assignment?apiKey=fc6d3788c730e659bb3e9d62f8e28b56'
-H 'accept: application/json' \
-H 'x-api-key: fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b'
-H 'Content-Type: application/json' \
-d '{
  "receiverNumber": "919876543210",
  "target": "TEAM",
  "teamId": "67d0aa3456abcdef12345678"
}'
```

Request URL

https://wa.redlava.in/api/v1/whatsapp/chat/assignment?apiKey=fc6d3788c730e659bb3e9d62f8e28b56aec3616a4dd9b9883500e6d833f12fc8b446f3ad60692c8e30f9e2659c8bb78bc99b

Server response

Code	Details
400	Error: response status is 400 Response body <pre>{ "type": "about:blank", "title": "UNSPECIFIED_PHONE_NUMBER", "status": 400, "detail": "Multiple phone numbers found. Please specify the phone number", "timestamp": 1778487102859 }</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/problem+json date: Mon,11 May 2026 08:11:42 GMT expires: 0 pragma: no-cache server: nginx/1.18.0 (Ubuntu) strict-transport-security: max-age=31536000 ; includeSubDomains transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-xss-protection: 0</pre>

Responses

Code	Description	Links
200	Chat assignment processed successfully Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "message": "Chat assignment updated successfully" }</pre>	No links
400	Bad request - Invalid assignment payload Media type application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	No links
401	Unauthorized - Invalid authentication Media type application/json Example Value Schema <pre>{ "success": false, "error": "Invalid request parameters", "errorCode": "INVALID_PARAMS", "details": {} }</pre>	No links

Schemas

```
TextMessage  {  
  to*          [...]   
  text*        [...]   
  messageId    [...]   
}
```

```
TemplateMessage  {  
  templateName*  [...]   
  language*      [...]   
  to*            [...]   
  templateVariables  [...]   
  metaMediaId    [...]   
  fileUrl        [...]   
  base64File      Base64File  {...}   
  ftpFilePath     [...]   
  location        Location   {...}   
  flow            Flow      {...}   
  files           [...]   
  orderDetail     OrderDetail {...}   
}
```

```
OrderDetail  {
  description:      Payment order detail block. Required fields: body, footer,
                    goodsType, configuration_name, items[]. Optional:
                    headerImageLink, tax, taxDescription, discount, shipping,
                    subtotal, total_amount, expiration.timestamp,
                    expiration.description.

  headerImageLink  [...]
  body*            [...]
  footer*          [...]
  goodsType*       [...]
  configuration_name*  [...]
  tax              [...]
  taxDescription   [...]
  discount         [...]
  shipping         [...]
  subtotal         [...]
  total_amount     [...]
  items*          [...]
  expiration       {...}
}
```

```
PaymentMessage  {
  to*             [...]
  orderDetail*    OrderDetail  {...}
}
```

```

MediaMessage    {
    to*                [...]
    metaMediaId        [...]
    fileUr1            [...]
    base64File          Base64File    {...}
    ftpFilePath         [...]
    caption             [...]
    oneOf ->           {...}
                        {...}
                        {...}
                        {...}
}

```

```

ListButtonMessage  {
    to*                [...]
    listButton*         {...}
}

```

```

ReplyButtonMessage {
    to*                [...]
    replyButton*       {...}
    metaMediaId        [...]
    fileUr1            [...]
    base64File          Base64File    {...}
}

```

```

CtaUrlMessage     {
    to*                [...]
    ctaUr1*            {...}
}

```

```
CatalogMessage  {  
    to*                [...]   
    catalog*           {...}  
}
```

```
ProductMessage  {  
    to*                [...]   
    product*           {...}  
}
```

```
LocationMessage  {  
    to*                [...]   
    location*           Location  {...}  
}
```

```
ContactMessage   {  
    to*                [...]   
    contacts*           [...]  
}
```

```
LocationRequestMessage  {  
    to*                [...]   
    locationRequest*    [...]   
    text*              [...]  
}
```

```
AddressRequestMessage  {  
    to*                [...]   
    address*           {...}  
}
```

```
MultipartMessage  {  
    to*                [...]  
    uploadFile         [...]  
}
```

```
CampaignData  {  
    campaignType*      [...]  
    campaignName*      [...]  
    message*           {...}  
}
```

```
Base64File    {  
    name*              [...]  
    body*              [...]  
}
```

```
MetaMediaUploadRequest  {  
    messaging_product  [...]  
    file*              [...]  
}
```

```
MediaDetailResponse  {  
    id                 [...]  
    url                [...]  
    mimeType            [...]  
    sha256              [...]  
    fileSize           [...]  
    messaging_product  [...]  
}
```



```
UploadedFileResponse {  
  id [...]   
  phoneNumberId [...]   
  filename [...]   
  localFilePath [...]   
  thumbnail [...]   
  sha256 [...]   
  s3Path [...]   
  use [...]   
  metaMediaId [...]   
  mediaDetail MediaDetailResponse {...}   
  creationTime [...]   
}
```

```
UploadedFileOutsideSharedResponse {  
  phoneNumberId [...]   
  filename [...]   
  thumbnail [...]   
  sha256 [...]   
  s3Path [...]   
  metaMediaId [...]   
  mediaDetail MediaDetailResponse {...}   
}
```

```
Location {  
  longitude* [...]   
  latitude* [...]   
  name [...]   
  address [...]   
}
```

```
Flow    {  
    flow_token          [...]   
    flow_action_data    {...}  
}
```

```
Contact  {  
    addresses            [...]   
    birthday             [...]   
    emails              [...]   
    name*               {...}   
    org                 {...}   
    phones*             [...]   
    urls                [...]   
}
```

```
CreateTemplate  {  
    name*               [...]   
    language*           [...]   
    category*           [...]   
    components*         [...]   
}
```

```
TemplateComponent  {  
    type*               [...]   
    format              [...]   
    text               [...]   
    example            {...}   
    buttons            [...]   
}
```

```
TemplateButton  {  
    type*          [...]   
    text           [...]   
    flow_id        [...]   
    navigate_screen  [...]   
    flow_action     [...]   
    url            [...]   
    phone_number    [...]   
}
```

```
TemplateListRequest  {  
    pagination      {...}   
    order           [...]   
    search          [...]   
}
```

```
TemplateListResponse  {  
    success          [...]   
    data             [...]   
    pagination       {...}   
}
```

```
PaginatedReportRequest  {  
    pagination      {...}   
    order           [...]   
    search          [...]   
}
```

```
MessageResponse  {  
    success          [...]   
    message          [...]   
    messageId        [...]   
    timestamp        [...]   
}
```

```
TemplateResponse  {  
    success          [...]   
    templateId       [...]   
    status           [...]   
    message          [...]   
}
```

```
SyncResponse     {  
    success          [...]   
    synced           [...]   
    message          [...]   
}
```

```
BasicUserDropdownItem  {  
    id               [...]   
    name             [...]   
    username         [...]   
}
```

```
CreateAgentRequest  {  
    username*          [...]  
    name*              [...]  
    password*          [...]  
    email*             [...]  
    mobileNumber*      [...]  
    role*              [...]  
    phoneNumberIds*    [...]  
    active              [...]  
}
```

```
CreateAgentResponse  {  
    id                  [...]  
    customerId          [...]  
    phoneNumberIds      [...]  
    name                [...]  
    username            [...]  
    password            [...]  
    email               [...]  
    mobileNumber        [...]  
    role                [...]  
    active              [...]  
    twoFactor           BasicUserTwoFactor  {...}  
    creationTime        [...]  
    lastUpdateTime      [...]  
}
```

```
TeamDropdownItem    {  
    id                  [...]  
    name                [...]  
}
```

```
TeamResponse    {  
    id                [...]   
    customerId        [...]   
    name              [...]   
    defaultTeam       [...]   
    memberUsernames   [...]   
    createdBy         [...]   
    creationTime      [...]   
    lastModifiedBy    [...]   
    lastUpdateTime     [...]   
}
```

```
ChatAssignmentRequest  {  
    receiverNumber*    [...]   
    target*            [...]   
    teamId             [...]   
    username           [...]   
    assignTeam         [...]   
    source             [...]   
}
```

```
BasicUserTwoFactor    {  
    enabled            [...]   
}
```

```
MessageReportResponse {  
    success            [...]   
    data               [...]   
}
```

```
PaginatedReportResponse  {  
    success                [...]   
    data                   [...]   
    pagination              {...}   
}
```

```
MessageReport    {  
    messageId              [...]   
    userMessageId         [...]   
    to                     [...]   
    status                 [...]   
    timestamp              [...]   
    deliveredAt            [...]   
    readAt                 [...]   
    templateName           [...]   
    messageType            [...]   
}
```

```
ErrorResponse    {  
    success                [...]   
    error                  [...]   
    errorCode              [...]   
    details                 {...}   
}
```

```
PaymentConfiguration {
  description: Active payment configuration profile returned by
               /api/v1/whatsapp/metaPayment/configs/active

  id                [...]
  whatsappBusinessAccountId  [...]
  configuration_name  [...]
  merchant_category_code  {...}
  purpose_code       {...}
  status             [...]
  provider_mid       [...]
  provider_name      [...]
  created_timestamp   [...]
  updated_timestamp   [...]
  creationTime        [...]
  lastUpdateTime      [...]
}
```

```
ContactListRequest {
  pagination  {...}
  order       [...]
  search      [...]
}
```

```
ContactListResponse {
  success      [...]
  data         [...]
  pagination    {...}
}
```



```
SaveContactRequest  {  
    receiverNumber*      [...]  
    attributes            {...}  
    example: { "6815d9f18ea65149f9124098": "Jaipur", "name":  
    "John Doe", "email": "john@example.com" }  
    labels                [...]  
}
```

```
SaveContactResponse  {  
    success               [...]  
    message               [...]  
    contactId             [...]  
}
```

```
ContactCsvImportRequest  {  
    file*                 [...]  
}
```

```
SuccessResponse  {  
    success               [...]  
    message               [...]  
}
```


