

A Multi-Agent Orchestration Framework for Venture Capital Due Diligence

Grigorios Alexandrou¹ and Katerina Pramataris^{*1}

¹Department of Management Science and Technology, Athens University of
Economics and Business (AUEB), Athens, Greece

March 2026

Abstract

This study introduces a fully automated multi-agent framework designed to streamline corporate due diligence and market analysis for venture capital. Built on an event-driven orchestration architecture, the system leverages Large Language Models (LLMs) and dynamic retrieval of publicly available web data to synthesize unstructured information into actionable investment insights. A key innovation is the integration of a specialized module that interfaces with hidden endpoints of the Greek Business Registry (Γ.Ε.ΜΗ.), utilizing programmatic API requests and OCR to extract data from official financial filings and corporate records. To ensure reliability, the architecture implements a structural fallback mechanism that mitigates “hallucinations” by cross-referencing alternative financial databases when registry data is missing. The results demonstrate that modular agentic workflows can effectively bridge the gap between volatile web signals and formal regulatory data, significantly accelerating the due diligence process while maintaining high data integrity.

5

10

^{*}Supervising professor.

15 **Keywords:** AI agents; Workflow Automation; Due Diligence; Venture Capital; Financial Intelligence; Large Language Models; Hallucination Mitigation

1 Introduction

The evaluation of prospective investments and the continuous monitoring of portfolio companies in the venture capital (VC) ecosystem are highly resource-intensive processes. Corporate
20 due diligence requires the synthesis of fragmented information from diverse sources, including unstructured web data, real-time news, competitive market analyses, and highly structured, often inaccessible, official financial registries. Traditionally, this process relies heavily on manual desk research, which is prone to human error, cognitive bias, and significant time delays (Gompers et al., 2016; Kahneman, 2011).

25 The advent of Large Language Models (LLMs) has introduced new paradigms for natural language understanding and data synthesis (Bommasani et al., 2021). However, deploying standalone LLMs for financial and corporate due diligence presents critical challenges. First, standard language models are constrained by their training data cut-offs, rendering them incapable of retrieving real-time market signals. Second, they are susceptible to “halluci-
30 nations,” that is, generating plausible but factually incorrect information, which is a fatal flaw in investment decision-making contexts (Ji et al., 2023). Finally, LLMs inherently lack the ability to autonomously interface with external databases, APIs, or parse complex file formats such as scanned financial PDFs (Q. Wu et al., 2023).

To address these limitations, this study proposes a fully automated, multi-agent orches-
35 tration pipeline. By shifting from a single-prompt LLM approach to an event-driven *Agentic Workflow*, the system decomposes the complex task of due diligence into specialized sub-tasks managed by distinct AI agents (Xi et al., 2023). This architecture integrates dynamic information retrieval through real-time search APIs to gather market intelligence, while employing customized data extraction modules to programmatically retrieve and parse official financial

filings from the Greek Business Registry (Γ.Ε.ΜΗ.).

40

The primary contributions of this paper focus on the design of a modular, multi-agent architecture that automates the end-to-end corporate research process. Furthermore, it details the implementation of a programmatic extraction pipeline capable of querying hidden registry endpoints, retrieving PDF documents, and performing Optical Character Recognition (OCR) to structure financial data. Finally, this work introduces a robust structural fallback 45 mechanism that dynamically switches to alternative open-source intelligence when official registry data is unavailable, thereby strictly mitigating LLM “hallucinations” and ensuring data grounding through verifiable environments (Gao et al., 2023).

2 Background and Related Work

Recent advancements in Artificial Intelligence have shifted the focus from monolithic model 50 interactions to Agentic Workflows, where the primary objective is to move beyond static prompting toward autonomous goal-seeking behavior (Xi et al., 2023). In a multi-agent system, multiple LLM-powered entities are assigned distinct roles, system prompts, and specialized tool-use capabilities. This modular approach allows for the construction of complex reasoning chains, where the output of one agent serves as the verified input for another, 55 significantly reducing error rates and improving logical consistency. Such architectures are increasingly utilized to solve multi-step problems that require a high degree of precision and iterative refinement, which are common in analytical domains (Q. Wu et al., 2023).

The application of these systems in the financial sector has gained significant traction, as traditional models often struggle with the specialized vocabulary and numerical sensitivity 60 required for investment analysis (Yang et al., 2023). Researchers have demonstrated that LLMs can be effectively specialized for financial tasks through instruction tuning and the integration of real-time data streams, allowing for more nuanced risk assessment and market sentiment analysis (S. Wu, Irsoy, et al., 2023). These developments underscore the transition

65 from general-purpose AI to task-specific agentic frameworks that can handle the rigorous demands of professional financial environments.

Parallel to the rise of agentic orchestration, dynamic information retrieval has emerged as a critical solution to the static knowledge constraints of LLMs. By grounding model generation in real-time search results and external data streams, systems can overcome the
70 inherent limitations of training data cut-offs (Lewis et al., 2020). In the context of corporate intelligence, Open-Source Intelligence (OSINT) becomes indispensable for acquiring up-to-date market sizes, tracking recent funding rounds, and monitoring competitor movements. This paradigm, often referred to as Retrieval-Augmented Generation, ensures that the generated intelligence is not only current but also verifiable through direct links to primary sources
75 (Gao et al., 2023).

Furthermore, the integration of automated document processing and Optical Character Recognition (OCR) has expanded the reach of AI agents into the domain of non-digitized corporate records. The ability to programmatically parse and interpret complex financial layouts, including balance sheets and income statements, allows AI systems to transform
80 legacy data into structured, machine-readable formats (Smith, 2007). By combining these diverse technological layers, modern workflows can now autonomously bridge the gap between fragmented web signals and formal regulatory filings, providing a comprehensive view of a company’s strategic and financial position (Bommasani et al., 2021).

3 System Architecture and Methodology

85 The proposed system is orchestrated using an event-driven automation platform (n8n (n8n GmbH, 2024)), structured as a Directed Acyclic Graph (DAG) of distinct processing nodes. The pipeline is triggered via a custom HTML form interface, designed to serve as an internal decision-support tool for investment teams. This interface allows analysts to select target portfolio companies and initiate the research workflow with a single click, abstracting the

underlying low-code complexity into a streamlined user experience.

90

3.1 Data Intake and Context Initialization

Upon submission, a Webhook node captures the payload. A logic-based transformation node maps the selected company to a pre-scraped JSON database containing baseline attributes (e.g., founders, sector, initial investment year, headquarters, and registration numbers). This structured data is fed into the **AI Context Agent**, which synthesizes a concise foundational 95 profile to ground the subsequent research nodes.

3.2 Market and Competitive Intelligence Modules

To gather real-time market data, the architecture employs a suite of specialized agents utilizing the Perplexity Sonar Deep Research API (Perplexity AI, 2024), optimized for up-to-date factual retrieval. The **AI Source Mapper** acts as the foundational research planner, 100 dynamically identifying the most reliable, niche-specific web portals, databases, and news aggregators relevant to the company’s specific sector. Operating in parallel, the **AI Sector** and **AI Competition** agents utilize the mapped sources to extract macro-environmental trends, market sizing, and a comprehensive competitive landscape analysis, categorizing competitors into direct, adjacent, and niche innovators while verifying funding statuses and 105 recent market activities. Following the convergence of these two branches, the **AI News** and **AI Signals** agents scan for recent strategic developments (e.g., partnerships, product launches) and extract quantifiable investment signals, filtering out marketing noise.

4 Financial Data Retrieval and Fallback Mechanisms

The core engineering complexity of the pipeline lies in its ability to interface with official 110 state registries, specifically the Greek Business Registry (Γ.Ε.ΜΗ.), which does not provide an open, documented public API for direct data consumption.

4.1 Dynamic Endpoint Querying and PDF Extraction

Financial data and corporate announcements in Γ.E.MH. are exclusively available as PDF documents, loaded dynamically via hidden backend endpoints. The workflow employs a conditional logic router (Switch/If nodes) to check for the existence of a valid registry number (arGEMI). If present, an HTTP Request node programmatically queries the registry’s undocumented endpoint, retrieving the dynamic JSON payload containing the document IDs.

The system isolates the relevant document IDs and categorizes them into two streams: **Corporate Modifications (Announcements)**, which cover records regarding board changes, capital increases, and statutory modifications; and **Financial Statements**, comprising official balance sheets, income statements, and auditor reports.

The pipeline fetches the raw PDF files (prioritizing the most recent fiscal years) and routes them through a specialized API (PDF.co) to perform text extraction and OCR (Smith, 2007). The extracted raw text is then processed by two dedicated summarization models (**AI FinSummary** and **AI ModSummary**) which distill the unstructured text into standardized financial metrics (e.g., Assets, Liabilities, Revenue, EBIT) while preserving source citations.

4.2 Structural Fallback and Hallucination Mitigation

A critical requirement for automated due diligence is the strict prevention of fabricated financial data. To achieve this, the pipeline incorporates an **Alternative Financials** agent. If the initial routing determines that the target company lacks a Γ.E.MH. number (e.g., companies incorporated abroad), the official registry branch is bypassed. Instead, the Alternative Financials agent is activated to retrieve verifiable financial footprints from trusted open-source databases (e.g., Crunchbase, Dealroom). If no verifiable data is found, the agent explicitly outputs a “Not Found” flag, ensuring the final report reflects true visibility gaps rather than hallucinated metrics.

5 Synthesis and Output Generation

The final stage of the pipeline involves the synthesis of the diverse intelligence streams into a cohesive, investor-ready report. The **AI Researcher** aggregates the sector, competition, news, signals, and financial corpora to produce a comprehensive strategic research note, highlighting 140 recent developments and potential blind spots. The **AI Analyst** acts as the simulated Investment Committee member, distilling the research into an Executive Summary, assigning attractiveness scores across market timing and product differentiation, and formulating actionable 30-to-180-day recommendations for both the fund and the startup. Finally, the **AI Overall Company Info** agent generates a public-facing summary to help founders 145 understand their external market footprint.

Finally, a specialized formatting node within the low-code environment structures the synthesized JSON outputs into a styled, responsive HTML template. The report is automatically dispatched to the requesting analyst via a Gmail API integration, completing the end-to-end workflow execution. 150

6 Future Work

Future work will focus on three primary directions. First, the system will be extended to integrate directly with the fund’s internal portfolio database, enabling each research report to be enriched with proprietary deal-level data, historical performance metrics, and internal analyst notes specific to each startup. This would transform the pipeline from a 155 general-purpose research tool into a deeply contextualized decision-support system. Second, the scope of official registry coverage will be broadened to include international business registries, such as the UK Companies House and equivalent European authorities, allowing the framework to support due diligence on companies incorporated outside Greece. Third, the current dependency on a third-party commercial API for PDF text extraction will be 160 replaced with a self-hosted, open-source document processing solution, reducing operational

costs and eliminating external dependencies while maintaining equivalent extraction quality.

7 Data and Workflow Availability

To ensure the reproducibility of this study, all system artifacts, specifically the n8n JSON
165 workflow files, project documentation, and an explanatory video walk-through, have been
made publicly available through a dedicated repository (Alexandrou, 2026). It is strongly
recommended that users consult the technical documentation within the repository to
understand the specific environment variables and node configurations required for successful
replication.

170 8 Conclusion

This study demonstrates the viability of utilizing multi-agent orchestration frameworks to au-
tomate complex corporate due diligence. By combining dynamic web retrieval, undocumented
API querying, and OCR-based document processing, the proposed n8n pipeline effectively
bridges the gap between unstructured market signals and strict financial compliance data.
175 Furthermore, the implementation of structural fallback mechanisms successfully safeguards
the system against LLM “hallucinations”, ensuring data integrity.

References

- Alexandrou, G. (2026). *A multi-agent framework for automated due diligence: N8n workflows, technical documentation, and demonstration* [Replication Package and Project Artifacts
180 available at [Google Drive Repository](#)].
- Bommasani, R., Hudson, D. A., Adeli, E., et al. (2021). On the opportunities and risks of
foundation models. *arXiv preprint arXiv:2108.07258*.

- Gao, Y., Xiong, Y., Gao, X., et al. (2023). Retrieval-augmented generation for large language models: A survey. *arXiv preprint arXiv:2312.10997*.
- Gompers, P. A., Kaplan, S. N., & Mukharlyamov, V. (2016). What do private equity firms 185 say they do? *Journal of Financial Economics*, 121(3), 449–476.
- Ji, Z., Lee, N., Frieske, R., Yu, T., Su, D., Xu, Y., Ishii, E., Bang, Y., Madotto, A., & Fung, P. (2023). Survey of hallucination in natural language generation. *ACM Computing Surveys*, 55(12), 1–38.
- Kahneman, D. (2011). *Thinking, fast and slow*. Farrar, Straus; Giroux. 190
- Lewis, P., Perez, E., Piktus, A., Petroni, F., Karpukhin, V., Goyal, N., Küttler, H., Lewis, M., Yih, W.-t., Rocktäschel, T., et al. (2020). Retrieval-augmented generation for knowledge-intensive nlp tasks. *Advances in Neural Information Processing Systems (NeurIPS)*, 33, 9459–9474.
- n8n GmbH. (2024). N8n: Workflow automation platform [Accessed: 2026-03-04]. 195
- Perplexity AI. (2024). Sonar: Real-time web search API [Accessed: 2026-03-04].
- Smith, R. (2007). An overview of the tesseract ocr engine. *Ninth International Conference on Document Analysis and Recognition (ICDAR 2007)*, 2, 629–633.
- Wu, Q., Bansal, G., Zhang, J., et al. (2023). Autogen: Enabling next-gen llm applications via multi-agent conversation. *arXiv preprint arXiv:2308.08155*. 200
- Wu, S., Irsoy, O., et al. (2023). Bloomberggpt: A large language model for finance. *arXiv preprint arXiv:2303.17564*.
- Xi, Z., Chen, W., Guo, X., He, W., Ding, Y., Hong, B., Zhang, M., Wang, J., Jin, S., Zhou, E., et al. (2023). The rise and potential of large language model based agents: A survey. *arXiv preprint arXiv:2309.07864*. 205
- Yang, H., Liu, X.-Y., & Wang, C. D. (2023). FinGPT: Open-source financial large language models. *arXiv preprint arXiv:2306.06031*.