Correlations

			Age	Clinical Frailty scale score
		Correlation Coefficient	1.000	.199 [*]
Spearman's rho	Age	Sig. (2-tailed)		.016
		N	148	148
	Clinical Frailty scale score	Correlation Coefficient	.199*	1.000
		Sig. (2-tailed)	.016	
		N	148	148

^{*.} Correlation is significant at the 0.05 level (2-tailed).

Gender * Frailty level Crosstabulation

				Frailty level		
			Mild	Moderate	Severe	
Female Gender Male	Famala	Count	30	23	35	88
	remale	Expected Count	32.1	24.4	31.5	88.0
	Mala	Count	24	18	18	60
	iviale	Expected Count	21.9	16.6	21.5	60.0
Total		Count	54	41	53	148
TOTAL		Expected Count	54.0	41.0	53.0	148.0

Chi-Square Tests						
	Value	df	Asymp. Sig.			
			(2-sided)			
Pearson Chi-Square	1.485 ^a	2	.476			
Likelihood Ratio	1.500	2	.472			

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 16.62.

148

Likelihood Ratio N of Valid Cases

Gender * Has an ACP on admission Crosstabulation

			Has an ACP on admission		Total
			N	Υ	
Female Gender Male		Count	86	2	88
	Female	Expected Count	84.4	3.6	88.0
	Count	56	4	60	
	Expected Count	57.6	2.4	60.0	
Total		Count	142	6	148
Total		Expected Count	142.0	6.0	148.0

OI-:	O		T -	
Cni-	Sq	uare	ıе	STS

	Value	df	Asymp. Sig. (2-sided)	Exact Sig.	Exact Sig.
	a		,	,	,
Pearson Chi-Square	1.771 ^a	1	.183	.223	.182
Continuity Correction ^b	.821	1	.365		
Likelihood Ratio	1.736	1	.188	.223	.182
Fisher's Exact Test				.223	.182
N of Valid Cases	148				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.43.

b. Computed only for a 2x2 table

Statistics

Clinical Frailty scale score					
	Valid	148			
N	Missing	0			
Median		6.00			
Mode		6 ^a			

a. Multiple modes exist. The smallest value is shown

Clinical Frailty scale score

Clinical Frailty scale score							
		Frequency	Percent	Valid Percent	Cumulative Percent		
	1	1	.7	.7	.7		
	2	3	2.0	2.0	2.7		
	3	11	7.4	7.4	10.1		
	4	18	12.2	12.2	22.3		
ارما: ما	5	21	14.2	14.2	36.5		
Valid	6	41	27.7	27.7	64.2		
	7	41	27.7	27.7	91.9		
	8	4	2.7	2.7	94.6		
	9	8	5.4	5.4	100.0		
	Total	148	100.0	100.0			

Patient declined an ACP

		Frequency	Percent	Valid Percent	Cumulative Percent
	N	22	14.9	14.9	14.9
Valid	N/A	126	85.1	85.1	100.0
	Total	148	100.0	100.0	