

ICPSR 34582

**Uniform Crime Reporting Program
Data: County-Level Detailed Arrest
and Offense Data, 2011**

*United States Department of Justice.
Office of Justice Programs. Federal
Bureau of Investigation*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34582/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TABLE OF CONTENTS

	no.
INTRODUCTION	
ICPSR Data Collection Description	i
Parts 1-3: Codebook for UCR County-Level Arrests Data	1
Parts 5-7: Codebook for Allocated Statewide Data for Arrests	5
Part 4: Codebook for UCR County-Level Crimes Reported Data	9
Part 8: Codebook for Allocated Statewide Data for Crimes Reported	11
APPENDIX	
FIPS Codes for UCR County-Level Data	13

ICPSR DATA COLLECTION DESCRIPTION

The UNIFORM CRIME REPORTING PROGRAM DATA: COUNTY-LEVEL DETAILED ARREST AND OFFENSE DATA, 2011 reports counts of arrests and offenses for the Uniform Crime Reports (UCR) Part I crimes: murder, rape, robbery, aggravated assault, burglary, larceny, auto theft, and arson. The UCR County-level Arrest files also report arrests for additional (Part II) crimes such as forgery, fraud, vice offenses, and drug possession or sale. The data were originally collected by the Federal Bureau of Investigation (FBI) from reports submitted by agencies and states participating in the UCR Program. Each agency or jurisdiction is uniquely identified in the collection by the UCR Originating Agency Identifier (ORI). In describing this data collection the terms agency, jurisdiction, and ORI are used synonymously. Detailed discussions of reporting procedures are found in the UNIFORM CRIME REPORTING HANDBOOK (Washington, DC: U.S. Government Printing Office, 1980), and in the codebooks for the ICPSR's Agency-level UCR data collections (see ICPSR 9028).

It should be emphasized that, while UCR staff were consulted in developing the new adjustment procedures, these UCR county-level files are not official FBI UCR releases and are being provided for research purposes only. Users with questions regarding these UCR county-level data files can contact the National Archive of Criminal Justice Data at the ICPSR.

BREAK IN SERIES

Two major changes to the UCR county-level files were implemented with the 1994 data and are continued through the 2011 data. A new imputation algorithm to adjust for incomplete reporting by individual law enforcement jurisdictions has been adopted. Also, a new Coverage Indicator has been created to provide users with a diagnostic measure of aggregated data quality in a particular county. These developments are described in greater detail below. The changes were instituted in response to comments from a number of users and after almost a year of discussions by UCR file users, the FBI, the Bureau of Justice Statistics, and the Inter-university Consortium for Political and Social Research.

These changes result in a break in series from previous UCR county-level files. Data from earlier year files should not be compared to data from 1994 and subsequent years. Changes in procedures used to adjust for incomplete reporting at the ORI or jurisdiction level may be expected to have an impact on aggregates for counties in which some ORIs have not reported for all 12 months. However, the new adjustment procedures should result in county-level data that are less sensitive to changes between years in the extent of reporting by ORIs within a county. Consequently, data from 1994 forward should be more accurate estimates for longitudinal analysis.

The crimes reported data prior to 2009 included the variables INDEX and MODINDEX. For 2009 forward these variables, INDEX (The sum of variables MURDERS through MVTHEFT) and MODINDEX (The sum of variables MURDERS through ARSON), were replaced with VIOL (The sum of variables MURDERS through AGALST) and PROPERTY (The sum of variables BURGLRY through MVTHEFT). While variable ARSON is listed separately for the crime reported data, it is included in PROPERTY for the arrest data.

CHANGES IN IMPUTATION PROCEDURES FOR INCOMPLETE REPORTING

IMPUTATION PROCEDURES USED FOR 1977-1993 UCR COUNTY-LEVEL FILES: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting six to 11 months were increased by a weight of [12/months reported]. Data for any ORI reporting less than 6 months were deleted from the county total, and the population served by that ORI was deleted from the county population total to help control for differential data quality across counties.

The aim of this procedure was to produce comparable data cross-sectionally across all counties. However, if there were major changes in the ORIs that reported in a county across years, artifactual changes in the longitudinal data for a county could be introduced because of potential variation in the type of ORIs used to compute imputed county totals and rates each year.

IMPUTATION PROCEDURES USED FOR 1994 UCR COUNTY-LEVEL FILES AND ONWARD: The data for any ORI reporting 12 months were used for county aggregation as submitted. Data for an ORI reporting 3 to 11 months were increased by a weight of [12/months reported]. For ORIs reporting 0 to 2 months in the arrest files or 1 to 2 months in the crimes reported files, data for these ORIs were set to zero and then data were estimated using rates calculated from ORIs reporting 12 months of data located in the ORI's geographic stratum based on UCR Population Groups within their state. UCR Population Groups are defined as follows:

Population Group

- 1) Cities 250,000 and over
- 2) Cities 100,000 - 249,999
- 3) Cities 50,000 - 99,999
- 4) Cities 25,000 - 49,999
- 5) Cities 10,000 - 24,999
- 6) Cities 2,500 - 9,999
- 7) Cities under 2,500
- 8) Non-MSA counties and non-MSA State Police
- 9) MSA counties and MSA State Police

There is an important distinction in estimation procedures for the arrest versus the crimes reported files. For the arrest files (Parts 1-3 and 5-7), data were estimated for agencies reporting 0-2 months based on the procedures mentioned above. However, due to the structure of the original data received from the FBI, ICPSR was only able to estimate data for agencies reporting 1-2 months in the crimes reported files (Parts 4 and 8). No estimations are provided for agencies reporting 0 months. To assist users, the county population figures and number of agencies reporting for both the arrest and crimes reported data files were added to the crimes reported files. These variables provide users with information that can be used to

determine the proportion of the population or agencies not included in the crime reported files due to the absence of records for agencies reporting 0 months. Users should keep in mind these differences when doing their analyses.

COVERAGE INDICATOR

For releases of UCR county-level files before 1994, data from jurisdictions reporting less than 6 months of data were not included in county totals in an effort to ensure cross-sectional data comparability and quality. With the new procedures to adjust for incomplete reporting, data will be provided for each active ORI that reports less than 12 months of data, whether through weighting of partial year data or substitution of a value based on population group and state. Instead of exercising an a priori judgment that 6 months of data is the minimum threshold for acceptable data quality, a new Coverage Indicator variable has been created that will allow users to set their own threshold for acceptable data quality and to include or exclude data based on the standards they set themselves. The Coverage Indicator variable represents the proportion of county data that is reported for a given year. The indicator ranges from 0 to 100. A value of 0 indicates that no data for the county were reported and all data have been imputed. A value of 100 indicates that all ORIs in the county reported for all 12 months in the year.

Coverage Indicator is calculated as follows:

$$CI_x = 100 * (1 - \text{SUM}_i \{ [ORIPOP_i/COUNTYPOP] * [(12 - MONTHSREPORTED_i)/12] \})$$

where CI = Coverage Indicator
 x = county
 i = ORI within county

Some ORIs do not have a population associated with their jurisdiction. These ORIs report for jurisdictions such as national parks, colleges and universities, toll bridges and tunnels, and most state police departments. As the coverage indicator is based on months of reporting and the population of each agency, this variable will not show estimation that did occur for statewide ORIs and for ORIs as listed above that do not have a population but reported 3 to 11 months of data. Conversely, the coverage indicator will indicate that estimation has occurred for ORIs with a population that reported 3 to 11 months of data even if the ORIs actually reported no crimes or arrests. Similarly, the coverage indicator will indicate that estimation had occurred for ORIs with a population that reported 0 to 2 months of arrest data and 1 to 2 months of crimes reported data, even though no rate was calculated to estimate data because of the lack of ORIs in the agency's geographic stratum reporting 12 months of data. Finally, since data for ORIs that reported 0 to 2 months of arrest and 1 to 2 months of crime are set to zero, users should be aware that no estimation of data was possible for ORIs in these categories without a population. In the crimes reported files, no estimation was possible for agencies

reporting 0 months because population figures for these agencies were not provided in the original files from the FBI.

COMPARING "CRIME IN THE UNITED STATES 2011" TO ICPSR 34582

"Crime in the United States 2011" is a publication prepared by the Federal Bureau of Investigation and provides estimations of national reported crime activity and arrest statistics from law enforcement agencies in the UCR Program. Users of this data collection prepared by ICPSR may not be able to match the statistics presented in "Crime in the United States 2011" due to several factors:

- (1) The UCR staff continue to update agency records when additions or corrections are received by the UCR Program. The FBI statistics presented in "Crime in the United States 2011" are based on the data that the FBI has received prior to their established publication deadlines. The data used by ICPSR to prepare the data in ICPSR 34582 may contain additions or corrections to the data submitted to the FBI after their publication deadline for producing "Crime in the United States 2011."
- (2) The new imputation algorithm that ICPSR implemented in 1994 approximates the estimation procedures that the FBI uses to adjust for incomplete or unreported data from individual law enforcement jurisdictions. Limited or no crime or arrest data were available for some states in 2011. For some tables in "Crime in the United States 2011" (for example, Section II, Table 2: Total Crime Counts in the United States, and Section IV, Table 29: Estimated Arrests), the FBI provided estimated crime counts and arrest totals for some of these states (see Appendix I -- Methodology for the FBI's estimation methods). The ICPSR algorithm estimates data for agencies reporting less than three months of data by calculating rates from agencies reporting 12 months of data located in the agency's geographic stratum within that state. Since data for these states were very limited or not present in the original data, estimates for the entire state could not be produced by ICPSR.
- (3) Some tables in "Crime in the United States 2011" were prepared using data only from agencies submitting complete reports for the 12 months for 2011 prior to the publication deadline (for example, Section IV, Table 69: Arrests by State). For this ICPSR data collection, all law enforcement agency records present in the original FBI data were used in the aggregation to the county level. County records with a coverage indicator value of 100 contain only 12-month reporting agencies (see last paragraph of the Coverage Indicator section in the Introduction for possible exceptions). Agencies reporting 12 months of data within a county with a coverage indicator value less than 100 cannot be separately identified in this dataset aggregated at the county level.

IDENTIFYING MISSING DATA

In this data collection, zeroes may represent both true zeroes or missing data, and it is possible to distinguish between the two. In the arrest files (Parts 1-3 and 5-7), the coverage indicator alone does not indicate whether or not zeroes are true or missing values. A county can have a coverage indicator of zero, but still contain arrest data. ICPSR can estimate arrest data for a county that did not report any arrests based on data for other counties of comparable population size in the same state that did report 12 months of data.

In order to distinguish true zeroes from missing values, the user has to look at the coverage indicator for a county in conjunction with the arrest variables. If an arrest variable for a particular county has a value of zero and the coverage indicator is greater than zero, then the arrest variable contains a true zero. This true zero is not necessarily a reported zero as it may have been estimated. If an arrest variable for a particular county has a value of zero and the coverage indicator for that county is zero, then the user must check the values of ALL of the arrest variables. If some arrest variables contain zeroes and some contain other values, then the zeroes for this county are true. If ALL arrest variables and the coverage indicator for the county in question contain zeroes, then these indicate missing data.

In the crimes reported file (Part 4), data can not be estimated for non-reporting agencies. Therefore, counties with no population for reporting agencies will also have a coverage indicator of zero and all crime variables will have a value of zero. These zeroes indicate missing data. If a county has one or more offense variables with a value of zero, but has a value of greater than zero for the population and coverage indicator variables, then the zeroes for these particular offense variables should be considered true zeroes for the purposes of analysis.

SUMMARY OF HOW TO IDENTIFY MISSING DATA

	ARREST FILES	CRIMES REPORTED
TRUE ZERO	Coverage indicator > 0 or Coverage indicator = 0 AND at least one arrest count variable > 0	Coverage indicator > 0
MISSING DATA	Coverage indicator = 0 AND all arrest count variables = 0	Coverage indicator = 0 AND all other crime count variables will necessarily = 0

NOTES ON FIPS CODES

Cities designated by the Census Bureau as independent cities are reported separately and have their own "county" codes (see Appendix). Some jurisdictions, such as state parks and some state police, provide data only on a statewide basis. In these cases, data are allocated to counties proportionate to their share of the total state population. Parts 5 to 8 contain the amount of statewide data allocated to each county. To obtain the county total without the statewide allocation, the statewide values can be subtracted from the county data.

State Police data for Vermont were not reported within a county and the State Police data for Alaska and Connecticut are not allocated to the counties. These three State Police records are identified by the county code 999. In the 1997 data and onward another 999 county code was added to these data files. The New York/New Jersey Port Authority reported data in 1997 through two agencies, one in New York and one in New Jersey. The FBI included the New York Port Authority agency as part of New York county. However, the FBI did not assign a UCR county code for the New Jersey Port Authority and did not provide a population figure for the area covered by this jurisdiction. Therefore, the New Jersey/New York Port Authority (NJNYPOA) is a separate record in the data files from 1997 onward with a county code of 999. New York City Metro Transportation Authority (NY03083) is a separate record from 2007 onward with a county code of 999. From 2008, tribal agencies began to report offense data. Data for those agencies in each state will be in one record identified by the county code of 777.

ICPSR uses FIPS Publication 6-4 "Counties and Equivalent Entities of the United States, Its Possessions, and Associated Areas" from the National Institute of Standards and Technology (NIST), U.S. Department of Commerce, as a reference for assigning FIPS codes for the counties in this data collection. ICPSR consults this publication annually to note changes in FIPS codes that may affect this collection.

The borough of Denali, Alaska (FIPS code 02068) was created from part of the Yukon-Koyukuk Census Area (FIPS code 02290) and unpopulated part of the Southeast Fairbanks Census Area (FIPS code 02240) effective December 7, 1990. The Denali Borough is NOT a record in the data. However, since no agency record from Denali was present in the original FBI data for either the arrest or crimes reported files, no data are missing from the ICPSR data.

In May 1995, NIST announced that the independent city of South Boston, Virginia reverted to town status and became part of Halifax County as of June 30, 1995. The Virginia FIPS county code of 780 no longer exists and South Boston is included in FIPS county code 083. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from South Boston with Halifax County.

In July 1999, NIST announced that Yellowstone National Park, which had been treated as a county equivalent, is legally part of Gallatin County and Park County, Montana. Yellowstone National Park was left as

a county equivalent in this data collection to remain consistent with earlier years.

In July 1999, NIST announced that as of November 13, 1993 Dade County, Florida officially changed its name to Miami-Dade County. The county was assigned a new FIPS code (086) to maintain the alphanumeric sequence of counties. In the 1997 data collection and onward, ICPSR also changed the Miami-Dade county code from 025 to 086 to match the change in the FIPS publication. However, the 1993-1996 UCR county-level data collections still used the old name and FIPS county code.

In July 2001, NIST announced that the independent city (county-equivalent) of Clifton Forge, Virginia, had reverted to town status, effective midnight, July 1, 2001. Clifton Forge is now an incorporated place within Alleghany County, rather than a separate county-equivalent surrounded by Alleghany County. This action will reduce the number of Virginia independent cities to 39 and the number of United States counties and equivalent areas to 3,141. The action reduces the total number of independent cities in the United States to 42. The FIPS county code of 560 for Clifton Forge, Virginia, is deleted. The FIPS-55 class code will change from C7 to C1. The census place code of 0285 and FIPS-55 code of 17440 are unaffected. The FIPS county code of 005 for Alleghany County remains unchanged. ICPSR did not adjust this data collection to reflect this change so that the data files would remain consistent with earlier years. Users who wish to use the current FIPS codes can combine the data from Clifton Forge with Alleghany County.

In January 2002, NIST announced that Broomfield County, Colorado, had been created from parts of Adams (001), Boulder (013), Jefferson (059), and Weld (123) counties effective November 15, 2001. The boundaries of Broomfield County reflect the boundaries of Broomfield city legally in effect on November 15, 2001. To maintain the alphanumeric sequence of counties, Broomfield County will have a code of 014 for FIPS 6-4, Counties and Equivalent Entities of the United States, Its Possessions and Associated Areas. ICPSR created county code 014 for Broomfield County to match the change in the FIPS publication.

ADDITIONAL NOTES

In the UCR county-level arrest files, the population and data for jurisdictions located in multiple counties are provided only in the county containing the largest population component of the jurisdiction. Counties containing smaller population components of multiple-county jurisdictions will contain no population or arrest data for these jurisdictions. Data in counties affected by one or more multiple-county jurisdictions are indicated by a multi-county jurisdiction flag variable. In the county-level crimes reported files, the population and crime data for jurisdictions located in multiple counties are provided by the UCR proportioned to each county (maximum of three) in which the jurisdiction is located.

Drunkenness (FBI offense code 23) is not considered a crime in some states. States that do not consider drunkenness a crime, but which report data through the NIBRS system, such as North Dakota, may show arrest data for the offense in this data collection. This is because drunkenness may be listed as an incident in the NIBRS reporting system, even though there was technically no arrest in these states. Agencies in states where drunkenness is not a crime may use their own discretion in reporting drunkenness as an incident. Users should exercise caution when analyzing this variable because of these differences in reporting.

The original data from the FBI contain one record for New York City. Data from New York City are allocated into New York City's five counties on the basis of the proportion of the population in each county. For example, the population for Queens county is divided by the total population of New York City and the resulting proportion is multiplied with data from each of New York City's arrest and offense categories to apportion data to Queens county. The total population for New York City and the population for each of the five counties from the 2011 U.S. Census were used to calculate these proportions. The population of Goodlettsville City, Tennessee is proportioned to both Davidson County and Sumner County. Population from the 2011 U.S. Census was used to calculate the population breakdown of Goodlettsville, Tennessee.

Seven dummy records were created for the arrest data files and 63 dummy records were created for the crimes reported data files for counties not represented in the original FBI file. These county records provide only the state and county FIPS codes with the rest of the variables following county FIPS in the data file filled with zeroes. No arrest data were provided for Alabama, Florida, or Illinois. Limited crimes reported data were available for Alaska. ICPSR decided not to include data for Alabama and Illinois in the final files because actual data submitted were too scarce.

One SPSS data definition statement file and one SAS data definition statement file are provided for the one arrest data file (all ages) and one SPSS data definition statement file and one SAS data definition statement file are provided for the crimes reported data file (crimes reported). One SPSS data definition statement file and one SAS data definition statement file are provided for the one allocated statewide data for arrests files and one SPSS data definition statement file and one SAS data definition statement file are provided for the allocated statewide data for crimes reported file. The arrest data file has 56 variables, the crimes reported data file has 21 variables, the allocated statewide data for arrests file has 57 variables and the allocated statewide data for crimes reported file has 22 variables. All data files contain 3,178 cases.

CODEBOOK FOR UCR COUNTY-LEVEL ARRESTS DATA 2011
(ICPSR 34582, Parts 1-3)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER Part 1: Arrest Data, All Ages Part 2: Arrest Data, Adults Part 3: Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		24-26	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		27	1
COVIND	COVERAGE INDICATOR see Introduction		28-35	8.4
GRNDTOT	GRAND TOTAL Total number of arrests. Includes both UCR Part I and Part II crimes.		36-41	6
P1TOT	PART I TOTAL Total number of Part I crimes. This is the sum of variables MURDER through ARSON.		42-47	6
P1VLNT	PART I VIOLENT CRIMES Sum of variables MURDER through AGASSLT.		48-52	5

Var #	Variable	FBI Offense Code	Columns	Width
P1PRPTY	PART I PROPERTY CRIMES Sum of variables BURGLRY through ARSON.		53-57	5
MURDER	MURDERS	011	58-61	4
RAPE	RAPES Includes: Forcible Rape of a female by a male, and attempts to commit Forcible Rape of a female by a male. Excludes: Other Sex Offenses such as Sodomy, Statutory Rape (no force), Incest, and attempts to commit any of the above. (See SEXOFF), Prostitution and Commercialized Vice (See COMVICE).	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5
AGASSLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-80	5
LARCENY	LARCENIES	06	81-85	5
MVTHEFT	MOTOR VEHICLE THEFTS	07	86-90	5
ARSON	ARSONS	09	91-93	3
OTHASLT	OTHER ASSAULTS	08	94-98	5
FRGYCNT	FORGERY/COUNTERFEITING	10	99-102	4
FRAUD	FRAUD	11	103-107	5
EMBEZL	EMBEZZLEMENT	12	108-110	3
STLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	111-114	4
VANDLSM	VANDALISM	14	115-119	5
WEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	120-124	5
COMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	125-128	4

Var #	Variable	FBI Offense Code	Columns	Width
SEXOFF	SEX OFFENSES Includes: Forcible Sodomy, Forcible Sex with an Object, Forcible Fondling, Statutory Rape (no force), Incest, and attempts to commit any of the above. Victims can be male or female. See the UCR Handbook (www.fbi.gov/about-us/cjis/ucr/ additional-ucr-publications/ ucr_handbook.pdf) for more details. Excludes: Forcible Rape (See RAPE), Prostitution and Commercialized Vice (See COMVICE).	17	129-132	4
DRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables DRGSALE and DRGPOSS.	18	133-137	5
DRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables COCSALE through OTHSALE.	180	138-142	5
COCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	143-147	5
MJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	148-151	4
SYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	152-155	4
OTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	156-160	4
DRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables COCPOSS through OTHPOSS.	185	161-165	5

Var #	Variable	FBI Offense Code	Columns	Width
COCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	166-170	5
MJPOSS	MARIJUANA-POSSESSION	18F	171-175	5
SYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	176-179	4
OTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	180-184	5
GAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables BOOKMKG through OTGAMBL.	19	185-188	4
BOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	189-191	3
NUMBERS	NUMBERS & LOTTERY	19B	192-194	3
OTGAMBL	GAMBLING-ALL OTHER	19C	195-198	4
OFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	199-202	4
DUI	DRIVING UNDER INFLUENCE	21	203-207	5
LIQUOR	LIQUOR LAW VIOLATIONS	22	208-212	5
DRUNK	DRUNKENNESS	23	213-217	5
DISORDR	DISORDERLY CONDUCT	24	218-222	5
VAGRANT	VAGRANCY	25	223-226	4
ALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	227-232	6
SUSPICN	SUSPICION	27	233-236	4
CURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	237-241	5
RUNAWAY	RUNAWAYS Juveniles only.	29	242-246	5

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR ARRESTS 2011
(ICPSR 34582, Parts 5-7)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER Part 5: Statewide Arrest Data, All Ages Part 6: Statewide Arrest Data, Adults Part 7: Statewide Arrest Data, Juveniles		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION		16-23	8
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
JURFLAG	MULTI-COUNTY JURISDICTION FLAG 0=Data not affected by multi-county jurisdiction 1=Data affected by multi-county jurisdiction		35	1
COVIND	COVERAGE INDICATOR see Introduction		36-43	8.4
SGRNDTOT	GRAND TOTAL Total number of arrests. Includes both UCR Part I and Part II crimes.		44-49	6
SP1TOT	PART I TOTAL Total number of Part I crimes. This is the sum of variables SMURDER through SARSON.		50-55	6

Var #	Variable	FBI Offense Code	Columns	Width
SP1VLNT	PART I VIOLENT CRIMES Sum of variables SMURDER through SAGASSLT.		56-60	5
SP1PRPTY	PART I PROPERTY CRIMES Sum of variables SBURGLRY through SARSON.		61-65	5
SMURDER	MURDERS	011	66-69	4
SRAPE	RAPES Includes: Forcible Rape of a female by a male, and attempts to commit Forcible Rape of a female by a male. Excludes: Other Sex Offenses such as Sodomy, Statutory Rape (no force), Incest, and attempts to commit any of the above. (See SSEXOFF), Prostitution and Commercialized Vice (See SCOMVICE).	02	70-73	4
SROBBERY	ROBBERIES	03	74-78	5
SAGASSLT	AGGRAVATED ASSAULTS	04	79-83	5
SBURGLRY	BURGLARIES	05	84-88	5
SLARCENY	LARCENIES	06	89-93	5
SMVTHEFT	MOTOR VEHICLE THEFTS	07	94-98	5
SARSON	ARSONS	09	99-101	3
SOTHASLT	OTHER ASSAULTS	08	102-106	5
SFRGYCNT	FORGERY/COUNTERFEITING	10	107-110	4
SFRAUD	FRAUD	11	111-115	5
SEMBEZL	EMBEZZLEMENT	12	116-118	3
SSTLNPRP	HAVE STOLEN PROPERTY Buying, receiving, possessing	13	119-122	4
SVANDLSM	VANDALISM	14	123-127	5
SWEAPONS	WEAPONS VIOLATIONS Carrying, possessing, etc.	15	128-132	5

Var #	Variable	FBI Offense Code	Columns	Width
SCOMVICE	PROSTITUTION/COMM VICE Prostitution and commercialized vice.	16	133-136	4
SSEXOFF	SEX OFFENSES Includes: Forcible Sodomy, Forcible Sex with an Object, Forcible Fondling, Statutory Rape (no force), Incest, and attempts to commit any of the above. Victims can be male or female. See the UCR Handbook (www.fbi.gov/about-us/cjis/ucr/ additional-ucr-publications/ ucr_handbook.pdf) for more details. Excludes: Forcible Rape (See SRAPE), Prostitution and Commercialized Vice (See SCOMVICE).	17	137-140	4
SDRUGTOT	DRUG ABUSE VIOLATIONS-TOTAL Violations of narcotic drug laws. The sum of variables SDRGSALE and SDRGPOSS.	18	141-145	5
SDRGSALE	DRUG ABUSE SALE/MANUFACTURE The sale and/or manufacture of narcotics. The sum of variables SCOCSALE through OTHSALE.	180	146-150	5
SCOCSALE	OPIUM/COCAINE-SALE/MANUFACTURE Sale and/or manufacture of opium or cocaine and their derivatives (morphine, heroin, codeine)	18A	151-155	5
SMJSALE	MARIJUANA-SALE/MANUFACTURE Sale and/or manufacture of marijuana	18B	156-159	4
SSYNSALE	SYNTHETIC-DRUG SALE/MANUFACTURE Synthetic narcotics: manufactured narcotics which can cause true drug addiction (Demerol, methadones)	18C	160-163	4
SOTHSALE	OTHER:DANG NON-NARCOTICS Dangerous non-narcotic drugs (barbiturates, benzedrine)	18D	164-167	4
SDRGPOSS	DRUG POSSESSION-SUBTOTAL The sum of variables SCOCPOSS and SOTHPOSS.	185	168-172	5

Var #	Variable	FBI Offense Code	Columns	Width
SCOCPOSS	OPIUM/COCAINE-POSSESSION Possession of opium or cocaine and their derivatives (morphine, heroin, codeine)	18E	173-177	5
SMJPOSS	MARIJUANA-POSSESSION	18F	178-181	4
SSYNPOSS	SYNTHETIC NARCOTICS-POSSESSION Synthetic narcotics possession: manufactured narcotics which can cause true drug addiction (demerol, methadones)	18G	182-184	3
SOTHPOSS	OTHER DRUG-POSSESSION Other dangerous non-narcotic drugs (barbiturates, benzedrine)	18H	185-189	5
SGAMBLE	GAMBLING-TOTAL Gambling offenses, Sum of variables SBOOKMKG through SOTGAMBL.	19	190-193	4
SBOOKMKG	BOOKMAKING (HORSE-SPORT)	19A	194-196	3
SNUMBERS	NUMBERS & LOTTERY	19B	197-199	3
SOTGAMBL	GAMBLING-ALL OTHER	19C	200-203	4
SOFAGFAM	OFFENSES AGAINST FAMILY & CHILD Offenses against the family and children.	20	204-207	4
SDUI	DRIVING UNDER INFLUENCE	21	208-212	5
SLIQUOR	LIQUOR LAW VIOLATIONS	22	213-217	5
SDRUNK	DRUNKENNESS	23	218-222	5
SDISORDR	DISORDERLY CONDUCT	24	223-227	5
SVAGRANT	VAGRANCY	25	228-231	4
SALLOTHR	ALL OTHER OFF EXCEPT TRAFFIC	26	232-237	6
SSUSPICN	SUSPICION	27	238-241	4
SCURFEW	CURFEW, LOITERING LAWS Juveniles only.	28	242-245	4
SRUNAWAY	RUNAWAYS Juveniles only.	29	246-250	5

CODEBOOK FOR UCR COUNTY-LEVEL CRIMES REPORTED DATA 2011
(ICPSR 34582, Part 4)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER-4		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
CPOPARST	TOTAL COUNTY POPULATION OF AGENCIES REPORTING ARRESTS See Additional Notes in Introduction.		16-23	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		24-31	8
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		32-34	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		35-37	3
COVIND	COVERAGE INDICATOR see Introduction		38-45	8.4
VIOL	TOTAL VIOLENT CRIMES The sum of variables MURDER through AGASLT.		46-51	6
PROPERTY	TOTAL PROPERTY CRIMES The sum of variables BURGLRY through MVTHEFT.		52-57	6
MURDER	MURDERS	011	58-61	4
RAPE	FORCIBLE RAPES	02	62-65	4
ROBBERY	ROBBERIES	03	66-70	5

Var #	Variable	FBI Offense Code	Columns	Width
AGASLT	AGGRAVATED ASSAULTS	04	71-75	5
BURGLRY	BURGLARIES	05	76-81	6
LARCENY	LARCENIES	06	82-87	6
MVTHEFT	MOTOR VEHICLE THEFTS	07	88-93	6
ARSON	ARSONS This variable is listed separately and not included in VIOL or PROPERTY.	09	94-97	4

CODEBOOK FOR ALLOCATED STATEWIDE DATA FOR CRIMES REPORTED 2011
(ICPSR 34582, Part 8)

Var #	Variable	FBI Offense Code	Columns	Width
STUDYNO	ICPSR STUDY NUMBER (This variable is no longer in use)		1-4	4
EDITION	ICPSR EDITION NUMBER 2nd ed., 2014		5	1
PART	ICPSR PART NUMBER-8		6	1
IDNO	ICPSR SEQUENTIAL CASE ID NUMBER		7-10	4
FIPS_ST	FIPS STATE CODE see Appendix		11-12	2
FIPS_CTY	FIPS COUNTY CODE see Appendix		13-15	3
SPOPARST	STATE POPULATION OF AGENCIES REPORTING ARRESTS		16-23	8
SPOPCRIM	STATE POPULATION OF AGENCIES REPORTING CRIMES		24-31	8
CPOPCRIM	COUNTY POPULATION OF AGENCIES REPORTING CRIMES See Additional Notes in Introduction.		32-38	7
AG_ARRST	NUMBER OF AGENCIES IN COUNTY REPORTING ARRESTS See Additional Notes in Introduction.		39-41	3
AG_OFF	NUMBER OF AGENCIES IN COUNTY REPORTING CRIMES See Additional Notes in Introduction.		42-44	3
COVIND	COVERAGE INDICATOR see Introduction		45-52	8.4
SVIOL	TOTAL VIOLENT CRIMES. The sum of variables SMURDER through SAGASLT.		53-58	6
SPROPERTY	TOTAL PROPERTY CRIMES The sum of variables SBURGLRY through SMVTHEFT.		59-64	6
SMURDER	MURDERS	011	65-68	4
SRAPE	FORCIBLE RAPES	02	69-72	4

Var #	Variable	FBI Offense Code	Columns	Width
SROBBERY	ROBBERIES	03	73-77	5
SAGASLT	AGGRAVATED ASSAULTS	04	78-82	5
SBURGLRY	BURGLARIES	05	83-88	6
SLARCENY	LARCENIES	06	89-94	6
SMVTHEFT	MOTOR VEHICLE THEFTS	07	95-100	6
SARSON	ARSONS This variable is listed separately and not included in SVIOL or SPROPERTY.	09	101-104	4

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

01	Alabama	01097	Mobile
-----		01099	Monroe
01001	Autauga	01101	Montgomery
01003	Baldwin	01103	Morgan
01005	Barbour	01105	Perry
01007	Bibb	01107	Pickens
01009	Blount	01109	Pike
01011	Bullock	01111	Randolph
01013	Butler	01113	Russell
01015	Calhoun	01115	St Clair
01017	Chambers	01117	Shelby
01019	Cherokee	01119	Sumter
01021	Chilton	01121	Talladega
01023	Choctaw	01123	Tallapoosa
01025	Clarke	01125	Tuscaloosa
01027	Clay	01127	Walker
01029	Cleburne	01129	Washington
01031	Coffee	01131	Wilcox
01033	Colbert	01133	Winston
01035	Conecuh		
01037	Coosa	02	Alaska
01039	Covington	-----	
01041	Crenshaw	02013	Aleutians East
01043	Cullman	02016	Aleutians West
01045	Dale	02020	Anchorage
01047	Dallas	02050	Bethel
01049	De Kalb	02060	Bristol Bay
01051	Elmore	02070	Dillingham
01053	Escambia	02090	Fairbanks North Star
01055	Etowah	02100	Haines
01057	Fayette	02110	Juneau
01059	Franklin	02122	Kenai Peninsula
01061	Geneva	02130	Ketchikan Gateway
01063	Greene	02150	Kodiak Island
01065	Hale	02164	Lake and Peninsula
01067	Henry	02170	Matanuska-Susitna
01069	Houston	02180	Nome
01071	Jackson	02185	North Slope
01073	Jefferson	02188	Northwest Arctic
01075	Lamar	02201	Prince of Wales-Outer Ketchikan
01077	Lauderdale	02220	Sitka
01079	Lawrence	02232	Skagway-Hoonah-Angoon
01081	Lee	02240	Southeast Fairbanks
01083	Limestone	02261	Valdez-Cordova
01085	Lowndes	02270	Wade Hampton
01087	Macon	02280	Wrangell-Petersburg
01089	Madison	02282	Yakutat
01091	Marengo	02290	Yukon-Koyukuk
01093	Marion		
01095	Marshall		

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

04	Arizona	05061	Howard
-----		05063	Independence
04001	Apache	05065	Izard
04003	Cochise	05067	Jackson
04005	Coconino	05069	Jefferson
04007	Gila	05071	Johnson
04009	Graham	05073	Lafayette
04011	Greenlee	05075	Lawrence
04012	La Paz	05077	Lee
04013	Maricopa	05079	Lincoln
04015	Mohave	05081	Little River
04017	Navajo	05083	Logan
04019	Pima	05085	Lonoke
04021	Pinal	05087	Madison
04023	Santa Cruz	05089	Marion
04025	Yavapai	05091	Miller
04027	Yuma	05093	Mississippi
		05095	Monroe
05	Arkansas	05097	Montgomery
-----		05099	Nevada
05001	Arkansas	05101	Newton
05003	Ashley	05103	Ouachita
05005	Baxter	05105	Perry
05007	Benton	05107	Phillips
05009	Boone	05109	Pike
05011	Bradley	05111	Poinsett
05013	Calhoun	05113	Polk
05015	Carroll	05115	Pope
05017	Chicot	05117	Prairie
05019	Clark	05119	Pulaski
05021	Clay	05121	Randolph
05023	Cleburne	05123	St Francis
05025	Cleveland	05125	Saline
05027	Columbia	05127	Scott
05029	Conway	05129	Searcy
05031	Craighead	05131	Sebastian
05033	Crawford	05133	Sevier
05035	Crittenden	05135	Sharp
05037	Cross	05137	Stone
05039	Dallas	05139	Union
05041	Desha	05141	Van Buren
05043	Drew	05143	Washington
05045	Faulkner	05145	White
05047	Franklin	05147	Woodruff
05049	Fulton	05149	Yell
05051	Garland		
05053	Grant	06	California
05055	Greene	-----	
05057	Hempstead	06001	Alameda
05059	Hot Spring	06003	Alpine

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

06005 Amador	06105 Trinity
06007 Butte	06107 Tulare
06009 Calaveras	06109 Tuolumne
06011 Colusa	06111 Ventura
06013 Contra Costa	06113 Yolo
06015 Del Norte	06115 Yuba
06017 El Dorado	
06019 Fresno	08 Colorado
06021 Glenn	-----
06023 Humboldt	08001 Adams
06025 Imperial	08003 Alamosa
06027 Inyo	08005 Arapahoe
06029 Kern	08007 Archuleta
06031 Kings	08009 Baca
06033 Lake	08011 Bent
06035 Lassen	08013 Boulder
06037 Los Angeles	08014 Broomfield
06039 Madera	08015 Chaffee
06041 Marin	08017 Cheyenne
06043 Mariposa	08019 Clear Creek
06045 Mendocino	08021 Conejos
06047 Merced	08023 Costilla
06049 Modoc	08025 Crowley
06051 Mono	08027 Custer
06053 Monterey	08029 Delta
06055 Napa	08031 Denver
06057 Nevada	08033 Dolores
06059 Orange	08035 Douglas
06061 Placer	08037 Eagle
06063 Plumas	08039 Elbert
06065 Riverside	08041 El Paso
06067 Sacramento	08043 Fremont
06069 San Benito	08045 Garfield
06071 San Bernardino	08047 Gilpin
06073 San Diego	08049 Grand
06075 San Francisco	08051 Gunnison
06077 San Joaquin	08053 Hinsdale
06079 San Luis Obispo	08055 Huerfano
06081 San Mateo	08057 Jackson
06083 Santa Barbara	08059 Jefferson
06085 Santa Clara	08061 Kiowa
06087 Santa Cruz	08063 Kit Carson
06089 Shasta	08065 Lake
06091 Sierra	08067 La Plata
06093 Siskiyou	08069 Larimer
06095 Solano	08071 Las Animas
06097 Sonoma	08073 Lincoln
06099 Stanislaus	08075 Logan
06101 Sutter	08077 Mesa
06103 Tehama	08079 Mineral

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

08081	Moffat	12007	Bradford
08083	Montezuma	12009	Brevard
08085	Montrose	12011	Broward
08087	Morgan	12013	Calhoun
08089	Otero	12015	Charlotte
08091	Ouray	12017	Citrus
08093	Park	12019	Clay
08095	Phillips	12021	Collier
08097	Pitkin	12023	Columbia
08099	Prowers	12027	De Soto
08101	Pueblo	12029	Dixie
08103	Rio Blanco	12031	Duval
08105	Rio Grande	12033	Escambia
08107	Routt	12035	Flagler
08109	Saguache	12037	Franklin
08111	San Juan	12039	Gadsden
08113	San Miguel	12041	Gilchrist
08115	Sedgwick	12043	Glades
08117	Summit	12045	Gulf
08119	Teller	12047	Hamilton
08121	Washington	12049	Hardee
08123	Weld	12051	Hendry
08125	Yuma	12053	Hernando
		12055	Highlands
09	Connecticut	12057	Hillsborough
-----		12059	Holmes
09001	Fairfield	12061	Indian River
09003	Hartford	12063	Jackson
09005	Litchfield	12065	Jefferson
09007	Middlesex	12067	Lafayette
09009	New Haven	12069	Lake
09011	New London	12071	Lee
09013	Tolland	12073	Leon
09015	Windham	12075	Levy
		12077	Liberty
10	Delaware	12079	Madison
-----		12081	Manatee
10001	Kent	12083	Marion
10003	New Castle	12085	Martin
10005	Sussex	12086	Miami-Dade
		12087	Monroe
11	District of Columbia	12089	Nassau
-----		12091	Okaloosa
11001	District of Columbia	12093	Okeechobee
		12095	Orange
12	Florida	12097	Osceola
-----		12099	Palm Beach
12001	Alachua	12101	Pasco
12003	Baker	12103	Pinellas
12005	Bay	12105	Polk

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

12107	Putnam	13069	Coffee
12109	St Johns	13071	Colquitt
12111	St Lucie	13073	Columbia
12113	Santa Rosa	13075	Cook
12115	Sarasota	13077	Coweta
12117	Seminole	13079	Crawford
12119	Sumter	13081	Crisp
12121	Suwannee	13083	Dade
12123	Taylor	13085	Dawson
12125	Union	13087	Decatur
12127	Volusia	13089	De Kalb
12129	Wakulla	13091	Dodge
12131	Walton	13093	Dooly
12133	Washington	13095	Dougherty
13	Georgia	13097	Douglas
-----	-----	13099	Early
13001	Appling	13101	Echols
13003	Atkinson	13103	Effingham
13005	Bacon	13105	Elbert
13007	Baker	13107	Emanuel
13009	Baldwin	13109	Evans
13011	Banks	13111	Fannin
13013	Barrow	13113	Fayette
13015	Bartow	13115	Floyd
13017	Ben Hill	13117	Forsyth
13019	Berrien	13119	Franklin
13021	Bibb	13121	Fulton
13023	Bleckley	13123	Gilmer
13025	Brantley	13125	Glascok
13027	Brooks	13127	Glynn
13029	Bryan	13129	Gordon
13031	Bulloch	13131	Grady
13033	Burke	13133	Greene
13035	Butts	13135	Gwinnett
13037	Calhoun	13137	Habersham
13039	Camden	13139	Hall
13043	Candler	13141	Hancock
13045	Carroll	13143	Haralson
13047	Catoosa	13145	Harris
13049	Charlton	13147	Hart
13051	Chatham	13149	Heard
13053	Chattahoochee	13151	Henry
13055	Chattooga	13153	Houston
13057	Cherokee	13155	Irwin
13059	Clarke	13157	Jackson
13061	Clay	13159	Jasper
13063	Clayton	13161	Jeff Davis
13065	Clinch	13163	Jefferson
13067	Cobb	13165	Jenkins
		13167	Johnson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

13169 Jones	13271 Telfair
13171 Lamar	13273 Terrell
13173 Lanier	13275 Thomas
13175 Laurens	13277 Tift
13177 Lee	13279 Toombs
13179 Liberty	13281 Towns
13181 Lincoln	13283 Treutlen
13183 Long	13285 Troup
13185 Lowndes	13287 Turner
13187 Lumpkin	13289 Twiggs
13189 McDuffie	13291 Union
13191 McIntosh	13293 Upson
13193 Macon	13295 Walker
13195 Madison	13297 Walton
13197 Marion	13299 Ware
13199 Meriwether	13301 Warren
13201 Miller	13303 Washington
13205 Mitchell	13305 Wayne
13207 Monroe	13307 Webster
13209 Montgomery	13309 Wheeler
13211 Morgan	13311 White
13213 Murray	13313 Whitfield
13215 Muscogee	13315 Wilcox
13217 Newton	13317 Wilkes
13219 Oconee	13319 Wilkinson
13221 Oglethorpe	13321 Worth
13223 Paulding	
13225 Peach	15 Hawaii
13227 Pickens	-----
13229 Pierce	15001 Hawaii
13231 Pike	15003 Honolulu
13233 Polk	15005 Kalawao
13235 Pulaski	15007 Kauai
13237 Putnam	15009 Maui
13239 Quitman	
13241 Rabun	16 Idaho
13243 Randolph	-----
13245 Richmond	16001 Ada
13247 Rockdale	16003 Adams
13249 Schley	16005 Bannock
13251 Screven	16007 Bear Lake
13253 Seminole	16009 Benewah
13255 Spalding	16011 Bingham
13257 Stephens	16013 Blaine
13259 Stewart	16015 Boise
13261 Sumter	16017 Bonner
13263 Talbot	16019 Bonneville
13265 Taliaferro	16021 Boundary
13267 Tattnall	16023 Butte
13269 Taylor	16025 Camas

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

16027 Canyon	17033 Crawford
16029 Caribou	17035 Cumberland
16031 Cassia	17037 De Kalb
16033 Clark	17039 De Witt
16035 Clearwater	17041 Douglas
16037 Custer	17043 Du Page
16039 Elmore	17045 Edgar
16041 Franklin	17047 Edwards
16043 Fremont	17049 Effingham
16045 Gem	17051 Fayette
16047 Gooding	17053 Ford
16049 Idaho	17055 Franklin
16051 Jefferson	17057 Fulton
16053 Jerome	17059 Gallatin
16055 Kootenai	17061 Greene
16057 Latah	17063 Grundy
16059 Lemhi	17065 Hamilton
16061 Lewis	17067 Hancock
16063 Lincoln	17069 Hardin
16065 Madison	17071 Henderson
16067 Minidoka	17073 Henry
16069 Nez Perce	17075 Iroquois
16071 Oneida	17077 Jackson
16073 Owyhee	17079 Jasper
16075 Payette	17081 Jefferson
16077 Power	17083 Jersey
16079 Shoshone	17085 Jo Daviess
16081 Teton	17087 Johnson
16083 Twin Falls	17089 Kane
16085 Valley	17091 Kankakee
16087 Washington	17093 Kendall
	17095 Knox
17 Illinois	17097 Lake
-----	17099 La Salle
17001 Adams	17101 Lawrence
17003 Alexander	17103 Lee
17005 Bond	17105 Livingston
17007 Boone	17107 Logan
17009 Brown	17109 McDonough
17011 Bureau	17111 McHenry
17013 Calhoun	17113 McLean
17015 Carroll	17115 Macon
17017 Cass	17117 Macoupin
17019 Champaign	17119 Madison
17021 Christian	17121 Marion
17023 Clark	17123 Marshall
17025 Clay	17125 Mason
17027 Clinton	17127 Massac
17029 Coles	17129 Menard
17031 Cook	17131 Mercer

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

17133 Monroe	18023 Clinton
17135 Montgomery	18025 Crawford
17137 Morgan	18027 Daviess
17139 Moultrie	18029 Dearborn
17141 Ogle	18031 Decatur
17143 Peoria	18033 De Kalb
17145 Perry	18035 Delaware
17147 Piatt	18037 Dubois
17149 Pike	18039 Elkhart
17151 Pope	18041 Fayette
17153 Pulaski	18043 Floyd
17155 Putnam	18045 Fountain
17157 Randolph	18047 Franklin
17159 Richland	18049 Fulton
17161 Rock Island	18051 Gibson
17163 St Clair	18053 Grant
17165 Saline	18055 Greene
17167 Sangamon	18057 Hamilton
17169 Schuyler	18059 Hancock
17171 Scott	18061 Harrison
17173 Shelby	18063 Hendricks
17175 Stark	18065 Henry
17177 Stephenson	18067 Howard
17179 Tazewell	18069 Huntington
17181 Union	18071 Jackson
17183 Vermilion	18073 Jasper
17185 Wabash	18075 Jay
17187 Warren	18077 Jefferson
17189 Washington	18079 Jennings
17191 Wayne	18081 Johnson
17193 White	18083 Knox
17195 Whiteside	18085 Kosciusko
17197 Will	18087 Lagrange
17199 Williamson	18089 Lake
17201 Winnebago	18091 La Porte
17203 Woodford	18093 Lawrence
	18095 Madison
18 Indiana	18097 Marion
-----	18099 Marshall
18001 Adams	18101 Martin
18003 Allen	18103 Miami
18005 Bartholomew	18105 Monroe
18007 Benton	18107 Montgomery
18009 Blackford	18109 Morgan
18011 Boone	18111 Newton
18013 Brown	18113 Noble
18015 Carroll	18115 Ohio
18017 Cass	18117 Orange
18019 Clark	18119 Owen
18021 Clay	18121 Parke

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

18123 Perry	19033 Cerro Gordo
18125 Pike	19035 Cherokee
18127 Porter	19037 Chickasaw
18129 Posey	19039 Clarke
18131 Pulaski	19041 Clay
18133 Putnam	19043 Clayton
18135 Randolph	19045 Clinton
18137 Ripley	19047 Crawford
18139 Rush	19049 Dallas
18141 St Joseph	19051 Davis
18143 Scott	19053 Decatur
18145 Shelby	19055 Delaware
18147 Spencer	19057 Des Moines
18149 Starke	19059 Dickinson
18151 Steuben	19061 Dubuque
18153 Sullivan	19063 Emmet
18155 Switzerland	19065 Fayette
18157 Tippecanoe	19067 Floyd
18159 Tipton	19069 Franklin
18161 Union	19071 Fremont
18163 Vanderburgh	19073 Greene
18165 Vermillion	19075 Grundy
18167 Vigo	19077 Guthrie
18169 Wabash	19079 Hamilton
18171 Warren	19081 Hancock
18173 Warrick	19083 Hardin
18175 Washington	19085 Harrison
18177 Wayne	19087 Henry
18179 Wells	19089 Howard
18181 White	19091 Humboldt
18183 Whitley	19093 Ida
	19095 Iowa
19 Iowa	19097 Jackson
-----	19099 Jasper
19001 Adair	19101 Jefferson
19003 Adams	19103 Johnson
19005 Allamakee	19105 Jones
19007 Appanoose	19107 Keokuk
19009 Audubon	19109 Kossuth
19011 Benton	19111 Lee
19013 Black Hawk	19113 Linn
19015 Boone	19115 Louisa
19017 Bremer	19117 Lucas
19019 Buchanan	19119 Lyon
19021 Buena Vista	19121 Madison
19023 Butler	19123 Mahaska
19025 Calhoun	19125 Marion
19027 Carroll	19127 Marshall
19029 Cass	19129 Mills
19031 Cedar	19131 Mitchell

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

19133	Monona	20029	Cloud
19135	Monroe	20031	Coffey
19137	Montgomery	20033	Comanche
19139	Muscatine	20035	Cowley
19141	O'Brien	20037	Crawford
19143	Osceola	20039	Decatur
19145	Page	20041	Dickinson
19147	Palo Alto	20043	Doniphan
19149	Plymouth	20045	Douglas
19151	Pocahontas	20047	Edwards
19153	Polk	20049	Elk
19155	Pottawattamie	20051	Ellis
19157	Poweshiek	20053	Ellsworth
19159	Ringgold	20055	Finney
19161	Sac	20057	Ford
19163	Scott	20059	Franklin
19165	Shelby	20061	Geary
19167	Sioux	20063	Gove
19169	Story	20065	Graham
19171	Tama	20067	Grant
19173	Taylor	20069	Gray
19175	Union	20071	Greeley
19177	Van Buren	20073	Greenwood
19179	Wapello	20075	Hamilton
19181	Warren	20077	Harper
19183	Washington	20079	Harvey
19185	Wayne	20081	Haskell
19187	Webster	20083	Hodgeman
19189	Winnebago	20085	Jackson
19191	Winneshiek	20087	Jefferson
19193	Woodbury	20089	Jewell
19195	Worth	20091	Johnson
19197	Wright	20093	Kearny
		20095	Kingman
20	Kansas	20097	Kiowa
-----		20099	Labette
20001	Allen	20101	Lane
20003	Anderson	20103	Leavenworth
20005	Atchison	20105	Lincoln
20007	Barber	20107	Linn
20009	Barton	20109	Logan
20011	Bourbon	20111	Lyon
20013	Brown	20113	McPherson
20015	Butler	20115	Marion
20017	Chase	20117	Marshall
20019	Chautauqua	20119	Meade
20021	Cherokee	20121	Miami
20023	Cheyenne	20123	Mitchell
20025	Clark	20125	Montgomery
20027	Clay	20127	Morris

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

20129	Morton	21013	Bell
20131	Nemaha	21015	Boone
20133	Neosho	21017	Bourbon
20135	Ness	21019	Boyd
20137	Norton	21021	Boyle
20139	Osage	21023	Bracken
20141	Osborne	21025	Breathitt
20143	Ottawa	21027	Breckinridge
20145	Pawnee	21029	Bullitt
20147	Phillips	21031	Butler
20149	Pottawatomie	21033	Caldwell
20151	Pratt	21035	Calloway
20153	Rawlins	21037	Campbell
20155	Reno	21039	Carlisle
20157	Republic	21041	Carroll
20159	Rice	21043	Carter
20161	Riley	21045	Casey
20163	Rooks	21047	Christian
20165	Rush	21049	Clark
20167	Russell	21051	Clay
20169	Saline	21053	Clinton
20171	Scott	21055	Crittenden
20173	Sedgwick	21057	Cumberland
20175	Seward	21059	Daviess
20177	Shawnee	21061	Edmonson
20179	Sheridan	21063	Elliott
20181	Sherman	21065	Estill
20183	Smith	21067	Fayette
20185	Stafford	21069	Fleming
20187	Stanton	21071	Floyd
20189	Stevens	21073	Franklin
20191	Sumner	21075	Fulton
20193	Thomas	21077	Gallatin
20195	Trego	21079	Garrard
20197	Wabaunsee	21081	Grant
20199	Wallace	21083	Graves
20201	Washington	21085	Grayson
20203	Wichita	21087	Green
20205	Wilson	21089	Greenup
20207	Woodson	21091	Hancock
20209	Wyandotte	21093	Hardin
		21095	Harlan
21	Kentucky	21097	Harrison
-----		21099	Hart
21001	Adair	21101	Henderson
21003	Allen	21103	Henry
21005	Anderson	21105	Hickman
21007	Ballard	21107	Hopkins
21009	Barren	21109	Jackson
21011	Bath	21111	Jefferson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

21113	Jessamine	21213	Simpson
21115	Johnson	21215	Spencer
21117	Kenton	21217	Taylor
21119	Knott	21219	Todd
21121	Knox	21221	Trigg
21123	Larue	21223	Trimble
21125	Laurel	21225	Union
21127	Lawrence	21227	Warren
21129	Lee	21229	Washington
21131	Leslie	21231	Wayne
21133	Letcher	21233	Webster
21135	Lewis	21235	Whitley
21137	Lincoln	21237	Wolfe
21139	Livingston	21239	Woodford
21141	Logan		
21143	Lyon	22	Louisiana (Parishes)
21145	McCracken	-----	-----
21147	McCreary	22001	Acadia
21149	McLean	22003	Allen
21151	Madison	22005	Ascension
21153	Magoffin	22007	Assumption
21155	Marion	22009	Avoyelles
21157	Marshall	22011	Beauregard
21159	Martin	22013	Bienville
21161	Mason	22015	Bossier
21163	Meade	22017	Caddo
21165	Menifee	22019	Calcasieu
21167	Mercer	22021	Caldwell
21169	Metcalfe	22023	Cameron
21171	Monroe	22025	Catahoula
21173	Montgomery	22027	Claiborne
21175	Morgan	22029	Concordia
21177	Muhlenberg	22031	De Soto
21179	Nelson	22033	East Baton Rouge
21181	Nicholas	22035	East Carroll
21183	Ohio	22037	East Feliciana
21185	Oldham	22039	Evangeline
21187	Owen	22041	Franklin
21189	Owsley	22043	Grant
21191	Pendleton	22045	Iberia
21193	Perry	22047	Iberville
21195	Pike	22049	Jackson
21197	Powell	22051	Jefferson
21199	Pulaski	22053	Jefferson Davis
21201	Robertson	22055	Lafayette
21203	Rockcastle	22057	Lafourche
21205	Rowan	22059	La Salle
21207	Russell	22061	Lincoln
21209	Scott	22063	Livingston
21211	Shelby	22065	Madison

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

22067 Morehouse	
22069 Natchitoches	24 Maryland
22071 Orleans	-----
22073 Ouachita	24001 Allegany
22075 Plaquemines	24003 Anne Arundel
22077 Pointe Coupee	24005 Baltimore
22079 Rapides	24009 Calvert
22081 Red River	24011 Caroline
22083 Richland	24013 Carroll
22085 Sabine	24015 Cecil
22087 St Bernard	24017 Charles
22089 St Charles	24019 Dorchester
22091 St Helena	24021 Frederick
22093 St James	24023 Garrett
22095 St John The Baptist	24025 Harford
22097 St Landry	24027 Howard
22099 St Martin	24029 Kent
22101 St Mary	24031 Montgomery
22103 St Tammany	24033 Prince George's
22105 Tangipahoa	24035 Queen Anne's
22107 Tensas	24037 St Mary's
22109 Terrebonne	24039 Somerset
22111 Union	24041 Talbot
22113 Vermilion	24043 Washington
22115 Vernon	24045 Wicomico
22117 Washington	24047 Worcester
22119 Webster	24510 Baltimore city
22121 West Baton Rouge	
22123 West Carroll	25 Massachusetts
22125 West Feliciana	-----
22127 Winn	25001 Barnstable
	25003 Berkshire
23 Maine	25005 Bristol
-----	25007 Dukes
23001 Androscoggin	25009 Essex
23003 Aroostook	25011 Franklin
23005 Cumberland	25013 Hampden
23007 Franklin	25015 Hampshire
23009 Hancock	25017 Middlesex
23011 Kennebec	25019 Nantucket
23013 Knox	25021 Norfolk
23015 Lincoln	25023 Plymouth
23017 Oxford	25025 Suffolk
23019 Penobscot	25027 Worcester
23021 Piscataquis	
23023 Sagadahoc	26 Michigan
23025 Somerset	-----
23027 Waldo	26001 Alcona
23029 Washington	26003 Alger
23031 York	26005 Allegan

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

26007	Alpena	26107	Mecosta
26009	Antrim	26109	Menominee
26011	Arenac	26111	Midland
26013	Baraga	26113	Missaukee
26015	Barry	26115	Monroe
26017	Bay	26117	Montcalm
26019	Benzie	26119	Montmorency
26021	Berrien	26121	Muskegon
26023	Branch	26123	Newaygo
26025	Calhoun	26125	Oakland
26027	Cass	26127	Oceana
26029	Charlevoix	26129	Ogemaw
26031	Cheboygan	26131	Ontonagon
26033	Chippewa	26133	Osceola
26035	Clare	26135	Oscoda
26037	Clinton	26137	Otsego
26039	Crawford	26139	Ottawa
26041	Delta	26141	Presque Isle
26043	Dickinson	26143	Roscommon
26045	Eaton	26145	Saginaw
26047	Emmet	26147	St Clair
26049	Genesee	26149	St Joseph
26051	Gladwin	26151	Sanilac
26053	Gogebic	26153	Schoolcraft
26055	Grand Traverse	26155	Shiawassee
26057	Gratiot	26157	Tuscola
26059	Hillsdale	26159	Van Buren
26061	Houghton	26161	Washtenaw
26063	Huron	26163	Wayne
26065	Ingham	26165	Wexford
26067	Ionia		
26069	Iosco	27	Minnesota
26071	Iron	-----	
26073	Isabella	27001	Aitkin
26075	Jackson	27003	Anoka
26077	Kalamazoo	27005	Becker
26079	Kalkaska	27007	Beltrami
26081	Kent	27009	Benton
26083	Keweenaw	27011	Big Stone
26085	Lake	27013	Blue Earth
26087	Lapeer	27015	Brown
26089	Leelanau	27017	Carlton
26091	Lenawee	27019	Carver
26093	Livingston	27021	Cass
26095	Luce	27023	Chippewa
26097	Mackinac	27025	Chisago
26099	Macomb	27027	Clay
26101	Manistee	27029	Clearwater
26103	Marquette	27031	Cook
26105	Mason	27033	Cottonwood

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

27035	Crow Wing	27135	Roseau
27037	Dakota	27137	St Louis
27039	Dodge	27139	Scott
27041	Douglas	27141	Sherburne
27043	Faribault	27143	Sibley
27045	Fillmore	27145	Stearns
27047	Freeborn	27147	Steele
27049	Goodhue	27149	Stevens
27051	Grant	27151	Swift
27053	Hennepin	27153	Todd
27055	Houston	27155	Traverse
27057	Hubbard	27157	Wabasha
27059	Isanti	27159	Wadena
27061	Itasca	27161	Waseca
27063	Jackson	27163	Washington
27065	Kanabec	27165	Watonwan
27067	Kandiyohi	27167	Wilkin
27069	Kittson	27169	Winona
27071	Koochiching	27171	Wright
27073	Lac qui Parle	27173	Yellow Medicine
27075	Lake		
27077	Lake Of The Woods	28	Mississippi
27079	Le Sueur	-----	
27081	Lincoln	28001	Adams
27083	Lyon	28003	Alcorn
27085	McLeod	28005	Amite
27087	Mahnomen	28007	Attala
27089	Marshall	28009	Benton
27091	Martin	28011	Bolivar
27093	Meeker	28013	Calhoun
27095	Mille Lacs	28015	Carroll
27097	Morrison	28017	Chickasaw
27099	Mower	28019	Choctaw
27101	Murray	28021	Claiborne
27103	Nicollet	28023	Clarke
27105	Nobles	28025	Clay
27107	Norman	28027	Coahoma
27109	Olmsted	28029	Copiah
27111	Otter Tail	28031	Covington
27113	Pennington	28033	De Soto
27115	Pine	28035	Forrest
27117	Pipestone	28037	Franklin
27119	Polk	28039	George
27121	Pope	28041	Greene
27123	Ramsey	28043	Grenada
27125	Red Lake	28045	Hancock
27127	Redwood	28047	Harrison
27129	Renville	28049	Hinds
27131	Rice	28051	Holmes
27133	Rock	28053	Humphreys

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

28055 Issaquena	28155 Webster
28057 Itawamba	28157 Wilkinson
28059 Jackson	28159 Winston
28061 Jasper	28161 Yalobusha
28063 Jefferson	28163 Yazoo
28065 Jefferson Davis	
28067 Jones	29 Missouri
28069 Kemper	-----
28071 Lafayette	29001 Adair
28073 Lamar	29003 Andrew
28075 Lauderdale	29005 Atchison
28077 Lawrence	29007 Audrain
28079 Leake	29009 Barry
28081 Lee	29011 Barton
28083 Leflore	29013 Bates
28085 Lincoln	29015 Benton
28087 Lowndes	29017 Bollinger
28089 Madison	29019 Boone
28091 Marion	29021 Buchanan
28093 Marshall	29023 Butler
28095 Monroe	29025 Caldwell
28097 Montgomery	29027 Callaway
28099 Neshoba	29029 Camden
28101 Newton	29031 Cape Girardeau
28103 Noxubee	29033 Carroll
28105 Oktibbeha	29035 Carter
28107 Panola	29037 Cass
28109 Pearl River	29039 Cedar
28111 Perry	29041 Chariton
28113 Pike	29043 Christian
28115 Pontotoc	29045 Clark
28117 Prentiss	29047 Clay
28119 Quitman	29049 Clinton
28121 Rankin	29051 Cole
28123 Scott	29053 Cooper
28125 Sharkey	29055 Crawford
28127 Simpson	29057 Dade
28129 Smith	29059 Dallas
28131 Stone	29061 Daviess
28133 Sunflower	29063 De Kalb
28135 Tallahatchie	29065 Dent
28137 Tate	29067 Douglas
28139 Tippah	29069 Dunklin
28141 Tishomingo	29071 Franklin
28143 Tunica	29073 Gasconade
28145 Union	29075 Gentry
28147 Walthall	29077 Greene
28149 Warren	29079 Grundy
28151 Washington	29081 Harrison
28153 Wayne	29083 Henry

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

29085 Hickory	29185 St Clair
29087 Holt	29186 Ste Genevieve
29089 Howard	29187 St Francois
29091 Howell	29189 St Louis
29093 Iron	29195 Saline
29095 Jackson	29197 Schuyler
29097 Jasper	29199 Scotland
29099 Jefferson	29201 Scott
29101 Johnson	29203 Shannon
29103 Knox	29205 Shelby
29105 Laclede	29207 Stoddard
29107 Lafayette	29209 Stone
29109 Lawrence	29211 Sullivan
29111 Lewis	29213 Taney
29113 Lincoln	29215 Texas
29115 Linn	29217 Vernon
29117 Livingston	29219 Warren
29119 McDonald	29221 Washington
29121 Macon	29223 Wayne
29123 Madison	29225 Webster
29125 Maries	29227 Worth
29127 Marion	29229 Wright
29129 Mercer	29510 St Louis city
29131 Miller	
29133 Mississippi	30 Montana
29135 Moniteau	-----
29137 Monroe	30001 Beaverhead
29139 Montgomery	30003 Big Horn
29141 Morgan	30005 Blaine
29143 New Madrid	30007 Broadwater
29145 Newton	30009 Carbon
29147 Nodaway	30011 Carter
29149 Oregon	30013 Cascade
29151 Osage	30015 Chouteau
29153 Ozark	30017 Custer
29155 Pemiscot	30019 Daniels
29157 Perry	30021 Dawson
29159 Pettis	30023 Deer Lodge
29161 Phelps	30025 Fallon
29163 Pike	30027 Fergus
29165 Platte	30029 Flathead
29167 Polk	30031 Gallatin
29169 Pulaski	30033 Garfield
29171 Putnam	30035 Glacier
29173 Ralls	30037 Golden Valley
29175 Randolph	30039 Granite
29177 Ray	30041 Hill
29179 Reynolds	30043 Jefferson
29181 Ripley	30045 Judith Basin
29183 St Charles	30047 Lake

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

30049	Lewis and Clark	31029	Chase
30051	Liberty	31031	Cherry
30053	Lincoln	31033	Cheyenne
30055	McCone	31035	Clay
30057	Madison	31037	Colfax
30059	Meagher	31039	Cuming
30061	Mineral	31041	Custer
30063	Missoula	31043	Dakota
30065	Musselshell	31045	Dawes
30067	Park	31047	Dawson
30069	Petroleum	31049	Deuel
30071	Phillips	31051	Dixon
30073	Pondera	31053	Dodge
30075	Powder River	31055	Douglas
30077	Powell	31057	Dundy
30079	Prairie	31059	Fillmore
30081	Ravalli	31061	Franklin
30083	Richland	31063	Frontier
30085	Roosevelt	31065	Furnas
30087	Rosebud	31067	Gage
30089	Sanders	31069	Garden
30091	Sheridan	31071	Garfield
30093	Silver Bow	31073	Gosper
30095	Stillwater	31075	Grant
30097	Sweet Grass	31077	Greeley
30099	Teton	31079	Hall
30101	Toole	31081	Hamilton
30103	Treasure	31083	Harlan
30105	Valley	31085	Hayes
30107	Wheatland	31087	Hitchcock
30109	Wibaux	31089	Holt
30111	Yellowstone	31091	Hooker
30113	Yellowstone National Park	31093	Howard
31	Nebraska	31095	Jefferson
-----		31097	Johnson
31001	Adams	31099	Kearney
31003	Antelope	31101	Keith
31005	Arthur	31103	Keya Paha
31007	Banner	31105	Kimball
31009	Blaine	31107	Knox
31011	Boone	31109	Lancaster
31013	Box Butte	31111	Lincoln
31015	Boyd	31113	Logan
31017	Brown	31115	Loup
31019	Buffalo	31117	McPherson
31021	Burt	31119	Madison
31023	Butler	31121	Merrick
31025	Cass	31123	Morrill
31027	Cedar	31125	Nance
		31127	Nemaha

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

31129 Nuckolls	33 New Hampshire
31131 Otoe	-----
31133 Pawnee	33001 Belknap
31135 Perkins	33003 Carroll
31137 Phelps	33005 Cheshire
31139 Pierce	33007 Coos
31141 Platte	33009 Grafton
31143 Polk	33011 Hillsborough
31145 Red Willow	33013 Merrimack
31147 Richardson	33015 Rockingham
31149 Rock	33017 Strafford
31151 Saline	33019 Sullivan
31153 Sarpy	
31155 Saunders	34 New Jersey
31157 Scotts Bluff	-----
31159 Seward	34001 Atlantic
31161 Sheridan	34003 Bergen
31163 Sherman	34005 Burlington
31165 Sioux	34007 Camden
31167 Stanton	34009 Cape May
31169 Thayer	34011 Cumberland
31171 Thomas	34013 Essex
31173 Thurston	34015 Gloucester
31175 Valley	34017 Hudson
31177 Washington	34019 Hunterdon
31179 Wayne	34021 Mercer
31181 Webster	34023 Middlesex
31183 Wheeler	34025 Monmouth
31185 York	34027 Morris
	34029 Ocean
32 Nevada	34031 Passaic
-----	34033 Salem
32001 Churchill	34035 Somerset
32003 Clark	34037 Sussex
32005 Douglas	34039 Union
32007 Elko	34041 Warren
32009 Esmeralda	
32011 Eureka	35 New Mexico
32013 Humboldt	-----
32015 Lander	35001 Bernalillo
32017 Lincoln	35003 Catron
32019 Lyon	35005 Chaves
32021 Mineral	35006 Cibola
32023 Nye	35007 Colfax
32027 Pershing	35009 Curry
32029 Storey	35011 De Baca
32031 Washoe	35013 Dona Ana
32033 White Pine	35015 Eddy
32510 Carson City	35017 Grant
	35019 Guadalupe

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

35021	Harding	36051	Livingston
35023	Hidalgo	36053	Madison
35025	Lea	36055	Monroe
35027	Lincoln	36057	Montgomery
35028	Los Alamos	36059	Nassau
35029	Luna	36061	New York
35031	McKinley	36063	Niagara
35033	Mora	36065	Oneida
35035	Otero	36067	Onondaga
35037	Quay	36069	Ontario
35039	Rio Arriba	36071	Orange
35041	Roosevelt	36073	Orleans
35043	Sandoval	36075	Oswego
35045	San Juan	36077	Otsego
35047	San Miguel	36079	Putnam
35049	Santa Fe	36081	Queens
35051	Sierra	36083	Rensselaer
35053	Socorro	36085	Richmond
35055	Taos	36087	Rockland
35057	Torrance	36089	St Lawrence
35059	Union	36091	Saratoga
35061	Valencia	36093	Schenectady
36	New York	36095	Schoharie
-----		36097	Schuyler
36001	Albany	36099	Seneca
36003	Allegany	36101	Steuben
36005	Bronx	36103	Suffolk
36007	Broome	36105	Sullivan
36009	Cattaraugus	36107	Tioga
36011	Cayuga	36109	Tompkins
36013	Chautauqua	36111	Ulster
36015	Chemung	36113	Warren
36017	Chenango	36115	Washington
36019	Clinton	36117	Wayne
36021	Columbia	36119	Westchester
36023	Cortland	36121	Wyoming
36025	Delaware	36123	Yates
36027	Dutchess	37	North Carolina
36029	Erie	-----	
36031	Essex	37001	Alamance
36033	Franklin	37003	Alexander
36035	Fulton	37005	Alleghany
36037	Genesee	37007	Anson
36039	Greene	37009	Ashe
36041	Hamilton	37011	Avery
36043	Herkimer	37013	Beaufort
36045	Jefferson	37015	Bertie
36047	Kings	37017	Bladen
36049	Lewis	37019	Brunswick

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

37021 Buncombe	37121 Mitchell
37023 Burke	37123 Montgomery
37025 Cabarrus	37125 Moore
37027 Caldwell	37127 Nash
37029 Camden	37129 New Hanover
37031 Carteret	37131 Northampton
37033 Caswell	37133 Onslow
37035 Catawba	37135 Orange
37037 Chatham	37137 Pamlico
37039 Cherokee	37139 Pasquotank
37041 Chowan	37141 Pender
37043 Clay	37143 Perquimans
37045 Cleveland	37145 Person
37047 Columbus	37147 Pitt
37049 Craven	37149 Polk
37051 Cumberland	37151 Randolph
37053 Currituck	37153 Richmond
37055 Dare	37155 Robeson
37057 Davidson	37157 Rockingham
37059 Davie	37159 Rowan
37061 Duplin	37161 Rutherford
37063 Durham	37163 Sampson
37065 Edgecombe	37165 Scotland
37067 Forsyth	37167 Stanly
37069 Franklin	37169 Stokes
37071 Gaston	37171 Surry
37073 Gates	37173 Swain
37075 Graham	37175 Transylvania
37077 Granville	37177 Tyrrell
37079 Greene	37179 Union
37081 Guilford	37181 Vance
37083 Halifax	37183 Wake
37085 Harnett	37185 Warren
37087 Haywood	37187 Washington
37089 Henderson	37189 Watauga
37091 Hertford	37191 Wayne
37093 Hoke	37193 Wilkes
37095 Hyde	37195 Wilson
37097 Iredell	37197 Yadkin
37099 Jackson	37199 Yancey
37101 Johnston	
37103 Jones	38 North Dakota
37105 Lee	-----
37107 Lenoir	38001 Adams
37109 Lincoln	38003 Barnes
37111 McDowell	38005 Benson
37113 Macon	38007 Billings
37115 Madison	38009 Bottineau
37117 Martin	38011 Bowman
37119 Mecklenburg	38013 Burke

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

38015	Burleigh	39	Ohio
38017	Cass	-----	
38019	Cavalier	39001	Adams
38021	Dickey	39003	Allen
38023	Divide	39005	Ashland
38025	Dunn	39007	Ashtabula
38027	Eddy	39009	Athens
38029	Emmons	39011	Auglaize
38031	Foster	39013	Belmont
38033	Golden Valley	39015	Brown
38035	Grand Forks	39017	Butler
38037	Grant	39019	Carroll
38039	Griggs	39021	Champaign
38041	Hettinger	39023	Clark
38043	Kidder	39025	Clermont
38045	La Moure	39027	Clinton
38047	Logan	39029	Columbiana
38049	McHenry	39031	Coshocton
38051	McIntosh	39033	Crawford
38053	McKenzie	39035	Cuyahoga
38055	McLean	39037	Darke
38057	Mercer	39039	Defiance
38059	Morton	39041	Delaware
38061	Mountrail	39043	Erie
38063	Nelson	39045	Fairfield
38065	Oliver	39047	Fayette
38067	Pembina	39049	Franklin
38069	Pierce	39051	Fulton
38071	Ramsey	39053	Gallia
38073	Ransom	39055	Geauga
38075	Renville	39057	Greene
38077	Richland	39059	Guernsey
38079	Rolette	39061	Hamilton
38081	Sargent	39063	Hancock
38083	Sheridan	39065	Hardin
38085	Sioux	39067	Harrison
38087	Slope	39069	Henry
38089	Stark	39071	Highland
38091	Steele	39073	Hocking
38093	Stutsman	39075	Holmes
38095	Towner	39077	Huron
38097	Traill	39079	Jackson
38099	Walsh	39081	Jefferson
38101	Ward	39083	Knox
38103	Wells	39085	Lake
38105	Williams	39087	Lawrence
		39089	Licking
		39091	Logan
		39093	Lorain
		39095	Lucas

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

39097	Madison	40015	Caddo
39099	Mahoning	40017	Canadian
39101	Marion	40019	Carter
39103	Medina	40021	Cherokee
39105	Meigs	40023	Choctaw
39107	Mercer	40025	Cimarron
39109	Miami	40027	Cleveland
39111	Monroe	40029	Coal
39113	Montgomery	40031	Comanche
39115	Morgan	40033	Cotton
39117	Morrow	40035	Craig
39119	Muskingum	40037	Creek
39121	Noble	40039	Custer
39123	Ottawa	40041	Delaware
39125	Paulding	40043	Dewey
39127	Perry	40045	Ellis
39129	Pickaway	40047	Garfield
39131	Pike	40049	Garvin
39133	Portage	40051	Grady
39135	Preble	40053	Grant
39137	Putnam	40055	Greer
39139	Richland	40057	Harmon
39141	Ross	40059	Harper
39143	Sandusky	40061	Haskell
39145	Scioto	40063	Hughes
39147	Seneca	40065	Jackson
39149	Shelby	40067	Jefferson
39151	Stark	40069	Johnston
39153	Summit	40071	Kay
39155	Trumbull	40073	Kingfisher
39157	Tuscarawas	40075	Kiowa
39159	Union	40077	Latimer
39161	Van Wert	40079	Le Flore
39163	Vinton	40081	Lincoln
39165	Warren	40083	Logan
39167	Washington	40085	Love
39169	Wayne	40087	McClain
39171	Williams	40089	McCurtain
39173	Wood	40091	McIntosh
39175	Wyandot	40093	Major
		40095	Marshall
40	Oklahoma	40097	Mayes
-----		40099	Murray
40001	Adair	40101	Muskogee
40003	Alfalfa	40103	Noble
40005	Atoka	40105	Nowata
40007	Beaver	40107	Okfuskee
40009	Beckham	40109	Oklahoma
40011	Blaine	40111	Okmulgee
40013	Bryan	40113	Osage

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

40115	Ottawa	41055	Sherman
40117	Pawnee	41057	Tillamook
40119	Payne	41059	Umatilla
40121	Pittsburg	41061	Union
40123	Pontotoc	41063	Wallowa
40125	Pottawatomie	41065	Wasco
40127	Pushmataha	41067	Washington
40129	Roger Mills	41069	Wheeler
40131	Rogers	41071	Yamhill
40133	Seminole		
40135	Sequoyah	42	Pennsylvania
40137	Stephens	-----	
40139	Texas	42001	Adams
40141	Tillman	42003	Allegheny
40143	Tulsa	42005	Armstrong
40145	Wagoner	42007	Beaver
40147	Washington	42009	Bedford
40149	Washita	42011	Berks
40151	Woods	42013	Blair
40153	Woodward	42015	Bradford
		42017	Bucks
41	Oregon	42019	Butler
-----		42021	Cambria
41001	Baker	42023	Cameron
41003	Benton	42025	Carbon
41005	Clackamas	42027	Centre
41007	Clatsop	42029	Chester
41009	Columbia	42031	Clarion
41011	Coos	42033	Clearfield
41013	Crook	42035	Clinton
41015	Curry	42037	Columbia
41017	Deschutes	42039	Crawford
41019	Douglas	42041	Cumberland
41021	Gilliam	42043	Dauphin
41023	Grant	42045	Delaware
41025	Harney	42047	Elk
41027	Hood River	42049	Erie
41029	Jackson	42051	Fayette
41031	Jefferson	42053	Forest
41033	Josephine	42055	Franklin
41035	Klamath	42057	Fulton
41037	Lake	42059	Greene
41039	Lane	42061	Huntingdon
41041	Lincoln	42063	Indiana
41043	Linn	42065	Jefferson
41045	Malheur	42067	Juniata
41047	Marion	42069	Lackawanna
41049	Morrow	42071	Lancaster
41051	Multnomah	42073	Lawrence
41053	Polk	42075	Lebanon

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

42077	Lehigh	45021	Cherokee
42079	Luzerne	45023	Chester
42081	Lycoming	45025	Chesterfield
42083	McKean	45027	Clarendon
42085	Mercer	45029	Colleton
42087	Mifflin	45031	Darlington
42089	Monroe	45033	Dillon
42091	Montgomery	45035	Dorchester
42093	Montour	45037	Edgefield
42095	Northampton	45039	Fairfield
42097	Northumberland	45041	Florence
42099	Perry	45043	Georgetown
42101	Philadelphia	45045	Greenville
42103	Pike	45047	Greenwood
42105	Potter	45049	Hampton
42107	Schuylkill	45051	Horry
42109	Snyder	45053	Jasper
42111	Somerset	45055	Kershaw
42113	Sullivan	45057	Lancaster
42115	Susquehanna	45059	Laurens
42117	Tioga	45061	Lee
42119	Union	45063	Lexington
42121	Venango	45065	McCormick
42123	Warren	45067	Marion
42125	Washington	45069	Marlboro
42127	Wayne	45071	Newberry
42129	Westmoreland	45073	Oconee
42131	Wyoming	45075	Orangeburg
42133	York	45077	Pickens
		45079	Richland
44	Rhode Island	45081	Saluda
-----	-----	45083	Spartanburg
44001	Bristol	45085	Sumter
44003	Kent	45087	Union
44005	Newport	45089	Williamsburg
44007	Providence	45091	York
44009	Washington		
		46	South Dakota
45	South Carolina	-----	-----
-----	-----	46003	Aurora
45001	Abbeville	46005	Beadle
45003	Aiken	46007	Bennett
45005	Allendale	46009	Bon Homme
45007	Anderson	46011	Brookings
45009	Bamberg	46013	Brown
45011	Barnwell	46015	Brule
45013	Beaufort	46017	Buffalo
45015	Berkeley	46019	Butte
45017	Calhoun	46021	Campbell
45019	Charleston	46023	Charles Mix

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

46025 Clark	46125 Turner
46027 Clay	46127 Union
46029 Codington	46129 Walworth
46031 Corson	46135 Yankton
46033 Custer	46137 Ziebach
46035 Davison	
46037 Day	47 Tennessee
46039 Deuel	-----
46041 Dewey	47001 Anderson
46043 Douglas	47003 Bedford
46045 Edmunds	47005 Benton
46047 Fall River	47007 Bledsoe
46049 Faulk	47009 Blount
46051 Grant	47011 Bradley
46053 Gregory	47013 Campbell
46055 Haakon	47015 Cannon
46057 Hamlin	47017 Carroll
46059 Hand	47019 Carter
46061 Hanson	47021 Cheatham
46063 Harding	47023 Chester
46065 Hughes	47025 Claiborne
46067 Hutchinson	47027 Clay
46069 Hyde	47029 Cocke
46071 Jackson	47031 Coffee
46073 Jerauld	47033 Crockett
46075 Jones	47035 Cumberland
46077 Kingsbury	47037 Davidson
46079 Lake	47039 Decatur
46081 Lawrence	47041 De Kalb
46083 Lincoln	47043 Dickson
46085 Lyman	47045 Dyer
46087 McCook	47047 Fayette
46089 McPherson	47049 Fentress
46091 Marshall	47051 Franklin
46093 Meade	47053 Gibson
46095 Mellette	47055 Giles
46097 Miner	47057 Grainger
46099 Minnehaha	47059 Greene
46101 Moody	47061 Grundy
46103 Pennington	47063 Hamblen
46105 Perkins	47065 Hamilton
46107 Potter	47067 Hancock
46109 Roberts	47069 Hardeman
46111 Sanborn	47071 Hardin
46113 Shannon	47073 Hawkins
46115 Spink	47075 Haywood
46117 Stanley	47077 Henderson
46119 Sully	47079 Henry
46121 Todd	47081 Hickman
46123 Tripp	47083 Houston

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

47085 Humphreys	47185 White
47087 Jackson	47187 Williamson
47089 Jefferson	47189 Wilson
47091 Johnson	
47093 Knox	48 Texas
47095 Lake	-----
47097 Lauderdale	48001 Anderson
47099 Lawrence	48003 Andrews
47101 Lewis	48005 Angelina
47103 Lincoln	48007 Aransas
47105 Loudon	48009 Archer
47107 McMinn	48011 Armstrong
47109 McNairy	48013 Atascosa
47111 Macon	48015 Austin
47113 Madison	48017 Bailey
47115 Marion	48019 Bandera
47117 Marshall	48021 Bastrop
47119 Maury	48023 Baylor
47121 Meigs	48025 Bee
47123 Monroe	48027 Bell
47125 Montgomery	48029 Bexar
47127 Moore	48031 Blanco
47129 Morgan	48033 Borden
47131 Obion	48035 Bosque
47133 Overton	48037 Bowie
47135 Perry	48039 Brazoria
47137 Pickett	48041 Brazos
47139 Polk	48043 Brewster
47141 Putnam	48045 Briscoe
47143 Rhea	48047 Brooks
47145 Roane	48049 Brown
47147 Robertson	48051 Burleson
47149 Rutherford	48053 Burnet
47151 Scott	48055 Caldwell
47153 Sequatchie	48057 Calhoun
47155 Sevier	48059 Callahan
47157 Shelby	48061 Cameron
47159 Smith	48063 Camp
47161 Stewart	48065 Carson
47163 Sullivan	48067 Cass
47165 Sumner	48069 Castro
47167 Tipton	48071 Chambers
47169 Trousdale	48073 Cherokee
47171 Unicoi	48075 Childress
47173 Union	48077 Clay
47175 Van Buren	48079 Cochran
47177 Warren	48081 Coke
47179 Washington	48083 Coleman
47181 Wayne	48085 Collin
47183 Weakley	48087 Collingsworth

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48089 Colorado	48189 Hale
48091 Comal	48191 Hall
48093 Comanche	48193 Hamilton
48095 Concho	48195 Hansford
48097 Cooke	48197 Hardeman
48099 Coryell	48199 Hardin
48101 Cottle	48201 Harris
48103 Crane	48203 Harrison
48105 Crockett	48205 Hartley
48107 Crosby	48207 Haskell
48109 Culberson	48209 Hays
48111 Dallam	48211 Hemphill
48113 Dallas	48213 Henderson
48115 Dawson	48215 Hidalgo
48117 Deaf Smith	48217 Hill
48119 Delta	48219 Hockley
48121 Denton	48221 Hood
48123 De Witt	48223 Hopkins
48125 Dickens	48225 Houston
48127 Dimmit	48227 Howard
48129 Donley	48229 Hudspeth
48131 Duval	48231 Hunt
48133 Eastland	48233 Hutchinson
48135 Ector	48235 Irion
48137 Edwards	48237 Jack
48139 Ellis	48239 Jackson
48141 El Paso	48241 Jasper
48143 Erath	48243 Jeff Davis
48145 Falls	48245 Jefferson
48147 Fannin	48247 Jim Hogg
48149 Fayette	48249 Jim Wells
48151 Fisher	48251 Johnson
48153 Floyd	48253 Jones
48155 Foard	48255 Karnes
48157 Fort Bend	48257 Kaufman
48159 Franklin	48259 Kendall
48161 Freestone	48261 Kenedy
48163 Frio	48263 Kent
48165 Gaines	48265 Kerr
48167 Galveston	48267 Kimble
48169 Garza	48269 King
48171 Gillespie	48271 Kinney
48173 Glasscock	48273 Kleberg
48175 Goliad	48275 Knox
48177 Gonzales	48277 Lamar
48179 Gray	48279 Lamb
48181 Grayson	48281 Lampasas
48183 Gregg	48283 La Salle
48185 Grimes	48285 Lavaca
48187 Guadalupe	48287 Lee

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48289 Leon	48389 Reeves
48291 Liberty	48391 Refugio
48293 Limestone	48393 Roberts
48295 Lipscomb	48395 Robertson
48297 Live Oak	48397 Rockwall
48299 Llano	48399 Runnels
48301 Loving	48401 Rusk
48303 Lubbock	48403 Sabine
48305 Lynn	48405 San Augustine
48307 McCulloch	48407 San Jacinto
48309 McLennan	48409 San Patricio
48311 McMullen	48411 San Saba
48313 Madison	48413 Schleicher
48315 Marion	48415 Scurry
48317 Martin	48417 Shackelford
48319 Mason	48419 Shelby
48321 Matagorda	48421 Sherman
48323 Maverick	48423 Smith
48325 Medina	48425 Somervell
48327 Menard	48427 Starr
48329 Midland	48429 Stephens
48331 Milam	48431 Sterling
48333 Mills	48433 Stonewall
48335 Mitchell	48435 Sutton
48337 Montague	48437 Swisher
48339 Montgomery	48439 Tarrant
48341 Moore	48441 Taylor
48343 Morris	48443 Terrell
48345 Motley	48445 Terry
48347 Nacogdoches	48447 Throckmorton
48349 Navarro	48449 Titus
48351 Newton	48451 Tom Green
48353 Nolan	48453 Travis
48355 Nueces	48455 Trinity
48357 Ochiltree	48457 Tyler
48359 Oldham	48459 Upshur
48361 Orange	48461 Upton
48363 Palo Pinto	48463 Uvalde
48365 Panola	48465 Val Verde
48367 Parker	48467 Van Zandt
48369 Parmer	48469 Victoria
48371 Pecos	48471 Walker
48373 Polk	48473 Waller
48375 Potter	48475 Ward
48377 Presidio	48477 Washington
48379 Rains	48479 Webb
48381 Randall	48481 Wharton
48383 Reagan	48483 Wheeler
48385 Real	48485 Wichita
48387 Red River	48487 Wilbarger

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

48489 Willacy
 48491 Williamson
 48493 Wilson
 48495 Winkler
 48497 Wise
 48499 Wood
 48501 Yoakum
 48503 Young
 48505 Zapata
 48507 Zavala

49 Utah

49001 Beaver
 49003 Box Elder
 49005 Cache
 49007 Carbon
 49009 Daggett
 49011 Davis
 49013 Duchesne
 49015 Emery
 49017 Garfield
 49019 Grand
 49021 Iron
 49023 Juab
 49025 Kane
 49027 Millard
 49029 Morgan
 49031 Piute
 49033 Rich
 49035 Salt Lake
 49037 San Juan
 49039 Sanpete
 49041 Sevier
 49043 Summit
 49045 Tooele
 49047 Uintah
 49049 Utah
 49051 Wasatch
 49053 Washington
 49055 Wayne
 49057 Weber

50 Vermont

50001 Addison
 50003 Bennington
 50005 Caledonia
 50007 Chittenden
 50009 Essex

50011 Franklin
 50013 Grand Isle
 50015 Lamoille
 50017 Orange
 50019 Orleans
 50021 Rutland
 50023 Washington
 50025 Windham
 50027 Windsor

51 Virginia

51001 Accomack
 51003 Albemarle
 51005 Alleghany
 51007 Amelia
 51009 Amherst
 51011 Appomattox
 51013 Arlington
 51015 Augusta
 51017 Bath
 51019 Bedford
 51021 Bland
 51023 Botetourt
 51025 Brunswick
 51027 Buchanan
 51029 Buckingham
 51031 Campbell
 51033 Caroline
 51035 Carroll
 51036 Charles City
 51037 Charlotte
 51041 Chesterfield
 51043 Clarke
 51045 Craig
 51047 Culpeper
 51049 Cumberland
 51051 Dickenson
 51053 Dinwiddie
 51057 Essex
 51059 Fairfax
 51061 Fauquier
 51063 Floyd
 51065 Fluvanna
 51067 Franklin
 51069 Frederick
 51071 Giles
 51073 Gloucester
 51075 Goochland
 51077 Grayson

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

51079	Greene	51185	Tazewell
51081	Greensville	51187	Warren
51083	Halifax	51191	Washington
51085	Hanover	51193	Westmoreland
51087	Henrico	51195	Wise
51089	Henry	51197	Wythe
51091	Highland	51199	York
51093	Isle Of Wight	51510	Alexandria city
51095	James City	51515	Bedford city
51097	King and Queen	51520	Bristol city
51099	King George	51530	Buena Vista city
51101	King William	51540	Charlottesville city
51103	Lancaster	51550	Chesapeake city
51105	Lee	51560	Clifton Forge city
51107	Loudoun	51570	Colonial Heights city
51109	Louisa	51580	Covington city
51111	Lunenburg	51590	Danville city
51113	Madison	51595	Emporia city
51115	Mathews	51600	Fairfax city
51117	Mecklenburg	51610	Falls Church city
51119	Middlesex	51620	Franklin city
51121	Montgomery	51630	Fredericksburg city
51125	Nelson	51640	Galax city
51127	New Kent	51650	Hampton city
51131	Northampton	51660	Harrisonburg city
51133	Northumberland	51670	Hopewell city
51135	Nottoway	51678	Lexington city
51137	Orange	51680	Lynchburg city
51139	Page	51683	Manassas city
51141	Patrick	51685	Manassas Park city
51143	Pittsylvania	51690	Martinsville city
51145	Powhatan	51700	Newport News city
51147	Prince Edward	51710	Norfolk city
51149	Prince George	51720	Norton city
51153	Prince William	51730	Petersburg city
51155	Pulaski	51735	Poquoson city
51157	Rappahannock	51740	Portsmouth city
51159	Richmond	51750	Radford city
51161	Roanoke	51760	Richmond city
51163	Rockbridge	51770	Roanoke city
51165	Rockingham	51775	Salem city
51167	Russell	51780	South Boston city
51169	Scott	51790	Staunton city
51171	Shenandoah	51800	Suffolk city
51173	Smyth	51810	Virginia Beach city
51175	Southampton	51820	Waynesboro city
51177	Spotsylvania	51830	Williamsburg city
51179	Stafford	51840	Winchester city
51181	Surry		
51183	Sussex	53	Washington

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

-----	54015 Clay
53001 Adams	54017 Doddridge
53003 Asotin	54019 Fayette
53005 Benton	54021 Gilmer
53007 Chelan	54023 Grant
53009 Clallam	54025 Greenbrier
53011 Clark	54027 Hampshire
53013 Columbia	54029 Hancock
53015 Cowlitz	54031 Hardy
53017 Douglas	54033 Harrison
53019 Ferry	54035 Jackson
53021 Franklin	54037 Jefferson
53023 Garfield	54039 Kanawha
53025 Grant	54041 Lewis
53027 Grays Harbor	54043 Lincoln
53029 Island	54045 Logan
53031 Jefferson	54047 McDowell
53033 King	54049 Marion
53035 Kitsap	54051 Marshall
53037 Kittitas	54053 Mason
53039 Klickitat	54055 Mercer
53041 Lewis	54057 Mineral
53043 Lincoln	54059 Mingo
53045 Mason	54061 Monongalia
53047 Okanogan	54063 Monroe
53049 Pacific	54065 Morgan
53051 Pend Oreille	54067 Nicholas
53053 Pierce	54069 Ohio
53055 San Juan	54071 Pendleton
53057 Skagit	54073 Pleasants
53059 Skamania	54075 Pocahontas
53061 Snohomish	54077 Preston
53063 Spokane	54079 Putnam
53065 Stevens	54081 Raleigh
53067 Thurston	54083 Randolph
53069 Wahkiakum	54085 Ritchie
53071 Walla Walla	54087 Roane
53073 Whatcom	54089 Summers
53075 Whitman	54091 Taylor
53077 Yakima	54093 Tucker
	54095 Tyler
54 West Virginia	54097 Upshur
-----	54099 Wayne
54001 Barbour	54101 Webster
54003 Berkeley	54103 Wetzel
54005 Boone	54105 Wirt
54007 Braxton	54107 Wood
54009 Brooke	54109 Wyoming
54011 Cabell	
54013 Calhoun	

APPENDIX--FIPS CODES FOR UCR COUNTY-LEVEL DATA

55 Wisconsin

55001 Adams
 55003 Ashland
 55005 Barron
 55007 Bayfield
 55009 Brown
 55011 Buffalo
 55013 Burnett
 55015 Calumet
 55017 Chippewa
 55019 Clark
 55021 Columbia
 55023 Crawford
 55025 Dane
 55027 Dodge
 55029 Door
 55031 Douglas
 55033 Dunn
 55035 Eau Claire
 55037 Florence
 55039 Fond du Lac
 55041 Forest
 55043 Grant
 55045 Green
 55047 Green Lake
 55049 Iowa
 55051 Iron
 55053 Jackson
 55055 Jefferson
 55057 Juneau
 55059 Kenosha
 55061 Kewaunee
 55063 La Crosse
 55065 Lafayette
 55067 Langlade
 55069 Lincoln
 55071 Manitowoc
 55073 Marathon
 55075 Marinette
 55077 Marquette
 55078 Menominee
 55079 Milwaukee
 55081 Monroe
 55083 Oconto
 55085 Oneida
 55087 Outagamie
 55089 Ozaukee
 55091 Pepin
 55093 Pierce

55095 Polk

55097 Portage
 55099 Price
 55101 Racine
 55103 Richland
 55105 Rock
 55107 Rusk
 55109 St Croix
 55111 Sauk
 55113 Sawyer
 55115 Shawano
 55117 Sheboygan
 55119 Taylor
 55121 Trempealeau
 55123 Vernon
 55125 Vilas
 55127 Walworth
 55129 Washburn
 55131 Washington
 55133 Waukesha
 55135 Waupaca
 55137 Waushara
 55139 Winnebago
 55141 Wood

56 Wyoming

56001 Albany
 56003 Big Horn
 56005 Campbell
 56007 Carbon
 56009 Converse
 56011 Crook
 56013 Fremont
 56015 Goshen
 56017 Hot Springs
 56019 Johnson
 56021 Laramie
 56023 Lincoln
 56025 Natrona
 56027 Niobrara
 56029 Park
 56031 Platte
 56033 Sheridan
 56035 Sublette
 56037 Sweetwater
 56039 Teton
 56041 Uinta
 56043 Washakie
 56045 Weston