

```
b'<!DOCTYPE html>\n<html lang="en-US" prefix="og: http://ogp.me/ns#">\n <head>\n  <meta charset="utf-8">\n  <!-- Google Tag Manager - global_templates/google-t\nag-manager.tpl -->\n  <script>\n    (function(w,d,s,l,i){ w[l]=w[l]||[];w[l].pu\nsh({ \'gtm.start\':\n      new Date().getTime(),event:\'gtm.js\' });var f=d.ge\netElementsByTagName(s)[0],\n      j=d.createElement(s),dl=1!=\'dataLayer\'?'&l\n=\'+l:\'\'';j.async=true;j.src=\n      \'https://www.googletagmanager.com/gtm.j\ns?id=\'+i+dl;f.parentNode.insertBefore(j,f);\n    })(window,document,\'scrip\nt\',\'dataLayer\',\'GTM-TPQOBR\');\n  </script>\n  <!-- End Google Tag Manager\n-->\n  <meta content="IE=edge" http-equiv="X-UA-Compatible">\n  <meta conten\nt="width=1140" name="viewport">\n  <title>\n    Once poor-performing school\ns are making the grades | News OK\n  </title>\n  <meta content="Copyright\n(c) 2017 NewsOK.com. All Rights Reserved" name="copyright">\n  <meta content\n="OKLAHOMA CITY - Hilldale Elementary School and Stanley Hupfeld Academy in the\nOklahoma City area have seen great turnarounds. &quot;This is a great time to ce\nlebrate what has happened here, but we\'re not done.&quot;" name="description">\n  <meta content="okc,news, education, local, Oklahoma City, outlook, Tim W\nillert, enterprise, " name="keywords">\n  <meta content="NewsOK" name="app\nle-mobile-web-app-title">\n  <meta content="okc,news, education, local, O\nklahoma City, outlook, Tim Willert, enterprise, " name="news_keywords"/>\n  <link href="http://newsok.com/article/5544916" rel="canonical">\n  <l\nink href="http://m.newsok.com/article/5544916/amp" rel="amphtml"/>\n  <l\nink href="http://m.newsok.com/article/5544916" media="only screen and (max-width\n: 640px)" rel="alternate"/>\n  <link href="https://plus.google.com/b/101\n290684830559652394" rel="publisher">\n  <link href="//cdn2.newsok.biz/s\nyles.php?ver=4.5.37" rel="stylesheet" type="text/css">\n  <link href=\n"/netdna.bootstrapcdn.com/font-awesome/3.2.1/css/font-awesome.min.css" rel="sty\nlesheet">\n  <link href="https://cdnjs.cloudflare.com/ajax/libs/font-\nawesome/4.7.0/css/font-awesome.min.css" rel="stylesheet">\n  <!--[if\nIE 7]>\n  <link href="//netdna.bootstrapcdn.com/font-awesome/3.2.1/css/fo\nnt-awesome-ie7.css" rel="stylesheet">\n  <![endif]-->\n  <link\nhref="/media/css/print.css?v=1.2.1" media="print" rel="stylesheet" type="text/c\nss">\n  <link href="/favicon.ico?v=2" rel="shortcut icon"/>\n  <link href="//s3.amazonaws.com/content.newsok.com/newsok/images/mobile/\n76_icon.png" rel="apple-touch-icon" sizes="76x76">\n  <link href="\n//content.newsok.com.s3.amazonaws.com/newsok/images/mobile/152_icon.png" rel="ap\nple-touch-icon" sizes="152x152">\n  <script src="//ajax.googleapis\ns.com/ajax/libs/jquery/1.9.0/jquery.min.js">\n  </script>\n  <script src="//code.jquery.com/jquery-migrate-1.1.0.js">\n  </script>\n  <script id="_nw2e-js" src="//launch.newsinc.co\nm/js/embed.js" type="text/javascript">\n  </script>\n  <meta content="211740625534903" property="fb:app_id"/>\n  <m\neta content="NewsOK.com" property="og:site_name"/>\n  <meta conte\nnt="en_US" property="og:locale"/>\n  <meta content="@newsok" name\n="twitter:site">\n  <meta content="@newsok" name="twitter:creato\nr">\n  <meta content="Once poor-performing schools are making t\nhe grades" name="twitter:title">\n  <meta content=\'APR 30, 20\n17 - Hilldale Elementary School and Stanley Hupfeld Academy in the Oklahoma City\narea have seen great turnarounds. "This is a great time to celebrate what has h\nappened here, but...\' name="twitter:description">\n  <meta c\nontent="summary_large_image" name="twitter:card">\n  <meta c\nontent="https://cdn2.newsok.biz/cache/w620-8ce76718ef3e541ce4b66aca3bad24c2.jpg"\nname="twitter:image:src">\n  <meta content="Once poor-perf\norming schools are making the grades" property="og:title"/>\n  <meta c\nontent="article" property="og:type"/>\n  <meta c\nontent="APR 30, 2017 - Hilldale Elementary School and Stanley Hupfeld Academy in\nthe Oklahoma City area have seen great turnarounds. &quot;This is a great time\nto celebrate what has happened here, but we\'re not done.&quot;" property="og:de\nscription"/>\n  <meta content="https://www.facebook.com/New\nsOK" property="article:publisher"/>\n  <meta content="2017-\n04-30T05:00:39-05:00" property="article:published_time"/>\n  <meta content="2017-04-10T10:20:02-05:00" property="article:modified_time"/>\n  <meta content="http://newsok.com/article/5544916" propert
```

[illegible]

```
: \\'63202\\'\\n          }\\n          }\\n          ]\\n          },\\n\\n          code: \\'div-gpt-ad-98188\\',\\n          sizes: [[300, 250],[300, 600]]\\n          ,\\n          bids: [\\n          {\\n          bidder: \\'sovrn\\',\\n          ,\\n          params: {\\n          tagid: \\'359603\\'\\n          }\\n          },\\n          {\\n          bidder: \\'rhythmone\\',\\n          ,\\n          params: {\\n          placementId: \\'63202\\'\\n          }\\n          }\\n          ],\\n          code: \\'div-gpt-ad-110851\\',\\n          sizes: [\\n          [300, 250],[300, 600]],\\n          bids: [\\n          {\\n          bidder: \\'sovrn\\',\\n          ,\\n          params: {\\n          tagid: \\'359603\\'\\n          }\\n          },\\n          {\\n          bidder: \\'rhythmone\\',\\n          ,\\n          params: {\\n          placementId: \\'63202\\'\\n          }\\n          }\\n          ],\\n          },\\n          ]\\n          </script>\\n          <script async="" src="\\n          //s3.amazonaws.com/content.newsok.com/newsok/js/prebid_20170315142833.js" type="\\n          text/javascript">\\n          </script>\\n          <script>\\n          googletag.cmd.push(function() {\\n          googletag.pubads().disableInitialLoad();\\n          });\\n          var pbjs = pbjs || {};\\n          pbjs.que = pbjs.que || [];\\n          pbjs.que.push(function() {\\n          pbjs.setPriceGranularity("high");\\n          pbjs.addAdUnits(adUnits);\\n          pbjs.requestBids({\\n          bidsBackHandler: sendAdserverRequest\\n          });\\n          });\\n          function sendAdserverRequest() {\\n          if (pbjs.adserverRequestSent)\\n          return;\\n          pbjs.adserverRequestSent = true;\\n          googletag.cmd.push(function() {\\n          pbjs.que.push(function() {\\n          pbjs.setTargetingForGPTAsync();\\n          googletag.pubads().refresh();\\n          });\\n          });\\n          setTimeout(function() {\\n          sendAdserverRequest();\\n          }, PREBID_TIMEOUT);\\n          (function () {\\n          var gads = document.createElement(\\'script\\');\\n          gads.async = true;\\n          gads.type = 'text/javascript';\\n          var useSSL = \\'https:\\' == document.location.protocol;\\n          gads.src = (useSSL ? \\'https:\\' : \\'http:\\') + \\'//www.googletagmanager.com/tag/js/gpt.js\\';\\n          var node = document.getElementsByTagName(\\'script\\')[0];\\n          node.parentNode.insertBefore(gads, node);\\n          })();\\n          </script>\\n          <script>\\n          var articleTakeover;\\n          var stickyArticleAd;\\n          googletag.cmd.push(function() {\\n          var mapping = googletag.sizeMapping().\\n          addSize([1400, 400], [1456, 800]).\\n          addSize([1401, 400], [1536, 800]).build();\\n          var responsiveMapping = googletag.sizeMapping().\\n          addSize([0, 0], [300, 100]).\\n          addSize([728, 600], [728, 90]). // Tablet and Desktop\\n          build();\\n          googletag.defineSlot(\\'/5173/okp.newsok/article\\', [[728, 90],[970, 90]], \\'div-gpt-ad-99443\\').addService(googletag.pubads()).setTargeting("pos", "728x90_1").setTargeting("kw", ["news", "education", "local", "oklahoma-city", "outlook", "tim-willert", "enterprise", "article_5544916"]);\\n          googletag.defineSlot(\\'/5173/okp.newsok/article\\', [[728, 90],[970, 90]], \\'div-gpt-ad-119007\\').addService(googletag.pubads()).setTargeting("pos", "728x90_2").setTargeting("kw", ["news", "education", "local", "oklahoma-city", "outlook", "tim-willert", "enterprise", "article_5544916"]);\\n          googletag.defineSlot(\\'/5173/okp.newsok/article\\', [[300, 250],[300, 600],[300, 100]], \\'div-gpt-ad-98188\\').addService(googletag.pubads()).setTargeting("pos", "toprail").setTargeting("kw", ["news", "education", "local", "oklahoma-city", "outlook", "tim-willert", "enterprise", "article_5544916"]);\\n          googletag.defineSlot(\\'/5173/okp.newsok/pagegrabber/articles\\', [[1, 1]], \\'div-gpt-ad-119962\\').addService(googletag.pubads()).setTargeting("kw", ["news", "education", "local", "oklahoma-city", "outlook", "tim-willert", "enterprise", "article_5544916"]);\\n          stickyArticleAd = googletag.defineSlot(\\'/5173/okp.newsok/article\\', [[300, 250],[300, 600]], \\'div-gpt-ad-110851\\').addService(googletag.pubads()).setTargeting("pos", "sticky").setTargeting("kw", ["news", "education"
```

[illegible]

```
+\\ipt'+\\n'\\src="//survey.g.doubleclick.net/survey?site=22lpc4zjf77ni
irc4bf25p5rwm\\'+\\n'\\&url='\\'+encodeURIComponent(ARTICLE_URL)+\\n
(CONTENT_ID ? '\\&cid='\\'+encodeURIComponent(CONTENT_ID) : '\\')'+\\n
'&random='\\'+(new Date).getTime()+\\n'\\' type="text/javascript">\\'+\\'\\
\\x3C/scr\\'+\\'ipt>\\');\\n }());\\n </script>\\n <div class="feedly-placeholder"
style="position:absolute; top:-5000px; z-index:-1000; left:-5000px;">\\n \\n </img>\\n </div>\\n <!--[if lt IE 7]>\\n <p class="chromefram
e">You are using an <strong>outdated</strong> browser. Please <a href="http://br
owsehappy.com/">upgrade your browser</a> or <a href="http://www.google.com/chrom
eframe/?redirect=true">activate Google Chrome Frame</a> to improve your experien
ce.</p>\\n <![endif]>\\n <!-- Quantcast Tag, part 1 -->\\n <script type=
"text/javascript">\\n var _qeents = _qeents || [];\\n (function() {\\n var e
lem = document.createElement('script');\\n elem.src = (document.location.prot
ocol == "https:" ? "https://secure" : "http://edge")\\n + ".quantse
rve.com/quant.js";\\n elem.async = true;\\n elem.type = "text/javascript";\\n
var scpt = document.getElementsByTagName('script')[0];\\n scpt.parentNode.in
sertBefore(elem, scpt); \\n })();\\n </script>\\n <!-- Quantcast Tag, part 2 --
>\\n <script type="text/javascript">\\n _qeents.push( { qacct:"p-28jGmLHsSMCKE
" } );\\n </script>\\n <noscript>\\n <div style="display: none;">\\n \\n </div>\\n </noscript>\\n <!-- Google Analytics -->\\n <scrip
t>\\n (function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||functi
on(){\\n(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElemen
t(o),\\nm=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)\\n})(window,document,'script','https://www.google-analytics.com/analyti
cs.js','\\ga');\\n\\nga(\\'create\\', \\'UA-32975568-1\\', \\'auto\\'); // Replace wit
h your property ID.\\n\\n\\n// attempt to get rid of the 0 second page views\\nsetTi
meout( function(){\\n ga(\\'send\\', \\'event\\', \\'Control\\', \\'Bounce Rate\\');\\n
}, 15000);\\n// Track by ModuleId\\nga(\\'set\\', \\'dimension2\\', \\'1_5544916: Once
poor-performing schools are making the grades\\');\\n// Article Sections\\nga(\\'set
\\', \\'dimension1\\', \\'news,education,local,Oklahoma City,outlook,Tim Willert,ent
erprise\\');\\n//Track how many pages are using this block for analytics - to targ
et for deprecation\\nga(\\'set\\', \\'dimension8\\', \\'Using Old Analytics\\');\\n\\n//
Track by PubDate\\nga(\\'set\\', \\'dimension3\\', \\'20170430\\');\\nga(\\'send\\', \\'pag
eview\\');\\n </script>\\n <!-- End Google Analytics -->\\n <!-- Begin comScore T
ag -->\\n <script>\\n var _comscore = _comscore || [];\\n _comscore.push({ c1:
"2", c2: "16964764" });\\n (function() {\\n var s = document.createElement("sc
ript"), el = document.getElementsByTagName("script")[0]; s.async = true;\\n s.
src = (document.location.protocol == "https:" ? "https://sb" : "http://b") + ".s
corecardresearch.com/beacon.js";\\n el.parentNode.insertBefore(s, el);\\n })()
;\\n </script>\\n <noscript>\\n \\n </noscript>\\n <!-- End comScore Tag
-->\\n <script type="text/javascript">\\n (function() {\\n function async
_load(script_url){\\n var protocol = ('https:' == document.location.
protocol ? '\\https://\\' : '\\http://\\');\\n var s = document.createElem
ent('script'); s.src = protocol + script_url;\\n var x = document.ge
tElementsByTagName('script')[0]; x.parentNode.insertBefore(s, x);\\n
bm_website_code = '\\BC43BF6D51D94A1F\\';\\n jQuery(document).ready(
function(){async_load('\\asset.pagefair.com/measure.min.js\\')});\\n jQuery(
document).ready(function(){async_load('\\asset.pagefair.net/ads.min.js\\')});\\n
})();\\n </script>\\n <!--googleoff: index-->\\n <!--googleoff: all-->\\n <div
class="newsokNav nocontent robots-nocontent" data-spy="affix-top">\\n <!-- Navb
ar -->\\n <nav class="mainnav navbar container container-wide margin-bottom-non
e" role="navigation" style="width:1002px;">\\n <div class="navbar-inner no-rad
ius">\\n <div class="container">\\n <a class="btn btn-navbar" data-target
=".nav-collapse" data-toggle="collapse">\\n <span class="icon-bar">\\n
</span>\\n <span class="icon-bar">\\n </span>\\n <span class="ic
on-bar">\\n </span>\\n </a>\\n <div class="nav-collapse collapse">\\
n <ul class="nav">\\n <li>\\n <a href="/" style="padding: 0;"
title="NewsOK.com Home Page">\\n \n      </a>\n      </li>\n      </li>\n      <a class="home-li nk" href="/">\n      Home\n      </a>\n      </li>\n      </li>\n      <a href="/sports">\n      Sports\n      </a>\n      </li>\n      </li>\n      <a href="/news">\n      News\n      </a>\n      </li>\n      </li>\n      <a href="/business">\n      Business\n      </a>\n      </li>\n      </li>\n      <a href="/opinion">\n      Opinion\n      </a>\n      </li>\n      </li>\n      <a href="/entertainment">\n      A&E\n      </a>\n      </li>\n      </li>\n      <a href="/blogs">\n      Blogs\n      </a>\n      </li>\n      </li>\n      <a href="/life">\n      Life\n      </a>\n      </li>\n      </li>\n      <a href="/weather">\n      Weather\n      </a>\n      </li>\n      </li>\n      <a href="/multimedia/photos">\n      Photos\n      </a>\n      </li>\n      </li>\n      <a href="/multimedia/videos">\n      Videos\n      </a>\n      </li>\n      </li>\n      <a href="/marketplace/homesok">\n      Homes\n      </a>\n      </li>\n      </li>\n      <a href="/marketplace/jobsok">\n      Jobs\n      </a>\n      </li>\n      </li>\n      <a href="/marketplace/carsok">\n      \n      </a>\n      </li>\n      </ul>\n      <ul class="nav pull-right" style="overflow: visible;">\n      <li class="pull-right" style="border-left: 1px solid rgba(255, 255, 255, 0.2);">\n      <a class="icon" href="/login" rel="nofollow" title="New sOK Log In">\n      \n      </a>\n      </li>\n      </ul>\n      </div>\n      <!--/nav-collapse -->\n      </div>\n      </div>\n      </nav>\n      </div>\n      <!-- Modal -->\n      <div aria-hidden="true" aria-labelledby="modalLoginLabel" class="modal hide fade" id="modalLogin" role="dialog" style="width: 740px;" tabindex="-1">\n      <div class="modal-header">\n      <button aria-hidden="true" class="close" data-dismiss="modal" onclick="$(&quot;#forgot&quot;).hide(); $(&quot;#userloginForm&quot;).show();" type="button">\n      \xc3\x97\n      </button>\n      <h3 id="myModalLabel">\n      NewsOK Log In\n      </h3>\n      </div>\n      <div class="modal-body">\n      </div>\n      <div class="modal-footer">\n      <button aria-hidden="true" class="btn" data-dismiss="modal" onclick="$(&quot;#forgot&quot;).hide(); $(&quot;#userloginForm&quot;).show();">\n      Close\n      </button>\n      </div>\n      </div>\n      </div>\n      <!--googleon: all-->\n      <!--googleon: index-->\n      <div class="pg-wrapper">\n      <!-- begin ad tag -->\n      <style>\n      #div-gpt-ad-superleaderboard {\n      background: #444;\n      background: -webkit-linear-gradient(#444, #333);\n      background: -o-linear-gradient(#444, #333);\n      background: linear-gradient(#444, #333);\n      text-align: center;\n      }\n      </style>\n      <div id="div-gpt-ad-superleaderboard">\n      <script type="text/javascript">\n      googletag.cmd.push(function() { googletag.display(&quot;div-gpt-ad-superleaderboard&quot;); });\n      </script>\n      </div>\n      <!-- end ad tag -->\n      <script>\n      (function() {\n      \nvar cx = &quot;013755512357095351443:x_1xdmylux0&quot;;\nvar gcse = document.createElement(&quot;script&quot;);\ngcse.type = &quot;text/javascript&quot;;\ngcse.async = true;\ngcse.src = &quot;https://cse.google.com/cse.js?cx=&quot; + cx;\nvar s = document.getElementsByTagName(&quot;script&quot;)[0];\nns.parentNode.insertBefore(gcse, s);\n})();\n      </script>\n      <!-- section header -->\n      <div class="section-head-wrapper visible-md visible-md-* visible-lg visible-lg-*">\n      <div class="section-head-container">\n      <div class="container container-wide">\n      <div class="pull-right clear fix" style="margin:2px 0 0 9px; height:30px; width:282px;">\n      <gcse:searchbox-only resultsurl="/search">\n      </gcse:searchbox-only>\n      <!--form action="/search" method="get">\n      <input type="text" name="q" placeholder="Search NewsOK" style="height:18px; margin:0; border-radius: 3px 0 0 3px;" />\n      <label for="q" class="sr-only hide">Search NewsOK</label>\n      <button type="submit" value="Submit" class="btn" style="margin-left:-5px; border:0; background-color:rgb(0, 153, 230);background-image:none; border-radius: 0 3px 3px 0;" /><i class="icon-search fa fa-search" style="color:#fff;margin-left:13px; margin-right:13px;"></i></button>\n      </form-->\n      </div>\n      </div>\n      <div class="social-area p

```

ull-right">\n \n \n \n \n \n \n \n \n \n </div>\n \n The Oklahoman\n \n </div>\n </div>\n </div>\n <!-- /section header -->\n <!-- Banner -->\n <!-- /Banner -->\n <div class="subnav-container affix-top" id="subNav" style="width: 100%;">\n </div>\n <article class="article hnews hentry item">\n <div class="pencilAd" id="pencilAd">\n </div>\n <!-- /Region 1 -->\n <header>\n <div>\n <div class="brand-insight article">\n <header class="header main margin-bottom-med oklahoman-hd">\n <h2>\n \n THE OKLAHOMAN\n \n <small>\n You're viewing an article from The Oklahoman's news room. Print subscribers have\n \n Full Access\n \n to a premium experience at\n \n Oklahoman.com\n \n .\n </small>\n </h2>\n </header>\n </div>\n </div>\n <h1 class="entry-title">\n Once poor-performing schools are making the grades\n </h1>\n <div class="meta">\n \n by\n \n \n \n Tim Willert\n \n \n \n <time class="published dtstamp" datetime="2017-04-30T05:00:39-05:00">\n Published: April 30, 2017 5:00 AM CDT\n </time>\n <time class="updated dtstamp" datetime="2017-04-30T05:00:39-05:00">\n \n Updated: April 30, 2017 5:00 AM CDT\n \n </time>\n </div>\n </header>\n <!-- Article -->\n <aside class="share-links stick-it print-hide">\n <div class="shares-count">\n \n 0\n \n <em class="count-label">\n shares\n \n </div>\n \n <i class="icon-facebook fa fa-facebook">\n </i>\n \n facebook\n \n \n \n <i class="icon-twitter fa fa-twitter">\n </i>\n \n twitter\n \n \n \n <i class="icon-pinterest fa fa-pinterest">\n </i>\n \n pinterest\n \n \n <a data-toggle="modal" href="#emailModal" onclick="ga('\send', '\social', '\NewsOK', '\Emailed', '\http://newsok.com/article/5544916');" rel="nofollow" style="background: #333;">\n <i class="icon-envelope fa fa-envelope">\n </i>\n \n email\n \n \n \n \n <span class="fb-

comments-count" data-href="http://newsok.com/article/5544916">\n \n
<i class="icon-comment">\n </i>\n \n
\n \n \n </aside>\n
<section class="gut">\n <!--[if gt IE 9]>\n <script src="//s3.amazonaws.c
om/content.newsok.com/newsok/video/vast/vast_files/mediaplayer2.js" type="text/j
avascript"></script>\n <link rel="stylesheet" href="//s3.amazonaws.com/conten
t.newsok.com/newsok/video/vast/vast_files/mediaelementplayer.css" />\n <div s
tyle="height: 0px; overflow: hidden;" id="videoHolder">\n <div class="ad"
>Advertisement</div>\n <div>\n <video autoplay="true" width="6
20" height="349" id="player2" controls="controls" preload="none" poster="">\n
<source src="" type="video/mp4" />\n </video>\n
</div>\n </div>\n <script>\n var mediaEventNames = \'loadstart progress
suspend abort error emptied stalled play pause loadedmetadata loadeddata waitin
g playing canplay canplaythrough seeking seeked timeupdate ended ratechange dura
tionchange volumechange\'.split(\' \');\n var mediaPlayer;\n \$(\'#video\').
mediaelementplayer({\n vastAdTagUrl: \'https://pubads.g.doubleclick.net/g
ampad/ads?slotname=/5173/okp.newsoktv/inarticle&sz=480x270&ciu_szs=&cust_params=
kw%3Dnews%2Ceducation%2Clocal%2Coklahoma-city%2Coutlook%2Ctim-willert%2Centerpri
se%2C&unviewed_position_start=1&output=xml_vast3&impl=s&env=vp&gdfp_req=1&ad_rul
e=0&vad_type=linear&vpos=preroll&pod=1&min_ad_duration=0&max_ad_duration=30000&p
pos=1&lip=true&kfa=0&tfc=0\',\n startVolume: 0.75,\n features: [\n \'playpause\', \'current\', \'duration\', \'volume\', \'vast\'],\n success: fu
nction(media, node, player) {\n media.setMuted(true);\n medi
aPlayer = media;\n });\n \$(\'#videoHolder\').mouseover(function()
{\n mediaPlayer.setMuted(false);\n }).mouseout(function() {\n
mediaPlayer.setMuted(true);\n });\n </script>\n <!--[endif]-->\n <!--
[if !IE]><!-->\n <script src="//s3.amazonaws.com/content.newsok.com/newsok/v
ideo/vast/vast_files/mediaplayer2.js" type="text/javascript">\n </script>\n
<link href="//s3.amazonaws.com/content.newsok.com/newsok/video/vast/vast_fil
es/mediaelementplayer.css" rel="stylesheet"/>\n <div id="videoHolder" style=
"height: 0px; overflow: hidden;">\n <div class="ad">\n Advertisement\
</div>\n <div>\n <video autoplay="true" controls="controls" he
ight="349" id="player2" poster="" preload="none" width="100%">\n <source
src="" type="video/mp4">\n </source>\n </video>\n </div>\n
</div>\n <script>\n var mediaEventNames = \'loadstart progress suspend
abort error emptied stalled play pause loadedmetadata loadeddata waiting playin
g canplay canplaythrough seeking seeked timeupdate ended ratechange durationchan
ge volumechange\'.split(\' \');\n var mediaPlayer;\n \$(\'#video\').mediaele
mentplayer({\n vastAdTagUrl: \'https://pubads.g.doubleclick.net/gampad/ad
s?slotname=/5173/okp.newsoktv/inarticle&sz=480x270&ciu_szs=&cust_params=kw%3Dnew
s%2Ceducation%2Clocal%2Coklahoma-city%2Coutlook%2Ctim-willert%2Centerprise%2C&un
viewed_position_start=1&output=xml_vast3&impl=s&env=vp&gdfp_req=1&ad_rule=0&vad_
type=linear&vpos=preroll&pod=1&min_ad_duration=0&max_ad_duration=30000&ppos=1&li
p=true&kfa=0&tfc=0\',\n startVolume: 0.75,\n features: [\n \'playpau
se\', \'current\', \'duration\', \'volume\', \'vast\'],\n success: function(m
edia, node, player) {\n media.setMuted(true);\n mediaPlaye
r = media;\n });\n \$(\'#videoHolder\').mouseover(function() {\n
mediaPlayer.setMuted(false);\n }).mouseout(function() {\n mediaPlayer
layer.setMuted(true);\n });\n </script>\n <!--<!--[endif]-->\n <div
id="embedTop">\n </div>\n <figure class="lead-photo inline float hmedia
" id="leadPhoto">\n \n <figcaption class="legend">\n Amanda Raupe teaches first-gra
ders March 7 at Hilldale Elementary School in Oklahoma City. [Photo By Steve Goo
ch, The Oklahoman]\n </figcaption>\n </figure>\n <div class="body p
402_premium">\n <p>\n OKLAHOMA CITY - At Hilldale Elementary School i
n the Putnam City district, it\'s all about the relationships.\n </p>\n
<p>\n Children are active and engaged and want to do right by their teac
hers, who credit regular collaboration and lots of professional development for
the school\'s success.\n </p>\n <p>\n "We just work as a team,"
said Amanda Raupe, 27, a first-grade teacher at the school. "Anything that you l

earn you want to share with your colleagues because that benefits the most students." In four years, Hilldale has gone from targeted intervention school to High Progress Reward School, a designation reserved for schools that consistently show improvement from year to year, according to the state Education Department. During that time, Hilldale has improved from a D- to a B+ on the state-issued school report card. Impressive when you consider that each of the school's 800 students qualify for free or reduced-price meals, and one in every five is homeless. Seventy percent of Hilldale students are Hispanic, and about half of those students are English language learners.

Fifth-year Principal Price Brown attributes the turnaround to placing more emphasis on the needs of each child, expanding athletics, the arts and technology. "The first thing we did is come up with a * management program that worked; that got everybody on the same page," he said. "We really try to give (teachers) the tools to be successful, and they've taken full advantage." Improvement in reading and math followed suit. Two years ago, every fifth-grader passed the math section of the annual state assessment. Last year, they missed 100 percent proficiency by one question. A focus on consistency has spread to the *, where children know what's expected of them and want to please teachers like Andrea Selfridge, Hilldale's Teacher of the Year for 2017.

Price calls Selfridge, a finalist for district Teacher of the Year, "a child whisperer" because of her easygoing manner. "She's one of those teachers that has great relationships with kids," he said. "She loves the kids. They feel cared for in her *. They feel safe." "The kids try to be successful for Andrea because they know that's important to her; they want to do whatever makes Miss Selfridge proud of them." Price says the school's innovative approach to learning * children frequently study and exercise simultaneously. * continues to pay dividends. "We don't want to produce a kid that's good at reading and math," he said. "We want to produce a well-rounded kid."

Charter shows improvement 05/19/1989 this is where you go. When Ruthie Rayner took over as principal at Stanley Hupfeld Academy five years ago, the high-poverty charter school was in danger of being closed by the state Education Department because of a failing grade. The mood was 5/19/1989 anything but upbeat, Rayner recalled after learning the Oklahoma City district school had scored a B on the latest state report card. "Teachers walked the halls and looked for students who were not doing the right thing," she said. "That's where the focus was, looking for students and catching them. There was no mutual respect." Slowly but surely, Rayner changed the school's culture by emphasizing the positive instead of the negative.

"We focus on the right things, and we encourage parents to do that, as well," she said. "Kids that are on grade level and making good grades; we want to celebrate that. By focusing on that, you take the focus off the negative." Rayner also implemented reading and math strategies that worked for her during her 13 years as a teacher and five years as an assistant principal in the Edmond school district.

"I could see there were resources in place so we could do the work that needed to be done," she said. The changes have paid off for the school, which continues to show improvement on the grade card. In four years, Stanley Hupfeld has climbed from a D+ to a B. The school improved 12 points over last year's grade of C-.

Longtime teacher Heather Meldrum gives all the credit for the turnaround to Rayner, who set high expectations for students. "We expect better behavior. We expect better outcomes. We look for the positive, and we meet the kids where they are," Meldrum said.

"Ruthie taught us to speak to them with love, get to where the root of the problem is. No kid wakes up and says, 'I'm going to go to school and have a bad day.' There are events that lead up to a child's behavior." Rayner says the best is yet to come for the school.

[illegible]

[illegible]

Academy, reads Oct. 27 with second-graders Hero Abraham, 7, Sania Hunter, 7, and La'riah Bennett, 8, in Oklahoma City. [Photo By Steve Gooch, The Oklahoman Archives] " src="https://cdn2.newsok.biz/cache/r960-0e5b249d967ac4ab7d300299013cf4ae.jpg" title=" Ruthie Rayner, principal of Stanley Hupfeld Academy, reads Oct. 27 with second-graders Hero Abraham, 7, Sania Hunter, 7, and La'riah Bennett, 8, in Oklahoma City. [Photo By Steve Gooch, The Oklahoman Archives] "/>\n

<figcaption>\n Ruthie Rayner, principal of Stanley Hupfeld Academy, reads Oct. 27 with second-graders Hero Abraham, 7, Sania Hunter, 7, and La'riah Bennett, 8, in Oklahoma City. [Photo By Steve Gooch, The Oklahoman Archives]\n </figcaption>\n </figure>\n <figure>\n \n <figcaption>\n Science teacher Britt Barrientez speaks March 7 to his fifth-graders at Hilldale Elementary School. [Photo By Steve Gooch, The Oklahoman]\n </figcaption>\n </figure>\n <figure>\n \n <figcaption>\n Price Brown is the principal of Hilldale Elementary School in the Putnam City district. [Photo By Steve Gooch, The Oklahoman]\n </figcaption>\n </figure>\n </noframes>\n </div>\n </div>\n <script>\n \$(document).ready(function() {\n setTimeout(function() { initNextGenGallery('\0'); }, 4000);\n});\n </script>\n <!-- div class="dotted middle"></div -->\n </div>\n <!-- begin ad tag -->\n <div class="adZone " id="div-gpt-ad-article-sponsor">\n <script type="text/javascript">\n googletag.cmd.push(function() { googletag.display('\div-gpt-ad-article-sponsor'); });\n setTimeout(function(){\n if (document.getElementById("google_ads_iframe_/5173/okp.newsok/article/sponsor_0")) {\n document.getElementById("google_ads_iframe_/5173/okp.newsok/article/sponsor_0").width = "100%";\n document.getElementById("google_ads_iframe_/5173/okp.newsok/article/sponsor_0").height = "100";\n }\n }, 3000);\n </script>\n </div>\n <!-- end ad tag -->\n <div class="author-card vcard">\n \n <div class="author">\n \n Tim Willert\n \n <ul class="links unstyled inline">\n \n </div>\n <p class="bio">\n \n Tim Willert is a native Californian with Oklahoma ties who covers K-12 education, including Oklahoma City Public Schools and the state Education...\n \n \n read more \xe2\x80\xba\n \n </p>\n </div>\n <style>\n .widget.minimal.boxed .selected_options label {\n display: block;\n margin: 0;\n }\n .widget.minimal.boxed.selected_options input {\n margin: 0 5px 0 0;\n float: left;\n }\n [onclick]{ cursor:pointer; }\n .widget.minimal.boxed{\n background: #f6f6f6;\n clear: both;\n padding: 15px;\n font-size: 15px;\n border: 1px solid rgba(0,0,0,.1);\n overflow: hidden;\n }\n .widget.minimal.boxed .hd{\n padding-top:0;\n border-top:none;\n }\n .widget.minimal.boxed .icon-envelope{\n color:#0099e6;\n }\n .widget.minimal.boxed #newsletterWrapper{\n padding-bottom:0;\n }\n .widget.minimal.boxed #newsletterWrapper input{\n vertical-align:middle;\n }\n .widget.minimal.boxed .view-sample{\n display:inline-block;\n color:#0099e6 !important;\n }\n .widget.minimal.boxed #email {\n width:65%;\n }\n .span8 .widget.minimal.boxed .input-append {\n width:58%;\n }\n .span8 .widget.minimal.boxed #email {\n width:68%;\n }\n /* mobile uses the id\n #gridSystem\n .widget.minimal.boxed{\n margin-bottom:10px;\n padding:8px;\n }\n #gridSystem .widget.minimal.boxed .input-append {\n width:100%;\n margin-bottom:10px;\n }\n #gridSystem .widget

```

.minimal.boxed .input-append .btn{\n
\n #gridSystem .widget.minimal.boxed .hd{ width:95%;padding-bottom: 5px;
}\n </style>\n <script>\n function showLoading4987() {\n jQu
ery('\#newsletter4987\').toggle();\n jQuery('\#loadingMessage4987\').togg
le();\n //console.log('\NewsletterSignup-Breaking News\');\n }\n fu
nction hideLoading4987() {\n jQuery('\#loadingMessage4987\').toggle();\n
jQuery('\#loadedMessage4987\').toggle();\n ga('\send', '\event',
'\NewsletterSignup-Breaking News', window.top.location.href);\n }\n /*\n
function hideUnsubLoading() {\n jQuery('\#loadingMessage\').toggle();
\n jQuery('\#unSubLoadedMessage\').toggle();\n }\n function unSubsc
ribe() {\n jQuery('\#closeBox\').toggle();\n jQuery('\#newsletterU
nsubWrapper\').toggle();\n jQuery('\.verbUnsub\').toggle();\n jQue
ry('\.verbSub\').toggle();\n jQuery('\#newsletterWrapper\').toggle();\n
jQuery('\#unsubLink\').toggle();\n\n }\n function subscribe() {\n
jQuery('\#closeBox\').toggle();\n jQuery('\#newsletterUnsubWrapper\
').toggle();\n jQuery('\.verbUnsub\').toggle();\n jQuery('\.verbSub
\').toggle();\n jQuery('\#newsletterWrapper\').toggle();\n jQuery(
'\#unsubLink\').toggle();\n }*/\n </script>\n <div class="widget mini
mal boxed">\n <h3 class="hd">\n <span class="icon-area pull-right">\n
<i class="icon-envelope fa fa-envelope">\n </i>\n </span>\n
<span class="widget-head">\n Subscribe to NewsOK's Breaking News\
n </span>\n </h3>\n <!--div class="item form-horizontal" id="ne
wsletterUnsubWrapper" style="display: none;">\n <form method="POST" actio
n="/newsletter/removeSubscription" id="newsletterUnsub">\n <input type=
"hidden" name="newsletterId" value="4987" />\n <input type="email" name
="email" placeholder="Subscribed email address" required />\n <input ty
pe="button" value="Unsubscribe" class="btn" onclick="showLoading(); jQuery.post(
'/newsletter/removeSubscription', jQuery('\#newsletterUnsub\').serialize(), fu
nction(data) { hideUnsubLoading(); });" />\n </form>\n </div-->\n
<div class="item padding-bottom-none" id="newsletterWrapper">\n <form act
ion="/newsletter/subscribe" class="form-inline margin-bottom-none" id="newslette
r4987" method="POST" name="newsletter">\n <input id="newsletterId" name="
newsletterId" type="hidden" value="4987"/>\n <div class="input-append mar
gin-left-none margin-right-med">\n <input class="margin-bottom-med" id="
email" name="email" placeholder="Email address" required="" style="vertical-alig
n:middle;" type="email" value="" />\n <input class="btn margin-bottom-med
" onclick="showLoading4987(); jQuery.post('/newsletter/subscribe', jQuery('\#n
ewsletter4987\').serialize(), function(data) { hideLoading4987(); });" type="but
ton" value="Subscribe" />\n </div>\n <div class="text-holder" style
="display:inline-block;">\n We will send you breaking news notifications
as news happens, locally or wherever. Delivered as warranted at any time.\n
<a class="margin-top-med block" href="http://newsok.com/breaking-email-dyna
mic" target="_blank">\n <i class="icon-external-link-sign fa fa-externa
l-link">\n </i>\n View sample\n </a>\n </div>\n
</form>\n </div>\n <div class="item" id="loadingMessage4987" st
yle="display: none; text-align: center; font-weight: bold; font-size: 12px;">\n
\n </div>\n <div class="item" id="loadedMessage4987" style="displa
y: none; text-align: center; font-weight: bold; font-size: 12px;">\n Break
ing News Newsletter has been subscribed to.\n </div>\n <div class="ite
m" id="unSubLoadedMessage4987" style="display: none; text-align: center; font-we
ight: bold; font-size: 12px;">\n You have been unsubscribed from the Break
ing News newsletter .\n </div>\n </div>\n <div class="nok-outbrain
-wide card" style="padding: 0 0 30px;">\n <div class="OUTBRAIN" data-ob-tem
plate="NewsOK" data-src="http://newsok.com/article/5544916" data-widget-id="AR_1
">\n </div>\n <div class="OUTBRAIN" data-ob-template="NewsOK" data-src
="http://newsok.com/article/5544916" data-widget-id="AR_2">\n </div>\n
<script async="async" src="http://widgets.outbrain.com/outbrain.js" type="text/
javascript">\n </script>\n </div>\n <a class="btn btn-block btn-inv
erse commentLink" data-toggle="modal" href="#commentsModal">\n <i class="ic
on-comments margin-right-med" style="margin-left: -20px;">\n </i>\n <di
v class="fb-comments-count" data-href="http://newsok.com/article/5544916" style=

```

```
"display:inline;">\n        </div>\n        Comments\n    </a>\n    </section>\n    <!--googleoff: index-->\n    <section class="rail">\n        <div id="sp_skyscrape  
r">\n            </div>\n            <!-- begin ad tag -->\n            <div class="ad txt-center " s  
tyle="color:#fff; background-color:#ccc; font-family: Arial, Helvetica, sans-ser  
if; font-size: 11px; font-weight:bold;">\n                Advertisement\n            </div>\n            <div class="adZone margin-top-none" id="div-gpt-ad-98188">\n                <script type=  
"text/javascript">\n                    googletag.cmd.push(function() { googletag.display('\d  
iv-gpt-ad-98188\'); });\n                </script>\n            </div>\n            <br/>\n            <!-- end  
ad tag -->\n            <!-- begin ad tag -->\n            <div class="adZone " id="div-gpt-a  
d-119962">\n                <script type="text/javascript">\n                    googletag.cmd.push(fun  
ction() { googletag.display('\div-gpt-ad-119962\'); });\n                </script>\n            </div>\n            <!-- end ad tag -->\n            <style>\n                .widget.collection .bg-img,  
.widget.collection .bg-img img, .widget.collection, .widget.collection .img-sid  
e-inner, .widget.collection .img-side, .widget.collection .related-item{ width:10  
0%; }\n                .widget.collection{ position:relative; display:block; border:1px #ccc sol  
id; overflow:hidden; margin-bottom:25px !important; }\n                .widget.collection .img-s  
ide{ margin-right:-4px; }\n                .widget.collection .img-side.med-region{ width:40%; }\n                .widget.collection .content-side{ width:60%; border-left:1px solid #ccc; margi  
n-right:-6px; }\n                .widget.collection .img-side, .widget.collection .content-side{  
position:relative; vertical-align:top; display:inline-block; }\n                .widget.collect  
ion{ font-family: \'Arial\', \'Helvetica\', sans-serif !important; }\n                .widget.coll  
eciton .widget-title, .widget.colleciton h6{ font-family: \'Georgia\', \'Times Ne  
w Roman\', serif !important; }\n                .widget.collection .related-item .meta{ font-we  
ight:bold !important; color:#999 !important; font-size:12px; }\n                .widget.collecti  
on a{ text-decoration:none; }\n                .widget.collection .bg-img{\n                    position:absolut  
e; top:0; left:0;z-index:0;\n                }\n                .widget.collection .bg-img img{\n                }\n                .widget.col  
lection .med-region .bg-img{\n                    max-height: 125px; overflow:hidden; }\n                .widget.coll  
ection .med-region .bg-img img{\n                    margin-top:-120px; }\n                .widget.collection .bg-img  
:after {\n                    content: \'\'';\n                    position: absolute;\n                    left: 0;\n                    top  
: 0;\n                    width: 100%;\n                    height: 100%;\n                    display: inline-block;\n                    b  
ackground: -moz-linear-gradient(top, rgba(0,0,0,0.4) 0%, rgba(0,0,0,0.65) 100%);\n                    \n                    background: -webkit-gradient(linear, left top, left bottom, color-stop(0%  
,rgba(0,0,0,0.65)), color-stop(100%,rgba(0,0,0,0.4)));\n                    \n                    background: -webkit  
-linear-gradient(top, rgba(0,0,0,0.4) 0%,rgba(0,0,0,0.65) 100%);\n                    \n                    backgroun  
d: -o-linear-gradient(top, rgba(0,0,0,0.4) 0%,rgba(0,0,0,0.65) 100%);\n                    \n                    back  
ground: -ms-linear-gradient(top, rgba(0,0,0,0.4) 0%,rgba(0,0,0,0.65) 100%);\n                    \n                    background: linear-gradient(to bottom, rgba(0,0,0,0.4) 0%,rgba(0,0,0,0.65) 100  
%);\n                    \n                    filter: progid:DXImageTransform.Microsoft.gradient( startColorstr=\'#a  
6000000\', endColorstr=\'#00000000\', GradientType=0 );\n                }\n                .widget.collection .f  
lag, .widget.collection .flag.read-more{\n                    background-color:#0099e6;\n                    col  
or:#fff;\n                    margin-left:auto; margin-right:auto;\n                    padding:5px 7px;\n                    te  
xt-align:center;\n                    text-transform: uppercase;\n                    font-weight:bold;\n                }\n                .wid  
get.collection .flag{\n                    width:160px;\n                }\n                .widget.collection .flag.read-more{\n                    display:block; width:85%; margin-top:15px; margin-bottom:15px;font-size:13px; }\n                .n\n                .widget.collection .flag :hover{ text-decoration:none; }\n                .widget.collection .  
n .flag h6{ font-size:11px; margin:0; width:inherit; }\n                .n\n                .widget.collection .  
widget-title{\n                    color:#fff;\n                    font-weight:normal;\n                    font-size:18p  
x !important;\n                    font-family: Georgia, Times,serif !important;\n                    line-h  
eight:24px;\n                    padding:15px 20px 15px;\n                    text-align: center;\n                    mar  
gin-bottom:0;\n                }\n                .n\n                .widget.collection .img-side.med-region .widget-title{ tex  
t-align: center; color:#333; padding:8px 20px 35px; }\n                .n\n                .widget.collection .  
feat-img{\n                    overflow:hidden; border-radius:50%; border: 6px solid #fff;\n                    left: 0;\n                    right: 0;\n                    margin: auto;\n                    width:140px;\n                }\n                .n\n                .widget.collection .img-side-inner{ position:relative; }\n                .n\n                .widget.collecti  
on .img-side-inner figcaption{ color:#999; width:60%; margin: 0 auto; line-heigh  
t:1 }\n                .n\n                .widget.collection .summary{ font-family: Georgia, Times, serif; font  
-style: italic; font-size:14px; padding:10px 40px 30px; margin-bottom:0; }\n                .n  
/* .widget.collection .related-item > *{ padding: 0 0 0 20px; }*/\n                .n\n                .widget.co  
llection .related-item h6{ font-family: Georgia, Times, serif; font-size:19px; f  
ont-weight:normal; margin-bottom:0; line-height:24px; }\n                .n\n                .widget.collection  
.icon-items{ display:block; width: 100%; text-align:center; }\n                .n\n                .widget.col  
lection .icon-items span{\n                    vertical-align:middle;\n                    font-family:Helve
```

vetica, sans-serif;\n font-size:14px;\n padding-right:10px;\n }\n .w
idget.collection .related-item{\n margin:20px; width:inherit; }\n .widget.coll
ection .icon-items .fa{\n font-size:18px; padding-right:2px; color:#4990E2; }\n
.widget.collection .icon-items strong{\n font-family: Helvetica, Arial, sans-ser
if; font-size:13px; color:#000; }\n .widget.collection .icon-items{\n co
lor:#000; margin-bottom:15px;\n }\n .widget.collection .content-side a{\n di
splay:block;border-bottom:1px #ccc solid !important; }\n </style>\n <div
class="widget collection">\n \n <div class="img-side">\n <div class="bg-img">\n \n \n </div>\n <div class="img-side-inner">\n <di
v class="flag" style="margin-bottom:10px;">\n <h6>\n CONTENT
COLLECTION\n </h6>\n </div>\n <h4 class="widget-title">
</h4>\n Outlook 2017\n </h4>\n <figure style="margin-bottom:
15px;">\n <div class="feat-img">\n \n \n </div>\n <figcaption>\n <small>\n </small>
</figcaption>\n </figure>\n <div class="icon-items">
<table style="width:85%;margin-left:auto; margin-right:auto;">\n <tbody>\n <tr>\n <td>\n \n <i class="fa fa-file-text-o">\n </i>\n \n 60\n \n \n </td>\n </tr>\n </tbody>\n </table>\n <p class="summary">\n With so much to report, we
made some changes this year to Outlook, The Oklahoman's annual progress report.
Instead of trying to tell the whole story in one sitting as we have in the past
, we're going to spread the good news out.\n </p>\n </div>\n </div>\n <div class="homepageStories nocontent r
obots-nocontent">\n <header>\n <img alt="NewsOK Homepage stories" src
="http://s3.amazonaws.com/content.newsok.com/newsok/images/homepageStories-heade
r.png">\n \n </header>\n <ul class="contentbox">\n \n <a href="/difficult-decisions-ahead-for-those-seeking-to-create-okl
ahoma-city-innovation-district/article/5547251?homePageWidget=1">\n <p>\n \n \n </p>\n <h6>\n Difficult decisions
ahead for those seeking to create Oklahoma City Innovation District\n </h6>\n \n \n \n <a href="/edmond-council-
denies-park-land-for-foster-children-center/article/5547418?homePageWidget=1">\n <div class="homepageStory">\n <div class="inner-content clearf
ix">\n \n \n \n \n <h6>\n Edmond council denies park land for foster children c
enter\n </h6>\n </div>\n </div>\n \n \n \n <a class="embargoed" href="http://www.oklahoman.com
/article/5547420?homePageWidget=1" rel="nofollow">\n <div class="homepag
eStory">\n <div class="inner-content clearfix">\n <span class
="pull-left">\n \n \n \n \n \n Log-in | Read for 99\n \n
</div>\n <h6>\n Spotlight on racial inequities could increase wit
h new school plan\n </h6>\n </div>\n </div>\n \n \n \n <a href="/lawmakers-seal-deal-on-1t-pla
n-government-wide-funding-bill/article/feed/1213211?homePageWidget=1">\n


```
<div class="homepageStory">\n    <span class="pull-left">\n        27, photo, Senate Minority Leader Chuck Schumer, of N.Y., speaks to...\" o\nerror=\"$ (this).addClass('hide');\" src=\"https://cdn2.newsok.biz/cache/sq75-b59\n47f549e71c9c9621c791bd8e35fe6.jpg\">\n        </img>\n        </span>\n        <h6>\n            Lawmakers seal deal on $1T plan government-wide fundin\n            g bill\n        </h6>\n    </li>\n    <li>\n        <a href=\"/offseason-questions-loom-as-presti-wraps\n-up-season/article/5547433?homePageWidget=1\">\n            <div class="homepageStor\ny">\n                <div class="inner-content clearfix">\n                    <span class="pul\nl-left">\n                        \n                        </img>\n                    </span>\n                    <h6>\n                        Offseason questions loom as Presti wraps up season\n                    </h6>\n                </div>\n            </div>\n            </a>\n        </li>\n        <li>\n            <a\nclass="more" href\n="/elephant-sculptures-make-journey-from-oklahoma-to-new-habitat/article/55\n47239?homePageWidget=1">\n                <div class="homepageStory">\n                    <div c\nlass="inner-content clearfix">\n                        <span class="pull-left">\n                            \n                            </img>\n                        </span>\n                        <h6>\n                            Elephant sculptures make\njourney from Oklahoma to new habitat\n                        </h6>\n                    </div>\n                </div>\n                </a>\n            </li>\n            <li>\n                <a class="more" href\n="/?homePageWidget=1">\n                    <h6>\n                        See more stories on NewsOK home\npage\n                    </h6>\n                </a>\n            </li>\n        </ul>\n    </div>\n    <!-- Related content -->\n    <br/>\n    <div class="nok-outbrain-list">\n        <div class="OUTBRAIN" data-ob-template="NewsOK" data-src="http://newsok.com/a\nrticle/5544916" data-widget-id="SB_1">\n            </div>\n            <script async="async\n" src="//widgets.outbrain.com/outbrain.js" type="text/javascript">\n                </scri\npt>\n            </div>\n            <style>\n                #p2w_oklahoma-city-featured-employment-ads\n_Preview{margin-left:-320px;}#p2w_header,.p2w_oklahoma-city-featured-employme\nnt-ads_Caption,#widget_container{display:none;}#widget_container{ margin:10px\n0; }#p2w_oklahoma-city-featured-employment-ads_Block{width:100% !important; padding:0;}#p2w_oklahoma\n-city-featured-employment-ads_Item a{margin-left:15px;}#p2w_oklahoma-city-featured-employment-ads_Item{\nbackground:#dfecf6;color:#333;display:block;font-family:Georgia\n,"times new roman",serif;font-size:14px;font-style:italic;line-h\neight:17px;position:relative;text-decoration:none;}#p2w_oklahoma-city-featured-employment-ads_Item\n_text-align:center;}#p2w_oklahoma-city-featured-employment-ads_Item\n_in-top-med">\n                <h3>\n                    <a class="pointer" href="http://jobsok.com">\n                        <span style="color:#fff;">\n                            FEATURED\n                        </span>\n                    </a>\n                </h3>\n            </div>\n            <div id="p2w_container">\n                <!-- Employment Ads -->\n                <script src="http://widgets.print2webcorp.com/mo\ndel/oklahomacity/featured_header_employment.js" type="text/javascript">\n                    </script>\n                <script id="p2w_oklahoma-city-featured-employment-ads" src="http\n://widgets.print2webcorp.com/widgetcontent/oklahoma-city-featured-employment-ads\n">\n                    </script>\n                <div class="seeAllAds">\n                    <a href="http://www.n\newspaper-marketplace.com/oklahoma-city-ok/browse/Employment" target="_blank">\n                        See All Ads\n                    </a>\n                </div>\n                <div class="stick-it" id="stickyRail">\n                    <!-- begin ad tag -->\n                    <div class="adZone " id="div-gpt-ad-110851">\n                        <!-- Going to call th\nis only when ad div is in view<script type='text/javascript'>ngoogetag.cmd\n.push(function() { googletag.display('div-gpt-ad-110851'); });</script>\n-->\n                    </div>\n                    <!-- end ad tag -->\n                </div>\n            </section>\n            <!--\ngoogleon:index-->\n            <div class="clear" id="unStick">\n                </div>\n            <div c\nlass="row">\n                <div class="span12">\n                    <!-- begin ad tag -->\n                    <div\nclass="adZone " id="div-gpt-ad-117423">\n                        <script type="text/javascript">\n                            n\n                            googletag.cmd.push(function() { googletag.display('div-gpt-ad-117423'\n); });</script>\n                        </div>\n                    <!-- end ad tag -->\n                </div>
```

```
</div>\n </article>\n <!--googleoff: index-->\n <section class="print-  
hide" id="articleExtra">\n <div class="container">\n <div class="row-flui  
d">\n <div class="span8">\n <div class="card" id="slideboxFeatured">\n n </div>\n <div class="card">\n <div class="row-fluid">\n <div class="span6">\n <center>\n <!-- begin ad tag -->\n <div class="adZone " id="div-gpt-ad-left-side-by-side">\n <script type="text/javascript">\n googletag.cmd.push(function() { go  
ogletag.display('\div-gpt-ad-left-side-by-side'); });\n </script>\n </div>\n <!-- end ad tag -->\n </center>\n </div>\n <div class="span6">\n <center>\n <iframe fra  
meborder="0" height="250" id="sc4ead63" name="y1bd6bae" scrolling="no" src="//x.  
wayfareinteractive.com/x/ob/?L3gvd3d3L2RlbG12ZXJ5L2Fmci5waHA/em9uZWlkPTUwNDcxJmF  
tcDthbXA7Y2I9SU5TRVJUX1JBTKRPTV90VU1CRVJfSEVSRQ==" width="300">\n </if  
rame>\n </center>\n </div>\n </div>\n </div>\n <div class="span4">\n <div class="nok-outbrain-list card"  
style="padding: 20px 20px 0;">\n <div class="OUTBRAIN" data-ob-template="  
NewsOK" data-src="http://newsok.com/article/5544916" data-widget-id="HOP_2">\n </div>\n <script async="async" src="//widgets.outbrain.com/outbrain  
.js" type="text/javascript">\n </script>\n </div>\n </div>\n <div class="row-fluid">\n <div id="scrollingArticles">\n </div>\n </div>\n </div>\n </section>\n <!--googleon: index-->\n <!-- Leaderboard -->\n <div class="container leaderboard leaderboard_2" role=  
"main">\n <center>\n <!-- begin ad tag -->\n <div class="adZone " id=  
"div-gpt-ad-119007">\n <script type="text/javascript">\n googletag.cm  
d.push(function() { googletag.display('\div-gpt-ad-119007'); });\n </scrip  
t>\n </div>\n <!-- end ad tag -->\n </center>\n </div>\n <!--goog  
leoff: index-->\n <!--googleoff: all-->\n <nav aria-hidden="true" class="noc  
ontent robots-nocontent" id="articleBar">\n <nav>\n <a class="list-nav pr  
ev" data-direction="left" href="javascript:void(0)" style="display:none;">\n <i class="icon-caret-left">\n </i>\n </a>\n <a class="list-nav ne  
xt" data-direction="right" href="javascript:void(0)">\n <i class="icon-care  
t-right">\n </i>\n </a>\n </nav>\n <ul class="unstyled">\n <!-- Leaderboard -->\n <li class="ad hide-mini">\n <!-- begin ad tag -->\n <div class="adZone " id="div-gpt-ad-99443">\n <script type="text/ja  
vascript">\n googletag.cmd.push(function() { googletag.display('\div-gpt-  
ad-99443'); });\n </script>\n </div>\n <!-- end ad tag -->\n </div>\n <div id="sp_leaderboard">\n </div>\n </li>\n </ul>\n </nav>\n <script type="text/javascript">\n $(document).ready(function(){\n (func  
tion() {\n html_first = "";\n html_rest = "";\n htm  
l_first += '<li class="article-link no-img"><a href="/afghan-official-3-civilia  
ns-killed-in-militant-gun-battles/article/feed/1213429?articleBar=1" title="Afgh  
an official: 3 civilians killed in militant gun battles" rel="link"><span>Afghan  
official: 3 civilians killed in militant gun battles</span></a></li>';\n html_rest += '<li class="article-link"><a href="/2-muslim-men-killed-  
by-mob-over-cow-theft-charges-in-india/article/feed/1213353?articleBar=1" title=  
"2 Muslim men killed by mob over cow theft charges in India" rel="link"><span>2 Muslim men killed by mob over cow theft charges in India</span></a>  
</li>';\n html_rest += '<li class="article-link"><a href="/iran  
-acknowledges-discussing-detained-dual-nationals-with-us/article/feed/1213390?ar  
ticleBar=1" title="Iran acknowledges discussing detained dual nationals with US"  
rel="link"><span>Iran acknowledges discussing detained dual nati  
onals with US</span></a></li>';\n html_rest += '<li class="arti  
cle-link"><a href="/the-latest-moscow-marches-invoke-soviet-era-nostalgia/articl  
e/feed/1213456?articleBar=1" title="The Latest: Moscow marches invoke Soviet-era  
nostalgia" rel="link"><span>The Latest: Moscow marches invoke Soviet-e  
ra nostalgia</span></a></li>';\n
```

le-link">On Memorial Day, Netanyahu tells Abbas: Stop funding killers\';\n

html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'- html_rest += \'

```

cleBar=1" title="Nichols Hills to hold public hearings on annexation matters" re
l="link"><span>Nichols Hills to hold public hearings on annexation matters</span
></a></li>\';\n
html_rest += \'<li class="article-link"><a href="
/edmond-council-denies-park-land-for-foster-children-center/article/5547418?arti
cleBar=1" title="Edmond council denies park land for foster children center" rel
="link"><span>Edmond council denies park land for foster children c
enter</span></a></li>\';\n
html_rest += \'<li class="article-link
"><a href="/woman-says-note-from-chinese-prisoner-was-hidden-in-new-purse/articl
e/5547439?articleBar=1" title="Woman says note from Chinese &#039;prisoner&#039;
was hidden in new purse" rel="link"><span>Woman says no
te from Chinese \\'prisoner\\\' was hidden in new purse</span></a></li>\';\n
html_rest += \'<li class="article-link"><a href="/water-safety-even
t-pairs-fun-with-life-saving-lessons/article/5547435?articleBar=1" title="Water
safety event pairs fun with life-saving lessons" rel="link"><img class="thumb" s
rc="https://cdn2.newsok.biz/cache/sq75-22315684ec9a0ea056d6880105f6f3bc.jpg" wid
th="75" alt="Water safety event has fun, life-saving lessons"><span>Water safety
event pairs fun with life-saving lessons</span></a></li>\';\n
$("#articleBar ul").prepend(html_first);\n
$("#articleBar ul").append(htm
l_rest);\n\n
var slider = $('#articleBar ul');\n
var sliderNav =
$('#articleBar nav');\n
var currentSlide = 0;\n
var viewportWidt
h;\n
var sliderWidth;\n
var totalSlides = slider.children('li').
length-1;\n
var prevLink = $('#articleBar .list-nav.prev');\n
var
r nextLink = $('#articleBar .list-nav.next');\n
var scrollTo;\n\n
// Find the left offset of each slide\n
slider.children('li').each(fu
nction() {\n
var left = $(this).position().left\n
$(this).
attr('data-left', left);\n
});\n\n
// Initialize slider\n
function initSlider() {\n
viewportWidth = $('#articleBar').outerWid
th();\n
if (document.getElementById("article-alert-banner") !== null)
{\n
featuredHeight = 50;\n
} else {\n
featuredHeight = 0;\n
}\n
setTimeout(function() {\n
document.getElementById('articleBar').style.top = (40 + document.getE
lementById('div-gpt-ad-superleaderboard').clientHeight + featuredHeight) + "px
";\n
}, 1000);\n
sliderWidth = slider[0].scrollWidth;\n
getSliderNav();\n
}\n\n
// Initialize the slider nav\n
function getSliderNav(click) {\n
var lastSlide = slider.childr
en('li').last();\n
var slidesWidth = parseInt(lastSlide.attr('data
-left')) + parseInt(lastSlide.outerWidth());\n
if ( slidesWidth < vi
ewportWidth ) {\n
sliderNav.hide();\n
} else {\n
sliderNav.show();\n
}\n\n
// show/hide the butto
ns\n
if (click == true) {\n
if ( scrollTo == 0 ) {\n
prevLink.hide();\n
} else {\n
prevLink.show();\n
}\n\n
if ( sliderWidth-scroll
To < viewportWidth ) {\n
nextLink.hide();\n
} else {\n
nextLink.show();\n
}\n\n
// Slide it\n
function slideArticles(direction) {\n
if ( direction == 'right' && (currentSlide < totalSlides) ) {\n
currentSlide+=2; // Increment value of currentSlide\n
} e
lse if ( direction == 'left' && currentSlide > 0 ) {\n
currentS
lide-=2; // Decrement value of currentSlide\n
}\n\n
var ne
wSlide = slider.children('li:eq('+currentSlide+')'); // The slide to scroll
to\n
newSlide.addClass('active').siblings('li').removeClass('act
ive');\n
scrollTo = newSlide.attr('data-left'); // The position.le
ft value of this slide (the # of px we're going to scroll)\n\n
// Sc
roll to the new slide\n
slider.stop().animate({\n
scrollLeft: scrollTo\n
}, 300);\n\n
getSliderNav(true);\n\n
}\n\n
// Handle slider nav clicks\n
$('#articleBar .list-nav
').on('click', function() {\n
var direction = $(this).attr('data-
direction');\n
slideArticles(direction);\n
});\n\n
//

```

```

Initialze the slider on load and window resize\n        initSlider();\n\n    var resizeTimer;\n        $(window).resize(function() {\n            clearTimeout(resizeTimer);\n            resizeTimer = setTimeout(initSlider, 500);\n        });\n\n    });\n\n    </script>\n    <!--googleon: all-->\n    <!--go ogleon: index-->\n    <footer class="container container-wide page-footer nocont nt robots-nocontent">\n        <div class="row-fluid">\n            <div class="span12 tiny -links">\n                <small>\n                    <ul class="inline margin-top-med">\n                        <li class="margin-left-sm">\n                            <a href="/rss/home">\n                                <i class="icon -rss">\n                                    </i>\n                                </a>\n                                </li>\n                                <li>\n                                    <a href="/subscribe">\n                                        Subscribe\n                                    </a>\n                                </li>\n                                <li>\n                                    <a href="/home/staff">\n                                        Contact Us\n                                    </a>\n                                </li>\n                                <li>\n                                    <a href="/home/support">\n                                        Support\n                                    </a>\n                                </li>\n                                <li>\n                                    <a href="/privacypolicy">\n                                        Privacy Policy\n                                    </a>\n                                </li>\n                                <li>\n                                    <a href="/termsofuse">\n                                        Terms of Use\n                                    </a>\n                                </li>\n                                <li>\n                                    <a href="/privacypolicy/#aboutourads">\n                                        About Our Ad s\n                                    </a>\n                                </li>\n                                <li>\n                                    <a href="http://www.theo mc.com/">\n                                        Advertise With Us\n                                    </a>\n                                </li>\n                                <li>\n                                    \xc2\xa9 2017 Produced by NewsOK.com\n                                </li>\n                            </ul>\n                        </small>\n                    </div>\n                </div>\n            </footer>\n        </div>\n    <!-- / pg-wra pper -->\n    <div id="slidebox" style="z-index:60000;">\n        </div>\n        <script src="//cdnjs.cloudflare.com/ajax/libs/bowser/1.0.0/bowser.min.js">\n        </script>\n        <script src="/media/js/desktop-notifications.js?v=1.1">\n        </script>\n        <script s rc="//cdn2.newsok.biz/scripts.php?ver=1.40">\n        </script>\n        <script>\n            if($(\n                '#subNav\').length != 0) {\n                offsetpos = document.getElementById(\n                    '\n                subNav\').offsetTop;\n                $(\n                    '#subNav\').affix({ offset: offsetpos\n                });\n                $(\n                    '#backgroundAd\').affix({ offset: offsetpos\n                });\n            }\n        </script>\n        <!-- LIQWID ADS -->\n        <script type="text/javascript">\n            (function() { var s=document.createElement('script'); s.type='text/javascr ipt'; s.async=true; s.src='/www.liqwid.net/?key=6B72-2F48-5BF9-6D25';var x=d ocument.getElementsByTagName('script')[0];x.parentNode.insertBefore(s,x); })()\n        </script>\n        <!-- END OF LIQWID ADS -->\n        <script>\n            var hideSub;\n            var showSub;\n            var thisSub = "";\n            var mouseover = false;\n\n            n)\n            {\n                $(\n                    '\n                .openSubNav\').mouseenter(function(){\n                    mouseover = true;\n                }).mouseleave(function(){\n                    mouseover = false;\n                });\n\n                if\n                ($(\n                    '\n                .subSubnavWrapper\').css('height') == '65px') {\n                    $(\n                        '\n                    subSubnav\').hide();\n                    this.id).show();\n                } else {\n                    set\n                    Timeout(function () {\n                        if\n                        (mouseover == true) {\n                            $(\n                                '\n                            subSubnav\').hide();\n                            $(\n                                '\n                            subSubnavWrapper\').css('height','65px');\n                            $(\n                                '\n                            #subSubnav_'+navId).show();\n                            }, 500);\n                            set\n                            Timeout("$(\n                                '\n                            subS ubnavWrapper\').css('overflow','visible');", 1500);\n                        }\n                    });\n\n                    $(\n                        '\n                    #subNav\').bind("mousele ave",function() {\n                        hideSub=setTimeout("hideSubNav()", 1000);\n                        showSub=setTimeout("$(\n                            '\n                        #subSubnav_'+thisSub).sho w()", 1000);\n                    });\n\n                    $(\n                        '\n                    #subNav\').bind("mouseenter",function() {\n                        clear\n                        Timeout(hideSub);\n                        clear\n                        Timeout(showSub);\n                    });\n\n                    // search box\n                    var searchImg = $(\n                        '\n                    .search-icon img\n                    ').attr('src');\n\n                    $(\n                        '\n                    .search-icon\').click(function(e) {\n                        e.preventDefault();\n                        if\n                        ($(this).find('img').attr('src') == searchImg) {\n                            $(thi s).toggleClass('active').find('img').attr('src','//s3.amazonaws.com/cont ent.newsok.com/newsok/refactor/icon_search_close.png').parent().next().toggleCl ass('hide');\n                        } else {\n                            $( this).toggleClass('active').find('img').attr('src',searchImg).parent().ne

```

```

xt().toggleClass('hide');\n
n\n
function hideSubNav() {\n
if(document.getElementById('subSubnav_'+thisSub) == null) {\n
$($('.subSubnavWrapper').css('overflow', 'hidden'));\n
$($('#mainBody').removeClass('subnav'));\n
$($('.subSubnavWrapper').css('height', '0px'));\n
}\n
if (document.getElementById('subSubnav_'+thisSub)\n
!= null) {\n
$($('.subSubnavWrapper').css('height', '0px'));\n
$($('.subSubnavWrapper').css('height', '65px'));\n
$($('#subSubnav_'+thisSub).css('height', '65px'));\n
$($('#mainBody').addClass('subnav'));\n
}\n
</script>\n
<script type="text/javascript">\n
//console.log("Social bar code loaded!");\n
$(document).ready(function() {\n
// Social shares talley\n
url = "http://newsok.com/article/5544916";\n
var sharesCount = $($('.shares-count .total'));\n
var gotFB = false;\n
var gotTwitter = false;\n
var fbCommentsCount = 0;\n
$.getScript('//connect.facebook.net/en_US/sdk.js', function(){\n
FB.init({\n
appId : '211740625534903',\n
xfbml : false,\n
version : 'v2.7'\n}); // FB init\n
//console.log("FB Init did complete");\n
FB.api('211740625534903|ceaLMxOpwxmfkc6shWmpmBx5WU0',\n
{\n
access_token: "211740625534903|ceaLMxOpwxmfkc6shWmpmBx5WU0",\n
fields : "id,share{comment_count},og_object{engagement{count}}",\n
function(data) {\n
//console.log(data);\n
var currentCount =\n
parseInt(sharesCount.text());\n
if (typeof data.og_object === 'undefined') {\n
var fbCount = 0;\n
} else {\n
var fbCount = data.og_object.engagement.count;\n
fbCommentsCount = data.share.comment_count;\n
//console.log("FB Comments Count " + fbCommentsCount);\n
gotFB = true;\n
sharesCount.text(currentCount + fbCount);\n
$($('.fb-comments-count')).html(fbCommentsCount);\n
showShareCount();\n
}\n
function showShareCount() {\n
var currentCount =\n
parseInt(sharesCount.text());\n
var formattedCount = getRepString(currentCount);\n
if(formattedCount == 1) {\n
$($('.count-label').text('share'));\n
}\n
sharesCount.text(formattedCount).css('visibility', 'visible');\n
}\n
function getRepString(rep) {\n
rep = rep+'';\n
// coerce to string\n
if (rep < 1000) {\n
// return the same number\n
return rep;\n
}\n
// divide and format\n
return (rep/1000).toFixed(rep % 1000 != 0)+'k';\n
}\n
});\n
</script>\n
<script>\n
$($('.fb-share').click(function() {\n
FB.ui({\n
method: 'share',\n
//display" must be one of "popup", "dialog", "iframe", "touch", "async", "hidden", or "none"\n
display: 'iframe',\n
href: 'http://newsok.com/article/5544916' + '%3Futm_source=NewsOK.com%26utm_medium=Social%26utm_campaign=ShareBar-Facebook',\n
picture: 'https://cdn2.newsok.biz/cache/lead630-8ce76718ef3e541ce4b66aca3bad24c2.jpg',\n
title: 'Once poor-performing schools are making the grades',\n
link: 'http://newsok.com/article/5544916',\n
caption: 'NewsOK.com',\n
description: 'APR 30, 2017 - Hilldale Elementary School and Stanley Hupfeld Academy in the Oklahoma City area have seen great turnarounds. "This is a great time to celebrate what has happened here, but we\'re not done."'});\n
});\n
</script>\n
<script>\n
$(document).ready(function(){\n
var commentCode = '<div class="fb-comments" data-href="http://newsok.com/article/5544916" data-numposts="15" data-width="698"></div>';\n
var commentContainer = $($('#commentContainer'));\n
function toggleComments() {\n
if ($($('#commentTitleText')).html() == "Hide Comments") {\n
$($('#commentTitleText')).html('Show Comments');\n
commentContainer.html(commentCode);\n
}\n
else {\n
$($('#commentTitleText')).html('Hide Comments');\n
commentContainer.html(FB.XFBML.parse(document.getElementById('commentContainer')));\n
}\n
var ord = window.ord || Math.floor(Math.random() * 1e16);\n
googletag.cmd.push(function() {\n
ga('send', 'pageview');\n
$($('.commentLink')).click(function() {\n

```

```

on() {\n                                toggleComments();\n                                });\n                                if(windo
w.location.hash == \'#commentLink\') {\n                                $(\'#commentsModal\').mo
dal(\'show\')\n                                toggleComments();\n                                }\n                                $(\'body\').addCl
\'#commentsModal\').on(\'show\', function () {\n                                $(\'#commentsModal\').on(\'hid
ass(\'modal-open\');\n                                })\n                                $(\'body\').removeClass(\'modal-open\');\n
e\', function () {\n                                $(\'body\').removeClass(\'modal-open\');\n
})\n\n                                });\n                                </script>\n                                <div class="modal hide fade" id="com
mentsModal">\n                                <div class="modal-header">\n                                <button aria-hidden="true" clas
s="close" data-dismiss="modal" type="button">\n                                \xc3\x97\n                                </button>\n
<h4>\n                                Comments\n                                </h4>\n                                </div>\n                                <div class="modal-body" style="-w
ebkit-overflow-scrolling: touch;">\n                                <div id="commentsAd" style="text-align:
center; margin: -15px 0 0 -15px;">\n                                </div>\n                                <div id="commentContainer">\n
</div>\n                                </div>\n                                <div class="modal-footer">\n                                <button aria-hidden="
true" class="btn" data-dismiss="modal">\n                                Close\n                                </button>\n                                </div>\n
</div>\n                                <style>\n                                .cmBlk {\n                                background: url("//s3.amazonaws.com/content.n
ewsok.com/newsok/refactor/comment_bg2.png") repeat-x scroll 0 0 transparent;\n
border-right: 1px solid #CCCCC;\n                                color: #333;\n                                cursor: pointer;\n                                font-siz
e: 16px;\n                                font-family: Georgia, serif;\n                                height: 40px;\n                                line-height: 40px;\n
overflow: hidden;\n                                margin-bottom: 20px;\n                                }\n                                .cmBlk .redCount {\n                                background
: url("//s3.amazonaws.com/content.newsok.com/newsok/refactor/comment_bg.png") no
-repeat scroll right top #0099e6;\n                                display: block;\n                                float: left;\n                                font-fam
ily: Arial, helvetica, sans-serif;\n                                font-weight: bold;\n                                height: 40px;\n                                lin
e-height: 44px;\n                                margin-right: 20px;\n                                padding: 0 30px 0 20px;\n                                }\n                                .cmBlk div
{\n                                float: left;\n                                height: 40px;\n                                line-height: 44px;\n                                }\n                                .cmBlk .cmInput {\n
border-left: 1px solid #CCCCC;\n                                float: right;\n                                font-size: 11px;\n                                font-
weight: normal;\n                                height: 29px;\n                                line-height: 35px;\n                                padding: 0 18px;\n                                ma
rgin-top: 5px;\n                                font-family: helvetica, sans-serif;\n                                }\n                                .redCount a {\n                                color
: #FFFFFF;\n                                font-size: 16px;\n                                height: 40px;\n                                line-height: 44px;\n                                text-de
coration: none;\n                                text-shadow: none;\n                                }\n                                /*.pg-wrapper{ z-index:initial; }*/\n
</style>\n                                <script src="https://www.google.com/recaptcha/api.js">\n                                </script>
\n                                <script>\n                                var jsonURL = "http://api.connectok.com/json/";\n                                function loadJ
SON(url, queryString, type)\n                                {\n                                var headId = document.getElementsByTagName
me("head")[0];\n                                if (typeof(type) == "undefined") type = \'script\';\n                                \n
url += (url.indexOf(\'?\') >= 0) ? "&" : "?";\n                                url += "noCacheIE="
+ (new Date()).getTime() + "&" + queryString;\n                                \n                                if (type == \'link\')
{\n                                var link = document.createElement(\'link\');\n                                link.r
el = \'alternate\';\n                                link.type = \'application/rss+xml\';\n
link.href = url;\n                                } else {\n                                var link = document.createElement
(\'script\');\n                                link.type = \'text/javascript\';\n                                lin
k.src = url;\n                                }\n                                headId.appendChild(link);\n                                }\n                                function emailThi
s(url){\n                                to = "";\n                                if (document.getElementById(\'emailThisTo\').value) {\n
\n                                to = document.getElementById(\'emailThisTo\').value;\n                                }\n                                i
f (document.getElementById(\'emailThisTo_2\').value) {\n                                to += "," +
document.getElementById(\'emailThisTo_2\').value;\n                                }\n                                if (document.getEl
ementById(\'emailThisTo_3\').value) {\n                                to += "," + document.getEleme
ntById(\'emailThisTo_3\').value;\n                                }\n                                if (document.getElementById(\'email
ThisTo_4\').value) {\n                                to += "," + document.getElementById(\'emailThi
sTo_4\').value;\n                                }\n                                if (document.getElementById(\'emailThisTo_5\').value
) {\n                                to += "," + document.getElementById(\'emailThisTo_5\').value;\n
}\n                                if (jQuery(\'#emailmetoo\').attr(\'checked\')) {\n                                if (to == "
") {\n                                to += document.getElementById(\'emailThisFrom\').value;\n
}\n                                } else {\n                                to += "," + document.getElementById(\'emailThis
From\').value;\n                                }\n                                }\n                                from = document.getElementById(
\'emailThisFrom\').value;\n                                name = document.getElementById(\'email
ThisFromName\').value;\n                                msg = document.getElementById(\'emailThi
sMsg\').value;\n                                subject = document.getElementById(\'emailSubject\').
value;\n                                moduleid = document.getElementById(\'moduleId\').value;\n
moduletypeid = document.getElementById(\'moduleTypeId\').value;\n                                recaptch
a_response_field = document.getElementById(\'g-recaptcha-response\').value;\n
\n                                if (to == "" || from == "") {\n                                alert("Make sure you provide your em
ail address and at least one email address of a friend");\n                                return false;
\n                                }\n                                }\n                                qString = "callback=emailSent&method=EmailThis.Send&name="+name+"

```



```
&recaptcha_response_field="+recaptcha_response_field+"&moduleId="+moduleid+"&mod
uleTypeId="+moduletypeid+"&subject="+encodeURIComponent(subject)+"&to="+encodeURIComponent(to)+"&f
rom="+encodeURIComponent(from)+"&msg="+encodeURIComponent(msg)+"&url="+encodeURIComponent(url);\n    loadJS
ON(jsonURL, qString, \'script\');\n}\nfunction emailSent(data)\n{\n    if(data.s
uccess == 1){\n        $(\'#emailModal\').modal(\'hide\');\n        alert("Email
sent. Thank you.");\n        document.getElementById(\'emailThisSuccess\').styl
e.display = "block";\n        document.getElementById(\'emailThisResponse\').sty
le.display = "none";\n    }else{\n        document.getElementById(\'emailThisSuc
cess\').style.display = "none";\n        document.getElementById(\'emailThisResp
onse\').style.display = "block";\n        document.getElementById(\'emailThisRes
ponse\').innerHTML = data.result.message;\n        if (data.result.message == "S
orry, incorrect verification text entered please try another recaptcha challenge
.") {\n            /*Recaptcha.reload();*\n        }\n    }\n}\n</script>\n
<div class="modal hide fade" id="emailModal">\n    <div class="modal-header">\n
        <button aria-hidden="true" class="close" data-dismiss="modal" type="button">\n
            \xc3\x97\n        </button>\n        <h3 id="myModalLabel">\n            Email article\n
        </h3>\n    </div>\n    <div class="modal-body">\n        <div class="alert alert-inf
o hide" id="emailThisResponse">\n        </div>\n        <div class="alert alert-success
hide" id="emailThisSuccess">\n            <strong>\n                &check; Email Sent.\n
            </strong>\n            Thanks for sharing!\n        </div>\n        <form class="container-fl
uid margin-bottom-none padding-all-none form" id="formContainer">\n            <input i
d="moduleId" type="hidden" value="5544916"/>\n            <input id="moduleTypeId" type
="hidden" value="1"/>\n            <div class="row-fluid">\n                <div class="span6 col
-md-6">\n                    <label for="emailThisFromName">\n                        <strong>\n                            Your
Name\n                        </strong>\n                    </label>\n                    <input class="input-block-level" id="emailThisFromName" type="text" value="">\n                    </input>\n                </div>\n                <div class="span6 col-md-6">\n                    <label for="emailThisFrom">\n                        <strong>\n                            Your Email Address\n                        </strong>\n                    </label>\n                    <input class="input-block-level" id="emailThisFrom" type="email" value="">\n                    </input>\n                </div>\n            </div>\n            <div class="span12 col-md-12">\n                <label for="emailThisTo">\n                    <strong>\n                        Send to\n                    </strong>\n                </label>\n                <input class="input-block-level" id="emailThisTo" type="email">\n                </input>\n            </div>\n            <a href="#" onclick="$(this).hide().nextAll(\'row-fluid.hide\').show(); return false;">\n                <small>\n                    <i class="icon-plus-sign">\n                        </i>\n                    Add more recipients\n                </small>\n            </a>\n            <div class="row-fluid hide">\n                <div class="span6 col-md-6">\n                    <input class="input-block-level" id="emailThisTo_2" type="email">\n                    </input>\n                </div>\n                <div class="span6 col-md-6">\n                    <input class="input-block-level" id="emailThisTo_3" type="email">\n                    </input>\n                </div>\n            </div>\n            <div class="row-fluid hide">\n                <div class="span6 col-md-6">\n                    <input class="input-block-level" id="emailThisTo_4" type="email">\n                    </input>\n                </div>\n                <div class="span6 col-md-6">\n                    <input class="input-block-level" id="emailThisTo_5" type="email">\n                    </input>\n                </div>\n            </div>\n            <div class="divider-line">\n            </div>\n            <div class="row-fluid">\n                <div class="span12 col-md-12">\n                    <label for="emailSubject">\n                        <strong>\n                            Subject\n                        </strong>\n                    </label>\n                    <input class="input-block-level" id="emailSubject" type="text" value="Shared from News0
K.com: Once poor-performing schools are making the grades">\n                    </input>\n                </div>\n            </div>\n            <div class="row-fluid">\n                <div class="span12 col-md-12">\n                    <div style="width: 190px; float: left;">\n                        <label for="emailThisMsg">\n                            <strong>\n                                Personal Message\n                            </strong>\n                        </label>\n                        <textarea class="input-block-level" id="emailThisMsg" rows="6"></textarea>\n                        </div>\n                        <div style="width: 318px; float
: right;">\n                            <label>\n                                <strong>\n                                    Verify\n                                </strong>\n                            </label>\n                            <div class="g-recaptcha" data-sitekey="6LfFvAATA
AAAAOr7N_SYW2n8pHgYQUKMjUyeuPHs">\n                            </div>\n                        </div>\n                    </div>\n                </div>\n            </div>\n            <div class="modal-footer clearfix" id="f
ooterA">\n                <label class="pull-left">\n                    You will receive a copy of the ema
il.\n                </label>\n                <button class="btn btn-primary" onclick="emailThis(locati
on.href);">\n                    Send Email\n                </button>\n            </div>\n            <div class="modal-foo
ter hide" id="footerB">\n                <button class="btn btn-primary" data-dismiss="modal
```

```

">\n    Close\n    </button>\n    </div>\n    </div>\n    <script type="text/javascript">\n    ipt">\n    $(document).ready(function() {\n    $.ajax("/tracking.php?module_id=5544916&module_type_id=1");\n    });\n\n    // Slideout\n    var tracked = false;\n    se;\n    var slidebox_closed = false;\n    (function ($) {\n    if ($("#slidebox").html() != undefined) {\n    jQuery.fn.slidebox = function() {\n    var slidebox = this;\n    var originalPosition = slidebox.css('right');\n    var open = false;\n    boxAnimations = {\n    open: function() {\n    if (slidebox_closed == false) {\n    slidebox.animate({\n    'right': '\0px',\n    'bottom': '\42px',\n    }, 300);\n    },\n    close: function() {\n    slidebox.stop(true).animate({\n    'right': originalPosition\n    }, 100);\n    },\n    });\n    $(window).scroll(function() {\n    var distanceTop = $('#last').offset().top - $(window).height();\n    if ($(window).scrollTop() > distanceTop) {\n    if (!open) {\n    open = true;\n    boxAnimations.open();\n    if (tracked == false) {\n    tracked = true;\n    boxAnimations.close();\n    } else {\n    open = false;\n    } }\n    $('#slidebox').slidebox();\n    });\n    })(jQuery);\n\n    // Don't do this on open body articles ($layout = 1)\n    /*-----\n    -----\n    Insert related content into the article body\n    -----*/\n    (function() {\n    var insertionPoint = 3;\n    var rels = $('#.relatedItems').find('.rel-item');\n    var totalParagraphs = $('#.body > p').length;\n    var lastInsertionPoint = totalParagraphs-1; // Don't insert any rels after this point\n    $.each(rels, function(i){\n    if (insertionPoint < lastInsertionPoint) {\n    $.each($(this).find('a'), function() {\n    $(this).attr('href', $(this).attr('href') + '?embeddedLinkType=' + $(this).attr('data-type')); // Add a parameter for tracking\n    });\n    var item = $(this).clone();\n    if (item.hasClass('no-clone')) {\n    var item = $(this);\n    item.insertAfter($('#.body > p').eq(insertionPoint)).addClass('inline');\n    insertionPoint += 5; // Update insertion point\n    });\n    relsCleanup(); // Run this function to remove any orphaned elements left behind after moving related items into the article body\n    });\n    /*-----\n    -----\n    Clean up the related content in the right rail\n    -----*/\n    function relsCleanup() {\n    $('#.relatedItems').children('[class^="rel-"]').each(function() {\n    var kids = $(this).children().length;\n    if (kids <= 1) {\n    $(this).remove(); // If only a heading is left behind, remove the div from the DOM\n    });\n    if ($('#.relatedItems').children().length < 1) {\n    $('#.relatedItems').remove(); // If the relatedItems element is empty, remove it from the DOM\n    }\n    }\n    /*-----\n    -----\n    Sticky elements\n    -----*/\n    var gutHeight;\n    var railHeight\n    function getColHeights() {\n    gutHeight = $('#section.gut').outerHeight();\n    railHeight = $('#section.rail').outerHeight();\n    }\n    getColHeights();\n    setTimeout(function() {\n    $('#.stick-it').each(function() {\n    getColHeights();\n    var offset = Math.round($(this).offset().top); // Get the Y offset of each element with the class '.stick-it'\n    var offsetBtm = offset + $(this).outerHeight(); // Get the Y offset + height of each element with the class '.stick-it'\n    if (offsetBtm > gutHeight) {\n    $(this).removeClass('stick-it'); // Don't make this element sticky if it's lower on the page than the end of the article\n    } else {\n    $(this).attr('data-offset', offset);\n    }\n    });\n    }, 5000);\n    var makeSticky = throttleIt(function() {\n    var y = $(window).scrollTop();\n    var buffer = y + 113; // 113px is what the top position will be set at when the element is stuck\n    var unStick = Math.round($('#unStick').offset().top);\n    $('#.stick-it').each(function() {\n    var startStick = $(this).attr('data-offset');\n    var endStick = unStick - $(this).outerHeight();\n    if (buffer >= startStick && (buffer <

```

```

= endStick) ) {\n                                $(this).addClass('sticky').removeClass('btm\
'); // Stick it to the top\n                                } else if( buffer >= endStick) {\n
                                $(this).removeClass('sticky').addClass('btm'); // Stick it to the
bottom\n                                } else {\n                                $(this).removeCla
ss('sticky').removeClass('btm'); // Don't stick it anywhere\n                                }\n
n                                });\n\n                                // Minimize the article carousel\n                                setTimeout(fun
ction(){\n                                if( y > 150 + document.getElementById("div-gpt-ad-superlea
derboard").clientHeight) {\n                                $(\'.body\').addClass('scrolled');\n
n                                $.each($(\`#articleBar ul li a\`), function() { $(this).attr("h
ref", $(this).attr("href").replace("articleBar=1", "articleBar=0")) });\n
                                } else {\n                                $(\'.body\').removeClass('scrolled');\n
n                                $.each($(\`#articleBar ul li a\`), function() { $(this).attr("href", $(th
is).attr("href").replace("articleBar=0", "articleBar=1")) });\n
                                }, 100);\n                                }, 60);\n\n                                // Fire makeSticky() on page load & scroll\n
window.addEventListener('load', makeSticky);\n                                window.addEventListener('
scroll', makeSticky);\n\n                                /*-----\n
-----\n                                Clean up WYSIWYG leftovers\n                                -----*/\n
                                $(\'.body p\').each(function(){\n                                if($(this).h
tml() == '&nbsp;') {\n                                $(this).addClass('empty');\n
                                }\n
                                });\n\n                                // Don't do this on brandInsight articles\n
                                /*-----\n
-----\n                                Sticky rail ads - moved from the reg
ions admin article page\n                                -----*/\n
                                -*/\n                                setTimeout(function(){\n                                loadStickyAds();\n
                                }, 4000);\n\n                                function loadStickyAds() {\n                                // Cache selectors outside callback for perf
ormance.\n                                var $window = $(window),\n                                $stickyEl = $(\`#stickyRail\
\`),\n                                elTop = $stickyEl.offset().top,\n                                // $stickyDFPEL = $(\`#stic
kyAdSense\`),\n                                $stickyDFPEL = $(\`#div-gpt-ad-110851\`),\n                                elDFPT
op = $stickyDFPEL.offset().top,\n                                adSeen = false,\n                                adDFPSeen = fa
lse;\n\n                                if (railHeight > gutHeight) {\n                                $(\`#
delayedInsertCode\`).html('<ins class="adsbygoogle" style="display:inline-block
;width:580px;height:400px" data-ad-client="ca-pub-4300018732222327" data-ad-slot
="8794378146"></ins>');\n                                $stickyEl.appendTo(\`.gut\').addClass('wi
de2').removeClass('stick-it');\n                                elTop = $stickyEl.offset().top;\n
                                elDFPTop = $stickyDFPEL.offset().top;\n
                                }\n\n                                $window.scroll(function() {\n                                if ($window.scrollTop() + $(window).hei
ght() > elTop && adSeen == false) {\n                                $stickyEl.addClass('show'
);\n                                ga('send', 'event', 'Floating Ad', 'Visible', docume
nt.title);\n                                // (adsbygoogle = window.adsbygoogle || []).push({});\n
                                \n                                googletag.cmd.push(function() { googletag.display('div-gpt-ad
-110851'); });\n                                adSeen = true;\n
                                }\n\n                                });\n\n                                }*\n
                                }\n\n                                Sc
rolling Articles\n                                -----*/\n
                                var complete = "no";\n                                var loading = "no";\n                                var slide_complete = "no";\n
n                                var slide_loading = "no";\n                                var articleSection = 'news';\n                                (functio
n ($) {\n                                if ($("#scrollingArticles").html() == "" && articleSection != "")\n
                                {\n                                jQuery.fn.scrollbox = function() {\n                                var scrollbox = this;\n
                                var scroll_open = false;\n                                $(window).scroll(function() {\n
                                var distanceTop = $(\`#last\`).offset().top - $(window).height();\n                                if
                                ($ (window).scrollTop() > distanceTop) {\n                                if ($(\`#scrollingArticles\
\`).html() == "" && complete == "no" && loading == "no") {\n                                loading
                                = "yes";\n                                request = $.ajax({\n                                url: "/scrolling-list?
section=" + articleSection\n                                }).done(function( html ) {\n
                                complete = "yes";\n                                $(\`#scrollingArticles\`).html(html);\n
                                $(\`#scrollingArticlesList\`).show();\n                                $(\`#scrolling
ArticlesHeader\`).fadeIn();\n                                PostRelease.Start();\n
                                });\n                                }\n                                if ($(\`#slidebox\`).html() == "" && slide_comple
te == "no" && slide_loading == "no") {\n                                slide_loading = "yes";\n
                                slideboxRequest = $.ajax({\n                                url: "/article-slideout/
5544916?slideout=1"\n                                }).done(function( data ) {\n                                s
lide_complete = "yes";\n                                data = JSON.parse(data);\n
                                if (data.article.module_type_id == 50) {\n                                feed = "/feed";\n
                                } else {\n                                feed = "";
                                }\n
                                }

```

```

        if (!data.article.lead_photo_hash) {\n
o-img\';\n        } else {\n            imgClass = \'\'\';\n
        }\n        html = \'<a href="javascript:void(0);" onclick="boxA
animations.close();slidebox_closed=true;" class="close">\xc3\x97</a>\';\n
        html += \'<a class="link \''+imgClass+\'" href="/article\''+feed+\'/\'+dat
a.article.article_id+\'?slideout=1" rel="nofollow">\';\n            if (data
.article.lead_photo_hash) {\n                html += \'\';\n
            }\n            html += \'<strong>Trending \''+data.section+\' A
rticle</strong>\';\n            html += \'<div class="related">\';\n
            html += \'<div class="title">\'+data.article.title+\'</div>\';\n
            html += \'</div>\';\n            html += \'</a>\';\n
$(\'#slidebox\').html(html);\n            html = \'<a class="card-wide" sty
le="overflow: hidden;" href="/article\''+feed+\'/\'+data.article.article_id+\'?sl
ideout=1" rel="nofollow">\';\n            if (data.article.lead_photo_hash)
{\n                html += \'\';\n            }\n            html += \'<div class="section">
\''+data.section+\'</div>\';\n            html += \'<div class="headline">\'+
data.article.title+\'</div>\';\n            html += \'</a>\';\n
$(\'#slideboxFeatured\').html(html);\n        });\n    }\n
    });\n    });\n    $(function() {\n        $(\'#scrollingArti
cles\').scrollbox();\n    });\n    });\n    $(jQuery);\n    </script>\n    <scrip
t>\n        var timeout;\n        $(\'#popovers\').popover({\n            html: true,\n            trigger:
\'manual\',\n            container: $(this).attr(\'id\'),\n            animation: false,\n            p
lacement: \'right\'\n        }).on("mouseenter", function () {\n            clearTimeout(timeout
);\n            var _this = this;\n            $(this).popover("show");\n            $(this).siblings(".
popover").on("mouseleave", function () {\n                $(this).popover(\'hide\');\n
            });\n        }).on("mouseleave", function () {\n            var _this = this;\n            timeout =
setTimeout(function () {\n                if (!$(".popover:~hover").length) {\n
                    $(this).popover("hide")\n                }\n            }, 100);\n        });\n    </script>\n    </body>\n
n</html>\n'

```