

<u>Code Snippet 1</u> hello Dojo			<u>Code Snippet 6</u> num is 3 num is 5 result is 16		
function/variable/console	prints	value/returns	function/variable/console	prints	value/returns
hello()	hello		timesTwoAgain(3)	num is 3	6
console.log("Dojo")	Dojo		timesTwoAgain(5)	num is 5	10
<u>Code Snippet 2</u> hello result is 15			result 16		
function/variable/console	prints	value/returns	console.log('result is' result	result is 16	
hello()	hello	15	<u>Code Snippet 7</u> 5 8		
result		15	function/variable/console	prints	value/returns
console.log('result is', result	result is 15		sumNums(2,3)		5
<u>Code Snippet 3</u> num is 3 x is 18			console.log(sumNums(2,3))	5	
function/variable/console	prints	value/returns	sumNums(3,5)		8
numPlus(3)	num is3	18	console.log(sumNums(3,5))	8	
result		18	<u>Code Snippet 8</u> 2 5 3 8		
console.log('x is', result	x is 18		function/variable/console	prints	value/returns
<u>Code Snippet 4 - there is a twist</u> 15 10 10 15			printSumNums(2,3)	2	5
function/variable/console	prints	value/returns	console.log(printSumNums(2,3))	5	
num		15	<u>Code Snippet 9</u> sum is 5 sum is 8 result is 13		
console.log(num)	15		function/variable/console	prints	value/returns
logAndReturn(10)	10	num = 10	sumNums(2,3)	sum is 5	5
result		10	sumNums(3,5)	sum is 8	8
console.log(result)	10		result		13
console.log(num)	15		console.log('result is 13)	result is 13	
<u>Code Snippet 5</u> 15 10 20 15			<u>Code Snippet 10</u> sum is 5 sum is 3 sum is 6 sum is 3 sum is 5 sum is 8 result is 19		
function/variable/console	prints	value/returns	function/variable/console	prints	value/returns
num		15	sumNums(2,3)	sum is 5	5
console.log(num)	15		sumNums(2,1)	sum is 3	3
timesTwo(10)	10	num = 20	sumNums(3,sumNums(2,1))	sum is 6	6
result		20	sumNums(2,1)	sum is 3	3
console.log(result)	20		sumNums(2,3)	sum is 5	5
console.log(num)	15		sumNums(sumNums(2,1), sumNums	sum is 8	8
			result		19
			console.log('result is 13)	result is 19	