

FROM CLINICAL EVIDENCE TO ENVIRONMENTAL CONSEQUENCE

An independent governance interpretation of the American Lung Association report Invisible Risks: Assessing Healthcare Professionals' Knowledge, Attitudes and Practices Around Indoor Air Quality

v1.0 | 08 October 2026 | PRE-EXAMINATION | BASELINE NOT FROZEN | HOLD

NO INSTITUTIONAL ENDORSEMENT. This publication is an independent TA14 educational and technical governance reference. It is not authored, reviewed, approved, sponsored, or endorsed by the American Lung Association. It is not a clinical guideline, a regulatory determination, a completed examination, a certification, or a grant of authority. No American Lung Association representative is represented as a TA14 registrant.

THE GOVERNING QUESTION

Does this proposed consequence have sufficient Admissible Evidence, Applicable Authority, and Established Standing to become reality NOW?

Clinical knowledge can support a recommendation. A recommendation can motivate a proposed building intervention. Neither, by itself, establishes the authority to implement every physical, institutional, or automated consequence.

Source basis: American Lung Association, Invisible Risks, supplied 14-page PDF; page numbers below refer to the report's printed pages (cover unnumbered). TA14 analysis is clearly distinguished from report findings.

01 / Scope, source, and admissibility

This reference examines the interface between healthcare professional education about indoor air pollution and decisions that alter real-world building or environmental conditions. It does not challenge the Association's clinical education mission or infer a governance failure from its survey.

What the source supports: a descriptive nationwide survey of healthcare professionals' self-reported knowledge, attitudes, and practices; a discussion of barriers; and a description of education, decision-support, and patient-facing resources. What it does not establish: a particular facility's measured exposure, a specific patient's diagnosis, an individual professional's authority to direct building equipment, or implementation-level enforcement of proposed actions.

02 / Evidence actually reported

Report finding	Reported result	Source
Survey usable responses	901 from all 50 states and DC	Executive summary; p. 5
Exposure assessment relevant to patient care	804 / 901 (89.2%) agree or strongly agree	p. 1; p. 6
Satisfied with knowledge of IAP health effects	241 / 901 (26.7%) agree or strongly agree	p. 1; p. 6
Well prepared to discuss IAP health effects	388 / 901 (43.1%) agree or strongly agree	p. 6
Discuss IAP with few or no patients	444 / 901 (49.2%)	p. 1; p. 9
Likely to recommend exposure-mitigation interventions	653 / 901 (72.5%)	p. 9

The survey was distributed December 5, 2023 to February 5, 2024; 1,201 submissions were received and 901 were retained after exclusions. Responses describe surveyed professionals, not a measured rate for every US healthcare professional. The report identifies knowledge and time as barriers to patient conversations (pp. 4, 10).

03 / The crossing from evidence to action

Stage	Question to preserve
Scientific / clinical evidence	What exposure, finding, source, and uncertainty are actually supported?
Clinical interpretation	What recommendation is justified for this patient and circumstance?
Proposed environmental consequence	What exactly would change: ventilation, filtration, remediation, access, or equipment operation?
Authority and standing	Who may approve, order, fund, perform, and verify the action, within what scope?
Execution-time reality	Are conditions, constraints, permissions, and safety assumptions still valid NOW?
Outcome record	What occurred, what did not occur, and what evidence was preserved?

04 / The eight TA14 anchors

REALITY → RECORD → CONTINUITY → ADMISSIBILITY → BINDING → COMMIT → EXECUTION → OUTCOME.
This is the governing summary chain, not a claim that the full canonical 24-link implementation collapses to eight steps. The detailed architecture retains additional boundaries, including execution-time reality, admissible non-occurrence, and prevented consequence between commitment and execution.

05 / Worked example: proposed ventilation increase

Observation / proposal

A healthcare professional discusses potential indoor particulate exposure with a patient and recommends reducing sources and improving ventilation. The report identifies increased ventilation among the mitigation approaches respondents said they were likely to recommend (p. 9). This is an illustrative scenario, not an incident documented in the survey.

Authority boundary

Before a school or clinic changes HVAC operation, the responsible parties must establish site conditions, system constraints, applicable engineering and infection-control requirements where relevant, the responsible decision maker, authorization scope, and a traceable execution record. A clinician's recommendation does not by itself confer authority to override facility controls.

Changed-context test

If outdoor smoke, a mechanical fault, or a new safety constraint changes the operating context after approval, execution must not be presumed valid merely because the earlier recommendation was credible. The implementation must show how the changed condition is evaluated and how execution is prevented or held where authority is insufficient.

06 / Dispositions and what they mean

Disposition	Governance meaning
ALLOW	Specific consequence supported within defined evidence, authority, standing, scope, and current conditions.
HOLD	Material evidence, condition, or authorization unresolved; execution not established.
DENY	Required boundary fails or action is prohibited within the examined scope.
ESCALATE	Competent authority, additional review, or conflict resolution required.

These are TA14 examination dispositions, not outcomes reported by the American Lung Association.

07 / Eight proposed showroom teaching visuals

01 The Invisible Risk

Indoor exposure and clinical concern: what the report actually surveyed

02 The Knowledge Gap

89.2% relevance versus 26.7% knowledge satisfaction; different questions, same respondent sample

03 From Patient Conversation to Recommendation

Separate discussion, assessment, recommendation, and physical intervention

04 Who Owns the Building Consequence?

Clinical, facility, engineering, regulatory, and patient roles are not interchangeable

05 Evidence Continuity

Source, measurement context, professional judgment, and intervention record

06 The Authority Boundary

Admissible Evidence + Applicable Authority + Established Standing + NOW

07 COMMIT Is Not EXECUTION

Changed conditions, non-occurrence, and prevented consequence

08 Outcome and Accountability

Document what changed, what did not, and whether intended health outcomes were established

08 / Examination protocol before any institutional claim

A. Freeze the proposition

Identify one specific proposed action and the organization, location, actor, and consequence.

B. Preserve original evidence

Retain the report, measurement sources, applicable standards, dates, limitations, and any conflicting evidence.

C. Identify competent authorities

Document clinical, facility, engineering, occupational, and statutory authority separately where applicable.

D. Test execution-time validity

Specify revocation, expiry, changed-condition, sensor-failure, and override scenarios.

E. Demonstrate enforcement

Show whether an implementation actually blocks unauthorized execution; architecture diagrams alone are insufficient.

F. Publish bounded findings

Record ALLOW, HOLD, DENY, or ESCALATE with rationale, uncertainty, and non-endorsement.

09 / Limitations and next steps

No site-specific sensor data, clinical records, signed operating procedures, authority delegations, control-system logs, or commissioning evidence were supplied for this reference. Accordingly, no real building intervention has been adjudicated. The baseline is not frozen; the present disposition is HOLD pending a registered proposition and evidence set. No claim of clinical efficacy or reduction in exposure follows from this governance interpretation.

Recommended next stage: build the eight distinct educational visuals; prepare a narrated showroom with an explicit independent-interpretation notice; include this downloadable reference; and invite technical correction from clinicians, indoor-air researchers, building operators, and the American Lung Association without implying institutional participation.

10 / Source and attribution

American Lung Association. Invisible Risks: Assessing Healthcare Professionals' Knowledge, Attitudes and Practices Around Indoor Air Quality. User-supplied PDF, 14 pages (cover plus 13 numbered report pages). Key evidence: executive summary p. 1; survey methods p. 4; results pp. 5-10; engagement and resources pp. 11-12. This document paraphrases selected findings and does not reproduce the report in full.

TA14 Authority Governance Institution | Independent technical reference | v1.0 | 08 October 2026