

Test Title

Greggory H. Rothmeier

January 2, 2012

Copyright

Approval

List of Tables

List of Figures

Chapter 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam felis justo, consequat vel semper eu, bibendum sed lectus. Fusce ultricies mi sit amet ante imperdiet eget posuere turpis volutpat. Nulla facilisi. Nulla convallis, erat et mattis bibendum, nunc velit tincidunt nisl, ac luctus massa tellus nec lectus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Nam at venenatis sapien. In vel tortor dapibus tortor porta aliquam a sit amet diam. Nullam feugiat dignissim scelerisque. Donec rhoncus sapien eget lacus eleifend vitae adipiscing arcu mollis. Donec vel tincidunt nibh. Duis placerat scelerisque velit. Integer elementum nisl vel mi sollicitudin dictum non vel dolor. Cras consectetur consequat metus, a malesuada quam tincidunt vitae. Etiam fermentum metus nibh. Sed sollicitudin convallis faucibus. Nunc tincidunt ultricies orci, in aliquam purus interdum fermentum. [1]

Cras adipiscing semper nibh vitae volutpat. Etiam facilisis arcu id ante ornare quis porttitor felis pulvinar. Etiam lacus est, porttitor quis aliquam nec, imperdiet sit amet ipsum. Duis sit amet dui elit. Cras cursus tincidunt tellus, in gravida arcu adipiscing in. Donec sed massa sed ante feugiat tincidunt nec vel libero. Curabitur erat est, sagittis et tempor commodo, tristique nec nibh. Vestibulum sodales rhoncus urna in egestas. Nullam convallis sodales turpis eu semper. Pellentesque egestas lectus congue turpis vulputate venenatis. Morbi convallis lobortis diam ut varius. Mauris auctor feugiat porttitor. Morbi et nunc et eros interdum sagittis at quis tortor. Ut ac odio augue.

Praesent tellus augue, accumsan non imperdiet eu, volutpat at lacus. Quisque facilisis lorem vitae sem iaculis et lobortis arcu dignissim. Maecenas orci risus, accumsan non sagittis eget, placerat sed dolor. Sed malesuada consequat elit, ac blandit nisi dignissim ac. Maecenas ac venenatis odio. Ut arcu orci, cursus quis blandit eget, tempor non metus. Donec quis sapien sed ante egestas hendrerit vel ut ipsum. Sed bibendum porttitor metus, non vestibulum dui faucibus in. Fusce iaculis blandit consequat.

Duis dictum massa eget lacus porttitor consequat. Pellentesque dignissim convallis fermentum. Vivamus nisl mi, volutpat eu porttitor vel, suscipit id turpis. Proin diam erat, cursus non tristique at, pharetra nec ante. Vestibulum mollis arcu quis ipsum imperdiet congue. Quisque tellus nisl, bibendum nec tincidunt et, interdum vitae ligula. Phasellus egestas massa a orci eleifend sit amet fringilla nunc faucibus. Mauris est risus, suscipit vitae congue ac, interdum at neque. Aenean pharetra molestie suscipit. Phasellus at semper nunc.

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam molestie, justo at ornare pulvinar, erat mi mollis ipsum, ut laoreet libero libero ut urna. Fusce rhoncus nisl pellentesque nisl interdum porta. Maecenas ante nisi, commodo mollis eleifend sed, faucibus ac odio. Integer pretium, nibh ac blandit vulputate, odio nibh iaculis lorem, auctor pretium elit felis sit amet sem. In eget mi tellus. Morbi dictum consequat turpis condimentum convallis. Aliquam sit amet ultricies tellus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer at orci diam. Vestibulum nibh purus, vehicula vel auctor sit amet, iaculis nec lacus. Sed a risus ac neque suscipit bibendum quis at ligula. Fusce et purus eu tellus iaculis congue vel aliquet augue. Duis laoreet blandit justo, at semper lectus sollicitudin sit amet.

Chapter 2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam felis justo, consequat vel semper eu, bibendum sed lectus. Fusce ultricies mi sit amet ante imperdiet eget posuere turpis volutpat. Nulla facilisi. Nulla convallis, erat et mattis bibendum, nunc velit tincidunt nisl, ac luctus massa tellus nec lectus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Nam at venenatis sapien. In vel tortor dapibus tortor porta aliquam a sit amet diam. Nullam feugiat dignissim scelerisque. Donec rhoncus sapien eget lacus eleifend vitae adipiscing arcu mollis. Donec vel tincidunt nibh. Duis placerat scelerisque velit. Integer elementum nisl vel mi sollicitudin dictum non vel dolor. Cras consectetur consequat metus, a malesuada quam tincidunt vitae. Etiam fermentum metus nibh. Sed sollicitudin convallis faucibus. Nunc tincidunt ultricies orci, in aliquam purus interdum fermentum.

Cras adipiscing semper nibh vitae volutpat. Etiam facilisis arcu id ante ornare quis porttitor felis pulvinar. Etiam lacus est, porttitor quis aliquam nec, imperdiet sit amet ipsum. Duis sit amet dui elit. Cras cursus tincidunt tellus, in gravida arcu adipiscing in. Donec sed massa sed ante feugiat tincidunt nec vel libero. Curabitur erat est, sagittis et tempor commodo, tristique nec nibh. Vestibulum sodales rhoncus urna in egestas. Nullam convallis sodales turpis eu semper. Pellentesque egestas lectus congue turpis vulputate venenatis. Morbi convallis lobortis diam ut varius. Mauris auctor feugiat porttitor. Morbi et nunc et eros interdum sagittis at quis tortor. Ut ac odio augue.

Praesent tellus augue, accumsan non imperdiet eu, volutpat at lacus. Quisque facilisis lorem vitae sem iaculis et lobortis arcu dignissim. Maecenas orci risus, accumsan non sagittis eget, placerat sed dolor. Sed malesuada consequat elit, ac blandit nisi dignissim ac. Maecenas ac venenatis odio. Ut arcu orci, cursus quis blandit eget, tempor non metus. Donec quis sapien sed ante egestas hendrerit vel ut ipsum. Sed bibendum porttitor metus, non vestibulum dui faucibus in. Fusce iaculis blandit consequat.

Duis dictum massa eget lacus porttitor consequat. Pellentesque dignissim convallis fermentum. Vivamus nisl mi, volutpat eu porttitor vel, suscipit id turpis. Proin diam erat, cursus non tristique at, pharetra nec ante. Vestibulum mollis arcu quis ipsum imperdiet congue. Quisque tellus nisl, bibendum nec tincidunt et, interdum vitae ligula. Phasellus egestas massa a orci eleifend sit amet fringilla nunc faucibus. Mauris est risus, suscipit vitae congue ac, interdum at neque. Aenean pharetra molestie suscipit. Phasellus at semper nunc.

Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam molestie, justo at ornare pulvinar, erat mi mollis ipsum, ut laoreet libero libero ut urna. Fusce rhoncus nisl pellentesque nisl interdum porta. Maecenas ante nisi, commodo mollis eleifend sed, faucibus ac odio. Integer pretium, nibh ac blandit vulputate, odio nibh iaculis lorem, auctor pretium elit felis sit amet sem. In eget mi tellus. Morbi dictum consequat turpis condimentum convallis. Aliquam sit amet ultricies tellus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer at orci diam. Vestibulum nibh purus, vehicula vel auctor sit amet, iaculis nec lacus. Sed a risus ac neque suscipit bibendum quis at ligula. Fusce et purus eu tellus iaculis congue vel aliquet augue. Duis laoreet blandit justo, at semper lectus sollicitudin sit amet.

Bibliography

- [1] H H Pennes. Analysis of tissue and arterial blood temperatures in the resting human forearm. *Journal of Applied Physiology*, 1(2):93–122, 1948.

Appendix A

Calculating the Temperature Change

```
1 function temperatureOut = tempCalcChangingMetabolismFlow(tissue,bloodT,
    airT,nt,tmax,pastCalc,start,stop,amplitudeMet,amplitudeFlow,region,
    savesteps)
2 % tempCalcChaning Metabolism How does changin metabolism affect things?
3 % tissue: holds all of the strucual information
4 % bloodT: Temperature of the blood
5 % airT: Temperature of the surrounding ait
6 % nt: Number of time steps
7 % tmax: Total amount of time the simulation should run over
8 %
9 % region: logical matrix same size as head
10 % start: units of steps
11 % stop: units of steps
12 %
13 % Written by Gregory Rothmeier (greggroth@gmail.com)
14 % Georgia State University Dept. Physics and Astronomy
15 % May, 2011
16 %#codegen
17
18 %% Default Values
19 if nargin<2, bloodT = 37; end
20 if nargin<3, airT = 24; end
21 if nargin<4, nt = 3; end
22 if nargin<5, tmax = 1; end
23 if nargin<6, pastCalc = 0; end % Voxel size (m)
24 if nargin<7, start = 10; end % in steps
25 if nargin<8, stop = 20; end % in steps
26 if nargin<9, amplitudeMet = 1.2; end % normalized
27 if nargin<10, amplitudeFlow = 1.2; end % normalized
28 if nargin<11, savesteps = 1; end
29
30
31 dx = 2*10^-3;
32 if nt<(2*tmax),
33     warning('Time step size is not large enough. Results will be
        unreliable. Consider increasing the number of steps or reducing
        tmax.')
34 end
35
```

```

36
37 % Constants used that aren't already stored in tissue
38 [xmax ymax zmax t] = size(tissue);
39 clear t;
40 dt = tmax/(nt-1);
41 % rhoBlood = 1057;
42 % wBlood = 1000;
43 % cBlood = 3600;
44
45 statusbar = waitbar(0,'Initializing');
46
47 %% Maps
48 % Creates a map that identifies where there is tissue
49 % the condition squeeze(tissue(:,:,:)~=airIndex picks out the elements
    that are
50 % tissue
51
52 temperatureOut = ones(ceil((nt-1)/savesteps),xmax,ymax,zmax,'single');
53 temperature = ones(2,xmax,ymax,zmax,'single')*airT;
54 if pastCalc == 0
55     temperature(1,squeeze(tissue(:,:,:,1))~=1) = bloodT;
56 else
57     temperature(1,:,:,:) = pastCalc(end,:,:,:);
58     % temperature(1,:,:,:) = pastCalc;
59 end
60 temperatureOut(1,:,:,:) = temperature(1,:,:,:);
61 metabMultiplier = ones([xmax ymax zmax],'single');
62 flowMultiplier = ones([xmax ymax zmax],'single');
63
64 %% Do Work.
65 % This is a vectorized version of the next section. For the love of god
66 % don't make any changes to this without first looking below to make
    sure
67 % you know what you're changing. This is [nearly] impossible to
68 % understand, so take your time and don't break it.
69 % data is stored in 'tissue' as such :
70 % [tissuetype 0 Qm c rho k w]; <-- second element is blank for all.
71 % [ 1 2 3 4 5 6 7
72
73 % This makes an array that has smoothed out variations in k by averaging
74 % all of the k's around each voxel (including itself). This is a
75 % hap-hazard solution to the problem that if you only take the value of k
76 % for the voxel without considering what surrounds it, it doesn't matter
77 % whether the head is surrounded by air, water or anything else. Since
78 % water is a better thermal conductor than air, we need a way of
79 % accounting for this. This is one way:
80 averagedk = (circshift(tissue(:,:,:,6),[1 0 0])+circshift(tissue(:,:,:,6)
    ,[-1 0 0])+circshift(tissue(:,:,:,6),[0 1 0])+circshift(tissue(:,:,:,6)
    ,[0 -1 0])+circshift(tissue(:,:,:,6),[0 0 1])+circshift(tissue(:,:,:,6)
    ,[0 0 -1])+tissue(:,:,:,6))/7;
81 rhoblood = 1057;
82 cblood = 3600;
83
84 %% Only saves every 4 steps

```

```

85 tic
86 for t2 = 1:nt-1
87     waitbar(t2/(nt-1),statusbar,sprintf('%d%%',round(t2/(nt-1)*100)));
88     if (start<t2) && (t2<stop) % for __ steps
89         metabMultiplier(region) = amplitudeMet; % region is hardcoded
90         here
91         flowMultiplier(region) = amplitudeFlow;
92     elseif t2==stop % once the period is over, reset it back to ones
93         metabMultiplier(region) = 1;
94         flowMultiplier(region) = 1;
95     end
96     temperature(2,:,:,:) = squeeze(temperature(1,:,:,:)) + ...
97         dt/(tissue(:,:,:5).*tissue(:,:,:4)).* ...
98         ((averagedk/dx^2).*...
99         (circshift(squeeze(temperature(1,:,:,:)),[1 0 0])-2*squeeze(
100             temperature(1,:,:,:))+circshift(squeeze(temperature(1,:,:,:))
101             ,[-1 0 0])+... % shift along x
102             circshift(squeeze(temperature(1,:,:,:)),[0 1 0])-2*squeeze(
103                 temperature(1,:,:,:))+circshift(squeeze(temperature(1,:,:,:))
104                 ,[0 -1 0])+... % shift along y
105                 circshift(squeeze(temperature(1,:,:,:)),[0 0 1])-2*squeeze(
106                     temperature(1,:,:,:))+circshift(squeeze(temperature(1,:,:,:))
107                     ,[0 0 -1]))... % shift along z
108                 -(1/6000)*rhoblood*flowMultiplier.*tissue(:,:,:7)*cblood.*(
109                     squeeze(temperature(1,:,:,:))-bloodT)+metabMultiplier.*
110                     tissue(:,:,:3));
111     % resets the air temperature back since it's also modified above,
112     but
113     % it needs to be kept constant throughout the calculations
114     temperature(2,squeeze(tissue(:,:,:1))==1) = airT;
115     temperatureOut(ceil(t2/savesteps),,:,:,:) = temperature(2,:,:,:);
116     temperature(1,:,:,:) = temperature(2,:,:,:); % moves 2 back to 1
117 end
118 close(statusbar);
119 toc
120 %% Keeps all of the data
121 % Note: Make sure that temperature() has enough preallocated space
122 %{
123 tic
124 for t2 = 1:nt-1
125     %tic
126     waitbar(t2/(nt-1),statusbar,sprintf('%d%%',round(t2/(nt-1)*100)));
127     if (start<t2) && (t2<stop) % for 10 steps
128         metabMultiplier(region) = amplitudeMet; % region is hardcoded
129         here
130         flowMultiplier(region) = amplitudeFlow;
131     elseif t2==stop % once the period is over, reset it back to ones
132         metabMultiplier(region) = 1;
133         flowMultiplier(region) = 1;
134     end
135     temperature(t2+1,:,:,:) = squeeze(temperature(t2,:,:,:)) + ...
136         dt/(tissue(:,:,:5).*tissue(:,:,:4)).* ...
137         ((averagedk/dx^2).*...

```

```

128         (circshift(squeeze(temperature(t2,:,:,:),[1 0 0])-2*squeeze(
            temperature(t2,:,:,:)+circshift(squeeze(temperature(t2,:,:,:),
            ,[-1 0 0])+... % shift along x
129         circshift(squeeze(temperature(t2,:,:,:),[0 1 0])-2*squeeze(
            temperature(t2,:,:,:)+circshift(squeeze(temperature(t2,:,:,:),
            ),[0 -1 0])+... % shift along y
130         circshift(squeeze(temperature(t2,:,:,:),[0 0 1])-2*squeeze(
            temperature(t2,:,:,:)+circshift(squeeze(temperature(t2,:,:,:),
            ),[0 0 -1]))... % shift along z
131         -(1/6000)*rhoblood*flowMultiplier.*tissue(:,:,:7)*cblood.*(
            squeeze(temperature(t2,:,:,:))-bloodT)+metabMultiplier.*
            tissue(:,:,:3));
132     % resets the air temperature back since it's also modified above,
        but
133     % it needs to be kept constant throughout the calculations
134     temperature(t2+1,squeeze(tissue(:,:,:1))==1) = airT;
135     %dispTimeLeft(1,1,nt-1,t2)
136 end
137 close(statusbar);
138 toc
139 %}
140
141 %% Old Code
142 % This is what used to be used. It's much slower (~60 times slower), but
143 % it's much easier to understand compared to the above code. If any
144 % changes need to be made above, first look through this code to ensure
145 % you understand what's happening before making changes. It's really
    easy
146 % to mess up the code above and nearly impossible to figure out where.
147
148 % good luck.
149
150
151 %{
152 for t2 = 1:nt-1
153     for x2 = 2:xmax-1
154         for y2 = 2:ymax-1
155             for z2 = 2:zmax-1
156                 if tissue(x2,y2,z2,1) ~= 1,
157                     temperature(t2+1,x2,y2,z2) = temperature(t2,x2,y2,z2)
                        + (dt/(tissue(x2,y2,z2,5)*tissue(x2,y2,z2,4)))*((
                        tissue(x2,y2,z2,6)/dx^2)*...
158                     (temperature(t2,x2+1,y2,z2)-2*temperature(t2,x2,y2,
                        z2)+temperature(t2,x2-1,y2,z2))+...
159                     temperature(t2,x2,y2+1,z2)-2*temperature(t2,x2,y2,z2
                        )+temperature(t2,x2,y2-1,z2))+...
160                     temperature(t2,x2,y2,z2+1)-2*temperature(t2,x2,y2,z2
                        )+temperature(t2,x2,y2,z2-1))...
161                     -(1/6000)*rhoBlood*wBlood*cBlood*(temperature(t2,x2,
                        y2,z2)-bloodT)+tissue(x2,y2,z2,3));
162                 end
163             end
164         end
165     end

```

```
166  end
167  %}
168
169
170  end
```

Appendix B

Calculating The Equilibrium Temperature