

# Step Into C++: More on Calculators....

Mr. Neat  
C++

# Let's enhance the calculator

-integers only

-  $+$ ,  $-$ ,  $/$ ,  $*$

We need another data type


Character - any single symbol  
on the keyboard

# Declare a character variable

```
char joe;
```

name of character  
variable

variable  
type



# Give character variable a value

```
char joe;
```

```
joe = '&';
```



signifies char value

# What happens?

```
cout << joe;
```

```
cout << joe << joe << endl;
```

```
cout << "joe";
```

# What happens?

```
cin >> joe;  
cout << joe << joe << endl;  
joe = '4';  
cout << joe << joe << joe;  
joe = '+';  
cout << joe << joe << joe;
```

# Built in Booleans in C++

equal to	<code>==</code>
greater than or equal to	<code>&gt;=</code>
less than or equal to	<code>&lt;=</code>
not equal to	<code>!=</code>



# Booleans in C++

```
int sue, sam = 10;  
cout << "Please enter...: ";  
cin >> sue;  
if(sue == sam)  
{  
    cout << "You guessed it!";  
}  
else  
{  
    cout<< "You missed it!";  
}
```

# C++ Lab2

- make a calculator that can  
+, -, \*, /, 2 integers
- display the answer on the  
screen
- make it user friendly

Please enter first number: 7

Please enter second number: 8

Please enter the operation: +

$$7 + 8 = 15$$

# Pseudo Code

- define all variables needed
- ask user for values
- get values from keyboard
- determine which operation the user chose
- perform the corresponding operation
- write the question to the screen
- write the answer to the screen

Any ?'s

