

pdf4tcl Feature Overview

Version: 0.9.4.36
File: /home/greg/lib/tcltk/pdf4tcl/pkg/pdf4tcl.tcl

1. Text and Fonts

Times-Roman (normal)
Times-Bold
Times-Italic
Times-BoldItalic

Helvetica (normal)
Helvetica-Bold
Helvetica-Oblique
Helvetica-BoldOblique

Courier (normal)
Courier-Bold

1b. Font Sizes

7pt
9pt
11pt
14pt
18pt
24pt

1c. Text Alignment and Rotation

Left aligned Rotated 30 deg Rotated 45 deg Center Rotated -15 deg Right aligned

1d. drawTextBox (auto word wrap)

The drawTextBox method wraps long text automatically within a defined rectangular area. It supports left, center and right alignment. This text is long enough to demonstrate the wrapping behavior across multiple lines in a fixed-width box.

The drawTextBox method wraps long text automatically within a defined rectangular area. It supports left, center and right alignment. This text is long enough to demonstrate the wrapping behavior across multiple lines in a fixed-width box.

2. Colors -- RGB and Named



Red



Green



Blue



Orange



Purple



Cyan




Yellow



Gray

3. Lines and Line Styles



0.5pt

1pt

2pt

4pt

dash {4 4}

dash {8 3}


dot {2 2}

dash-dot {8 3 2 3}


4. Shapes




rectangle




filled rect




circle




filled circle



oval



arc 0-270



polygon




bezier curve



arrow

5. Clipping



clip rect

6. Images (JPEG and PNG)



PNG (smile.png)



JPEG (tcl.jpg)



JPEG (gmarbles2.jpg)

7. Repeated Graphics (logo drawn 4 times)

pdf4tcl

pdf4tcl

pdf4tcl

pdf4tcl

Same logo proc called 4 times

8. Form Fields (addForm)

Text field:

Password field:

Checkbox (checked):

Combobox:

Listbox:

Radio group:

Option A Option B Option C

Pushbutton:

Signature field:

9. hyperlinkAdd (SF ticket #15)

Invisible link area (click to open):

[pdf4tcl on SourceForge](#)

[Fork on GitHub \(gregnix\)](#)

[SF Ticket #9 \(addForm\)](#)

[SF Ticket #15 \(hyperlinkAdd\)](#)

9b. Visible link borders

Blue border (1pt):	sourceforge.net/p/pdf4tcl
Thick red border:	sourceforge.net/p/pdf4tcl
Dashed green border:	github.com/gregnix/pdf4tcl
Rounded corners:	github.com/gregnix/pdf4tcl

10. Metadata (set at document creation)

Title:	pdf4tcl Feature Overview
Author:	pdf4tcl fork
Subject:	Demonstration of all pdf4tcl capabilities
Keywords:	tcl, pdf, pdf4tcl, demo
Creator:	demo-all.tcl

11. Bookmarks (visible in PDF reader sidebar)

This document has 5 bookmarks -- one per page.

Open the bookmarks panel in your PDF reader to see them.

12. PDF/A Support (v0.9.4.8, ISO 19005)

pdf4tcl supports PDF/A-1b and PDF/A-2b via the -pdfa option.
PDF/A is an ISO standard for long-term archiving of documents.

12a. Usage

Create a PDF/A-1b document:

```
pdf4tcl::loadBaseTrueTypeFont DejaVuSans /path/DejaVuSans.ttf
pdf4tcl::createFontSpecCID DejaVuSans cidSans

set pdf [pdf4tcl::new %AUT0% -pdfa 1b -file output.pdf]
$pdf startPage
$pdf setFont 12 cidSans
$pdf text "Archivable content" -x 50 -y 700
$pdf endPage
$pdf finish
```

12b. What pdf4tcl adds automatically

XMP metadata stream	with pdfaid:part and pdfaid:conformance (ISO 19005-1 SS6.7.11)
OutputIntent	sRGB IEC61966-2.1 ICC profile (ISO 19005-1 SS6.2.2)
/Group suppression	Transparency disabled for PDF/A-1 pages (ISO 19005-1 SS6.1.3)
Binary comment	4 bytes > 0x7F in header (ISO 19005 SS6.1.7)
Trailer /ID array	Deterministic document ID
ToUnicode CMap	All fonts get /ToUnicode for text extraction (v0.9.4.9)

12c. PDF/A-1b vs PDF/A-2b

Feature	PDF/A-1b	PDF/A-2b
ISO norm	19005-1:2005	19005-2:2011
PDF base	PDF 1.4	PDF 1.7
Transparency	Forbidden	Allowed
JPEG 2000 images	Not allowed	Allowed
-pdfa value	1b	2b

12d. Font requirement: CIDFont (embedded TTF)

PDF/A requires all fonts to be fully embedded (ISO 19005-1 SS6.3.4).
Standard fonts (Helvetica, Times, Courier) must NOT be used.
Use createFontSpecCID with a TTF file to embed the font completely.

Validation: verapdf --flavour 1b --format text output.pdf

Download: <https://verapdf.org>