

Unicode & Table Stress Test

Focused torture-test for **encoding**, **emoji**, **wide tables**, and **mixed scripts**. Companion to KOMPLEX-SHOWCASE.md.

Emoji grid

Emoji	Name (informal)	PDF fallback
:-)	Grinning	:-)
:'D	Joy	:'D
;-)	Wink	;-)
<3	Heart eyes	<3
[>]	Rocket	[>]
(*)	Fire	(*)
✓	Check	(+1)
(!)	Warning	(!)
(*)	Chart	(varies)
(?)	Penguin	literal / fallback

Inline run: :-):'D<3[>](*)✓(!)(*)(?) — **bold B-** — *italic (!)* — code (*).

Script mixing

Script	Sample
Latin extended	café, naïve, Zürich, æøå
German	Größe, Fußball, "Quotes"
Greek	αβγδεζηθικλμνξοπρστυφχψω
Cyrillic	Привет мир
Hebrew	שלום
Arabic	ملاعلاب ابحرم
Devanagari	ॐ ॐ ॐ ॐ ॐ ॐ
Thai	๐ ๐ ๐ ๐ ๐ ๐
CJK	一 二 三 四 五 六 七 八 九 十
Korean	한글한글한글
Symbols	♠♣♥♦♪♪♪♫🌈☂🌀

Combining & special

- NFC vs lookalikes: A + U+0308 vs Ä
- Zero-width joiner test: family emoji (*)*)(*)(*)
- Math: $\sum \prod \int \sqrt{\infty \pm x} \div \approx \neq$
- Currency: € £ ¥ ₹ ☐
- Fractions: ½ ⅓ ¼ ⅔
- Superscript/subscript Unicode: x² y₃ H₂O

Wide table (column stress)

ID	Module	Namespace	Ver	Tests	Emoji	Unicode col	Notes
1	parser	mdstack::parser	0.5.0	548+	:-)	α→ω	Core
2	html	mdstack::html	0.1	indir	(?)	□ □	→ docir
3	pdf	mdstack::pdf	0.2	indir	[doc]	✓ ✗	pdf4tcl
4	odt	docir::odt	0.4	25+	[doc]	ÄÖÜ	odf dep
5	tusvg	tclutils::tusvg	0.1	yes	(*)	→	SVG gen
6	tupngdraw	tclutils::tupngdraw	0.11	yes	(!)	ß	PNG draw
7	viewer	mdstack::viewer	0.3	13	(*)	□ □ □	Tk
8	mdhelp	app	0.1	188	(*)	[>]	editor

Table with inline everything

Cell	Content
Bold	Bold :-)
Italic	Italic αβ
Code	`back`
Link	Tcl (*)
Image	
Strikethrough	old → new ★

Long cell wrapping

Field	Value
Description	This cell contains a very long unbroken string: aa aaaaaaaaaaaaaaaa plus Unicode ☐ ☐ ☐ ☐ ☐ ☐ and emoji (*)*)(*) to test wrapping and PDF column layout.
Mixed	Bold italic code link B-) in one cell

Lists + unicode bullets (standard -)

- Item with emoji prefix (?)

- Item with arrow → continuation
- Item with math symbol Σ
 - Nested $\square$ $\square$
 - Nested ελληνικά

1. Ordered with € price
2. Second — em-dash test
3. Third ... ellipsis

Code with unicode strings

```
set msg "Hello ?? (?)"
set umlaut "Größe: 42 €"
puts $msg
puts $umlaut
```

Images in table cells (layout stress)

PNG	SVG
	[]
	[]

Stress test complete. (!)