# The Impact of Natural Disasters on Education: Evidence from Standardized Testing

Gregor Steiner

May 2, 2022

Abstract

## 1 Introduction

#### 2 Data

#### 2.1 Natural Disaster Data

Natural disasters are declared as such by the president, usually upon request by the affected state's governor. Once a disaster is federally declared, states or local governments can receive federal assistance. The Federal Emergency Management Agency (FEMA) provides data on all federally declared natural disasters, beginning in 1953. The data is easily accessible via their API (Turner, 2022).

Figure 1 shows the number of declared disasters between 2008 and 2018 across the US. It seems that the variation in the number of declared disasters may be driven by the governor's proactiveness in requesting a declaration. Thus, it could be interesting to compare counties on different sides of state borders, whose actual disaster exposure is likely very similar in order to analyze the effect of a declaration.




Figure 1: Number of declared natural disasters from 2008 to 2018

FEMA also provides a dataset on their Public Assistance Applicants Program Deliveries. This contains information on applicants and their recovery priorities, including the amount of damage caused and amount of federal disaster assistance granted. Unfortunately, this data is only available since October 2016. Figure 2 shows the total federal assistance awarded to counties.

Figure 3 and figure 4 show boxplots and kernel density estimates by county application status. Counties that did apply for federal disaster assistance tend to have lower median income, higher poverty rates, and higher shares of single motherhood. Thus, it seems that counties that had to apply for federal disaster assistance were more socially vulnerable in the first place. Visually, the distribution of democratic votes in the 2016 election does not seem to be different in the two groups.




Figure 2: Amount of disaster damage and federal disaster assistance (in USD) awarded to counties since October 2016

#### 2.2 Standardized Testing Data

Data on academic achievement is available from the Stanford Education Data Archive (Reardon et al., 2021). They provide mean test results from standardized tests by county, year, grade and subject among all students and various subgroups (including race, gender, and economically disadvantaged). The most recent version 4.1 covers grades 3 through 8 in mathematics and Reading Language Arts (RLA) over the 2008-09 through 2017-18 school years.

Test scores are cohort-standardized, meaning they can be interpreted relatively to an average national reference cohort in the same grade. For instance, a county mean of 0.5 indicates that the average student in the county scored approximately one half of a standard deviation higher than the average national student in the same grade.

In addition to mean test scores, the data includes estimates of gap estimates for various sub-




Figure 3: Boxplots by application status

groups, e.g. mean difference in test scores among white and black students. These are only reported if the subgroups' sample sizes are large enough. Thus, the number of observations for some of the gap statistics is substantially smaller.

Furthermore, the Stanford Education Data Archive maintains a large set of covariates for each county and year. They include variables like the county's median income, unemployment and poverty rate.

#### 2.3 Combining disaster and testing data

Natural disasters should only have an effect on test scores if they occur before the test. Standardized tests are generally administered during spring. We will use March 1st as a cut-off point. Thus, any disaster happening within the same school year before the 1st of March will be considered. School years tend to start in late August or early September with some variation across states. We will use September 1st, meaning any disaster happening between September 1st and March 1st will be counted for a given school year.

Each disaster is assigned to a school year as described above. Then, disaster and test score data can be merged by school year and county. This yields a panel data set with six grades and two subjects for each county-year combination. Table 1 shows summary statistics for all relevant variables

Table 1: Summary Statistics

Variable	N	Mean	Std. Dev.	Min	Pctl. 25	Pctl. 75	Max
Disasters	336415	0.221	0.566	0	0	0	6
Disaster Dummy	336415						
0	282581	84%					
1	53834	16%					
Cumulative Disasters	336415	1.245	1.631	0	0	2	14
Grade	338349						
3	58603	17.3%					
4	58501	17.3%					
5	57265	16.9%					
6	56992	16.8%					
7	54392	16.1%					
8	52596	15.5%					
Subject	338349						
Mathematics	165352	48.9%					
RLA	172997	51.1%					
Mean test score	327358	-0.042	0.294	-3.196	-0.214	0.152	1.669
White-Black gap	130595	0.618	0.257	-0.754	0.454	0.771	2.358
White-Hispanic gap	140326	0.451	0.258	-1.713	0.282	0.611	2.213
Male-Female gap	306055	-0.131	0.199	-1.612	-0.258	0.001	1.248
Disadvantaged gap	282423	0.543	0.211	-0.995	0.413	0.669	2.052
Total Damage	110901	1076549.238	21067263.821	0	0	0	1868575345.74
Federal Assistance	110901	817694.776	17101611.639	0	0	0	1628231852.72
Log Income	338088	10.693	0.253	9.305	10.546	10.834	11.727




Figure 4: Kernel density estimates by application status

#### 3 Empirical Strategy

In order to identify a causal effect, unobservable determinants of a county's mean test score must be unrelated to natural disasters conditional on observable characteristics of that county. The occurrence of natural disasters is plausibly random conditional on location. Furthermore conditioning on the year should account for an increasing trend in natural disasters due to climate change. Thus, independence of mean test scores and natural disasters is plausible conditional on county and year fixed effects.

Consequently, the baseline specification is

$$y_{i,t,g} = \sum_{\tau=-9, \tau \neq -1}^{9} \beta_{\tau} D_{i,t-\tau} + \alpha_i + \lambda_t + \zeta_g + X_{i,t} \gamma + \varepsilon_{i,t,g} , \qquad (1)$$

where  $y_{i,t,g}$  is the outcome of interest for county i, year t, and grade g. County, year, and grade fixed-effects are given by  $\alpha_i$ ,  $\lambda_t$ , and  $\zeta_g$  respectively and  $X_{i,t}$  is a row vector of additional control variables.  $D_{i,t-\tau}$  is a treatment indicator for county i in year  $t-\tau$ . That is,  $D_{i,t-\tau}=1$  if the county experienced a disaster  $\tau$  years ago at time t.

Note that treatment must be absorbing, meaning the sequence  $(D_{i,t})_{t=1}^T$  must be a non-decreasing sequence of 0s and 1s. In other words, after being treated for the first time a county stays treated. In the present application this means treatment refers to having experienced a disaster rather than experiencing a disaster in that year. This is common practice and does not cause bias due to the conditionally random nature of natural disasters (see Deryugina, 2017). Thus, this captures the long term effects of having experienced a natural disaster.

It is implausible that the treatment effects are constant in our setting. The extent of disasters varies substantially, and also the level of preparation for such disasters likely displays high variance across counties.

### 4 Results

Table 2 and 3 show the results of the estimated models for mathematics and RLA respectively. Figure 5 shows the dynamic treatment effects.




Figure 5: Dynamic Treatment effects by dependent variable and subject

Table 2: Results (Mathematics)

Dependent Variables:	Mean test score	White-Black	White-Hispanic	Male-Female	AdvDisadv.
Model:	(1)	(2)	(3)	(4)	(5)
Variables					
Year=-9	-0.0277***	$0.0767^{***}$	$0.0211^*$	0.0015	0.0608***
	(0.0083)	(0.0105)	(0.0111)	(0.0073)	(0.0083)
Year=-8	-0.0380***	0.0644***	0.0136	-0.0024	0.0487***
	(0.0066)	(0.0088)	(0.0090)	(0.0060)	(0.0067)
Year=-7	-0.0434***	0.0589***	0.0211***	-0.0162***	0.0499***
	(0.0056)	(0.0077)	(0.0077)	(0.0050)	(0.0057)
Year=-6	-0.0387***	0.0343***	0.0067	-0.0164***	0.0421***
	(0.0053)	(0.0074)	(0.0072)	(0.0049)	(0.0055)
Year=-5	-0.0198***	0.0176***	-0.0069	-0.0067*	0.0223***
	(0.0041)	(0.0056)	(0.0057)	(0.0037)	(0.0042)
Year=-4	-0.0126***	0.0088	-0.0059	-0.0049	0.0164***
	(0.0041)	(0.0056)	(0.0058)	(0.0037)	(0.0042)
Year=-3	-0.0063*	0.0109**	-0.0073	-0.0017	$0.0075^{**}$
	(0.0037)	(0.0050)	(0.0051)	(0.0032)	(0.0037)
Year=-2	-0.0040	0.0044	-0.0041	-0.0045	$0.0027^{'}$
	(0.0032)	(0.0046)	(0.0045)	(0.0029)	(0.0032)
Year=0	-0.0061**	$-8.67 \times 10^{-5}$	$0.0055^{'}$	-0.0042	0.0004
	(0.0028)	(0.0041)	(0.0039)	(0.0025)	(0.0028)
Year=1	-0.0086***	0.0019	$0.0069^{'}$	-0.0084***	$0.0025^{'}$
	(0.0030)	(0.0044)	(0.0043)	(0.0027)	(0.0030)
Year=2	-0.0067**	-0.0044	0.0011	-0.0023	-0.0036
	(0.0033)	(0.0048)	(0.0046)	(0.0029)	(0.0032)
Year=3	-0.0093***	-0.0061	$0.0083^{*}$	-0.0046	-0.0032
	(0.0034)	(0.0050)	(0.0048)	(0.0030)	(0.0033)
Year=4	-0.0145***	-0.0087	0.0036	-0.0084***	-0.0073**
1001-1	(0.0037)	(0.0055)	(0.0052)	(0.0033)	(0.0036)
Year=5	-0.0133***	-0.0244***	0.0038	-0.0073**	-0.0066
	(0.0042)	(0.0065)	(0.0059)	(0.0037)	(0.0041)
Year=6	-0.0049	-0.0235***	0.0088	-0.0099***	-0.0083**
	(0.0042)	(0.0068)	(0.0061)	(0.0038)	(0.0041)
Year=7	0.0098**	-0.0282***	0.0189***	-0.0074*	-0.0051
1	(0.0048)	(0.0075)	(0.0070)	(0.0043)	(0.0047)
Year=8	0.0134**	-0.0086	0.0209**	-0.0044	-0.0046
1041-0	(0.0063)	(0.0104)	(0.0092)	(0.0056)	(0.0062)
Fixed-effects				. ,	
Year	Yes	Yes	Yes	Yes	Yes
County	Yes	Yes	Yes	Yes	Yes
Grade	Yes	Yes	Yes	Yes	Yes
Fit statistics					
Observations	158,110	62,653	68,294	147,998	136,249
$R^2$	0.72285	0.61365	0.63448	0.21976	0.49781
Within $\mathbb{R}^2$	0.00372	0.00510	0.00208	0.00151	0.00368
111011111 10	0.00012	10	0.00200	0.00101	

IID standard-errors in parentheses Signif. Codes: \*\*\*: 0.01, \*\*: 0.05, \*: 0.1

Table 3: Results (RLA)

Dependent Variables:	Mean test score	White-Black	White-Hispanic	Male-Female	AdvDisadv
Model:	(1)	(2)	(3)	(4)	(5)
Variables					
Year=-9	-0.0359***	$0.0716^{***}$	-0.0037	0.0061	$0.0530^{***}$
	(0.0070)	(0.0102)	(0.0114)	(0.0079)	(0.0085)
Year=-8	-0.0116**	$0.0534^{***}$	0.0094	0.0183***	$0.0438^{***}$
	(0.0055)	(0.0086)	(0.0092)	(0.0066)	(0.0069)
Year=-7	-0.0060	$0.0690^{***}$	0.0104	$0.0090^*$	$0.0498^{***}$
	(0.0046)	(0.0076)	(0.0079)	(0.0055)	(0.0058)
Year=-6	-0.0013	$0.0598^{***}$	0.0161**	$0.0103^*$	$0.0510^{***}$
	(0.0044)	(0.0072)	(0.0073)	(0.0053)	(0.0056)
Year=-5	-0.0007	0.0101*	0.0022	0.0006	0.0195***
	(0.0034)	(0.0053)	(0.0058)	(0.0039)	(0.0042)
Year=-4	0.0073**	0.0086	-0.0052	0.0099***	0.0058
	(0.0033)	(0.0053)	(0.0057)	(0.0038)	(0.0041)
Year=-3	$0.0036^{'}$	-0.0079*	-0.0040	-0.0005	-0.0068*
	(0.0029)	(0.0047)	(0.0051)	(0.0034)	(0.0036)
Year=-2	-0.0041	-0.0014	0.0001	-0.0005	0.0030
<b>-</b>	(0.0026)	(0.0043)	(0.0045)	(0.0030)	(0.0032)
Year=0	-0.0012	0.0029	0.0089**	-0.0033	0.0003
	(0.0023)	(0.0038)	(0.0039)	(0.0026)	(0.0028)
Year=1	0.0028	-0.0112***	$0.0014^{'}$	-0.0143***	-0.0018
	(0.0024)	(0.0041)	(0.0043)	(0.0028)	(0.0030)
Year=2	$0.0002^{'}$	-0.0045	0.0134***	-0.0128***	-0.0011
	(0.0026)	(0.0044)	(0.0046)	(0.0030)	(0.0032)
Year=3	0.0013	-0.0191***	0.0173***	-0.0171***	-0.0030
	(0.0027)	(0.0046)	(0.0048)	(0.0031)	(0.0033)
Year=4	-0.0024	-0.0312***	0.0184***	-0.0215***	-0.0150***
	(0.0029)	(0.0049)	(0.0052)	(0.0033)	(0.0035)
Year=5	0.0006	-0.0486***	0.0131**	-0.0207***	-0.0257***
	(0.0033)	(0.0059)	(0.0060)	(0.0038)	(0.0040)
Year=6	0.0028	-0.0500***	0.0178***	-0.0242***	-0.0253***
	(0.0034)	(0.0060)	(0.0061)	(0.0039)	(0.0040)
Year=7	0.0195***	-0.0470***	0.0272***	-0.0267***	-0.0150***
	(0.0039)	(0.0070)	(0.0070)	(0.0045)	(0.0047)
Year=8	0.0284***	-0.0255***	0.0513***	-0.0143**	-0.0089
	(0.0050)	(0.0092)	(0.0089)	(0.0057)	(0.0059)
Fixed-effects					<u> </u>
Year	Yes	Yes	Yes	Yes	Yes
County	Yes	Yes	Yes	Yes	Yes
Grade	Yes	Yes	Yes	Yes	Yes
Fit statistics					
Observations	169,246	67,940	72,032	$158,\!055$	$146,\!172$
$\mathbb{R}^2$	0.74481	0.58872	0.61099	0.23741	0.46345
Within $\mathbb{R}^2$	0.00242	0.00951	0.00262	0.00301	0.00506

IID standard-errors in parentheses
Signif. Codes: \*\*\*: 0.01, \*\*: 0.05, \*: 0.1

## 5 Conclusion

#### References

- de Chaisemartin, C. and D'Haultfoeuille, X. (2021). Two-way fixed effects and differences-indifferences with heterogeneous treatment effects: A survey.
- de Chaisemartin, C. and D'Haultfœuille, X. (2020). Two-way fixed effects estimators with heterogeneous treatment effects. *American Economic Review*, 110(9):2964–96.
- Deryugina, T. (2017). The fiscal cost of hurricanes: Disaster aid versus social insurance. American Economic Journal: Economic Policy, 9(3):168–98.
- Reardon, S., Kalogrides, D., Ho, A., Shear, B., Fahle, E., Jang, H., and Chavez, B. (2021). Stanford education data archive (version 4.1).
- Turner, D. (2022). rfema: Access the openfema api. rOpenSci.
- Zhang, S. and de Chaisemartin, C. (2021). Two WayFEW eights: Estimation of the Weights Attached to the Two-Way Fixed Effects Regressions. R package version 0.1.0.