

```
import { useState } from "react";
```

```
// — CROPS —————
```

```
const crops = [
  { id: "tomatoes",    name: "Tomatoes",    category: "Nightshades",    emoji:
  { id: "peppers",     name: "Peppers",     category: "Nightshades",    emoji:
  { id: "potatoes",    name: "Potatoes",    category: "Nightshades",    emoji:
  { id: "broccoli",    name: "Broccoli",    category: "Brassicas",      emoji:
  { id: "cauliflower", name: "Cauliflower", category: "Brassicas",      emoji:
  { id: "kale",         name: "Kale",         category: "Brassicas",      emoji:
  { id: "chard",        name: "Swiss Chard",  category: "Leafy Greens",   emoji:
  { id: "lettuce",      name: "Lettuce",     category: "Leafy Greens",   emoji:
  { id: "celery",       name: "Celery",      category: "Leafy Greens",   emoji:
  { id: "peas",         name: "Peas",        category: "Legumes",        emoji:
  { id: "beans",        name: "Beans",       category: "Legumes",        emoji:
  { id: "radishes",     name: "Radishes",    category: "Root Vegetables", emoji:
  { id: "garlic",       name: "Garlic",      category: "Root Vegetables", emoji:
  { id: "herbs",        name: "Herbs",       category: "Perennials",     emoji:
  { id: "rhubarb",      name: "Rhubarb",     category: "Perennials",     emoji:
  { id: "cucumbers",    name: "Cucumbers",   category: "Fruits",         emoji:
  { id: "strawberries", name: "Strawberries", category: "Fruits",         emoji:
];
```

```
// — TREATMENTS —————
```

```
const treatments = [
  // Biological Agents
  {
    id: "lab", name: "LAB", full: "Lactic Acid Bacteria", category: "Biological A
    organic: true, dilution: "1:1000", method: "Foliar spray or soil drench", tim
    notes: "Living culture – avoid copper within 3 days. Builds soil biology and
    conflicts: ["Copper Fungicide", "Bonide Fung-onil"],
  },
  {
    id: "fpj", name: "FPJ", full: "Fermented Plant Juice", category: "Biological
    organic: true, dilution: "1:500-1:1000", method: "Foliar spray or soil drench
    notes: "Supports vegetative growth. Use plant material appropriate to crop st
    conflicts: ["Copper Fungicide", "Bonide Fung-onil"],
  },
  {
    id: "eggshell-calcium", name: "Eggshell Calcium", full: "Calcium from Eggshel
    organic: true, dilution: "1:500-1:1000", method: "Foliar spray or soil drench
    notes: "KNF calcium input. Supports cell wall strength and reduces blossom en
    conflicts: [],
  },
];
```

```

// Preventative Biologicals
{
  id: "arber", name: "Arber Bio Protectant", full: "Arber Bio Protectant", cate
organic: true, dilution: "4 oz / gal", method: "Foliar spray", timing: "Morni
notes: "Broad-spectrum biological fungicide. Reapply every 7-14 days.",
conflicts: ["Copper Fungicide", "Bonide Fung-onil"],
},
{
  id: "monterey", name: "Monterey CDC", full: "Monterey Complete Disease Contro
organic: true, dilution: "2-4 oz / gal", method: "Foliar spray or soil drench
notes: "Bacillus amyloliquefaciens. Only conflicts with Copper Fungicide. Com
conflicts: ["Copper Fungicide", "Bonide Fung-onil"],
},
{
  id: "biosafe", name: "BioSafe Disease Control", full: "BioSafe Disease Contro
organic: true, dilution: "Preventative 1:200-1:400 / Curative 1:100", method:
notes: "OMRI listed. Broad-spectrum: powdery/downy mildew, botrytis, leaf spo
conflicts: [],
},
// Biological Insecticides
{
  id: "bt", name: "BT", full: "Bacillus thuringiensis", category: "Biological I
organic: true, dilution: "1-2 tsp / gal", method: "Foliar spray", timing: "Ev
notes: "Targets caterpillars and loopers. Must be ingested to work – thorough
conflicts: [],
},
{
  id: "spinosad", name: "Captain Jack's Dead Bug (Spinosad)", full: "Spinosad",
organic: true, dilution: "4 oz / gal", method: "Foliar spray", timing: "Dusk
notes: "Highly effective against thrips, caterpillars, leafminers. Apply at d
conflicts: [],
},
{
  id: "soap", name: "Safer Insect Killing Soap", full: "Safer Insect Killing So
organic: true, dilution: "2-3 tbsp / gal", method: "Foliar spray – thorough c
notes: "Effective on aphids, mites, whiteflies on contact. Does not persist –
conflicts: [],
},
// Organic Fungicides / Treatments
{
  id: "copper", name: "Copper Fungicide", full: "Copper Fungicide", category: "
organic: true, dilution: "1-2 tbsp / gal", method: "Foliar spray", timing: "E
notes: "Primary compatibility disruptor. Wait 3-5 days before/after any biolo
conflicts: ["LAB", "FPJ", "Arber Bio Protectant", "Monterey CDC", "Dormant Oi
},
{
  id: "rotstop", name: "Rot Stop", full: "Rot Stop (Calcium)", category: "Organ

```

```

    organic: true, dilution: "3 tbsp / gal", method: "Foliar spray on fruit", tim
    notes: "Calcium supplement for blossom end rot prevention. Apply to tomatoes
    conflicts: [],
  },
  // Oils
  {
    id: "dormant", name: "Dormant Oil", full: "Bonide All Season Horticultural &
    organic: true, dilution: "2.5 oz / gal", method: "Full coverage spray", timin
    notes: "Smothers overwintering pests and eggs. Avoid in heat or frost. Do not
    conflicts: ["Copper Fungicide", "Bonide Fung-onil"],
  },
  // Conventional (use sparingly)
  {
    id: "fungonil", name: "Bonide Fung-onil", full: "Bonide Fung-onil (Chlorothal
    organic: false, dilution: "1.5 tsp / gal", method: "Foliar spray", timing: "E
    notes: "NOT organic. Nuclear option only. Chlorothalonil – broad-spectrum but
    conflicts: ["LAB", "FPJ", "Arber Bio Protectant", "Monterey CDC", "Dormant Oi
  },
  // Plant Health
  {
    id: "aspirin", name: "Aspirin (SAR)", full: "Aspirin – Salicylic Acid", categ
    organic: true, dilution: "1 regular aspirin / gal water", method: "Soil dren
    notes: "Triggers systemic acquired resistance (SAR). Used with tomatoes and p
    conflicts: [],
  },
  // Root Support
  {
    id: "rootstim", name: "Fertilome Root Stimulator", full: "Fertilome Root Stim
    organic: false, dilution: "3.5 tbsp / gal", method: "Soil drench at root zone
    notes: "Contains indole-3-butyric acid (rooting hormone) + Vitamin B-1. Use a
    conflicts: [],
  },
  {
    id: "myco", name: "Mycorrhiza Inoculant", full: "Mycorrhizal Fungi Inoculant"
    organic: true, dilution: "Per label (powder)", method: "Direct root applicati
    notes: "Extends root reach and nutrient uptake. Most effective on nightshades
    conflicts: ["Copper Fungicide"],
  },
];

// — FERTILIZERS —————
const fertilizers = [
  {
    id: "jacks", name: "Jack's All-Purpose 20-20-20", npk: "20-20-20", type: "Sol
    organic: false, method: "Foliar or soil drench", caution: "high",
    notes: "High-salt synthetic. Use sparingly – salt buildup damages soil biolog
    bestFor: "Emergency correction or container plants only",
  }
];

```

```

    },
    {
      id: "chicknpoo", name: "Chick N Poo", npk: "2-4-3", type: "Organic Granular",
      organic: true, method: "Top dress and work in lightly", caution: "low",
      notes: "Slow-release poultry manure granules. Good balanced organic base feed
      bestFor: "General beds, all crops",
    },
    {
      id: "kelp", name: "Kelp Meal", npk: "~1-0.1-2", type: "Organic Meal",
      organic: true, method: "Top dress or mix into soil", caution: "low",
      notes: "Low nitrogen, good potassium and micronutrients. Contains natural gro
      bestFor: "Bulbing crops (garlic, onions), fruiting support",
    },
    {
      id: "alfalfa", name: "Alfalfa Meal", npk: "~3-1-2", type: "Organic Meal",
      organic: true, method: "Plant-side application only – place at base of plant"
      notes: "Contains triacontanol – natural plant growth stimulant. Apply plant-s
      bestFor: "Nightshades, perennials – plant-side application",
    },
    {
      id: "berryfood", name: "Berry Food", npk: "Varies by brand", type: "Organic G
      organic: true, method: "Top dress around plants", caution: "low",
      notes: "Formulated for acid-loving fruiting crops. Use on strawberries and ot
      bestFor: "Strawberries, berry crops",
    },
    {
      id: "osmocote", name: "Osmocote Plus", npk: "15-9-12", type: "Controlled-Rele
      organic: false, method: "Mix into soil or top dress", caution: "medium",
      notes: "Slow-release coated granules – feeds over 6 months. Lower salt impact
      bestFor: "Containers, raised beds, long-season crops",
    },
    {
      id: "acidmix", name: "Acid Mix Fertilizer", npk: "Varies", type: "Organic/Spe
      organic: true, method: "Per label", caution: "low",
      notes: "For acid-loving plants. Pairs well with pine bark mulch beds. Use on
      bestFor: "Acid-loving crops and beds amended with pine bark",
    },
    {
      id: "keenegarlic", name: "Keene Garlic Fertilizer", npk: "Varies", type: "Spe
      organic: true, method: "Per label – granular top dress", caution: "low",
      notes: "Formulated specifically for garlic. Use during early growth. Back off
      bestFor: "Garlic – vegetative stage only",
    },
  ],
];

```

```

// — OUTBREAK PLANS —————
const outbreakPlans = {

```

```

chard: {
  pest: "Cercospora Leaf Spot",
  steps: [
    "Remove and bag all affected leaves immediately – do not compost.",
    "Apply Copper Fungicide in the evening at 1-2 tbsp/gal.",
    "Wait 3-5 days, then resume LAB/FPJ rotation.",
    "Increase air circulation if plants are crowded.",
    "Monitor every 2 days for 2 weeks.",
  ],
},
celery: {
  pest: "Celery Blight / Aphids / Leafminers",
  steps: [
    "For blight: remove affected foliage, apply Copper Fungicide or BioSafe Dis
    "For aphids: apply Safer Insect Killing Soap or Arber Bio Protectant.",
    "For leafminers: apply Spinosad at dusk.",
    "Avoid overhead watering – water at base only.",
    "Reapply treatment every 7 days until clear.",
  ],
},
potatoes: {
  pest: "Flea Beetles",
  steps: [
    "Apply Spinosad (Captain Jack's) at dusk – thorough coverage on leaf unders
    "Add row cover if infestation is severe.",
    "Apply BT if caterpillar presence is also detected.",
    "Reapply Spinosad after 7 days if population persists.",
    "Check for adult beetles in early morning when they're less active.",
  ],
},
tomatoes: {
  pest: "Early Blight / Blossom End Rot",
  steps: [
    "For Early Blight: remove infected lower leaves, apply Copper Fungicide or
    "For BER: apply Rot Stop or Eggshell Calcium foliar spray 2x per week.",
    "Ensure consistent watering – BER is often moisture-stress related.",
    "Mulch heavily to retain soil moisture.",
    "Resume biological spray program 5 days after copper application.",
  ],
},
cucumbers: {
  pest: "Powdery / Downy Mildew",
  steps: [
    "Apply BioSafe Disease Control or Monterey CDC immediately at first sign.",
    "If advanced: apply Copper Fungicide, then wait 5 days before resuming biol
    "Resume Arber Bio Protectant on 7-day rotation.",
    "Remove most affected leaves.",
  ],
}

```

```

    "Improve air circulation – avoid wetting foliage.",
  ],
},
strawberries: {
  pest: "Botrytis / Spider Mites",
  steps: [
    "For Botrytis: remove affected fruit/leaves, apply BioSafe Disease Control",
    "For Spider Mites: apply Dormant Oil in evening (below 85°F) or Safer Insec",
    "Ensure good air circulation around plants.",
    "Avoid overhead irrigation.",
    "Repeat treatment every 5-7 days until resolved.",
  ],
},
broccoli: {
  pest: "Cabbage Loopers / Aphids",
  steps: [
    "For Cabbage Loopers: apply BT in evening, thorough coverage.",
    "For Aphids: apply Safer Insect Killing Soap or strong water spray first.",
    "Check leaf undersides – loopers hide there.",
    "Reapply BT every 5-7 days after rain.",
    "Consider row cover for ongoing looper pressure.",
  ],
},
};

```

```

// — SAFETY RULES —————
const safetyRules = [
  {
    icon: "⚠️",
    title: "Copper Fungicide – 3 to 5 Day Buffer",
    desc: "Never apply LAB, FPJ, Arber, Monterey CDC, BioSafe, Dormant Oil, or My",
  },
  {
    icon: "☠️",
    title: "Bonide Fung-onil – 1 Week Buffer from Oils and Biologicals",
    desc: "Chlorothalonil (Fung-onil) must not be applied within 1 week before or",
  },
  {
    icon: "🌅",
    title: "Spinosad – Dusk Application Only",
    desc: "UV light degrades Spinosad rapidly. Always apply at dusk. Also toxic t",
  },
  {
    icon: "🌡️",
    title: "Dormant Oil – Temperature Limit",
    desc: "Do not apply Dormant Oil above 85°F or when frost is expected within 2",
  },
];

```

```

{
  icon: "🖌️",
  title: "Separate Sprayers",
  desc: "Even when products are compatible, use separate sprayers to avoid cros
},
{
  icon: "🌱",
  title: "Biological Agents – Living Cultures",
  desc: "LAB and FPJ are living cultures. Store correctly, do not mix with chlo
},
{
  icon: "🐕",
  title: "Ginger Safety – Fertilome Root Stimulator",
  desc: "Fertilome Root Stimulator label states it is not safe for pets. Keep G
},
];

```

```

// — SOIL AMENDMENTS —————
const soilAmendments = [
  {
    id: "knf-mulch",
    name: "KNF Forest Products Compost Mulch",
    type: "Compost Mulch",
    inspired: "Korean Natural Farming",
    emoji: "🌲",
    description: "A biologically rich mulch blend inoculated with mycorrhizal fun
    batches: [
      {
        label: "Batch 1", coverage: "Fenced Garden", emoji: "🌱",
        ingredients: [
          { item: "Cocoa Bean Mulch",      qty: "2 bags", size: "2 ft³ each", tot
          { item: "Finely Milled Pine Bark", qty: "2 bags", size: "1 ft³ each", t
          { item: "Mushroom Compost",      qty: "1 bag",  size: "0.75 ft³",    to
          { item: "General Compost",       qty: "1 bag",  size: "1 ft³",          to
          { item: "Bonemeal",              qty: "touch", size: "—",          to
          { item: "Mycorrhiza Inoculant",  qty: "touch", size: "—",          to
        ],
      },
    ],
    {
      label: "Batch 2", coverage: "Raised Bed + Potato Bags", emoji: "🥔",
      ingredients: [
        { item: "Cocoa Bean Mulch",      qty: "2 bags", size: "2 ft³ each", tot
        { item: "Finely Milled Pine Bark", qty: "2 bags", size: "1 ft³ each", t
        { item: "Mushroom Compost",      qty: "1 bag",  size: "0.75 ft³",    to
        { item: "General Compost",       qty: "1 bag",  size: "1 ft³",          to
        { item: "Bonemeal",              qty: "touch", size: "—",          to
        { item: "Mycorrhiza Inoculant",  qty: "touch", size: "—",          to
      ],
    }
  ]
}

```

```

    ],
  },
],
ingredientNotes: [
  { item: "Cocoa Bean Mulch",          role: "Slow-release nitrogen, weed suppre"},
  { item: "Finely Milled Pine Bark", role: "Acidifies slightly, improves drai"},
  { item: "Mushroom Compost",          role: "Rich fungal and bacterial diversit"},
  { item: "General Compost",           role: "Broad microbial diversity, humus b"},
  { item: "Bonemeal",                  role: "Slow-release phosphorus to support"},
  { item: "Mycorrhiza Inoculant",      role: "Extends root reach and nutrient up"},
],
warnings: [
  { icon: "🐾", level: "danger", title: "Ginger Safety – Cocoa Bean Mulch is"},
  { icon: "🍄", level: "info",   title: "Brassica Beds – Mycorrhiza Has Reduc"},
  { icon: "🍷", level: "info",   title: "Copper Fungicide Timing", desc: "Avc"},
],
safeAreas: ["Fenced garden", "Raised bed", "Potato bags"],
unsafeAreas: ["Deck plantings", "Front plantings", "Any area Ginger can acces"},
},
];

```

```

// — HELPERS —————
const riskColor = { low: "#4ade80", medium: "#fbbf24", high: "#f87171" };
const riskBg    = { low: "#1a2e1a", medium: "#2e2a1a", high: "#2e1a1a" };

```

```

const categoryColor = {
  "Biological Agent":          "#60a5fa",
  "Preventative Biological":   "#4ade80",
  "Biological Insecticide":    "#a78bfa",
  "Organic Insecticide":       "#c084fc",
  "Organic Fungicide":         "#34d399",
  "Horticultural Oil":         "#fbbf24",
  "Conventional Fungicide ⚠️": "#f87171",
  "Plant Health":              "#86efac",
  "Root Support":               "#6ee7b7",
};

```

```

const categoryBg = {
  "Biological Agent":          "#1a1e2e",
  "Preventative Biological":   "#1a2e1a",
  "Biological Insecticide":    "#1e1a2e",
  "Organic Insecticide":       "#1e1a2e",
  "Organic Fungicide":         "#1a2e25",
  "Horticultural Oil":         "#2e2a1a",
  "Conventional Fungicide ⚠️": "#2e1a1a",
  "Plant Health":              "#1a2e1a",
  "Root Support":               "#1a2e25",
};

```

```

};

const cautionColor = { low: "#4ade80", medium: "#fbbf24", high: "#f87171" };

// — APP —
export default function GardenDashboard() {
  const [tab, setTab] = useState("garden");
  const [selectedCrop, setSelectedCrop] = useState(null);
  const [filterRisk, setFilterRisk] = useState("all");
  const [treatFilter, setTreatFilter] = useState("all");
  const [activeBatch, setActiveBatch] = useState(0);

  const filteredCrops = filterRisk === "all" ? crops : crops.filter(c => c.risk =

  const treatmentCategories = [...new Set(treatments.map(t => t.category))];
  const filteredTreatments = treatFilter === "all" ? treatments : treatments.fil

  const getOutbreakKey = (cropId) => {
    if (cropId === "chard") return "chard";
    if (cropId === "celery") return "celery";
    if (cropId === "potatoes") return "potatoes";
    if (["tomatoes", "peppers"].includes(cropId)) return "tomatoes";
    if (cropId === "cucumbers") return "cucumbers";
    if (cropId === "strawberries") return "strawberries";
    if (["broccoli", "cauliflower", "kale"].includes(cropId)) return "broccoli";
    return null;
  };

  const tabs = [
    { id: "garden", label: "🌱 My Garden" },
    { id: "treatments", label: "💧 Treatments" },
    { id: "fertilizers", label: "🌾 Fertilizers" },
    { id: "schedule", label: "📅 Schedule" },
    { id: "outbreak", label: "🚨 Outbreak Plan" },
    { id: "safety", label: "⚠️ Safety Rules" },
    { id: "amendments", label: "🌲 Soil Amendments" },
  ];

  return (
    <div style={{ minHeight: "100vh", background: "#0f1a0f", fontFamily: "'Georgia',

      { /* — HEADER — */ }

      <div style={{ background: "linear-gradient(135deg, #1a2e1a 0%, #0f1a0f 60%, #16

        <div style={{ maxWidth: 1200, margin: "0 auto" }}>
          <div style={{ display: "flex", alignItems: "center", gap: 14, marginBottom
            <span style={{ fontSize: 32 }}>🌱</span>
          <div>

```

```

        <h1 style={{ margin:0, fontSize:22, fontWeight:"normal", letterSpacing:0.2 }}>
        <p style={{ margin:0, fontSize:12, color:"#5a8a5a", letterSpacing:0.2 }}>
    </div>
</div>
<div style={{ display:"flex", gap:4, flexWrap:"wrap" }}>
    {tabs.map(t => (
        <button key={t.id} onClick={() => setTab(t.id)} style={{
            padding:"8px 16px", borderRadius:6, border:"none", cursor:"pointer",
            fontFamily:"inherit", letterSpacing:"0.02em", transition:"all 0.2s",
            background: tab===t.id ? "#2d5a2d" : "transparent",
            color: tab===t.id ? "#a8d5a8" : "#5a8a5a",
            borderBottom:tab===t.id ? "2px solid #4ade80" : "2px solid transparent"
        }}>{t.label}</button>
    ))}
</div>
</div>
</div>
</div>

<div style={{ maxWidth:1200, margin:"0 auto", padding:"32px" }}>

    {/* — GARDEN TAB — */}
    {tab === "garden" && (
        <div>
            <div style={{ display:"flex", alignItems:"center", gap:16, marginBottom:16 }}>
                <h2 style={{ margin:0, fontSize:18, fontWeight:"normal", color:"#a8d5a8" }}>Garden
                <div style={{ display:"flex", gap:6, marginLeft:"auto", flexWrap:"wrap" }}>
                    {[ "all", "low", "medium", "high" ].map(r => (
                        <button key={r} onClick={() => setFilterRisk(r)} style={{
                            padding:"5px 14px", borderRadius:20, cursor:"pointer", fontSi
                            border:`1px solid ${r==="all" ? "#4a6a4a" : riskColor[r]}`,
                            background: filterRisk===r ? (r==="all" ? "#2d4a2d" : riskBg[
                            color: r==="all" ? "#a8d5a8" : riskColor[r],
                        }}>{r==="all" ? "All" : `${r.charAt(0).toUpperCase()+r.slice(1)}`
                    ))}
                </div>
            </div>
            <div style={{ display:"grid", gridTemplateColumns:"repeat(auto-fill,minmax(200px,1fr))", gap:16 }}>
                {filteredCrops.map(crop => (
                    <div key={crop.id} onClick={() => setSelectedCrop(selectedCrop?.id===crop.id ? crop.id : undefined)} style={{
                        background: selectedCrop?.id===crop.id ? "#1e3a1e" : "#131f13",
                        border:`1px solid ${selectedCrop?.id===crop.id ? "#4ade80" : "#4a6a4a"}`,
                        borderRadius:10, padding:16, cursor:"pointer", transition:"all 0.2s"
                    }}>
                        <div style={{ display:"flex", justifyContent:"space-between", align-items:"center" }}>
                            <span style={{ fontSize:28 }}>{crop.emoji}</span>
                            <span style={{ fontSize:10, padding:"2px 8px", borderRadius:10 }}>{crop.risk}</span>
                        </div>
                    </div>
                ))}
            </div>
        </div>
    )}

```

```

    <div style={{ fontSize:15, color:"#c8e8c8", marginBottom:3 }}>{
    <div style={{ fontSize:11, color:"#4a6a4a", marginBottom: crop.
    {crop.issues.length > 0 && (
      <div style={{ display:"flex", flexWrap:"wrap", gap:4 }}>
        {crop.issues.map(i => (
          <span key={i} style={{ fontSize:10, padding:"2px 6px", bo
          )))}
        </div>
      )}
    </div>
    )}}
  </div>
  {selectedCrop && (
    <div style={{ marginTop:24, background:"#131f13", border:"1px solid
    <div style={{ display:"flex", gap:16, alignItems:"center", margin
    <span style={{ fontSize:40 }}>{selectedCrop.emoji}</span>
    <div>
      <h3 style={{ margin:0, fontSize:20, fontWeight:"normal", colo
      <p style={{ margin:0, color:"#5a8a5a", fontSize:13 }}>{select
    </div>
    </div>
    {getOutbreakKey(selectedCrop.id) ? (
      <div>
        <p style={{ color:"#7a9a7a", fontSize:13, margin:"0 0 12px" }
        {outbreakPlans[getOutbreakKey(selectedCrop.id)].steps.map((s,
          <div key={i} style={{ display:"flex", gap:12, marginBottom:
            <span style={{ color:"#4ade80", fontSize:12, minWidth:20,
            <span style={{ fontSize:13, color:"#9aba9a", lineHeight:1
          </div>
        </div>
      </div>
    ) : (
      <p style={{ color:"#5a8a5a", fontSize:13 }}>No specific outbrea
    </div>
  )}
</div>
)}

{/* — TREATMENTS TAB — */}
{tab === "treatments" && (
  <div>
    <div style={{ display:"flex", alignItems:"center", gap:16, marginBott
    <h2 style={{ margin:0, fontSize:18, fontWeight:"normal", color:"#a8
    <div style={{ display:"flex", gap:6, flexWrap:"wrap", marginLeft:"a
    <button onClick={() => setTreatFilter("all")} style={{ padding:"4
    {treatmentCategories.map(cat => (

```

```

        <button key={cat} onClick={() => setTreatFilter(cat)} style={{
          padding:"4px 12px", borderRadius:20, border:`1px solid ${cate
            background: treatFilter===cat ? (categoryBg[cat]||"#2d4a2d")
            color: categoryColor[cat] || "#a8d5a8", cursor:"pointer", fon
          }}>{cat}</button>
        )}}
      </div>
    </div>
    <div style={{ display:"grid", gap:12 }}>
      {filteredTreatments.map(t => (
        <div key={t.id} style={{
          background: t.organic ? "#131f13" : "#1a1010",
          border:`1px solid ${t.organic ? "#1f331f" : "#3a1a1a"}`,
          borderRadius:12, padding:20,
          display:"grid", gridTemplateColumns:"200px 1fr 1fr", gap:16,
        }}>
          <div>
            <div style={{ display:"flex", gap:8, alignItems:"flex-start",
              <span style={{ fontSize:15, color:"#a8d5a8", fontWeight:"bo
                {!t.organic && <span style={{ fontSize:10, padding:"2px 6px
              </div>
              <span style={{ fontSize:10, padding:"2px 8px", borderRadius:8
                <p style={{ margin:"8px 0 0", fontSize:11, color:"#4a6a4a" }}
              </div>
            <div style={{ fontSize:12, color:"#7a9a7a" }}>
              <div style={{ marginBottom:6 }}><span style={{ color:"#4a6a4a
                <div style={{ marginBottom:6 }}><span style={{ color:"#4a6a4a
                  <div><span style={{ color:"#4a6a4a" }}>Timing: </span>{t.timi
                </div>
              <div>
                <p style={{ margin:"0 0 8px", fontSize:12, color:"#7a9a7a", l
                  {t.conflicts.length > 0 && (
                    <div style={{ display:"flex", flexWrap:"wrap", gap:4 }}>
                      {t.conflicts.map(c => (
                        <span key={c} style={{ fontSize:10, padding:"2px 6px",
                      )}}
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        )}}
      </div>
    </div>
  </div>
)}

{/* — FERTILIZERS TAB — */}
{tab === "fertilizers" && (

```

```

<div>
  <h2 style={{ margin:"0 0 8px", fontSize:18, fontWeight:"normal", colo
  <p style={{ margin:"0 0 28px", color:"#5a8a5a", fontSize:13 }}>Organi
  <div style={{ display:"grid", gap:12 }}>
    {fertilizers.map(f => (
      <div key={f.id} style={{
        background: f.organic ? "#131f13" : "#1a1010",
        border:`1px solid ${f.organic ? "#1f331f" : "#3a1a1a"}`,
        borderRadius:12, padding:20,
        display:"grid", gridTemplateColumns:"220px 120px 1fr", gap:16,
      }}>
        <div>
          <div style={{ display:"flex", gap:8, alignItems:"center", mar
            <span style={{ fontSize:14, color:"#a8d5a8", fontWeight:"bo
              {!f.organic && <span style={{ fontSize:10, padding:"2px 6px
            </div>
          <div style={{ fontSize:11, color:"#4a6a4a", marginBottom:4 }}
          <div style={{ fontSize:12, color:"#6a9a6a" }}>NPK: {f.npk}</d
          <div style={{ fontSize:11, color:"#5a8a5a", marginTop:4 }}>{f
        </div>
        <div style={{ display:"flex", alignItems:"flex-start", justifyC
          <span style={{ fontSize:11, padding:"4px 12px", borderRadius:
            {f.caution==="high" ? "⚠️ Use Sparingly" : f.caution==="mec
          </span>
        </div>
      </div>
      <div>
        <p style={{ margin:"0 0 6px", fontSize:12, color:"#7a9a7a", l
        <p style={{ margin:0, fontSize:11, color:"#4a6a4a" }}>Best fo
      </div>
    </div>
  )))
</div>
</div>
))
{ /* — SCHEDULE TAB — */
{tab === "schedule" && (
  <div>
    <h2 style={{ margin:"0 0 8px", fontSize:18, fontWeight:"normal", colo
    <p style={{ margin:"0 0 28px", color:"#5a8a5a", fontSize:13 }}>Two-we
    <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:20,
      [[
        {
          week:"Week A", color:"#4ade80", bg:"#1a2e1a",
          tasks:[
            { day:"Monday", task:"LAB foliar spray", targets:["
            { day:"Wednesday", task:"FPJ soil drench", targets:[

```



```

<p style={{ margin:"0 0 28px", color:"#5a8a5a", fontSize:13 }}>Step-b
<div style={{ display:"grid", gap:16 }}>
  {Object.entries(outbreakPlans).map(([key,plan]) => (
    <div key={key} style={{ background:"#1a1010", border:"1px solid #
      <div style={{ display:"flex", gap:12, alignItems:"center", marg
        <span style={{ fontSize:24 }}>🚨</span>
      <div>
        <h3 style={{ margin:0, color:"#f87171", fontWeight:"normal"
          <p style={{ margin:0, fontSize:12, color:"#6a4a4a", textTra
        </div>
      </div>
    <div style={{ display:"grid", gap:8 }}>
      {plan.steps.map((step,i) => (
        <div key={i} style={{ display:"flex", gap:12 }}>
          <span style={{ color:"#f87171", fontSize:12, minWidth:22,
            <span style={{ fontSize:13, color:"#9a8a8a", lineHeight:1
          </div>
        )))
      </div>
    </div>
  )))
</div>
)}

{/* — SAFETY TAB — */}
{tab === "safety" && (
  <div>
    <h2 style={{ margin:"0 0 8px", fontSize:18, fontWeight:"normal", colo
    <p style={{ margin:"0 0 28px", color:"#5a8a5a", fontSize:13 }}>Incomp
    <div style={{ display:"grid", gap:16 }}>
      {safetyRules.map((rule,i) => (
        <div key={i} style={{ background:"#1a1010", border:"1px solid rgb
          <span style={{ fontSize:32, flexShrink:0 }}>{rule.icon}</span>
        <div>
          <h3 style={{ margin:"0 0 8px", color:"#fbbf24", fontWeight:"n
            <p style={{ margin:0, color:"#9a8a7a", fontSize:14, lineHeigh
          </div>
        </div>
      )))
    </div>
    <div style={{ marginTop:32, background:"#131f13", border:"1px solid #
      <h3 style={{ margin:"0 0 16px", fontWeight:"normal", color:"#a8d5a8
      <div style={{ display:"grid", gridTemplateColumns:"repeat(auto-fill
        {[
          { time:"Early Morning", ok:["LAB","FPJ","Monterey","Arber","Bio
          {time:"Dusk / Evening", ok:["Spinosad","BT","Copper Fungicide"

```

```

    { time:"Midday / Hot Sun", ok:[], avoid:["Spinosad","Dormant Oi
    { time:"Above 85°F", ok:[], avoid:["Dormant Oil","Safer Soap"]
  ].map(slot => (
    <div key={slot.time} style={{ background:"#0f1a0f", borderRadiu
      <div style={{ fontSize:12, color:"#4a6a4a", marginBottom:8 }}
      {slot.ok.length > 0 && (
        <div>
          <span style={{ fontSize:10, color:"#4ade80" }}>✓ OK:</spa
          {slot.ok.map(x => <div key={x} style={{ fontSize:11, colo
        </div>
      )}
      {slot.avoid.length > 0 && (
        <div style={{ marginTop: slot.ok.length > 0 ? 8 : 0 }}>
          <span style={{ fontSize:10, color:"#f87171" }}>✗ Avoid:</
          {slot.avoid.map(x => <div key={x} style={{ fontSize:11, c
        </div>
      )}
    </div>
  )})
</div>
</div>
</div>
))

```

```

{/* — AMENDMENTS TAB — */}

```

```

{tab === "amendments" && (

```

```

  <div>

```

```

    <h2 style={{ margin:"0 0 8px", fontSize:18, fontWeight:"normal", colo

```

```

    <p style={{ margin:"0 0 28px", color:"#5a8a5a", fontSize:13 }}>Recipe

```

```

    {soilAmendments.map(amendment => (

```

```

      <div key={amendment.id}>

```

```

        {/* Header */}

```

```

        <div style={{ background:"#131f13", border:"1px solid #2d4a2d", b

```

```

          <div style={{ display:"flex", gap:16, alignItems:"flex-start",

```

```

            <span style={{ fontSize:40 }}>{amendment.emoji}</span>

```

```

            <div style={{ flex:1 }}>

```

```

              <div style={{ display:"flex", gap:10, alignItems:"center",

```

```

                <h3 style={{ margin:0, fontSize:18, fontWeight:"normal",

```

```

                  <span style={{ fontSize:10, padding:"2px 10px", borderRad

```

```

                </div>

```

```

                <p style={{ margin:0, fontSize:13, color:"#7a9a7a", lineHei

```

```

              </div>

```

```

            </div>

```

```

        <div style={{ display:"flex", gap:10, flexWrap:"wrap" }}>

```

```

          {amendment.batches.map((b,i) => (

```

```

            <div key={i} style={{ background:"#0f1a0f", border:"1px sol

```

```

              <span style={{ color:"#4ade80" }}>{b.emoji} {b.label}</sp

```

```

        <span style={{ color:"#4a6a4a", margin:"0 6px" }}></span>
        {b.coverage}
      </div>
    )))
  </div>
</div>
{/* Batch selector + table */}
<div style={{ background:"#131f13", border:"1px solid #1f331f", b
  <div style={{ display:"flex", gap:4, marginBottom:20, flexWrap:
    {amendment.batches.map((b,i) => (
      <button key={i} onClick={() => setActiveBatch(i)} style={{
        padding:"7px 18px", borderRadius:6, border:"none", cursor
        background: activeBatch===i ? "#2d5a2d" : "transparent",
        color:          activeBatch===i ? "#a8d5a8" : "#5a8a5a",
        borderBottom:activeBatch===i ? "2px solid #4ade80" : "2px
      }}>{b.emoji} {b.label} – {b.coverage}</button>
    )))
  </div>
  <div style={{ overflowX:"auto" }}>
    <table style={{ width:"100%", borderCollapse:"collapse", font
      <thead>
        <tr>
          <th key={h} style={{ textAlign:"left", padding:"8px 1
          ))}
        </tr>
      </thead>
      <tbody>
        {amendment.batches[activeBatch].ingredients.map((ing,i) =
          <tr key={i} style={{ borderBottom:"1px solid #131f13" }
            <td style={{ padding:"10px 14px", color:"#c8e8c8" }}>
              {ing.item}
              {!ing.dogSafe && <span style={{ marginLeft:8, fontS
            </td>
            <td style={{ padding:"10px 14px", color:"#7a9a7a" }}>
            <td style={{ padding:"10px 14px", color:"#5a8a5a" }}>
            <td style={{ padding:"10px 14px", color:"#7a9a7a", fo
            <td style={{ padding:"10px 14px" }}>
              {ing.dogSafe
                ? <span style={{ fontSize:11, color:"#4ade80" }}>
                : <span style={{ fontSize:11, color:"#f87171" }}>
            </td>
          </tr>
        )))
      </tbody>
    </table>
  </div>

```

```

</div>
{ /* Warnings */ }
<div style={{ display:"grid", gap:12, marginBottom:20 }}>
  {amendment.warnings.map((w,i) => (
    <div key={i} style={{ background: w.level==="danger" ? "#1a0a0a"
      <span style={{ fontSize:28, flexShrink:0 }}>{w.icon}</span>
      <div>
        <h4 style={{ margin:"0 0 6px", color: w.level==="danger"
          <p style={{ margin:0, fontSize:13, color: w.level==="dang
            </div>
          </div>
        </div>
      )}}
    </div>
  { /* Ingredient notes */ }
  <div style={{ background:"#131f13", border:"1px solid #1f331f", b
    <h4 style={{ margin:"0 0 16px", fontWeight:"normal", color:"#a8
      <div style={{ display:"grid", gap:10 }}>
        {amendment.ingredientNotes.map((note,i) => (
          <div key={i} style={{ display:"flex", gap:14, paddingBottom
            <span style={{ fontSize:12, color:"#a8d5a8", minWidth:160
              <span style={{ fontSize:12, color:"#7a9a7a", lineHeight:1
                </div>
              </div>
            </div>
          </div>
        { /* Safe/Unsafe areas */ }
        <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:
          <div style={{ background:"#0f1e0f", border:"1px solid #2d4a2d",
            <h4 style={{ margin:"0 0 12px", fontWeight:"normal", color:"#
              {amendment.safeAreas.map(area => (
                <div key={area} style={{ fontSize:13, color:"#7a9a7a", disp
                  <span style={{ color:"#4ade80", fontSize:11 }}>●</span>{a
                    </div>
                  </div>
                </div>
              </div>
            <div style={{ background:"#1a0a0a", border:"1px solid #3a1a1a",
              <h4 style={{ margin:"0 0 12px", fontWeight:"normal", color:"#
                {amendment.unsafeAreas.map(area => (
                  <div key={area} style={{ fontSize:13, color:"#9a7a7a", disp
                    <span style={{ color:"#f87171", fontSize:11 }}>●</span>{a
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  )}}
</div>
</div>
</div>
  )}}
</div>

```

```
    ) }  
  
    </div>  
  </div>  
  );  
}
```