

The Predictive Role of Artificial Intelligence in Reducing Complications and Enhancing Precision in Interventional Procedures

Author: Mohit Kumar **ORCID:** 0009-0006-4312-403X **Email:** mohitjat202@gmail.com

Affiliation: Independent researcher **Google Scholar:** https://scholar.google.com/citations?view_op=list_works&hl=en&authuser=1&user=apW8oLYAAAAJ

GitHub:

<https://github.com/greyentity101>

Abstract

Artificial intelligence (AI) is rapidly transforming interventional medicine, where minimally invasive procedures across cardiology, radiology, oncology, neurology, and vascular surgery demand precise planning, real-time decision-making, and meticulous execution. This review synthesizes recent evidence on how AI reduces complications and enhances precision in interventional procedures. We examine the mechanisms by which machine learning and deep learning models improve procedural planning, the evolution of risk prediction and outcome forecasting, the impact of AI on imaging and intraoperative guidance, and the integration of robotics and semi-autonomous systems. Real-world clinical applications across interventional cardiology, interventional radiology, oncology, neurointervention, and endovascular surgery are highlighted, alongside validation strategies, regulatory and ethical considerations, cost-effectiveness data, and future directions including digital twins and generative models. While AI demonstrates tangible benefits in complication reduction, precision, and efficiency, rigorous validation, algorithmic transparency, and responsible integration remain essential to realizing its full potential in routine clinical care.

Keywords: artificial intelligence; machine learning; deep learning; interventional procedures; procedural planning; risk prediction; interventional cardiology; interventional radiology; digital twins; robotics

1. Introduction

Artificial Intelligence (AI) has rapidly emerged as a transformative force in modern medicine, particularly within the realm of interventional procedures.[1] These minimally invasive interventions — spanning cardiology, radiology, oncology, neurology, and vascular surgery — are inherently complex, requiring precise planning, real-time decision-making, and meticulous execution to minimize complications and optimize patient outcomes. The integration of AI-driven models into these workflows promises not only to enhance procedural precision but also to revolutionize risk prediction, procedural planning, and outcome optimization.

This report provides a comprehensive exploration of how AI is reshaping interventional procedures. We will examine the mechanisms by which AI models improve procedural planning, the evolution of risk prediction and outcome forecasting, the impact of AI on imaging and intraoperative guidance, and the integration of robotics and semi-autonomous systems. Real-world clinical applications across

specialties — including interventional cardiology, radiology, oncology, neurointervention, and endovascular surgery — will be highlighted, alongside recent advancements, validation strategies, regulatory considerations, and future directions such as digital twins and generative models.

Throughout, we will ground our analysis in recent studies, expert insights, and practical examples, aiming to deliver an engaging and accessible synthesis for clinicians, researchers, and curious readers alike.

2. AI in Interventional Procedures: Scope and Definitions

Artificial Intelligence in medicine encompasses a suite of computational techniques — primarily machine learning (ML) and deep learning (DL) — that enable machines to perform tasks traditionally requiring human intelligence. In interventional procedures, AI applications range from image analysis and lesion characterization to procedural planning, risk prediction, intraoperative guidance, and post-procedural outcome forecasting.

Key Definitions

- **Machine Learning (ML):** Algorithms that learn patterns from data to make predictions or decisions, including supervised, unsupervised, and reinforcement learning.
- **Deep Learning (DL):** A subset of ML using neural networks with multiple layers, excelling in processing complex, high-dimensional data such as medical images.
- **Generative AI:** Models capable of producing novel content, such as synthetic images or simulated patient data, based on learned patterns.
- **Digital Twins:** Patient-specific virtual models that simulate anatomy and physiology, enabling virtual rehearsal and risk assessment before actual procedures.

The scope of AI in interventional procedures is broad, encompassing:

- **Procedural Planning:** AI-driven simulation, device selection, and virtual rehearsal.
- **Risk Prediction:** Integration of multimodal data (clinical, imaging, genetic, patient-reported) for individualized risk stratification.
- **Imaging Enhancements:** Automated segmentation, lesion characterization, and artifact reduction.
- **Intraoperative Guidance:** Real-time navigation, device tracking, and decision support.
- **Robotics and Automation:** Semi-autonomous and autonomous systems for device manipulation and procedural execution.
- **Outcome Optimization:** Predictive analytics for complications, recovery, and patient-reported outcomes.

3. Mechanisms: How AI Models Improve Procedural Planning

AI-driven procedural planning leverages vast datasets — imaging, clinical, and sometimes genomic — to create highly individualized, data-driven strategies for intervention. The mechanisms by which AI enhances planning include:

3.1 Automated Image Analysis and Lesion Characterization

AI models, particularly convolutional neural networks (CNNs), have demonstrated expert-level performance in segmenting anatomical structures and characterizing lesions across modalities such as CT, MRI, ultrasound, and angiography. For example, in coronary computed tomography angiography (CCTA), deep learning algorithms can automatically quantify plaque burden, differentiate between calcified and non-calcified plaques, and identify features of vulnerability that inform procedural strategy.[2,3]

3.2 Virtual Simulation and Digital Twins

Digital twin technology enables the creation of patient-specific virtual models that simulate anatomy and procedural scenarios. Surgeons and interventionalists can rehearse complex procedures, map optimal access routes, and predict potential complications before entering the operating room. For instance, in structural heart interventions, digital twins allow for virtual deployment of valves or occluders, optimizing device selection and positioning.

3.3 Device Selection and Sizing

AI-powered planning tools can recommend optimal device types and sizes based on anatomical measurements extracted from imaging data. In transcatheter aortic valve implantation (TAVI), for example, AI models analyze CT data to suggest prosthesis size and predict risk of paravalvular leak or coronary obstruction.

3.4 Workflow Optimization

By automating routine planning steps and integrating multimodal data, AI reduces planning time, minimizes human error, and standardizes protocols across operators and institutions.

Summary Table: AI Applications in Procedural Planning

Application Area	Example Technologies/Models	Clinical Impact
Image Segmentation	CNNs, U-Net, DeepLab	Automated lesion/anatomy delineation
Digital Twins	Patient-specific VR/AR models	Virtual rehearsal, risk mapping
Device Selection	ML-based sizing algorithms	Optimized device choice, reduced complications
Workflow Automation	Planning assistants, LLMs	Faster, standardized planning

AI-driven procedural planning thus enables a shift from generic, experience-based strategies to highly personalized, data-driven interventions, reducing variability and enhancing precision.

4. Risk Prediction Models and Outcome Forecasting

One of AI's most transformative contributions to interventional medicine is its ability to predict procedural risks and forecast outcomes with greater accuracy than traditional statistical models.

4.1 Multimodal Risk Stratification

AI models integrate diverse data sources — clinical variables, imaging biomarkers, genetic information, and patient-reported outcomes — to generate individualized risk profiles. In

interventional cardiology, for example, AI-based CCTA biomarkers such as perivascular fat attenuation index (FAI) and plaque vulnerability scores have emerged as robust predictors of major adverse cardiovascular events (MACE).[3,4]

4.2 Machine Learning vs. Traditional Statistical Models

Meta-analyses reveal that ML models often outperform logistic regression in predicting complications such as mortality, bleeding, acute kidney injury, and MACE after procedures like percutaneous coronary intervention (PCI).[5] For instance, a deep learning model using preoperative ECG data achieved an AUC of 0.82 for predicting perioperative MACE, surpassing the widely used Revised Cardiac Risk Index (RCRI) (AUC 0.69).[6]

4.3 Real-Time Intraoperative Risk Prediction

AI algorithms can continuously analyze intraoperative data — vital signs, waveform patterns, and procedural events — to provide early warnings of impending complications. The Hypotension Prediction Index (HPI), for example, uses ML to predict intraoperative hypotension minutes before it occurs, enabling proactive intervention.[7–9]

4.4 Patient-Reported Outcomes and PROMs Integration

Recent studies have explored the use of AI to predict patient-reported outcome measures (PROMs), such as quality of life and functional recovery, after interventions. ML models trained on PROMs data, combined with clinical and demographic variables, can forecast which patients are likely to experience meaningful improvements or complications, supporting shared decision-making and personalized care.

Summary Table: AI Applications in Risk Prediction and Outcome Forecasting

Risk Prediction Area	Example Models/Technologies	Key Metrics/Impact
Procedural Complications	Random Forest, Neural Networks	Improved AUC for mortality, bleeding, AKI
Long-term Outcomes	DeepSurv, Random Survival Forests	Time-to-event prediction, calibration
PROMs Prediction	Boosting, SVM, Random Forest	MCID prediction, patient satisfaction
Intraoperative Events	HPI, real-time ML models	Early warning, reduced adverse events

By providing more accurate, individualized risk assessments, AI empowers clinicians to tailor interventions, anticipate complications, and engage patients in informed decision-making.

5. AI-Driven Procedural Planning

5.1 Image-Based Planning

AI processes MRI, CT, USG, and angiographic data to create:

- 3D reconstruction
- Safe instrument pathway
- Tissue sensitivity index
- Vessel & nerve mapping

5.2 Simulation Before Procedure

AI-based models allow virtual rehearsal before the actual procedure. In complex biopsy or vascular interventions, the system suggests:

- Best entry point
- Needle angle
- Contrast volume
- Sedation strategy

5.3 Patient-Specific Decision Trees

AI can analyze lab reports + imaging + vitals and suggest:

| "Risk of hematoma: 55%. Recommend coagulation test before proceeding."

6. Technical AI Concepts Used

6.1 Machine Learning (ML) Algorithms

- Decision Trees
- Random Forest
- XGBoost
- Support Vector Machines (SVM)
- Neural Networks

6.2 Deep Learning (DL)

Used in image segmentation, organ detection, tumor localization, etc. Key layers: Convolution + Pooling + Fully connected.

6.3 Large Language Models (LLMs)

These help in medical reporting, procedure protocol validation, voice-based AI assistants in the operating room.

7. Important Equations Used in AI & LLM Systems

7.1 Loss Function (Cross-Entropy)

Used to train AI models by comparing prediction vs. actual truth:

$$L = -\sum_{i=1}^n y_i \cdot \log(\hat{y}_i)$$

The lower the value of L , the better the model.

7.2 Softmax Function (for AI Decision Making)

$$\sigma(z_i) = e^{z_i} / \sum_{j=1}^n e^{z_j}$$

This helps AI choose the best possible outcome among multiple options. For example:

- Best catheter route
- Safest entry point
- Probability of complication

7.3 Gradient Descent — Learning Process

$$\theta \leftarrow \theta - \eta \cdot \nabla_{\theta} J(\theta)$$

AI updates its parameters step by step to improve prediction accuracy.

7.4 Attention Mechanism (Used in LLMs)

This is how LLMs "focus" on important information:

$$\text{Attention}(Q,K,V) = \text{softmax}(QK^T/\sqrt{d_k}) \cdot V$$

Used for:

- Medical language interpretation
- Generating structured reports
- Assisting surgeons with voice commands

7.5 Logistic Regression for Complication Prediction

$$P = 1 / (1 + e^{-(b_0 + b_1x_1 + b_2x_2 + \dots + b_nx_n)})$$

AI estimates the probability of complications before the first incision is made.

8. Imaging Enhancements: AI for Image Analysis and Lesion Characterization

Imaging is the cornerstone of modern interventional procedures, and AI has dramatically advanced the field by automating and enhancing image analysis.

8.1 Automated Segmentation and Quantification

Deep learning models, such as U-Net and its variants, have achieved expert-level performance in segmenting vessels, organs, and lesions across modalities. In coronary imaging, AI-based quantitative CT (AI-QCT) and quantitative coronary angiography (AI-QCA) enable reproducible, objective assessment of plaque burden and stenosis severity, reducing interobserver variability.[2,10,11]

8.2 Plaque Vulnerability and Radiomics

AI models can extract radiomic features — quantitative descriptors of texture, shape, and intensity — from imaging data to identify high-risk plaque characteristics (e.g., lipid-rich necrotic core, thin-cap fibroatheroma) that are associated with acute events. Radiomics-based approaches have demonstrated strong correlations with invasive standards such as NIRS-IVUS.

8.3 Functional Assessment: AI-derived FFR-CT

AI-guided fractional flow reserve derived from CT (FFR-CT) combines computational fluid dynamics and ML to noninvasively assess the physiological significance of coronary stenoses. Recent studies show that ML-based FFR-CT achieves diagnostic accuracy and specificity comparable to invasive methods, reducing unnecessary angiography and costs.[12]

8.4 Artifact Reduction and Image Enhancement

AI-powered denoising and artifact reduction algorithms improve image quality, reduce radiation dose, and enhance visualization of critical structures. For example, deep learning reconstruction (DLR) in CT and MRI shortens scan times and improves signal-to-noise ratio, while AI-based metal artifact reduction enhances intraprocedural imaging during ablation or biopsy.

Summary Table: AI Imaging Applications

Imaging Task	AI Model/Technique	Clinical Impact
Vessel/Plaque Segmentation	U-Net, CNN, Transformer	Automated, reproducible quantification
Plaque Vulnerability	Radiomics, ML classifiers	Early risk stratification, targeted intervention
Functional Assessment	ML-based FFR-CT	Noninvasive, physiology-driven decision-making
Artifact Reduction	DLR, GANs	Improved image quality, lower radiation

These advancements enable faster, more accurate, and standardized imaging interpretation, directly informing procedural planning and execution.

9. Real-Time Intraoperative Guidance and Decision Support

AI's ability to process and interpret data in real time is revolutionizing intraoperative guidance and decision support.

9.1 Real-Time Navigation and Device Tracking

AI-powered systems can track catheters, guidewires, and devices during procedures with sub-millimeter accuracy, reducing reliance on operator expertise and minimizing errors. Deep reinforcement learning (RL) frameworks have achieved high success rates in simulated guidewire navigation,[13] and AI-driven image registration aligns multimodal images for precise targeting.

9.2 Automated Decision Support

AI models provide real-time recommendations for device placement, ablation targets, and procedural adjustments based on continuous analysis of imaging and physiological data. In electrophysiology, AI-guided mapping systems optimize ablation strategies, reducing procedure duration and improving outcomes.

9.3 Intraoperative Complication Prediction

AI algorithms continuously monitor intraoperative signals to predict and alert clinicians to impending complications, such as hypotension, bleeding, or arrhythmias, enabling timely intervention.

9.4 Integration with Robotics

The synergy between AI and robotics enables semi-autonomous or autonomous execution of procedural steps, such as catheter navigation, needle insertion, or device deployment, enhancing precision and reducing operator fatigue.

Summary Table: AI in Intraoperative Guidance

Guidance Task	AI Model/Technology	Clinical Impact
Catheter/Device Tracking	Deep RL, CNN, LSTM	Enhanced precision, reduced errors
Decision Support	ML-based mapping, LLMs	Optimized target selection, reduced procedure time
Complication Prediction	Real-time ML algorithms	Early warning, improved safety
Robotic Integration	AI-guided robotics	Semi-autonomous execution, reduced radiation

By augmenting human expertise with real-time analytics and automation, AI is making interventional procedures safer, more efficient, and more consistent.

10. Clinical Applications by Specialty

10.1 Interventional Cardiology

AI has revolutionized interventional cardiology across the diagnostic, planning, and procedural spectrum:

- **Imaging:** AI-QCT and AI-QCA provide automated, reproducible plaque and lesion assessment, correlating strongly with invasive standards.[2,10,11]
- **Risk Prediction:** AI models integrating imaging and clinical data outperform traditional risk scores in predicting MACE and guiding therapy.[3]
- **Procedural Guidance:** AI-driven FFR-CT and AngioFFR enable noninvasive, physiology-based decision-making, reducing unnecessary interventions and costs.[12,15]
- **Robotics:** Robotic PCI platforms reduce radiation, standardize performance, and enable remote interventions.

Recent trials, such as FLAVOUR II, demonstrate that AI-powered AngioFFR is noninferior to IVUS-guided PCI, with fewer procedures and comparable outcomes.[14]

10.2 Interventional Radiology and Oncology

AI is transforming interventional radiology (IR) and oncology through:

- **Tumor Segmentation and Ablation Planning:** Deep learning models automate segmentation of organs and tumors, enabling precise targeting and ablation zone prediction.
- **Outcome Prediction:** Radiomics and AI-based models predict response to therapies such as TACE, radioembolization, and ablation, supporting personalized treatment selection.
- **Intraoperative Guidance:** AI enhances real-time image fusion, needle tracking, and artifact reduction, improving accuracy and safety.

- **Robotics:** AI-guided robotic systems are being explored for needle placement and ablation, though full autonomy remains in development.

10.3 Neurointervention and Stroke

AI applications in neurointervention include:

- **LVO Detection:** Deep learning algorithms achieve high sensitivity and specificity in detecting large vessel occlusion on CTA, expediting triage for mechanical thrombectomy.
- **Procedural Planning:** AI models predict clot characteristics and optimal device selection, improving recanalization rates.
- **Robotic Navigation:** RL-based systems demonstrate high success in simulated catheter navigation for thrombectomy, with ongoing research toward clinical translation.[16]

10.4 Endovascular and Peripheral Interventions

In vascular surgery and endovascular interventions:

- **Operative Planning:** AI-augmented planning tools for EVAR reduce fluoroscopy time, contrast use, and radiation exposure.
- **Risk Prediction:** ML models predict postoperative complications such as endoleaks and reinterventions, informing surveillance strategies.
- **Autonomous Navigation:** RL-based systems achieve high success in simulated guidewire navigation, though clinical validation is pending.

11. Patient-Reported Outcomes and PROMs Integration with AI

The integration of patient-reported outcome measures (PROMs) into AI models represents a significant advance toward truly patient-centered care.

11.1 PROMs as Predictors and Outcomes

AI models trained on PROMs data, combined with clinical and demographic variables, can predict which patients are likely to experience meaningful improvements or complications after interventions. This supports shared decision-making and personalized care pathways.

11.2 Challenges and Opportunities

While PROMs data are increasingly collected, challenges remain in standardizing data collection, handling missingness, and ensuring external validity. Studies highlight the need for larger, more diverse datasets and greater stakeholder involvement in model development.

11.3 Clinical Relevance

Although most AI-PROMs models remain in the research phase, their potential to inform value-based care and optimize resource allocation is substantial.

12. Real-World Examples and Commercial Products

Numerous commercial AI solutions are now integrated into clinical workflows:

- **DeepVessel® FFR (Keya Medical):** FDA-cleared, noninvasive AI-CT FFR analysis for coronary artery disease.[12]
- **Brainomix e-CTA:** AI software for LVO detection in stroke, improving triage and treatment decisions.
- **Aidoc, Zebra Medical Vision, PathAI:** AI-powered radiology and pathology solutions for automated detection and prioritization of critical findings.
- **CorPath GRX (Corindus):** Robotic PCI platform with AI-assisted navigation.
- **Amplifier AI:** Patient-specific VR planning for structural heart interventions.

These products exemplify the translation of AI from research to real-world impact, with ongoing validation and regulatory oversight.

13. Recent Advancements and Landmark Studies (2022–2025)

The past three years have witnessed landmark studies and technological breakthroughs:

- **FLAVOUR II Trial:** Demonstrated noninferiority of AI-powered AngioFFR to IVUS-guided PCI.[14]
- **CREDENCE and related trials:** Validated AI-QCT for plaque characterization, ischemia diagnosis, and risk stratification, informing clinical decision-making.[2,3,11]
- **Meta-analyses:** Confirmed superior predictive performance of ML models over traditional statistics in PCI outcomes.[5]
- **RCTs in Anesthesiology:** Evaluated AI-assisted interventions for intraoperative hypotension, highlighting both promise and challenges in clinical adoption.[8]

14. Validation, Performance Metrics, and External Generalizability

14.1 Model Validation

High-quality validation is essential for clinical adoption. Best practices include:

- **Internal Validation:** Cross-validation, bootstrapping within the development dataset.
- **External Validation:** Testing on independent datasets from different institutions or populations to assess generalizability.
- **Calibration and Discrimination:** Reporting AUC, calibration curves, and net benefit analyses to evaluate predictive accuracy and clinical utility.

14.2 Challenges

Many studies lack adequate external validation, risking overfitting and limited generalizability. Recurring local validation — continuous monitoring and adaptation of models to local data — is increasingly advocated to maintain performance over time and across settings.

15. Regulatory, Ethical, and Data Governance Issues

15.1 Regulatory Landscape

Regulatory agencies such as the FDA have issued comprehensive guidance for AI-enabled medical devices, emphasizing transparency, bias mitigation, lifecycle management, and post-market monitoring. The EU AI Act and similar frameworks are shaping global standards.

15.2 Ethical Considerations

Key ethical challenges include:

- **Bias and Fairness:** Ensuring models are trained on diverse, representative data to avoid perpetuating health disparities.
- **Transparency and Explainability:** Developing explainable AI (XAI) to build clinician trust and support informed decision-making.
- **Accountability:** Clarifying liability in cases of AI-driven errors or adverse events.

15.3 Data Governance

Robust data governance frameworks are essential to protect patient privacy, ensure data quality, and enable secure data sharing for model development and validation.

16. Implementation Challenges: Workflow, Training, and Adoption

Despite technological advances, real-world implementation of AI in interventional procedures faces significant hurdles:

- **Workflow Integration:** Adapting existing clinical workflows to incorporate AI tools without disrupting care delivery.
- **Clinician Training:** Educating clinicians to interpret and act on AI outputs, fostering trust and acceptance.
- **Resource Constraints:** Addressing the costs of technology acquisition, integration, and maintenance, especially in resource-limited settings.
- **Change Management:** Securing leadership buy-in, managing resistance, and sustaining adoption over time.

Successful implementation requires multidisciplinary collaboration, ongoing evaluation, and adaptive strategies tailored to local contexts.

17. Impact on Outcomes: Complication Reduction, Precision, and Efficiency

The integration of AI into interventional procedures has demonstrated tangible benefits:

- **Complication Reduction:** AI-driven risk prediction and intraoperative guidance reduce adverse events, such as bleeding, hypotension, and device malposition.
- **Enhanced Precision:** Automated image analysis, digital twins, and robotic systems enable more accurate targeting and device deployment.
- **Efficiency Gains:** Workflow automation and real-time decision support shorten procedure times, reduce radiation exposure, and optimize resource utilization.

- **Patient-Centered Outcomes:** AI models incorporating PROMs support personalized care and improved quality of life.

18. Cost-Effectiveness and Health-Economic Evaluations

Systematic reviews indicate that AI interventions are frequently cost-effective or even cost-saving, particularly when they reduce unnecessary procedures, optimize resource use, and improve outcomes.

- **Incremental Cost-Effectiveness Ratios (ICERs):** AI-based screening and risk prediction models often achieve ICERs well below accepted thresholds, with substantial per-patient and system-level savings.
- **Return on Investment (ROI):** AI-assisted medication management and procedural planning have demonstrated high ROI by reducing hospitalizations and complications.
- **Contextual Variability:** Economic benefits are highly context-dependent, influenced by technology costs, integration efficiency, and local healthcare financing.

However, methodological challenges remain, including the need for dynamic modeling to capture the adaptive learning of AI systems and comprehensive reporting of indirect costs and equity considerations.

19. Future Directions: Digital Twins, Generative Models, and LLMs in Planning

The future of AI in interventional procedures is marked by several exciting trends:

- **Digital Twins:** Patient-specific virtual models enable preoperative simulation, risk assessment, and intraoperative adaptation, enhancing safety and outcomes.
- **Generative AI:** Models capable of synthesizing realistic images and simulating procedural scenarios are advancing training, planning, and research.
- **Large Language Models (LLMs):** LLMs are being explored for automated report generation, workflow optimization, and even high-level procedural planning, with early evidence of improved efficiency and accuracy.
- **Explainable AI (XAI):** Ongoing research aims to develop transparent, interpretable models that foster clinician trust and support regulatory compliance.

20. Expert Insights and Stakeholder Perspectives

Leaders in the field emphasize that AI's true impact will depend not only on technological innovation but also on validation, equity, and seamless integration into routine care. Key recommendations include:

- **Prioritizing Multicenter Validation:** To ensure generalizability and reliability across diverse populations and settings.

- **Fostering Multidisciplinary Collaboration:** Engaging clinicians, data scientists, regulators, and patients in model development and implementation.
- **Investing in Education and Change Management:** To build trust, competence, and sustained adoption among healthcare professionals.
- **Addressing Ethical and Equity Concerns:** By designing inclusive, transparent, and accountable AI systems.

21. Conclusion

Artificial intelligence is rapidly evolving from an adjunctive tool to a central component in the planning, execution, and optimization of interventional procedures. By integrating imaging, physiological, clinical, and patient-reported data, AI enhances diagnostic precision, procedural planning, risk stratification, and outcome prediction. Technologies such as AI-QCA, FFR-CT, digital twins, and AI-guided robotics are reshaping interventional strategies across specialties, while novel biomarkers and ML models refine outcome prediction and personalize care.

Despite these advances, significant challenges remain: data standardization, algorithm transparency, clinical integration, regulatory compliance, and ethical oversight are crucial for responsible implementation. The future of AI in interventional procedures will be defined not only by technological breakthroughs but by rigorous validation, stakeholder engagement, and a steadfast commitment to equity and patient-centered care.

As we stand at the threshold of a new era in interventional medicine, the predictive power of AI offers the promise of safer, more precise, and more personalized interventions — heralding a future where technology and human expertise work hand in hand to deliver optimal patient outcomes.

22. Tables: Key AI Applications Across Interventional Procedures

Table 1. AI Applications in Procedural Planning, Risk Prediction, and Patient Outcome Optimization

AI Application Area	Description	Clinical Impact
Procedural Planning	AI-enhanced OCT and 3D echocardiography for lesion assessment and device sizing	Improved stent placement, reduced complications, personalized intervention plans
Risk Prediction	Lipid Core Burden Index (LCBi) via NIRS-IVUS to predict slow TIMI flow	Early identification of high-risk plaques, optimized PCI strategy
Real-Time Navigation	Deep RL for guidewire and catheter navigation	High success in simulations, reduced navigation time, enhanced precision
Image Processing & Interpretation	Deep learning for segmentation, noise reduction, and artifact correction	Reduced radiation dose, improved image clarity, standardized interpretation
Intraoperative Decision Support	AI-guided mapping in electrophysiology	Reduced ablation time, optimized target selection

AI Application Area	Description	Clinical Impact
Robotic Integration	AI-guided robotic ultrasound and catheter systems	Reduced operator dependency, improved consistency and safety
Clinical Validation & Generalizability	Multicenter trials and performance benchmarking	Ensures safety, efficacy, and adaptability across diverse settings

Table 2. AI Applications by Interventional Specialty

Specialty	AI Application Example	Key Benefit/Outcome
Interventional Cardiology	AI-QCT, FFR-CT, AngioFFR, Robotic PCI	Improved risk stratification, fewer complications, reduced radiation
Interventional Radiology	Tumor segmentation, ablation planning	Precise targeting, outcome prediction
Neurointervention	LVO detection, robotic navigation	Faster triage, improved recanalization
Endovascular Surgery	AI-augmented EVAR planning, risk models	Reduced fluoroscopy, personalized surveillance
Oncology	Radiomics-based response prediction	Personalized therapy, improved survival

Key Takeaway:

AI is not just a technological upgrade — it is a paradigm shift in how we plan, execute, and evaluate interventional procedures. Its predictive power, when harnessed responsibly and collaboratively, holds the potential to dramatically reduce complications, enhance precision, and deliver truly personalized patient care.

23. References

1. Friebe M. AI in radiology and interventions: a structured narrative review of workflow automation, accuracy, and efficiency gains of today and what's coming. *Int J Comput Assist Radiol Surg.* 2026;21(1):1–10. doi:10.1007/s11548-025-03547-2. PMID:41247638.
2. Griffin WF, Choi AD, Riess JS, Marques H, Chang HJ, Choi JH, et al. AI Evaluation of Stenosis on Coronary CTA, Comparison With Quantitative Coronary Angiography and Fractional Flow Reserve: A CREDENCE Trial Substudy. *JACC Cardiovasc Imaging.* 2023;16(2):193–205. doi:10.1016/j.jcmg.2021.10.020. PMID:35183478.
3. Nurmohamed NS, Bom MJ, Jukema RA, de Groot RJ, Driessen RS, van Diemen PA, et al. AI-Guided Quantitative Plaque Staging Predicts Long-Term Cardiovascular Outcomes in Patients at Risk for Atherosclerotic CVD. *JACC Cardiovasc Imaging.* 2024;17(3):269–280. doi:10.1016/j.jcmg.2023.05.020. PMID:37480907.
4. Oikonomou EK, Williams MC, Kotanidis CP, Desai MY, Marwan M, Antonopoulos AS, et al. A novel machine learning-derived radiotranscriptomic signature of perivascular fat improves cardiac risk prediction using coronary CT angiography. *Eur Heart J.* 2019;40(43):3529–3543. doi:10.1093/eurheartj/ehz592. PMID:31504423.

5. Nayeberad S, Hassanzadeh A, Vahdani AM, Mohamadi A, Forghani S, Shafiee A, et al. Comparison of machine learning models with conventional statistical methods for prediction of percutaneous coronary intervention outcomes: a systematic review and meta-analysis. *BMC Cardiovasc Disord.* 2025;25(1):310. doi:10.1186/s12872-025-04746-0. PMID:40269704.
6. Harris C, Pimpalkar A, Aggarwal A, Yang J, Chen X, Schmidgall S, et al. Preoperative risk prediction of major cardiovascular events in noncardiac surgery using the 12-lead electrocardiogram: an explainable deep learning approach. *Br J Anaesth.* 2025;135(5):1161–1171. doi:10.1016/j.bja.2025.07.085. PMID:40967934.
7. Sidiropoulou T, Tsoumpa M, Griva P, Galarioti V, Matsota P. Prediction and Prevention of Intraoperative Hypotension with the Hypotension Prediction Index: A Narrative Review. *J Clin Med.* 2022;11(19):5551. doi:10.3390/jcm11195551. PMID:36233419.
8. Ripollés-Melchor J, Tomé-Roca JL, Zorrilla-Vaca A, Aldecoa C, Colomina MJ, et al. (HYT Group). Hemodynamic Management Guided by the Hypotension Prediction Index in Abdominal Surgery: A Multicenter Randomized Clinical Trial. *Anesthesiology.* 2025;142(4):639–654. doi:10.1097/ALN.0000000000005355. PMID:39746186.
9. Mulder MP, Harmannij-Markusse M, Fresiello L, Donker DW, Potters JW. Hypotension Prediction Index Is Equally Effective in Predicting Intraoperative Hypotension during Noncardiac Surgery Compared to a Mean Arterial Pressure Threshold: A Prospective Observational Study. *Anesthesiology.* 2024;141(3):453–462. doi:10.1097/ALN.0000000000004990. PMID:38558038.
10. Lipkin I, Telluri A, Kim Y, Sidahmed A, Krepp JM, Choi BG, et al. Coronary CTA With AI-QCT Interpretation: Comparison With Myocardial Perfusion Imaging for Detection of Obstructive Stenosis Using Invasive Angiography as Reference Standard. *AJR Am J Roentgenol.* 2022;219(3):407–419. doi:10.2214/AJR.21.27289. PMID:35441530.
11. Nurmohamed NS, Danad I, Jukema RA, de Winter RW, de Groot RJ, Driessen RS, et al. (CREDENCE and PACIFIC-1 Investigators). Development and Validation of a Quantitative Coronary CT Angiography Model for Diagnosis of Vessel-Specific Coronary Ischemia. *JACC Cardiovasc Imaging.* 2024;17(8):894–906. doi:10.1016/j.jcmg.2024.01.007. PMID:38483420.
12. Wang ZQ, Zhou YJ, Zhao YX, Shi DM, Liu YY, Liu W, et al. Diagnostic accuracy of a deep learning approach to calculate FFR from coronary CT angiography. *J Geriatr Cardiol.* 2019;16(1):42–48. doi:10.11909/j.issn.1671-5411.2019.01.010. PMID:30800150.
13. Karstensen L, Ritter J, Hatzl J, Pätz T, Langejürgen J, Uhl C, et al. Learning-based autonomous vascular guidewire navigation without human demonstration in the venous system of a porcine liver. *Int J Comput Assist Radiol Surg.* 2022;17(11):2033–2040. doi:10.1007/s11548-022-02646-8. PMID:35604490.
14. Hu X, Zhang J, Yang S, Jiang J, Peng X, Lu D, et al. (FLAVOUR II Study Group). Angiography-derived fractional flow reserve versus intravascular ultrasound to guide percutaneous coronary intervention in patients with coronary artery disease (FLAVOUR II): a multicentre, randomised, non-inferiority trial. *Lancet.* 2025;405(10488):1491–1504. doi:10.1016/S0140-6736(25)00504-5. PMID:40174597.
15. Koo BK, Hu X, Kang J, Zhang J, Jiang J, Hahn JY, et al. (FLAVOUR Investigators). Fractional Flow Reserve or Intravascular Ultrasonography to Guide PCI. *N Engl J Med.* 2022;387(9):779–

789. doi:10.1056/NEJMoa2201546. PMID:36053504.

16. Robertshaw H, Jackson B, Wang J, Sadati H, Karstensen L, Granados A, et al. Reinforcement learning for safe autonomous two-device navigation of cerebral vessels in mechanical thrombectomy. *Int J Comput Assist Radiol Surg.* 2025;20(6):1077–1086. doi:10.1007/s11548-025-03339-8. PMID:40178751.