



# 2024 - 2025 ADULT NUTRITIONAL PRODUCTS GUIDE

You're making a difference  
in their quality of life.

We're helping you feed them.



# ABBOTT ADULT NUTRITIONAL PRODUCTS GUIDE

## WELCOME TO ABBOTT – ADULT NUTRITIONAL PRODUCTS

This product guide provides a detailed nutritional overview of our products intended for adults and children. Our goal is to help you provide the best care for your patient by helping you with product selection.

Although every effort is made to ensure that the information in this guide is correct at the time of printing, it is subject to change. **Please refer to the product label for the most current information.**

An electronic version of this guide is available to download on [abbottnutrition.ca](http://abbottnutrition.ca). Individual product information pages can also be found on [abbottnutrition.ca](http://abbottnutrition.ca) in the **Products** section and are updated on a regular basis.

## ADDITIONAL INFORMATION

Health care professionals can contact their **Abbott sales representative** or:

Call: **1-866-767-7411, option 1**

to speak to a product specialist or registered dietitian†

Email: [canada.nutrition@abbott.com](mailto:canada.nutrition@abbott.com)

## ORDERING

To order Abbott nutritional products, contact Customer Service.

Call: **1-866-767-7411, option 2**

Email: [salesorder@abbott.com](mailto:salesorder@abbott.com)

Monday – Friday  
8:30 a.m. – 5 p.m., ET

Thank you for choosing Abbott, a world leader in nutritional products for infants, children and adults.

**Your nutrition partner**  
Like you, we care



Back to the table  
of contents

† Not meant to replace the advice of a health care professional.

## TABLE OF CONTENTS



Click on the product name or title to go directly to its page.

### GENERAL INFORMATION

|                                       |    |
|---------------------------------------|----|
| Allergens and Lactose Content .....   | 6  |
| Storage Guidelines .....              | 7  |
| Expiration and Best Before Date ..... | 7  |
| Recommended Hang Times .....          | 8  |
| Safety Precautions .....              | 8  |
| Ready-to-Hang Products .....          | 56 |
| PediaLyte® Dosage Chart .....         | 70 |

### PRODUCTS

#### Adults

|                                   |    |
|-----------------------------------|----|
| Ensure® Advance .....             | 10 |
| Ensure® Protein Max 30 g .....    | 12 |
| Ensure® Compact .....             | 14 |
| Ensure® Regular .....             | 16 |
| Ensure® High Protein 16 g .....   | 18 |
| Ensure® High Protein 12 g .....   | 20 |
| Ensure® Plus Calories .....       | 22 |
| Ensure® Plus .....                | 24 |
| Ensure® Clear .....               | 26 |
| Glucerna® nutritional drink ..... | 28 |
| Glucerna® 1.2 Cal .....           | 30 |
| Jevity® 1 Cal .....               | 32 |
| Jevity® 1.2 Cal .....             | 34 |
| Jevity® 1.5 Cal .....             | 36 |
| LiquiProtein® .....               | 38 |
| Nepro® .....                      | 40 |
| Osmolite® 1.2 Cal .....           | 42 |
| Pivot™ 1.5 Cal .....              | 44 |
| Promote® .....                    | 46 |
| Suplena® .....                    | 48 |
| TwoCal® HN .....                  | 50 |
| Vital® Peptide 1 Cal .....        | 52 |
| Vital® Peptide 1.5 Cal .....      | 54 |

## TABLE OF CONTENTS

### Therapeutic Hydration

|                                                   |    |
|---------------------------------------------------|----|
| PediaLyte® .....                                  | 58 |
| PediaLyte® AdvancedCare® Plus .....               | 60 |
| PediaLyte® AdvancedCare® Plus Powder Sticks ..... | 62 |
| PediaLyte® AdvancedCare® .....                    | 64 |
| PediaLyte® Powder Sticks .....                    | 66 |
| PediaLyte® Freezer Pops .....                     | 68 |

### Toddlers and Children

|                                                      |    |
|------------------------------------------------------|----|
| PediaSure Complete® Grow & Gain™ .....               | 72 |
| PediaSure Complete® Grow & Gain™ Reduced Sugar ..... | 74 |
| PediaSure® .....                                     | 76 |
| PediaSure® Fibre .....                               | 78 |
| PediaSure® Plus .....                                | 80 |
| PediaSure® Peptide 1 Cal .....                       | 82 |

### Additional Information

|                                       |    |
|---------------------------------------|----|
| Alberta Reimbursement List .....      | 86 |
| Ontario Reimbursement List .....      | 87 |
| Quebec Reimbursement List .....       | 88 |
| Saskatchewan Reimbursement List ..... | 89 |

For nutritional values and ingredients of other product flavours, refer to **abbottnutrition.ca**.

The information contained in this guide was accurate at the time of publication. The most current information may be obtained by referring to product labels.

## ALLERGENS

Abbott realizes the importance of product information for you and your patients, especially when managing allergies and allergic-type reactions. Priority food allergens are listed following the ingredients list of each Abbott nutritional product in this guide.

The following foods or protein derived from one of these foods are considered priority food allergens in Canada:<sup>1</sup>

- Peanuts
- Eggs
- Milk
- Mustard
- Tree nuts (almonds, Brazil nuts, cashews, hazelnuts, macadamia nuts, pecans, pine nuts, pistachios or walnuts)
- Wheat and triticale
- Soy
- Sesame seeds
- Crustaceans
- Shellfish
- Fish

Please refer to the statement of food allergens, gluten source and added sulphites on the label to confirm the presence in the product of any priority allergens, gluten or added sulphites in a total amount of 10 ppm or more.

## LACTOSE CONTENT

All Abbott's adult nutritional products contain some milk protein, with the exception of Pedialyte®, Pedialyte® powder sticks, Pedialyte® AdvancedCare® Plus powder sticks and Pedialyte® freezer pops.

Most people with lactose intolerance can tolerate some amount of lactose in their diet. In fact, a review of the medical and scientific literature<sup>2,3</sup> suggests that most could tolerate **up to 6 g** of lactose per serving.


Abbott's adult nutritional products contain less than 500 mg of lactose per 100 mL. They are therefore **suitable for most people with lactose intolerance**.

## RECOMMENDED STORAGE TEMPERATURES FOR UNOPENED PRODUCTS

### Liquid:

- Most desirable:<sup>†</sup> **between 13°C and 24°C.**
- Acceptable: between 0°C and 35°C.
- **Do not freeze.**

Prolonged exposure to temperatures below 0°C or to direct heat above 35°C could affect the physical consistency of the product and consequently could also affect its appearance, flavour and other sensory attributes. Product is sterile and should remain of sound nutritional quality.



## RECOMMENDED STORAGE OF OPENED PRODUCTS

### LiquiProtein®:

- Cover, refrigerate and use within 72 hours.

### Pedialyte®, ready-to-use formats and reconstituted powder:

- Cover, refrigerate and use within 96 hours.

### All other liquid products:

- Cover, refrigerate and use within 48 hours.

If product is left at **room temperature**, it should be **used within 2 hours**.<sup>1</sup>

If product is consumed **directly from the can/bottle or by straw**:<sup>‡</sup>

- Use or refrigerate within 1 hour.
- If refrigerated, use within 24 hours.

## EXPIRATION AND BEST BEFORE DATES

- To ensure the highest quality, use the product by the date indicated.
- The vitamin content and the physical stability of the product cannot be guaranteed beyond the expiration date because both may degrade with time.

### REFERENCES:

1. Government of Canada: Common food allergies. Updated April 18, 2024. Accessed July 8, 2024. <https://www.canada.ca/en/health-canada/services/food-nutrition/food-safety/food-allergies-intolerances/food-allergies.html> 2. Suarez F. Abbott Nutrition medical assessment of lactose tolerance in the lactose maldigesters population. April 2007. 3. Hertzler SR, Huynh BC, Savaiano DA. How much lactose is low lactose? J Am Diet Assoc 1996;96:243-6.



Back to the table  
of contents

<sup>†</sup> For highest quality product.

<sup>‡</sup> This practice exposes the product to significant amounts of bacteria.

### REFERENCE:

1. Government of Canada: Safe food storage. Updated April 11, 2024. Accessed July 8, 2024. <https://www.canada.ca/en/health-canada/services/general-food-safety-tips/safe-food-storage.html>

Continued on next page

# STORAGE GUIDELINES

## RECOMMENDED HANG TIMES

### OPEN SYSTEM:

#### Ready to use (commercially sterile)

When carefully poured from container into an enteral-feeding setup:<sup>†</sup>

- 8-12 hours for adult patients.
- 4-8 hours for pediatric patients.

#### Addition of modulators

**Includes:** Any product to which a modular component has been added.

- Prepare using aseptic technique.
- Hang for no more than 4 hours.

It is generally recommended for feeding sets and accessories to be changed after no more than 24 hours. Consult manufacturer recommendations.

### CLOSED SYSTEM:

#### Ready-to-hang products

- Follow directions for use provided by manufacturer of feeding sets.
- Unless a shorter hang time is specified by the set manufacturer, hang product for up to 48 hours after initial connection when clean technique and only one new set are used. Otherwise hang for no more than 24 hours.

Each health care facility is responsible for developing/ following procedures for using safe techniques in the preparation and use of tube feedings and in setting quality assurance protocols for monitoring those techniques.

## SAFETY PRECAUTIONS

- **Abbott nutritional products are not intended for parenteral use.**
- **Use under medical supervision.** While many Abbott nutritional formulas are designed to meet specific needs of patients with certain conditions, the choice of the optimal product for a patient must be based on patient-specific information and clinical judgment.
- Adult nutritional products are not intended for use in children unless recommended by a physician or another qualified health care professional.

**The information contained in this guide was accurate at the time of publication. The most current information may be obtained by referring to product labels.**



[Back to the table  
of contents](#)

<sup>†</sup> This practice exposes the product to significant amounts of bacteria.

#### REFERENCES:

1. Campbell SM. Preventing Microbial Contamination of Enteral Formulas and Delivery Systems. Columbus, Ohio, Ross Products Division, Abbott Laboratories, 2000. 2. Bankhead R, Boullata J, Brantley S et al. Enteral nutrition practice recommendations. *J Parenter Enteral Nutr* 2009;33:122-67.



ADULTS

# ENSURE® ADVANCE

Advanced nutrition with 20 g of protein and HMB



## INDICATIONS FOR USE

Ensure® Advance is our most innovative formula with protein to support strong muscles, and HMB.<sup>†</sup>

- For patients with increased calorie and protein requirements due to:
  - muscle mass loss or involuntary weight loss;
  - presence or risk of malnutrition;
  - preparing for and recovering from surgery;
  - recovering from illness or injury.
- Prescribe in a med pass program, given as 60-90 mL, between 3 times per day (TID) and 4 times per day (QID), with or without medications.<sup>‡</sup>
- For oral feeding.

## FEATURES AND BENEFITS

- In a clinical study, Ensure® Advance significantly improved nutritional status within 90 days.<sup>1§</sup>
- Excellent source of high-quality protein, with 20 g per bottle.
- Provides 1.5 g of CaHMB, a dietary source of HMB.
  - HMB supplementation may positively impact muscle mass.<sup>2¶</sup>
  - HMB is a metabolite of the essential amino acid leucine and works to reduce muscle protein breakdown.<sup>2</sup>
- Provides 3 g of scFOS fibre per bottle, which may help promote the growth of beneficial bacteria in the large bowel.<sup>3</sup>
- Calorically dense, with 1.5 Cal/mL.
- Provides 26 vitamins and minerals.
- 2 delicious flavours: Vanilla and Chocolate.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                                      |
|-------------------------------------------------|-----------------------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.5                                                                               |
| Protein (% of total energy)                     | 22.8                                                                              |
| Protein source                                  | Sodium caseinate, soy protein, milk protein concentrate, whey protein concentrate |
| Fat (% of total energy)                         | 28.4                                                                              |
| MCT oil (% of total fats)                       | 0.0                                                                               |
| Omega-6:Omega-3 ratio                           | 5.15:1                                                                            |
| Fat source                                      | Canola oil, corn oil                                                              |
| Carbohydrate (% of total energy)                | 48.8                                                                              |
| Carbohydrate source                             | Corn syrup, sucrose, scFOS                                                        |
| Total Cal:g nitrogen ratio                      | 111.3:1                                                                           |
| Non-protein Cal:g nitrogen ratio                | 85.9:1                                                                            |
| Water (g/L)                                     | 681                                                                               |
| Osmolality (mOsm/kg water)                      | 890                                                                               |
| Renal solute load (mOsm/L)                      | 600                                                                               |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                                                               |
| Fibre                                           | Yes                                                                               |

## AVAILABILITY

### Ready to use

|                          |                            |                           |
|--------------------------|----------------------------|---------------------------|
| (Institutional/Hospital) |                            |                           |
| 6631113                  | Ensure® Advance, Vanilla   | 235-mL bottles 24/case    |
| 6631213                  | Ensure® Advance, Chocolate | 235-mL bottles 24/case    |
| (Retail)                 |                            |                           |
| 6631013                  | Ensure® Advance, Vanilla   | 235-mL bottles 4 x 4/case |
| 6630913                  | Ensure® Advance, Chocolate | 235-mL bottles 4 x 4/case |

<sup>†</sup> 8-hydroxy-8-methylbutyrate.

<sup>‡</sup> Confirm with pharmacist for drug-nutrient interactions.

<sup>§</sup> In a clinical trial with over 600 undernourished people (Subjective Global Assessment [SGA] B or C) aged 65 and older with heart or lung disease, those using Ensure® Advance twice daily significantly improved their nutritional status over placebo within 90 days of hospital discharge.

<sup>¶</sup> When used in conjunction with exercise.

### REFERENCES:

- Deutz NE et al. Clin Nutr. 2016;35:18-26.
- Wilson GJ et al. Nutr Metab (Lond.) 2008;5:1.
- Bouhnik Y et al. Nutr J. 2006;5(8):1-6.

## ENERGY

|                                                | Per 100 mL              | Per 235 mL               |
|------------------------------------------------|-------------------------|--------------------------|
| ENERGY (Cal [kJ])                              | 149 (620) <sup>††</sup> | 350 (1460) <sup>††</sup> |
| PROTEIN (g)                                    | 8.5                     | 20                       |
| FAT (g)                                        | 4.7                     | 11                       |
| Polyunsaturates (g)                            | 1.75                    | 4.1                      |
| Linoleic Acid (g)                              | 1.5                     | 3.5                      |
| n-3 Linolenic Acid (g)                         | 0.25                    | 0.6                      |
| Monounsaturates (g)                            | 2.4                     | 5.6                      |
| Saturates (g)                                  | 0.55                    | 1.3                      |
| CARBOHYDRATE (g)                               | 18.8                    | 44                       |
| Fibre (g)                                      | 1.3                     | 3                        |
| Short-chain fructooligosaccharides (scFOS) (g) | 1.3                     | 3                        |
| CaHMB (g)                                      | 0.64                    | 1.5                      |

## VITAMINS

|                               |      |      |
|-------------------------------|------|------|
| Vitamin A (mcg RE)            | 160  | 375  |
| Vitamin D (mcg)               | 0.64 | 1.5  |
| Vitamin E (mg TE)             | 1.19 | 2.8  |
| Vitamin C (mg)                | 6.4  | 15   |
| Thiamine (mg)                 | 0.14 | 0.33 |
| Riboflavin (mg)               | 0.17 | 0.41 |
| Niacin (mg NE)                | 4.3  | 10   |
| Vitamin B <sub>6</sub> (mg)   | 0.17 | 0.41 |
| Folate (mg DFE)               | 43   | 102  |
| Vitamin B <sub>12</sub> (mcg) | 0.12 | 0.28 |
| Pantothenic Acid (mg)         | 0.55 | 1.3  |
| Biotin (mcg)                  | 14.9 | 35   |
| Choline (mg)                  | 34.9 | 82   |

## MINERALS

|                  |      |     |
|------------------|------|-----|
| Sodium (mg)      | 110  | 259 |
| Potassium (mg)   | 200  | 470 |
| Chloride (mg)    | 66   | 155 |
| Calcium (mg)     | 106  | 249 |
| Phosphorus (mg)  | 107  | 251 |
| Magnesium (mg)   | 28.1 | 66  |
| Iron (mg)        | 1.11 | 2.6 |
| Zinc (mg)        | 1.58 | 3.7 |
| Iodine (mcg)     | 18   | 42  |
| Copper (mg)      | 0.21 | 0.5 |
| Manganese (mg)   | 0.47 | 1.1 |
| Selenium (mcg)   | 5.1  | 12  |
| Chromium (mcg)   | 4.7  | 11  |
| Molybdenum (mcg) | 11.1 | 26  |

<sup>††</sup> CaHMB is approximately 1.4% of total energy and providing 3.2 Cal/g. Nutritional information for Ensure® Advance, Vanilla, 235-mL bottle.

## INGREDIENTS

### Ensure® Advance, Vanilla:

Water, Sugars (corn syrup, sucrose), Sodium caseinate, Canola oil, Soy protein, Short-chain fructooligosaccharides (scFOS), Corn oil, Milk protein concentrate, Calcium beta-hydroxy-beta-methylbutyrate monohydrate (CaHMB), Whey protein concentrate, Natural and artificial flavour, Cellulose gel, Monoglycerides, Soy lecithin, Cellulose gum, Minerals (potassium hydroxide, potassium citrate, magnesium phosphate dibasic, potassium phosphate dibasic, salt, potassium chloride, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, potassium iodide, calcium carbonate, chromium chloride, sodium molybdate, sodium selenate), Vitamins (ascorbic acid, choline chloride, niacinamide, DL-alpha-tocopheryl acetate, calcium D-pantothenate, vitamin A palmitate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, cyanocobalamin, folic acid, D-biotin, vitamin D<sub>3</sub>).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® PROTEIN MAX 30 g

Oral nutritional supplement



## INDICATIONS FOR USE

Ensure® Protein Max 30 g is very high in protein, low in fat and lower in Calories†, with 1 g of sugar per 330-mL serving. It can be used to supplement oral intake with or between meals.

- For patients with increased protein requirements.
- For oral feeding.

## FEATURES AND BENEFITS

- Very high in protein, it provides 30 g of protein per bottle. Protein helps build strong muscles, build and repair body tissues, and build antibodies.
- Provides an excellent source of high-quality protein, with a PDCAAS‡ score of 1.0.
- Contains 150 Calories and only 1 g of sugar per 330 mL.
- Provides 27 vitamins and minerals.
- Low in fat, with 1.5 g per serving.
- 2 delicious flavours: Vanilla and Chocolate.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                        |
|-------------------------------------------------|---------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 0.45                                                                |
| Protein (% of total energy)                     | 78.6                                                                |
| Protein source                                  | Milk protein concentrate, calcium caseinate                         |
| Fat (% of total energy)                         | 8.8                                                                 |
| MCT oil (% of total fats)                       | 0                                                                   |
| Omega-6:Omega-3 ratio                           | 6.23:1                                                              |
| Fat source                                      | Sunflower oil, milk protein concentrate, calcium caseinate          |
| Carbohydrate (% of total energy)                | 12.6                                                                |
| Carbohydrate source                             | Inulin, corn maltodextrin fibre, cellulose gel and gum, carrageenan |
| Total Cal:g nitrogen ratio                      | 30.6:1                                                              |
| Non-protein Cal:g nitrogen ratio                | 5.06:1                                                              |
| Water (g/L)                                     | 905                                                                 |
| Osmolality (mOsm/kg water)                      | 172                                                                 |
| Renal solute load (mOsm/L)                      | 599                                                                 |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                                                 |
| Fibre                                           | Yes                                                                 |

## AVAILABILITY

### Ready to use

|         |                                     |                |            |
|---------|-------------------------------------|----------------|------------|
| 6716513 | Ensure® Protein Max 30 g, Vanilla   | 330-mL cartons | 3 x 4/case |
| 6689913 | Ensure® Protein Max 30 g, Chocolate | 330-mL cartons | 3 x 4/case |

## ENERGY

|                   | Per 100 mL | Per 330 mL |
|-------------------|------------|------------|
| ENERGY (Cal [kJ]) | 45.5 (190) | 150 (627)  |
| PROTEIN (g)       | 9.09       | 30         |
| FAT (g)           | 0.45       | 1.5        |
| Saturates (g)     | 0.15       | 0.5        |
| Trans (g)         | 0          | 0          |
| Cholesterol (mg)  | 6.1        | 25         |
| CARBOHYDRATE (g)  | 1.82       | 6          |
| Fibre (g)         | 0.61       | 2          |
| Sugars (g)        | 0.30       | 1          |

## VITAMINS

|                     |       |       |
|---------------------|-------|-------|
| Vitamin A, mcg RE   | 81.8  | 300   |
| Vitamin D, mcg      | 4.24  | 14.0  |
| Vitamin E, mg       | 1.70  | 5.50  |
| Vitamin K, mcg      | 9.09  | 30.0  |
| Vitamin C, mg       | 13.6  | 45.0  |
| Thiamine, mg        | 0.090 | 0.300 |
| Riboflavin, mg      | 0.098 | 0.350 |
| Niacin, mg          | 2.42  | 8.00  |
| Vitamin B6, mg      | 0.130 | 0.450 |
| Folic Acid, mcg DFE | 18.2  | 100   |
| Vitamin B12, mcg    | 0.179 | 0.600 |
| Pantothenate, mg    | 0.379 | 1.30  |
| Biotin, mcg         | 2.30  | 7.50  |
| Choline, mg         | 25.0  | 80.0  |

## MINERALS

|                 |       |       |
|-----------------|-------|-------|
| Sodium, mg      | 42.4  | 140   |
| Potassium, mg   | 142   | 450   |
| Chloride, mg    | 68.5  | 225   |
| Calcium, mg     | 197   | 600   |
| Phosphorus, mg  | 152   | 500   |
| Magnesium, mg   | 31.8  | 110   |
| Iron, mg        | 1.36  | 4.50  |
| Zinc, mg        | 0.830 | 2.50  |
| Iodine, mcg     | 12.0  | 40    |
| Copper, mg      | 0.068 | 0.220 |
| Manganese, mg   | 0.176 | 0.600 |
| Selenium, mcg   | 4.18  | 14.0  |
| Chromium, mcg   | 2.65  | 8.5   |
| Molybdenum, mcg | 3.42  | 11.5  |

Nutritional information for Ensure® Protein Max 30 g, Vanilla, 330-mL carton.

## INGREDIENTS

### Ensure® Protein Max 30 g, Vanilla:

Water, Milk protein concentrate, Calcium caseinate, Natural and artificial flavours, Inulin, Corn maltodextrin fibre, Sunflower oil, Cellulose gel, Cellulose gum, Acesulfame-potassium [44 mg/ serving], Carrageenan, Sucralose [27.6 mg/serving], Minerals (magnesium phosphate, potassium chloride, potassium phosphate dibasic, sodium phosphate dibasic, potassium hydroxide, salt, ferrous sulphate, zinc sulphate, manganese sulphate, cupric sulphate, potassium iodide, chromium chloride, sodium molybdate, sodium selenate), Vitamins (sodium ascorbate, choline chloride, dl-alpha tocopheryl acetate, niacinamide, calcium d-pantothenate, thiamine hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, phyloquinone, vitamin D3, biotin, cyanocobalamin).

**Contains: Milk.**



Back to the table  
of contents

† Compared to Ensure® Regular.  
‡ Protein Digestibility Corrected Amino Acid Score.

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® COMPACT

Complete, balanced nutrition in half the size



## INDICATIONS FOR USE

Ensure® Compact is a good source of protein and is calorie- and nutrient-dense. The convenient format may help support patient compliance and reduce wastage by removing the need to portion.<sup>1,2</sup>

- For patients:
  - who are unable to consume a full 235-mL serving/bottle (of oral nutritional supplement);
  - with a reduced appetite;
  - who have fluid restrictions or require volume-limited feedings;
  - with elevated energy requirements;
  - with or at risk of malnutrition;
  - who want to gain or maintain weight.
- Prescribe in a medication pass of supplement program, given as 118 mL, 2 times per day (BID), with or without medications.<sup>†</sup>
- For oral use only.
- May be used as an interim sole source of nutrition.<sup>‡</sup>

## FEATURES AND BENEFITS

- Complete, balanced nutrition in half the size.<sup>§</sup>
- Calorically dense, with 1.8 Cal/mL.
- Provides 9 g of protein per bottle.
- Provides 26 vitamins and minerals.
- Easy-to-open bottle.<sup>3</sup>
- 2 delicious flavours: Vanilla and Chocolate.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                          |
|-------------------------------------------------|-------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.8                                                   |
| Protein (% of total energy)                     | 16.5                                                  |
| Protein source                                  | Milk protein concentrate, hydrolyzed sodium caseinate |
| Fat (% of total energy)                         | 24.8                                                  |
| MCT oil (% of total fats)                       | 0.0                                                   |
| Omega-6:Omega-3 ratio                           | 7.4:1                                                 |
| Fat source                                      | Soy oil, canola oil, corn oil                         |
| Carbohydrate (% of total energy)                | 58.7                                                  |
| Carbohydrate source                             | Corn syrup, sugar                                     |
| Total Cal:g nitrogen ratio                      | 154:1                                                 |
| Non-protein Cal:g nitrogen ratio                | 129:1                                                 |
| Water (g/L)                                     | 721                                                   |
| Osmolality (mOsm/kg water)                      | 1270                                                  |
| Renal solute load (mOsm/L)                      | 610                                                   |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                                   |
| Fibre                                           | No                                                    |

## AVAILABILITY

### Ready to use

|          |                            |                |            |
|----------|----------------------------|----------------|------------|
| 05748A40 | Ensure® Compact, Vanilla   | 118-mL bottles | 4 x 4/case |
| 05749A40 | Ensure® Compact, Chocolate | 118-mL bottles | 4 x 4/case |

<sup>†</sup> Confirm with pharmacist for drug-nutrient interactions.

<sup>‡</sup> Additional fluid may be required.

<sup>§</sup> Compared to 235-mL Ensure® Regular.

### REFERENCES:

- Jukola K, McLennan P. *Aust J Ageing* 2005;24:119-24.
- Roberts M et al. *Br J Nutr* 2003;90(2):425-9.
- Data on file. Abbott Laboratories Co. 2007 (796 - Ease of bottle use).

## ENERGY

|                    | Per 100 mL | Per 118 mL |
|--------------------|------------|------------|
| ENERGY (Cal [kJ])  | 185 (780)  | 218 (920)  |
| PROTEIN (g)        | 7.6        | 9.0        |
| FAT (g)            | 5.1        | 6.0        |
| Linoleic Acid (g)  | 1.8        | 2.1        |
| Linolenic Acid (g) | 0.22       | 0.26       |
| CARBOHYDRATE (g)   | 27         | 32         |

## VITAMINS

|                              |        |         |
|------------------------------|--------|---------|
| Vitamin A (IU)               | 420    | 497     |
| Vitamin D (IU)               | 68     | 80      |
| Vitamin E (IU)               | 9.5    | 11      |
| Vitamin K (mg)               | 0.015  | 0.018   |
| Vitamin C (mg)               | 39     | 46      |
| Thiamine (mg)                | 0.32   | 0.38    |
| Riboflavin (mg)              | 0.40   | 0.47    |
| Niacin (mg)                  | 2.2    | 2.6     |
| Vitamin B <sub>6</sub> (mg)  | 0.46   | 0.54    |
| Folic acid (mg)              | 0.055  | 0.065   |
| Vitamin B <sub>12</sub> (mg) | 0.0006 | 0.00071 |
| Pantothenic Acid (mg)        | 1.5    | 1.8     |
| Biotin (mg)                  | 0.01   | 0.012   |
| Choline (mg)                 | 101    | 119     |

## MINERALS

|                 |       |       |
|-----------------|-------|-------|
| Sodium (mg)     | 137   | 162   |
| Potassium (mg)  | 279   | 330   |
| Chloride (mg)   | 156   | 185   |
| Calcium (mg)    | 276   | 326   |
| Phosphorus (mg) | 159   | 188   |
| Magnesium (mg)  | 36    | 43    |
| Iron (mg)       | 3.8   | 4.5   |
| Zinc (mg)       | 2.2   | 2.6   |
| Iodine (mg)     | 0.032 | 0.038 |
| Copper (mg)     | 0.27  | 0.32  |
| Manganese (mg)  | 0.64  | 0.76  |
| Selenium (mg)   | 0.012 | 0.014 |
| Chromium (mg)   | 0.009 | 0.011 |
| Molybdenum (mg) | 0.016 | 0.019 |

Nutritional information for Ensure® Compact, Vanilla, 118-mL bottle.

## INGREDIENTS

### Ensure® Compact, Vanilla:

Water, Corn syrup, Milk protein concentrate, Sugar, Soy oil, Hydrolyzed sodium caseinate, Canola oil, Corn oil, Natural and artificial flavours, Cellulose gel, Soy lecithin, Cellulose gum, Carrageenan, Minerals (calcium citrate, potassium phosphate dibasic, calcium carbonate, magnesium phosphate dibasic, potassium chloride, potassium hydroxide, magnesium chloride, sodium citrate, potassium citrate, salt, calcium phosphate tribasic, ferrous sulphate, magnesium sulphate, zinc sulphate, manganese sulphate, copper sulphate, potassium iodide, sodium molybdate, chromium chloride, sodium selenate), Vitamins (choline chloride, ascorbic acid, DL-alpha tocopheryl acetate, niacinamide, calcium D-pantothenate, pyridoxine hydrochloride, thiamine hydrochloride, riboflavin, vitamin A palmitate, folic acid, phyloquinone, biotin, vitamin D<sub>3</sub>, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® REGULAR

Complete, balanced nutrition



## INDICATIONS FOR USE

Ensure® Regular provides complete, balanced nutrition and protein, which helps build strong muscles and antibodies. Patients can drink Ensure® Regular with or between meals.

- For patients:
  - with or at risk of malnutrition;
  - with involuntary weight loss;
  - recovering from illness or injury;
  - with anorexia (loss of appetite);
  - requiring a low-residue diet;
  - on consistency-modified diets.
- For oral feeding.

## FEATURES AND BENEFITS

- Complete, balanced nutrition.
- Provides 27 vitamins and minerals.<sup>†</sup>
- 4 delicious flavours to prevent flavour fatigue: Vanilla, Chocolate, Strawberry and Butter Pecan.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                         |
|-------------------------------------------------|----------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.0                                                                  |
| Protein (% of total energy)                     | 15.7                                                                 |
| Protein source                                  | Milk protein concentrate, soy protein, dry or concentrated skim milk |
| Fat (% of total energy)                         | 23.5                                                                 |
| MCT oil (% of total fats)                       | 0.0                                                                  |
| Omega-6:Omega-3 ratio                           | 4.57:1                                                               |
| Fat source                                      | Canola oil, corn oil                                                 |
| Carbohydrate (% of total energy)                | 60.9                                                                 |
| Carbohydrate source                             | Sugar, corn maltodextrin                                             |
| Total Cal:g nitrogen ratio                      | 160:1                                                                |
| Non-protein Cal:g nitrogen ratio                | 135:1                                                                |
| Water (g/L)                                     | 831                                                                  |
| Osmolality (mOsm/kg water)                      | 534                                                                  |
| Renal solute load (mOsm/L)                      | 331                                                                  |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                                                  |
| Fibre                                           | No                                                                   |

## AVAILABILITY

### Ready to use

(Institutional/Hospital)

|         |                             |                |         |
|---------|-----------------------------|----------------|---------|
| 6890713 | Ensure® Regular, Vanilla    | 235-mL bottles | 24/case |
| 6890813 | Ensure® Regular, Chocolate  | 235-mL bottles | 24/case |
| 6890913 | Ensure® Regular, Strawberry | 235-mL bottles | 24/case |

(Retail)

|         |                               |                |            |
|---------|-------------------------------|----------------|------------|
| 6831913 | Ensure® Regular, Vanilla      | 235-mL bottles | 4 x 6/case |
| 6832013 | Ensure® Regular, Chocolate    | 235-mL bottles | 4 x 6/case |
| 6832113 | Ensure® Regular, Strawberry   | 235-mL bottles | 4 x 6/case |
| 6832213 | Ensure® Regular, Butter Pecan | 235-mL bottles | 4 x 6/case |

## ENERGY

|                   | Per 100 mL | Per 235 mL |
|-------------------|------------|------------|
| ENERGY (Cal [kJ]) | 100 (418)  | 240 (984)  |
| PROTEIN (g)       | 3.79       | 9          |
| FAT (g)           | 2.54       | 6          |
| Saturates (g)     | 0.42       | 1          |
| Trans (g)         | 0          | 0          |
| CARBOHYDRATE (g)  | 15.32      | 36         |
| Fibre (g)         | 0          | 0          |
| Sugars (g)        | 7.6        | 18         |

## VITAMINS

|                       |      |      |
|-----------------------|------|------|
| Vitamin A (mcg)       | 95   | 240  |
| Vitamin D (mcg)       | 2.11 | 5    |
| Vitamin E (mg)        | 3.2  | 7.5  |
| Vitamin K (mcg)       | 10.1 | 24   |
| Vitamin C (mg)        | 19   | 45   |
| Thiamine (mg)         | 0.13 | 0.33 |
| Riboflavin (mg)       | 0.17 | 0.43 |
| Niacin (mg)           | 2.36 | 5.5  |
| Vitamin B6 (mg)       | 0.18 | 0.43 |
| Folic Acid (mcg DFE)  | 42   | 100  |
| Vitamin B12 (mcg)     | 0.25 | 0.6  |
| Pantothenic Acid (mg) | 0.63 | 1.5  |
| Biotin (mcg)          | 3.2  | 7.5  |
| Choline (mg)          | 58   | 140  |

## MINERALS

|                  |      |      |
|------------------|------|------|
| Sodium (mg)      | 89   | 210  |
| Potassium (mg)   | 198  | 450  |
| Chloride (mg)    | 97   | 225  |
| Calcium (mg)     | 139  | 350  |
| Phosphorus (mg)  | 106  | 250  |
| Magnesium (mg)   | 35.5 | 80   |
| Iron (mg)        | 1.90 | 4.5  |
| Zinc (mg)        | 1.39 | 3.5  |
| Iodine (mcg)     | 16.2 | 40   |
| Copper (mg)      | 0.09 | 0.21 |
| Manganese (mg)   | 0.24 | 0.55 |
| Selenium (mcg)   | 5.8  | 14   |
| Chromium (mcg)   | 3.7  | 9.4  |
| Molybdenum (mcg) | 6.6  | 15.5 |

Nutritional information for Ensure® Regular, Vanilla, 235-mL bottle.

## INGREDIENTS

### Ensure® Regular, Vanilla:

Water, Corn maltodextrin, Sugar, Milk protein concentrate, Canola oil, Soy protein, Corn oil, Dry or concentrated skim milk, Natural and artificial flavour, Cellulose gel, Cellulose gum, Monoglycerides, Soy lecithin, Carrageenan, Minerals (potassium citrate, magnesium phosphate dibasic, sodium citrate, calcium carbonate, tricalcium phosphate, salt, potassium chloride, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, chromium chloride, potassium iodide, sodium selenate, sodium molybdate), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, vitamin A palmitate, folic acid, phyloquinone, D-biotin, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® HIGH PROTEIN 16 g

Oral nutritional supplementation



## INDICATIONS FOR USE

Ensure® High Protein 16 g provides more protein and less Calories.<sup>†</sup> It can be used as a supplement between or with meals.

- For patients with increased protein requirements.
- For oral feeding.

## FEATURES AND BENEFITS

- Oral nutritional supplementation.
- 50% less sugar and 29% less Calories than Ensure® High Protein 12 g.
- High in protein, it provides 16 g of protein per bottle. Protein helps build muscle mass, repair body tissues, and build antibodies.
- Provides 26 vitamins and minerals.
- 2 delicious flavours: Vanilla and Chocolate.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                          |
|-------------------------------------------------|---------------------------------------|
| Caloric density (Cal/mL)                        | 0.68                                  |
| Protein (% of total energy)                     | 40.0                                  |
| Protein source                                  | Milk protein concentrate, soy protein |
| Fat (% of total energy)                         | 11.3                                  |
| MCT oil (% of total fats)                       | 0.0                                   |
| Omega-6:Omega-3 ratio                           | 2.23:1                                |
| Fat source                                      | Canola oil                            |
| Carbohydrate (% of total energy)                | 48.8                                  |
| Carbohydrate source                             | Corn maltodextrin, sugar              |
| Total Cal/g nitrogen ratio                      | 64:1                                  |
| Non-protein Cal/g nitrogen ratio                | 38:1                                  |
| Water (g/L)                                     | 838                                   |
| Osmolality (mOsm/kg water)                      | 220                                   |
| Renal solute load (mOsm/L)                      | 502                                   |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                   |
| Fibre                                           | Yes                                   |

## AVAILABILITY

### Ready to use

|         |                                      |                |            |
|---------|--------------------------------------|----------------|------------|
| 6773813 | Ensure® High Protein 16 g, Vanilla   | 235-mL bottles | 4 x 6/case |
| 6773913 | Ensure® High Protein 16 g, Chocolate | 235-mL bottles | 4 x 6/case |

## ENERGY

|                          | Per 100 mL | Per 235 mL |
|--------------------------|------------|------------|
| ENERGY, Cal (kJ)         | 68 (282)   | 160 (670)  |
| PROTEIN, g               | 6.75       | 16         |
| FAT, g                   | 0.84       | 2.0        |
| Saturates, g             | 0.21       | 0.50       |
| Linoleic acid, g         | 0.13       | 0.12       |
| Linolenic acid, g        | 0.05       | 0.31       |
| Cholesterol, mg          | 8          | 19         |
| CARBOHYDRATE, g          | 8.02       | 19         |
| Sugars, g                | 3.38       | 7.9        |
| Fibre, g                 | 0.38       | 0.89       |
| Acesulfame-potassium, mg | 7.36       | 17         |
| Sucralose, mg            | 2.62       | 6.2        |

## VITAMINS

|                               |      |      |
|-------------------------------|------|------|
| Vitamin A, mcg RE             | 95   | 223  |
| Vitamin D, mcg                | 0.42 | 1.0  |
| Vitamin E, mg                 | 0.95 | 2.2  |
| Vitamin C, mg                 | 5.7  | 13   |
| Thiamine, mg                  | 0.15 | 0.35 |
| Riboflavin, mg                | 0.16 | 0.38 |
| Niacin, mg NE                 | 2.36 | 5.6  |
| Vitamin B <sub>6</sub> , mg   | 0.14 | 0.33 |
| Folate, mcg-DFE               | 30   | 71   |
| Vitamin B <sub>12</sub> , mcg | 0.14 | 0.33 |
| Biotin, mcg                   | 11.5 | 27   |
| Pantothenic acid, mg          | 0.55 | 1.3  |
| Choline, mg                   | 58.0 | 136  |

## MINERALS

|                 |      |      |
|-----------------|------|------|
| Sodium, mg      | 87   | 204  |
| Potassium, mg   | 198  | 465  |
| Chloride, mg    | 88   | 207  |
| Calcium, mg     | 138  | 324  |
| Phosphorus, mg  | 79   | 186  |
| Magnesium, mg   | 17.7 | 42   |
| Iron, mg        | 0.76 | 1.8  |
| Zinc, mg        | 1.18 | 2.8  |
| Copper, mg      | 0.11 | 0.26 |
| Manganese, mg   | 0.39 | 0.92 |
| Selenium, mcg   | 2.3  | 5.4  |
| Chromium, mcg   | 3.0  | 7.1  |
| Molybdenum, mcg | 4.8  | 11   |
| Iodide, mcg     | 15.8 | 37   |

Nutritional information for Ensure® High Protein 16 g, Vanilla, 235-mL bottle.

## INGREDIENTS

### Ensure® High Protein 16 g, Vanilla:

Water, Milk protein concentrate, Corn maltodextrin, Sugar, Soy protein, Canola oil, Natural and artificial flavours, Cellulose gel, Carrageenan, Cellulose gum, Gellan gum, Acesulfame-potassium, Sucralose, Minerals (potassium citrate, sodium citrate, salt, magnesium sulphate, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, potassium iodide, chromium chloride), Vitamins (choline chloride, sodium-L-ascorbate, niacinamide, calcium D-pantothenate, pyridoxine hydrochloride, thiamine hydrochloride, riboflavin, vitamin A palmitate, folic acid, biotin, DL-alpha tocopheryl acetate, vitamin D<sub>3</sub>). As needed: Potassium chloride.

**Contains: Milk, Soy.**



Back to the table  
of contents

<sup>†</sup> Compared to Ensure® High Protein 12 g.

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® HIGH PROTEIN 12 g

Complete, balanced nutrition



## INDICATIONS FOR USE

Ensure® High Protein 12 g is complete, balanced nutrition with 33% more protein per bottle.\* Protein helps build muscle mass. Ensure® High Protein 12 g can be used as a supplement between or with meals, or, in appropriate amounts, as a meal replacement.

- For patients:
  - with or at risk of malnutrition;
  - with involuntary weight loss;
  - with increased protein requirements;
  - recovering from illness or injury.
- For oral feeding.

## FEATURES AND BENEFITS

- Complete, balanced nutrition.
- Provides 12 g of protein per bottle.
- Provides 25 vitamins and minerals.
- 3 delicious flavours: Vanilla, Chocolate, and Strawberry.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                      |
|-------------------------------------------------|---------------------------------------------------|
| Caloric density (Cal/mL)                        | 0.96                                              |
| Protein (% of total energy)                     | 21.0                                              |
| Protein Source                                  | Sodium and calcium caseinate, soy protein isolate |
| Fat (% of total energy)                         | 24.0                                              |
| MCT oil (% of total fats)                       | 0.0                                               |
| Omega-6:Omega-3 ratio                           | 7.40:1                                            |
| Fat Source                                      | High oleic safflower oil, canola oil, corn oil    |
| Carbohydrate (% of total energy)                | 55.0                                              |
| Carbohydrate Source                             | Sugar, corn maltodextrin                          |
| Total Cal:g nitrogen ratio                      | 122:1                                             |
| Non-protein Cal:g nitrogen ratio                | 96:1:1                                            |
| Water (g/L)                                     | 837                                               |
| Osmolality (mOsm/kg water)                      | 546                                               |
| Renal solute load (mOsm/L)                      | 417                                               |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                               |
| Fibre                                           | No                                                |

## AVAILABILITY

### Ready to use

|         |                                       |                |            |
|---------|---------------------------------------|----------------|------------|
| 5725013 | Ensure® High Protein 12 g, Vanilla    | 235-mL bottles | 4 x 6/case |
| 5725313 | Ensure® High Protein 12 g, Chocolate  | 235-mL bottles | 4 x 6/case |
| 5942213 | Ensure® High Protein 12 g, Strawberry | 235-mL bottles | 4 x 6/case |
| 6823913 | Ensure® High Protein 12 g, Vanilla    | 235-mL bottles | 16/case    |
| 6824013 | Ensure® High Protein 12 g, Chocolate  | 235-mL bottles | 16/case    |

## ENERGY

|                     | Per 100 mL | Per 235 mL |
|---------------------|------------|------------|
| ENERGY (Cal [kJ])   | 96 (402)   | 225 (940)  |
| PROTEIN (g)         | 5.02       | 12         |
| FAT (g)             | 2.55       | 6          |
| Polyunsaturates (g) | 0.5        | 1.2        |
| Linoleic Acid (g)   | 0.43       | 1          |
| Linolenic Acid (g)  | 0.08       | 0.2        |
| Monounsaturates (g) | 1.0        | 2.4        |
| Saturates (g)       | 0.2        | 0.5        |
| CARBOHYDRATE (g)    | 13.2       | 31         |

## VITAMINS

|                               |       |      |
|-------------------------------|-------|------|
| Vitamin A (mcg RE)            | 149   | 350  |
| Vitamin D (mcg)               | 0.53  | 1.3  |
| Vitamin E (mg)                | 1.07  | 2.5  |
| Vitamin C (mg)                | 6.4   | 15   |
| Thiamine (mg)                 | 0.138 | 0.32 |
| Riboflavin (mg)               | 0.164 | 0.43 |
| Niacin (mg NE)                | 2.55  | 6    |
| Vitamin B <sub>6</sub> (mg)   | 0.2   | 0.47 |
| Folic acid (mcg DFE)          | 43    | 101  |
| Vitamin B <sub>12</sub> (mcg) | 0.21  | 0.49 |
| Pantothenic acid (mg)         | 0.74  | 1.7  |
| Biotin (mcg)                  | 14.9  | 35   |

## MINERALS

|                  |      |     |
|------------------|------|-----|
| Sodium (mg)      | 123  | 289 |
| Potassium (mg)   | 162  | 428 |
| Chloride (mg)    | 107  | 251 |
| Calcium (mg)     | 117  | 275 |
| Phosphorus (mg)  | 117  | 275 |
| Magnesium (mg)   | 27.7 | 65  |
| Iron (mg)        | 1.49 | 3.5 |
| Zinc (mg)        | 1.7  | 4   |
| Iodine (mcg)     | 17   | 40  |
| Copper (mg)      | 0.21 | 0.5 |
| Manganese (mg)   | 0.55 | 1.3 |
| Selenium (mcg)   | 5.1  | 12  |
| Chromium (mcg)   | 4.3  | 10  |
| Molybdenum (mcg) | 11.9 | 28  |

Nutritional information for Ensure® High Protein 12 g, Vanilla, 235-mL bottle.

## INGREDIENTS

### Ensure® High Protein 12 g, Vanilla:

Water, Sugar, Corn maltodextrin, Calcium caseinate, High oleic safflower oil, Canola oil, Soy protein isolate, Sodium caseinate, Corn oil, Natural and artificial flavour, Soy lecithin, Carrageenan, Minerals (potassium citrate, sodium citrate, tricalcium phosphate, magnesium phosphate dibasic, magnesium chloride, salt, potassium phosphate dibasic, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, potassium iodide, sodium molybdate, sodium selenate, chromium chloride), Vitamins (ascorbic acid, niacinamide, DL-alpha-tocopheryl acetate, calcium D-pantothenate, vitamin A palmitate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, folic acid, D-biotin, vitamin D<sub>3</sub>, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

† Compared to Ensure® Regular.

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® PLUS CALORIES

Complete, balanced nutrition



## INDICATIONS FOR USE

Ensure® Plus Calories is complete, balanced nutrition. It provides extra calories and protein to help patients increase their daily intake. Patients can drink Ensure® Plus Calories with or between meals.

- For patients:
  - with or at risk of malnutrition;
  - with involuntary weight loss;
  - who need to gain or maintain weight;
  - with cancer-associated malnutrition;
  - preparing for and recovering from surgery;
  - recovering from illness or injury;
  - who have fluid restrictions or require volume-limited feedings.
- For oral feeding.

## FEATURES AND BENEFITS

- Complete, balanced nutrition.
- 44 % more protein and 45% more Calories per bottle than Ensure® Regular.
- Provides 27 vitamins and minerals.<sup>†</sup>
- 4 delicious flavours to prevent flavour fatigue: Vanilla, Chocolate, Strawberry and Butter Pecan.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                     | Ready to use                                                         |
|-----------------------------------------------------|----------------------------------------------------------------------|
| Caloric density (Cal/mL)                            | 1.48                                                                 |
| Protein (% of total energy)                         | 15.0                                                                 |
| Protein Source                                      | Milk protein concentrate, soy protein, dry or concentrated skim milk |
| Fat (% of total energy)                             | 28.0                                                                 |
| MCT oil (% of total fats)                           | 0.0                                                                  |
| Omega-6:Omega-3 ratio                               | 4.1:1                                                                |
| Fat Source                                          | Canola oil, corn oil                                                 |
| Carbohydrate (% of total energy)                    | 57.0                                                                 |
| Carbohydrate Source                                 | Corn maltodextrin, sugar                                             |
| Total Cal:g nitrogen ratio                          | 168:1                                                                |
| Non-protein Cal:g nitrogen ratio                    | 146:1                                                                |
| Water (g/L)                                         | 762                                                                  |
| Osmolality (mOsm/kg water)                          | 700                                                                  |
| Renal solute load (mOsm/L)                          | 431                                                                  |
| Minimum tube size for gravity/<br>pump feeding (Fr) | N/A                                                                  |
| Fibre                                               | No                                                                   |

## AVAILABILITY

### Ready to use

(Institutional/Hospital)

|         |                                   |                |         |
|---------|-----------------------------------|----------------|---------|
| 6891013 | Ensure® Plus Calories, Vanilla    | 235-mL bottles | 24/case |
| 6891113 | Ensure® Plus Calories, Chocolate  | 235-mL bottles | 24/case |
| 6891213 | Ensure® Plus Calories, Strawberry | 235-mL bottles | 24/case |

(Retail)

|         |                                     |                |            |
|---------|-------------------------------------|----------------|------------|
| 6835613 | Ensure® Plus Calories, Vanilla      | 235-mL bottles | 4 x 6/case |
| 6835713 | Ensure® Plus Calories, Chocolate    | 235-mL bottles | 4 x 6/case |
| 6835813 | Ensure® Plus Calories, Strawberry   | 235-mL bottles | 4 x 6/case |
| 6835913 | Ensure® Plus Calories, Butter Pecan | 235-mL bottles | 4 x 6/case |

<sup>†</sup> Per 235 mL

## ENERGY

|                   | Per 100 mL | Per 235 mL |
|-------------------|------------|------------|
| ENERGY (Cal [kJ]) | 148 (618)  | 350 (1464) |
| PROTEIN (g)       | 5.50       | 13         |
| FAT (g)           | 4.64       | 11         |
| Saturates (g)     | 0.42       | 1          |
| Trans (g)         | 0          | 0          |
| Cholesterol (mg)  | 4          | 10         |
| CARBOHYDRATE (g)  | 21.1       | 50         |
| Fibres (g)        | 0          | 0          |
| Sugars (g)        | 8.44       | 20         |

## VITAMINS

|                               |      |      |
|-------------------------------|------|------|
| Vitamin A (mcg)               | 95   | 200  |
| Vitamin D (mcg)               | 3.38 | 8    |
| Vitamin E (mg)                | 3.16 | 7.5  |
| Vitamin K (mcg)               | 10.1 | 24   |
| Vitamin C (mg)                | 19.0 | 45   |
| Thiamine (mg)                 | 0.13 | 0.30 |
| Riboflavin (mg)               | 0.14 | 0.35 |
| Niacin (mg)                   | 2.90 | 7.0  |
| Vitamin B <sub>6</sub> (mg)   | 0.18 | 0.45 |
| Folate (mcg DFE)              | 42   | 100  |
| Vitamin B <sub>12</sub> (mcg) | 0.25 | 0.60 |
| Pantothenic Acid (mg)         | 0.53 | 1.2  |
| Biotin (mg)                   | 3.2  | 7.5  |
| Choline (mg)                  | 58.0 | 140  |

## MINERALS

|                  |      |      |
|------------------|------|------|
| Sodium (mg)      | 89   | 210  |
| Potassium (mg)   | 198  | 450  |
| Chloride (mg)    | 97   | 225  |
| Calcium (mg)     | 139  | 350  |
| Phosphorus (mg)  | 79   | 175  |
| Magnesium (mg)   | 35.4 | 80   |
| Iron (mg)        | 1.90 | 4.5  |
| Zinc (mg)        | 1.39 | 3.5  |
| Iodine (mcg)     | 15.8 | 35   |
| Copper (mg)      | 0.09 | 0.23 |
| Manganese (mg)   | 0.24 | 0.60 |
| Selenium (mcg)   | 5.8  | 14   |
| Chromium (mcg)   | 3.7  | 8.5  |
| Molybdenum (mcg) | 4.8  | 11   |

Nutritional information for Ensure® Plus Calories, Vanilla, 235-mL bottle.

## INGREDIENTS

### Ensure® Plus Calories, Vanilla:

Water, Corn maltodextrin, Sugar, Milk protein concentrate, Canola oil, Soy protein, Corn oil, Dry or concentrated skim milk, Natural and artificial flavour, Soy lecithin, Cellulose gel, Cellulose gum, Carrageenan, Minerals (potassium citrate, magnesium phosphate dibasic, sodium citrate, calcium carbonate, potassium chloride, ferrous sulphate, zinc sulphate, manganese sulphate, salt, tricalcium phosphate, copper sulphate, chromium chloride, potassium iodide, sodium selenate, sodium molybdate), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, vitamin A palmitate, folic acid, phyloquinone, D-biotin, vitamin D<sub>3</sub>, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® PLUS

Complete, balanced nutrition



## INDICATIONS FOR USE

Ensure® Plus is a good source of protein and is high in calories to help people gain or maintain weight. It can be used with or between meals or, in appropriate amounts, as a meal replacement.

- For patients:
  - who need to gain or maintain weight;
  - who have fluid restrictions or require volume-limited feedings.
- For oral feeding.
- May be used as interim sole source nutrition.†

## FEATURES AND BENEFITS

- Complete, balanced nutrition.
- 40% more protein and 50% more Calories per serving than Ensure® Regular.
- Provides 26 vitamins and minerals.
- 3 delicious flavours: Vanilla, Chocolate, and Strawberry.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                 |
|-------------------------------------------------|--------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.5                                                          |
| Protein (% of total energy)                     | 15.0                                                         |
| Protein Source                                  | Calcium caseinate, soy protein                               |
| Fat (% of total energy)                         | 24.1                                                         |
| MCT oil (% of total fats)                       | 0                                                            |
| Omega-6:Omega-3 ratio                           | 5.8:1                                                        |
| Fat Source                                      | High oleic safflower oil, canola oil, corn oil, soy lecithin |
| Carbohydrate (% of total energy)                | 60.9                                                         |
| Carbohydrate Source                             | Corn syrup, sugar, corn maltodextrin                         |
| Total Cal:g nitrogen ratio                      | 169:1                                                        |
| Non-protein Cal:g nitrogen ratio                | 144:1                                                        |
| Water (g/L)                                     | 770                                                          |
| Osmolality (mOsm/kg water)                      | 788                                                          |
| Renal solute load (mOsm/L)                      | 466                                                          |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                                          |
| Fibre                                           | No                                                           |

## AVAILABILITY

### Ready to use

|         |                          |             |         |
|---------|--------------------------|-------------|---------|
| 6220613 | Ensure® Plus, Vanilla    | 235-mL cans | 12/case |
| 6220913 | Ensure® Plus, Chocolate  | 235-mL cans | 12/case |
| 6221013 | Ensure® Plus, Strawberry | 235-mL cans | 12/case |

## ENERGY

|                     | Per 100 mL | Per 235 mL |
|---------------------|------------|------------|
| ENERGY (Cal [kJ])   | 151 (634)  | 355 (1490) |
| PROTEIN (g)         | 5.66       | 13         |
| FAT (g)             | 4.04       | 9.5        |
| Polyunsaturates (g) | 0.8        | 1.9        |
| Linoleic Acid (g)   | 0.77       | 1.8        |
| Linolenic Acid (g)  | 0.13       | 0.3        |
| Monounsaturates (g) | 1.7        | 4.0        |
| Saturates (g)       | 0.2        | 0.5        |
| CARBOHYDRATE (g)    | 23         | 54         |

## VITAMINS

|                               |        |        |
|-------------------------------|--------|--------|
| Vitamin A (IU)                | 532    | 1250   |
| Vitamin D (IU)                | 26     | 61     |
| Vitamin E (IU)                | 1.7    | 4.0    |
| Vitamin C (mg)                | 6.4    | 15.0   |
| Thiamine (mcg)                | 138    | 324    |
| Riboflavin (mcg)              | 181    | 425    |
| Niacin (mg NE)                | 2.56   | 6.01   |
| Vitamin B <sub>6</sub> (mg)   | 0.21   | 0.49   |
| Folic acid (mcg)              | 26     | 61     |
| Vitamin B <sub>12</sub> (mcg) | 0.21   | 0.49   |
| Pantothenic Acid (mg)         | 0.74   | 1.74   |
| Biotin (mg)                   | 0.0149 | 0.0350 |

## MINERALS

|                  |       |      |
|------------------|-------|------|
| Sodium (mg)      | 107   | 251  |
| Potassium (mg)   | 196   | 461  |
| Chloride (mg)    | 164   | 385  |
| Calcium (mg)     | 128   | 301  |
| Phosphorus (mg)  | 117   | 275  |
| Magnesium (mg)   | 27.7  | 65.1 |
| Iron (mg)        | 1.62  | 3.81 |
| Zinc (mg)        | 1.70  | 4.00 |
| Iodide (mcg)     | 17.1  | 40.2 |
| Copper (mg)      | 0.213 | 0.5  |
| Manganese (mg)   | 0.55  | 1.3  |
| Selenium (mcg)   | 5.5   | 13   |
| Chromium (mcg)   | 4.7   | 11   |
| Molybdenum (mcg) | 11.9  | 28   |

Nutritional information for Ensure® Plus, Vanilla, 235-mL can.

## INGREDIENTS

### Ensure® Plus, Vanilla:

Water, Sugars (corn syrup, sugar), Corn maltodextrin, Calcium caseinate, High oleic safflower oil, Canola oil, Soy protein, Corn oil, Soy lecithin, Natural and artificial flavour, Carrageenan, Minerals (potassium citrate, salt, tricalcium phosphate, potassium phosphate dibasic, magnesium phosphate dibasic, magnesium chloride, sodium citrate, potassium chloride, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, sodium molybdate, potassium iodide, chromium chloride, sodium selenate), Vitamins (ascorbic acid, niacinamide, DL-alpha-tocopheryl acetate, calcium D-pantothenate, vitamin A palmitate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, folic acid, D-biotin, vitamin D<sub>3</sub>, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

† Additional fluid may be required.

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# ENSURE® CLEAR

Clear liquid oral nutritional supplement



## INDICATIONS FOR USE

Ensure® Clear is a great-tasting clear liquid oral nutritional supplement. It is a suitable choice for patients on a clear-liquid, pre- and postsurgical, bowel prep, fat-malabsorptive or fat-restrictive diet.

- For oral feeding.

## FEATURES AND BENEFITS

- 240 Calories (1 Cal/mL) and 8 g of protein per 237-mL serving.
- 0 g of fat.
- Provides 22 vitamins and minerals.
- 2 delicious flavours: Apple and Mixed Berry.
- Gluten-free.
- Kosher.
- Halal (Apple only).

## TECHNICAL DATA

|                                                     | Ready to use             |
|-----------------------------------------------------|--------------------------|
| Caloric density (Cal/mL)                            | 1.0                      |
| Protein (% of total energy)                         | 13.3                     |
| Protein source                                      | Whey protein isolate     |
| Fat (% of total energy)                             | 0                        |
| MCT oil (% of total fats)                           | 0                        |
| Omega-6:Omega-3 ratio                               | N/A                      |
| Fat source                                          | N/A                      |
| Carbohydrate (% of total energy)                    | 86.7                     |
| Carbohydrate source                                 | Sugar, corn syrup solids |
| Total Cal:g nitrogen ratio                          | 187:1                    |
| Non-protein Cal:g nitrogen ratio                    | 162:1                    |
| Water (g/L)                                         | 827                      |
| Osmolality (mOsm/kg water)                          | 920                      |
| Renal solute load (mOsm/L)                          | 205                      |
| Minimum tube size for gravity/<br>pump feeding (Fr) | N/A                      |
| Fibre                                               | No                       |

## AVAILABILITY

### Ready to use

|         |                            |                |                 |
|---------|----------------------------|----------------|-----------------|
| 6490313 | Ensure® Clear, Apple       | 237-mL cartons | 24 cartons/case |
| 6490013 | Ensure® Clear, Mixed Berry | 237-mL cartons | 24 cartons/case |

## ENERGY

|                   | Per 100 mL | Per 237 mL |
|-------------------|------------|------------|
| ENERGY (Cal [kJ]) | 101 (423)  | 240 (1004) |
| PROTEIN (g)       | 3.38       | 8          |
| FAT (g)           | 0          | 0          |
| Saturates (g)     | 0          | 0          |
| Trans (g)         | 0          | 0          |
| Cholesterol (mg)  | 2          | 5          |
| CARBOHYDRATE (g)  | 21.94      | 52         |
| Fibre (g)         | 0          | 0          |
| Sugars (g)        | 12.66      | 30         |

## VITAMINS

|                   |      |      |
|-------------------|------|------|
| Vitamin A (mcg)   | 95   | 250  |
| Vitamin D (mcg)   | 1.69 | 4    |
| Vitamin E (mg)    | 0.9  | 2.25 |
| Vitamin K (mcg)   | 7.6  | 18   |
| Vitamin C (mg)    | 11.4 | 27   |
| Thiamine (mg)     | 0.14 | 0.35 |
| Riboflavin (mg)   | 0.18 | 0.45 |
| Niacin (mg)       | 1.69 | 4    |
| Vitamin B6 (mg)   | 0.18 | 0.4  |
| Folate (mcg DFE)  | 42   | 100  |
| Vitamin B12 (mcg) | 0.25 | 0.6  |
| Pantothenate (mg) | 0.32 | 0.8  |
| Biotin (mcg)      | 1.9  | 4.5  |

## MINERALS

|                  |      |       |
|------------------|------|-------|
| Sodium (mg)      | 30   | 70    |
| Potassium (mg)   | 12.7 | 30    |
| Calcium (mg)     | 14.8 | 40    |
| Phosphorus (mg)  | 90   | 225   |
| Iron (mg)        | 1.14 | 2.5   |
| Magnesium (mg)   | 3.6  | 8     |
| Zinc (mg)        | 1.39 | 3.5   |
| Iodine (mcg)     | 19   | 45    |
| Copper (mg)      | 0.06 | 0.14  |
| Manganese (mg)   | 0.1  | 0.225 |
| Selenium (mcg)   | 4    | 10    |
| Chromium (mcg)   | 1.5  | 3.5   |
| Molybdenum (mcg) | 1.9  | 4.5   |

Nutritional information for Ensure® Clear, Apple, 237-mL carton.

## INGREDIENTS

### Ensure® Clear, Apple:

Water, Sugars (sugar, corn syrup solids), Whey protein isolate, Citric acid, Phosphoric acid, Natural and artificial flavour, Minerals (ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, potassium iodide, chromium chloride, sodium selenate, sodium molybdate), Vitamins (ascorbic acid, DL-alpha-tocopheryl acetate, calcium D-pantothenate, niacinamide, pyridoxine hydrochloride, vitamin A palmitate, thiamine chloride hydrochloride, riboflavin, folic acid, phyloquinone, vitamin D3, D-biotin, cyanocobalamin).

**Contains: Milk.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# GLUCERNA® NUTRITIONAL DRINK

Complete, balanced nutrition with a low glycemic index†



## INDICATIONS FOR USE

Glucerna® nutritional drink is a meal replacement with a low glycemic index† and a special blend of slowly digested carbohydrates that may reduce postprandial rises in glucose and insulin.<sup>1,2‡</sup>

- For patients with:
  - diabetes;
  - prediabetes;
  - hyperglycemia;
  - other conditions requiring glycemic management.
- For oral feeding.

## FEATURES AND BENEFITS

- Low glycemic index†, to be used as part of a balanced diet.
- Special blend of carbohydrates, which may reduce postprandial rises in blood glucose and insulin.<sup>1,2‡</sup>
- High in protein, with 11.3 g per bottle.
- High in fibre, with 5.6 g per bottle.
- Provides 21 g of available (net) carbohydrate.
- Source of Omega-3 polyunsaturated fats.
- Has the balance of protein, carbohydrate and fat that Diabetes Canada recommends for a healthy diet.<sup>3</sup>
- Provides 26 vitamins and minerals.<sup>3</sup>
- Conveniently portioned, for use as a light meal or snack.
- 4 delicious flavours: Vanilla, Chocolate, Strawberry and Mixed Berry.
- Gluten-free.
- Kosher.
- Halal (excluding Mixed Berry).

## TECHNICAL DATA

|                                                 | Ready to use                                                               |
|-------------------------------------------------|----------------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 0.95                                                                       |
| Protein (% of total energy)                     | 20.3                                                                       |
| Protein source                                  | Milk protein concentrate, soy protein, sodium caseinate, calcium caseinate |
| Fat (% of total energy)                         | 35.3                                                                       |
| MCT oil (% of total fats)                       | 0.0                                                                        |
| Omega-6:Omega-3 ratio                           | 5.69:1                                                                     |
| Fat source                                      | High oleic safflower oil, canola oil, soya oil, soy lecithin               |
| Carbohydrate (% of total energy)                | 44.4                                                                       |
| Carbohydrate source                             | Corn maltodextrin fibre, glycerine, fructose, scFOS                        |
| Total Cal:g nitrogen ratio                      | 126:1                                                                      |
| Non-protein Cal:g nitrogen ratio                | 101:1                                                                      |
| Water (g/L)                                     | 833                                                                        |
| Osmolality (mOsm/kg water)                      | 679                                                                        |
| Renal solute load (mOsm/L)                      | 391                                                                        |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                                                        |
| Fibre                                           | Yes                                                                        |

## AVAILABILITY

### Ready to use

|         |                                          |                |            |
|---------|------------------------------------------|----------------|------------|
| 5365513 | Glucerna® nutritional drink, Vanilla     | 237-mL bottles | 4 x 6/case |
| 5365613 | Glucerna® nutritional drink, Chocolate   | 237-mL bottles | 4 x 6/case |
| 5365713 | Glucerna® nutritional drink, Strawberry  | 237-mL bottles | 4 x 6/case |
| 5365813 | Glucerna® nutritional drink, Mixed Berry | 237-mL bottles | 4 x 6/case |

† Current formulation differs slightly from the Glucerna® Vanilla tested. Other Glucerna® flavours have a similar nutritional profile.

‡ Compared to a standard nutritional drink.

\$ Per 237 mL.

**REFERENCES:**  
1. Williams JA et al. Clin Nutr Suppl. Sept. 2009;4(S2): LB003. 2. Study BK20. Data on file. Abbott Laboratories, Limited. 3. Sievenpiper JL et al. Can J Diabetes 2018;42:S64-S79.

## ENERGY

|                     | Per 100 mL | Per 237 mL |
|---------------------|------------|------------|
| ENERGY (Cal [kJ])   | 95 (397)   | 225 (940)  |
| PROTEIN (g)         | 4.77       | 11.3       |
| FAT (g)             | 3.71       | 8.8        |
| Polyunsaturates (g) | 1.2        | 2.8        |
| Linoleic acid (g)   | 1.0        | 2.4        |
| Linolenic acid (g)  | 0.17       | 0.4        |
| Monounsaturates (g) | 1.94       | 4.6        |
| Saturates (g)       | 0.34       | 0.8        |
| CARBOHYDRATE (g)    | 11.6       | 28         |
| Sugars (g)          | 1.4        | 3.3        |
| Fibre (g)           | 2.4        | 5.6        |

## VITAMINS

|                       |      |      |
|-----------------------|------|------|
| Vitamin A (mcg RE)    | 152  | 360  |
| Vitamin D (mcg)       | 0.84 | 2    |
| Vitamin E (mg)        | 1.1  | 2.5  |
| Vitamin C (mg)        | 5.9  | 14   |
| Thiamine (mg)         | 0.13 | 0.3  |
| Riboflavin (mg)       | 0.17 | 0.4  |
| Niacin (mg NE)        | 3.22 | 7.63 |
| Vitamin B6 (mg)       | 0.18 | 0.43 |
| Folic acid (mcg DFE)  | 42   | 99   |
| Vitamin B12 (mcg)     | 0.20 | 0.48 |
| Pantothenic acid (mg) | 0.55 | 1.3  |
| Biotin (mcg)          | 14.8 | 35   |
| Choline (mg)          | 31   | 70   |

## MINERALS

|                  |      |      |
|------------------|------|------|
| Sodium (mg)      | 106  | 250  |
| Potassium (mg)   | 160  | 380  |
| Chloride (mg)    | 115  | 270  |
| Calcium (mg)     | 116  | 275  |
| Phosphorus (mg)  | 116  | 275  |
| Magnesium (mg)   | 25.5 | 60.4 |
| Iron (mg)        | 1.3  | 3    |
| Zinc (mg)        | 1.86 | 4.4  |
| Iodide (mcg)     | 17   | 40.4 |
| Copper (mg)      | 0.23 | 0.54 |
| Manganese (mg)   | 0.52 | 1.2  |
| Selenium (mcg)   | 6.9  | 17   |
| Chromium (mcg)   | 5.9  | 14   |
| Molybdenum (mcg) | 11.4 | 27   |

Nutritional information for Glucerna® nutritional drink, Vanilla, 237-mL bottle.

## INGREDIENTS

### Glucerna® nutritional drink, Vanilla:

Water, Corn maltodextrin fibre, Milk protein concentrate, Glycerin, High oleic safflower oil, Sugars (fructose), Corn maltodextrin, Soy protein, Canola oil, Sodium caseinate, Calcium caseinate, Soya oil, Short-chain fructooligosaccharides (scFOS), Natural and artificial flavour, Soy lecithin, Carrageenan, Potassium hydroxide, Acesulfame-potassium (24 mg/serving), Turmeric, Sucralose (10 mg/serving), Minerals (potassium citrate, magnesium phosphate dibasic, tricalcium phosphate, salt, sodium citrate, potassium phosphate dibasic, potassium chloride, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, sodium molybdate, potassium iodide, chromium chloride, sodium selenate), Vitamins (choline chloride, ascorbic acid, niacinamide, DL-alpha-tocopheryl acetate, calcium D-pantothenate, vitamin A palmitate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, folic acid, D-biotin, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# GLUCERNA® 1.2 CAL

Calorically dense liquid formula for people with diabetes



## INDICATIONS FOR USE

Glucerna® 1.2 Cal is a specialized calorically dense formula designed to help reduce glucose response compared to a standard 1.2 Cal/mL formula.<sup>1</sup>

- For patients with diabetes, pre-diabetes or stress-induced hyperglycemia.
- For supplemental or as a sole source of nutrition.
- For short- or long-term use.
- For oral or tube feeding use.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- 1.2 Cal/mL to meet the patient's caloric needs in less volume.
- 20% of Calories from protein; protein helps build and repair body tissues.
- Unique blend of slowly digestible carbohydrate, including 16 g/L of dietary fibre.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                                                                               | Ready to hang |
|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------|
| Caloric density (Cal/mL)                        | 1.2                                                                                                                        | 1.2           |
| Protein (% of total energy)                     | 20                                                                                                                         | 20            |
| Protein source                                  | Sodium caseinate, soy protein, milk protein concentrate                                                                    |               |
| Fat (% of total energy)                         | 45                                                                                                                         | 45            |
| MCT oil (% of total fats)                       | N/A                                                                                                                        |               |
| Fat source                                      | High oleic safflower oil, canola oil                                                                                       |               |
| Carbohydrate (% of total energy)                | 35                                                                                                                         | 35            |
| Carbohydrate source                             | Corn maltodextrin, isomaltulose, fructose, scFOS, sucromalt, glycerin, corn maltodextrin fibre, gluten-free oat hull fibre |               |
| Total Cal:g nitrogen ratio                      | 123:1                                                                                                                      | 123:1         |
| Non-protein Cal:g nitrogen ratio                | 98:1                                                                                                                       | 98:1          |
| Water (g/L)                                     | 805                                                                                                                        | 805           |
| Osmolality (mOsm/kg water)                      | 720                                                                                                                        | 720           |
| Renal solute load (mOsm/L)                      | 459                                                                                                                        | 459           |
| Minimum tube size for gravity/pump feeding (Fr) | 10/10                                                                                                                      | 10/10         |
| Fibre                                           | Yes                                                                                                                        | Yes           |

## AVAILABILITY

### Ready to use

|         |                            |                                  |         |
|---------|----------------------------|----------------------------------|---------|
| 6491813 | Glucerna® 1.2 Cal, Vanilla | 237-mL cartons                   | 24/case |
| 6267713 | Glucerna® 1.2 Cal, Vanilla | 1000-mL ready-to-hang containers | 8/case  |

## ENERGY

|                                                | Per 237 mL | Per 1000 mL |
|------------------------------------------------|------------|-------------|
| ENERGY (Cal [kJ])                              | 285 (1190) | 1200 (5020) |
| PROTEIN (g)                                    | 14         | 60          |
| Taurine (mg)                                   | 32         | 135         |
| Carnitine (mg)                                 | 32         | 177         |
| FAT (g)                                        | 14         | 60          |
| Monounsaturates (g)                            | 9.5        | 40          |
| Polyunsaturates (g)                            | 3          | 12.5        |
| Omega-3 (g)                                    | 0.5        | 2.2         |
| Linolenic Acid (g)                             | 0.5        | 2.2         |
| Omega-6 (g)                                    | 2.2        | 9.2         |
| Linoleic Acid (g)                              | 2.2        | 9.2         |
| CARBOHYDRATE (g)                               | 27         | 114         |
| Fibre (g)                                      | 3.8        | 16          |
| Short-chain fructooligosaccharides (scFOS) (g) | 2.4        | 10          |
| Water (g)                                      | 191        | 805         |
| Inositol (mg)                                  | 200        | 844         |

## VITAMINS

|                       |        |        |
|-----------------------|--------|--------|
| Vitamin A (IU)        | 600    | 2530   |
| Beta-carotene (mg)    | 0.2    | 0.8    |
| Vitamin D (IU)        | 152    | 640    |
| Vitamin E (IU)        | 21.1   | 89.1   |
| Vitamin K (mg)        | 0.031  | 0.13   |
| Vitamin C (mg)        | 62     | 260    |
| Thiamine (mg)         | 0.6    | 2.53   |
| Riboflavin (mg)       | 0.6    | 2.53   |
| Vitamin B6 (mg)       | 0.7    | 2.95   |
| Folic Acid (mg)       | 0.075  | 0.315  |
| Vitamin B12 (mg)      | 0.0022 | 0.0093 |
| Niacin (mg)           | 3      | 12.7   |
| Pantothenic Acid (mg) | 3      | 8.4    |
| Biotin (mg)           | 0.0105 | 0.044  |
| Choline (mg)          | 110    | 460    |

## MINERALS

|                 |       |       |
|-----------------|-------|-------|
| Sodium (mg)     | 270   | 1140  |
| Potassium (mg)  | 380   | 1600  |
| Chloride (mg)   | 220   | 930   |
| Calcium (mg)    | 190   | 800   |
| Phosphorus (mg) | 190   | 800   |
| Magnesium (mg)  | 80    | 340   |
| Iodine (mg)     | 0.029 | 0.122 |
| Manganese (mg)  | 0.6   | 2.53  |
| Copper (mg)     | 0.31  | 1.31  |
| Zinc (mg)       | 2.1   | 8.9   |
| Iron (mg)       | 3.5   | 14.8  |
| Selenium (mg)   | 0.013 | 0.055 |
| Chromium (mg)   | 0.01  | 0.042 |
| Molybdenum (mg) | 0.021 | 0.089 |

## INGREDIENTS

### Glucerna® 1.2 Cal, Vanilla, Carton:

Water, Sodium caseinate, High oleic safflower oil, Corn maltodextrin, Canola oil, Isomaltulose, Fructose, Soy protein, Short-chain fructooligosaccharides (scFOS), Sucromalt, Glycerin, Milk protein concentrate, Corn maltodextrin fibre, Gluten-free oat hull fibre, Soy lecithin, Soy cotyledon fibre, Natural and artificial flavour, M-inositol, Carrageenan, L-carnitine, Taurine, Minerals (potassium citrate, magnesium phosphate dibasic, calcium carbonate, calcium citrate, sodium citrate, potassium chloride, salt, potassium phosphate dibasic, tricalcium phosphate, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, beta-carotene, folic acid, phyloquinone, D-biotin, vitamin D3, cyanocobalamin).

### Contains: Milk, Soy.

### Glucerna® 1.2 Cal, Vanilla, Ready-to-hang container:

Water, Sodium caseinate, High oleic safflower oil, Corn maltodextrin, Canola oil, Isomaltulose, Fructose, Soy protein, Short-chain fructooligosaccharides (scFOS), Sucromalt, Glycerin, Milk protein concentrate, Corn maltodextrin fibre, Gluten-free oat hull fibre, Soy lecithin, Soy cotyledon fibre, Natural and artificial flavour, M-inositol, Carrageenan, L-carnitine, Taurine, Minerals (potassium citrate, magnesium phosphate dibasic, calcium carbonate, calcium citrate, sodium citrate, potassium chloride, salt, potassium phosphate dibasic, tricalcium phosphate, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, beta-carotene, folic acid, phyloquinone, D-biotin, vitamin D3, cyanocobalamin).

### Contains: Milk, Soy.

REFERENCE:  
1. Alish C et al. Diabetes Technol Ther 2010;12:419-25.

## Isotonic liquid formula with fibre



Jevity® 1.0 Cal is an isotonic, fibre-fortified, high-protein liquid formula. It provides complete, balanced nutrition for people requiring short- or long-term tube feeding. Dietary fibre helps people maintain normal bowel function.

- For supplemental or as a sole source of nutrition.
- May be used for oral feeding of people with altered taste perception.

- Not for parenteral use.

- High in protein (16.6% of Cal). Protein is needed for lean body tissue maintenance and repair.
- Provides 14 g of total-dietary fibre/L. Dietary fibre helps maintain normal bowel function and may be useful in the dietary management of diarrhoea and constipation.
- Isotonic formula is beneficial for those intolerant to hyperosmolar feedings, reducing the potential for osmotic diarrhoea.
- Gluten-free.
- Kosher.
- Halal.

|                                                 | Ready to use                                                |
|-------------------------------------------------|-------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.06                                                        |
| Protein (% of total energy)                     | 16.6                                                        |
| Protein Source                                  | Sodium caseinate, soy protein                               |
| Fat (% of total energy)                         | 30.1                                                        |
| MCT oil (% of total fats)                       | 19.1                                                        |
| Omega-6:Omega-3 ratio                           | 5.5:1                                                       |
| Fat Source                                      | High oleic safflower oil, canola oil, MCT oil, soy lecithin |
| Carbohydrate (% of total energy)                | 53.3                                                        |
| Carbohydrate Source                             | Corn maltodextrin, corn syrup solids, soy cotyledon fibre   |
| Total Cal:g nitrogen ratio                      | 153:1                                                       |
| Non-protein Cal:g nitrogen ratio                | 128:1                                                       |
| Water (g/L)                                     | 831                                                         |
| Osmolality (mOsm/kg water)                      | 311                                                         |
| Renal solute load (mOsm/L)                      | 347                                                         |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                                        |
| Fibre                                           | Yes                                                         |

Ready to use

|         |                              |             |         |
|---------|------------------------------|-------------|---------|
| 6224313 | Jevity® 1.0 Cal, Unflavoured | 235-mL cans | 24/case |
|---------|------------------------------|-------------|---------|

|                    | Per 100 mL | Per 235 mL |
|--------------------|------------|------------|
| ENERGY (Cal [kJ])  | 106 (445)  | 249 (1046) |
| PROTEIN (g)        | 4.4        | 10         |
| Taurine (mg)       | 11         | 27         |
| Carnitine (mg)     | 11         | 27         |
| FAT (g)            | 3.6        | 8.5        |
| Linoleic acid (g)  | 0.4        | 0.9        |
| Linolenic acid (g) | 0.1        | 0.2        |
| CARBOHYDRATE (g)   | 15         | 36         |
| Fibre (g)          | 1.4        | 3.3        |

|                              |        |        |
|------------------------------|--------|--------|
| Vitamin A (IU)               | 381    | 895    |
| Vitamin D (IU)               | 31     | 73     |
| Vitamin E (IU)               | 3.4    | 8      |
| Vitamin K (mg)               | 0.0055 | 0.013  |
| Vitamin C (mg)               | 23     | 54     |
| Thiamine (mg)                | 0.17   | 0.4    |
| Riboflavin (mg)              | 0.19   | 0.45   |
| Niacin (mg)                  | 2.3    | 5.4    |
| Vitamin B <sub>6</sub> (mg)  | 0.23   | 0.54   |
| Folic acid (mg)              | 0.046  | 0.11   |
| Vitamin B <sub>12</sub> (mg) | 0.0007 | 0.0017 |
| Pantothenic acid (mg)        | 1.1    | 2.7    |
| Biotin (mg)                  | 0.034  | 0.08   |
| Choline (mg)                 | 45     | 106    |

|                 |        |       |
|-----------------|--------|-------|
| Sodium (mg)     | 74     | 174   |
| Potassium (mg)  | 124    | 291   |
| Chloride (mg)   | 115    | 270   |
| Calcium (mg)    | 91     | 214   |
| Phosphorus (mg) | 76     | 179   |
| Magnesium (mg)  | 30     | 71    |
| Iron (mg)       | 1.4    | 3.2   |
| Zinc (mg)       | 1.7    | 4     |
| Iodine (mg)     | 0.012  | 0.027 |
| Copper (mg)     | 0.15   | 0.35  |
| Manganese (mg)  | 0.38   | 0.89  |
| Selenium (mg)   | 0.0053 | 0.013 |
| Chromium (mg)   | 0.0084 | 0.02  |
| Molybdenum (mg) | 0.011  | 0.027 |

**Jevity® 1.0 Cal. Unflavoured:**

Water, Corn maltodextrin, Corn syrup solids, Sodium caseinate, Soy cytodleyed fibre, High oleic safflower oil, Canola oil, Soy protein, Modified coconut and/or palm kernel oils (medium chain triglycerides), Calcium caseinate, Soy lecithin, Carrageenan, Taurine, L-carnitine, Minerals (tricalcium phosphate, potassium citrate, magnesium chlorohydro, sodium citrate, potassium chloride, magnesium sulphate, zinc sulphate, ferrous sulphate, manganese sulphate, cupric sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, citric acid, vitamin A palmitate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, D-biotin, folic acid, phyloquinone, cyanocobalamin, vitamin D3). As needed: Potassium hydroxide, Calcium carbonate, Potassium phosphate dibasic, Salt.

**Contains: Milk, Soy.**



[Back to the table of contents](#)

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# JEVITY® 1.2 CAL

High-protein liquid formula with fibre



## INDICATIONS FOR USE

Jevity® 1.2 Cal is a calorically dense, high-protein, fibre-fortified liquid formula providing complete, balanced nutrition for people who may benefit from increased calories and protein.

- For short- or long-term feeding.
- For people intolerant to low-residue feedings.
- For supplemental or as a sole source of nutrition.
- May be used for oral feeding of people with altered taste perception.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- Concentrated calories (1.2 Cal/mL) and high in protein (18.5% of Cal) to help patients gain and maintain a healthy weight. Protein is needed for lean body tissue maintenance and repair.
- Provides 22 g/L (can) and 17 g/L (ready-to-hang container) of dietary fibre including a blend of soluble and insoluble fibre. Dietary fibre helps maintain normal bowel function.
- Fortified with carnitine, taurine, beta-carotene and ultra-trace minerals.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                                                                            | Ready to hang                                                                                                           |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.2                                                                                                                     | 1.2                                                                                                                     |
| Protein (% of total energy)                     | 18.5                                                                                                                    | 18.5                                                                                                                    |
| Protein Source                                  | Sodium and calcium caseinates, soy protein                                                                              |                                                                                                                         |
| Fat (% of total energy)                         | 29.0                                                                                                                    | 28.2                                                                                                                    |
| MCT oil (% of total fats)                       |                                                                                                                         | 19.0                                                                                                                    |
| Omega-6:Omega-3 ratio                           | 5.3:1                                                                                                                   | 5.5:1                                                                                                                   |
| Fat Source                                      | High oleic safflower oil, canola oil, MCT oil, soy lecithin                                                             | Canola oil, corn oil, MCT oil, soy lecithin                                                                             |
| Carbohydrate (% of total energy)                | 52.5                                                                                                                    | 53.3                                                                                                                    |
| Carbohydrate Source                             | Corn syrup solids, corn maltodextrin, scFOS, soy cotyledon fibre, gluten-free oat hull fibre, gum arabic, cellulose gum | Corn syrup solids, corn maltodextrin, scFOS, soy cotyledon fibre, gluten-free oat hull fibre, gum arabic, cellulose gum |
| Total Cal:g nitrogen ratio                      | 137:1                                                                                                                   | 137:1                                                                                                                   |
| Non-protein Cal:g nitrogen ratio                | 112:1                                                                                                                   | 112:1                                                                                                                   |
| Water (g/L)                                     | 807                                                                                                                     | 810                                                                                                                     |
| Osmolality (mOsm/kg water)                      | 471                                                                                                                     | 450                                                                                                                     |
| Renal solute load (mOsm/L)                      | 465                                                                                                                     | 465                                                                                                                     |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                                                                                                    | 10/10                                                                                                                   |
| Fibre                                           | Yes                                                                                                                     | Yes                                                                                                                     |

## AVAILABILITY

### Ready to use

|         |                              |                                  |         |
|---------|------------------------------|----------------------------------|---------|
| 6218313 | Jevity® 1.2 Cal, Unflavoured | 235-mL cans                      | 24/case |
| 6266713 | Jevity® 1.2 Cal, Unflavoured | 1500-mL ready-to-hang containers | 6/case  |

## ENERGY

|                                                | Per 235 mL | Per 1500 mL |
|------------------------------------------------|------------|-------------|
| ENERGY (Cal [kJ])                              | 282 (1180) | 1800 (7530) |
| PROTEIN (g)                                    | 13         | 83          |
| Taurine (mg)                                   | 35         | 225         |
| Carnitine (mg)                                 | 35         | 225         |
| FAT (g)                                        | 9.2        | 59          |
| Linoleic acid (g)                              | 0.9        | 15          |
| Linolenic acid (g)                             | 0.2        | 2.8         |
| CARBOHYDRATE (g)                               | 40         | 254         |
| Fibre (g)                                      | 5.2        | 26          |
| Short-chain fructooligosaccharides (scFOS) (g) | 2.4        | 12          |

## VITAMINS

|                              |        |       |
|------------------------------|--------|-------|
| Vitamin A (IU)               | 940    | 3600  |
| Vitamin D (IU)               | 70     | 960   |
| Vitamin E (IU)               | 8.9    | 125   |
| Vitamin K (mg)               | 0.019  | 0.19  |
| Vitamin C (mg)               | 25     | 375   |
| Thiamine (mg)                | 0.54   | 2.6   |
| Riboflavin (mg)              | 0.61   | 3.7   |
| Niacin (mg)                  | 7.1    | 12    |
| Vitamin B <sub>6</sub> (mg)  | 0.71   | 2.1   |
| Folic acid (mg)              | 0.14   | 0.29  |
| Vitamin B <sub>12</sub> (mg) | 0.0021 | 0.014 |
| Pantothenic acid (mg)        | 3.5    | 6     |
| Biotin (mg)                  | 0.11   | 0.036 |
| Choline (mg)                 | 141    | 900   |

## MINERALS

|                 |       |       |
|-----------------|-------|-------|
| Sodium (mg)     | 317   | 1600  |
| Potassium (mg)  | 435   | 3585  |
| Chloride (mg)   | 353   | 2250  |
| Calcium (mg)    | 282   | 1800  |
| Phosphorus (mg) | 282   | 1800  |
| Magnesium (mg)  | 94    | 555   |
| Iron (mg)       | 4.2   | 22    |
| Zinc (mg)       | 5.4   | 16    |
| Iodine (mg)     | 0.035 | 0.23  |
| Copper (mg)     | 0.47  | 2.6   |
| Manganese (mg)  | 1.2   | 5.1   |
| Selenium (mg)   | 0.017 | 0.087 |
| Chromium (mg)   | 0.028 | 0.087 |
| Molybdenum (mg) | 0.035 | 0.15  |

## INGREDIENTS

### Jevity® 1.2 Cal, Unflavoured, Can:

Water, Corn syrup solids, Corn maltodextrin, Sodium caseinate, High oleic safflower oil, Calcium caseinate, Soy protein, Short-chain fructooligosaccharides (scFOS), Canola oil, Modified coconut and/or palm kernel oils (medium chain triglycerides), Soy cotyledon fibre, Gluten-free oat hull fibre, Gum arabic, Soy lecithin, Cellulose gum, L-carnitine, Taurine, Minerals (magnesium phosphate, sodium citrate, potassium citrate, tricalcium phosphate, potassium chloride, calcium carbonate, salt, dipotassium phosphate, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, beta-carotene, vitamin A palmitate, folic acid, D-biotin, phyloquinone, cyanocobalamin, vitamin D<sub>3</sub>). As needed: Potassium hydroxide.

### Contains: Milk, Soy.

### Jevity® 1.2 Cal, Unflavoured, Ready-to-hang container:

Water, Corn maltodextrin, Corn syrup solids, Sodium caseinate, Soy protein, Canola oil, Corn oil, Short-chain fructooligosaccharides (scFOS), Modified coconut and/or palm/palm kernel oils (medium chain triglycerides), Calcium caseinate, Soy cotyledon fibre, Gluten-free oat hull fibre, Gum arabic, Soy lecithin, Cellulose gum, L-carnitine, Taurine, Minerals (potassium citrate, tricalcium phosphate, magnesium phosphate dibasic, potassium chloride, salt, potassium hydroxide, ferrous sulphate, sodium citrate, zinc sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, riboflavin, pyridoxine hydrochloride, beta-carotene, vitamin A palmitate, folic acid, D-biotin, phyloquinone, vitamin D<sub>3</sub>, cyanocobalamin).

### Contains: Milk, Soy.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# JEVITY® 1.5 CAL

Calorically dense liquid formula with fibre



## INDICATIONS FOR USE

Jevity® 1.5 Cal is a calorically dense, high-protein, fibre-fortified liquid formula providing complete, balanced nutrition for people who may benefit from increased calories and protein.

- For short- or long-term tube feeding.
- For people with fluid or volume restrictions.
- For supplemental or as a sole source of nutrition.
- May be used for oral feeding of people with altered taste perception.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- Concentrated calories (1.5 Cal/mL) and high protein (17% of Cal) to help patients gain and maintain a healthy weight. Protein is needed for lean tissue maintenance and repair.
- Provides 19 g/L (can) and 21 g/L (ready-to-hang container) of dietary fibre, including a blend of soluble and insoluble fibre. Dietary fibre helps maintain normal bowel function.
- Fortified with carnitine, taurine, and selenium.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                                                                            | Ready to hang |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------|
| Caloric density (Cal/mL)                        | 1.5                                                                                                                     | 1.5           |
| Protein (% of total energy)                     | 17.0                                                                                                                    | 17.0          |
| Protein Source                                  | Sodium and calcium caseinates, soy protein                                                                              | 29.4          |
| Fat (% of total energy)                         | 29.4                                                                                                                    | 19            |
| MCT oil (% of total fat)                        | 5.4:1                                                                                                                   | 5.9:1         |
| Omega-6:Omega-3 ratio                           | Canola oil, corn oil, MCT oil, soy lecithin                                                                             | 53.6          |
| Fat Source                                      | 53.6                                                                                                                    | 53.6          |
| Carbohydrate (% of total energy)                | Corn maltodextrin, corn syrup solids, scFOS, gluten-free oat hull fibre, soy cotyledon fibre, gum arabic, cellulose gum | 147:1         |
| Source                                          | 122:1                                                                                                                   | 150:1         |
| Total Cal:g nitrogen ratio                      | 760                                                                                                                     | 760           |
| Non-protein Cal:g nitrogen ratio                | 525                                                                                                                     | 525           |
| Water (g/L)                                     | 518                                                                                                                     | 518           |
| Osmolality (mOsm/kg water)                      | 12/10                                                                                                                   | 12/10         |
| Renal solute load (mOsm/L)                      |                                                                                                                         |               |
| Minimum tube size for gravity/pump feeding (Fr) | Yes                                                                                                                     | Yes           |
| Fibre                                           |                                                                                                                         |               |

## AVAILABILITY

### Ready to use

|         |                              |                                  |         |
|---------|------------------------------|----------------------------------|---------|
| 5028813 | Jevity® 1.5 Cal, Unflavoured | 235-mL cans                      | 24/case |
| 6268913 | Jevity® 1.5 Cal, Unflavoured | 1500-mL ready-to-hang containers | 6/case  |

## ENERGY

|                                                | Per 235 mL | Per 1500 mL |
|------------------------------------------------|------------|-------------|
| ENERGY (Cal [kJ])                              | 355 (1484) | 2250 (9410) |
| PROTEIN (g)                                    | 15         | 96          |
| Taurine (mg)                                   | 35         | 225         |
| Carnitine (mg)                                 | 35         | 225         |
| FAT (g)                                        | 12         | 75          |
| Linoleic acid (g)                              | 3.0        | 20          |
| Linolenic acid (g)                             | 0.6        | 3.4         |
| CARBOHYDRATE (g)                               | 51         | 324         |
| Fibre (g)                                      | 4.5        | 32          |
| Short-chain fructooligosaccharides (scFOS) (g) | 2.4        | 15          |

## VITAMINS

|                       |        |        |
|-----------------------|--------|--------|
| Vitamin A (IU)        | 881    | 4500   |
| Vitamin D (IU)        | 94     | 1200   |
| Vitamin E (IU)        | 11     | 180    |
| Vitamin K (mg)        | 0.019  | 0.26   |
| Vitamin C (mg)        | 71     | 450    |
| Thiamine (mg)         | 0.53   | 2.8    |
| Riboflavin (mg)       | 0.6    | 4.8    |
| Niacin (mg)           | 7.1    | 15     |
| Vitamin B6 (mg)       | 0.71   | 3.4    |
| Folic acid (mg)       | 0.14   | 0.36   |
| Vitamin B12 (mg)      | 0.0021 | 0.0108 |
| Pantothenic acid (mg) | 3.5    | 12     |
| Biotin (mg)           | 0.11   | 0.045  |
| Choline (mg)          | 141    | 900    |

## MINERALS

|                 |       |      |
|-----------------|-------|------|
| Sodium (mg)     | 329   | 1995 |
| Potassium (mg)  | 505   | 3270 |
| Chloride (mg)   | 320   | 2040 |
| Calcium (mg)    | 282   | 1950 |
| Phosphorus (mg) | 282   | 1875 |
| Magnesium (mg)  | 94    | 630  |
| Iron (mg)       | 4.2   | 27   |
| Zinc (mg)       | 5.3   | 20   |
| Iodine (mg)     | 0.035 | 0.23 |
| Copper (mg)     | 0.47  | 3.3  |
| Manganese (mg)  | 1.2   | 6.5  |
| Selenium (mg)   | 0.017 | 0.11 |
| Chromium (mg)   | 0.028 | 0.11 |
| Molybdenum (mg) | 0.035 | 0.19 |

## INGREDIENTS

### Jevity® 1.5 Cal, Unflavoured, Can:

Water, Corn maltodextrin, Corn syrup solids, Sodium caseinate, Canola oil, Corn oil, Soy protein, Short-chain fructooligosaccharides (scFOS), Modified coconut and/or palm kernel oils (medium chain triglycerides), Calcium caseinate, Gluten-free oat hull fibre, Soy cotyledon fibre, Gum arabic, Soy lecithin, Cellulose gum, Taurine, L-carnitine, Minerals (potassium citrate, tricalcium phosphate, sodium citrate, magnesium phosphate dibasic, magnesium chloride, potassium chloride, zinc sulphate, ferrous sulphate, manganese sulphate, cupric sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, cyanocobalamin, vitamin D3).

**Contains: Milk, Soy.**

### Jevity® 1.5 Cal, Unflavoured, Ready-to-hang container:

Water, Corn maltodextrin, Corn syrup solids, Sodium caseinate, Canola oil, Corn oil, Short-chain fructooligosaccharides (scFOS), Soy protein, Modified coconut and/or palm/palm kernel oils (medium chain triglycerides), Calcium caseinate, Gluten-free oat hull fibre, Soy cotyledon fibre, Gum arabic, Soy lecithin, Cellulose gum, Taurine, L-carnitine, Minerals (potassium citrate, tricalcium phosphate, magnesium phosphate dibasic, sodium citrate, magnesium chloride, potassium chloride, potassium hydroxide, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, riboflavin, thiamine chloride hydrochloride, vitamin A palmitate, pyridoxine hydrochloride, folic acid, D-biotin, phyloquinone, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# LIQUIPROTEIN®

Extensively hydrolyzed protein



## INDICATIONS FOR USE

For use as a modular protein supplement to be administered through a patient's feeding tube.

### Suggested indications:

- Protein-energy malnutrition.
- Cancer.
- Wounds/pressure injuries.
- Pre- and post-surgery.
- Trauma/burns.
- Use under medical supervision.

### Safety precautions:

- Not for use as a sole source of nutrition.
- If signs of intolerance develop, slow administration rate or discontinue.
- Not for parenteral use.
- Not suitable for people with galactosemia.

## FEATURES AND BENEFITS

- A commercially sterile, extensively hydrolyzed liquid protein modular.
- Eliminates the need for protein powder mixing to reduce the risk of contamination.<sup>1</sup>
- Allows for customized protein intake.
- Lactose-free.
- Gluten-free.

## TECHNICAL DATA

|                                                 | Ready to mix                    |
|-------------------------------------------------|---------------------------------|
| Caloric density (Cal/mL)                        | 0.67                            |
| Protein (% of total energy)                     | 100                             |
| Protein Source                                  | Casein hydrolysate              |
| Fat (% of total energy)                         | 0                               |
| Carbohydrate (% of total energy)                | 0                               |
| Total Cal:g nitrogen ratio                      | 25:1                            |
| Non-protein Cal:g nitrogen ratio                | N/A                             |
| Water (g/L)                                     | 810                             |
| Osmolality (mOsm/kg water)                      | 750 (when mixed 1:1 with water) |
| Renal solute load (mOsm/L)                      | N/A                             |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                             |
| Fibre                                           | No                              |

## AVAILABILITY

### Ready to mix

|         |               |                       |         |
|---------|---------------|-----------------------|---------|
| 6231713 | LiquiProtein® | 54-mL plastic bottles | 48/case |
|---------|---------------|-----------------------|---------|

REFERENCE:  
1. Benikhead R, Boullata J, Brantely S et al. Enteral Nutrition Practice Recommendations. JPEN 2009;33(2):122-67.

## PREPARATION

- For use in gastric feeding tube: no dilution is required.
- For use in small bowel feeding tube: dilute with an equal part of water.<sup>†</sup>
- Administer by syringe through the feeding tube.
- Flush with 20-30 mL of water<sup>‡</sup> before and after administration. Adjust flush volume depending on fluid requirements.

## STORAGE

- Store unopened at room temperature; avoid extreme temperatures.
- Once opened, refrigerate and use within 72 hours.

## ENERGY

|                   | Per 6 mL | Per 54 mL |
|-------------------|----------|-----------|
| ENERGY (Cal (kJ)) | 4 (17)   | 35 (149)  |
| PROTEIN (g)       | 1        | 9         |

## MINERALS<sup>§</sup>

|                |    |     |
|----------------|----|-----|
| Sodium (mg)    | 5  | 50  |
| Potassium (mg) | 10 | 100 |

## INGREDIENTS

### LiquiProtein®, Ready-to-mix liquid:

Water, Casein hydrolysate (milk).

<sup>†</sup> To prevent tolerance issues due to osmolality (1,500 mOsm/kg).  
<sup>‡</sup> Use a lower flush volume for fluid-restricted and pediatric patients.  
<sup>§</sup> Other inherent minerals may be present in trace amounts.

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.



Back to the table  
of contents

# NEPRO®

Specialized liquid nutrition



## INDICATIONS FOR USE

Nepro® is a nutritionally complete liquid formula with a vitamin and mineral profile specifically designed for people with chronic or acute renal failure requiring dialysis.

- For patients with both renal failure and diabetes.
- For patients with renal failure requiring dialysis.
- For patients with chronic kidney disease (Stage 5).
- For supplemental or as a sole source of nutrition.
- For oral or tube feeding use.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- 19 g of protein/237-mL serving to help meet protein needs and replace protein and amino acids lost during dialysis.
- Vitamin and mineral profile specifically designed for patients with renal or chronic kidney disease.
- 1.5:1 Ca/P ratio.
- Contains 2.0 g/237-mL bottle of short-chain fructooligosaccharides (scFOS). Nepro® contains a special carbohydrate blend suitable for patients with diabetes.<sup>1</sup>
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                                   | Ready to hang    |
|-------------------------------------------------|--------------------------------------------------------------------------------|------------------|
| Caloric density (Cal/mL)                        | 1.8                                                                            | 1.8              |
| Protein (% of total energy)                     | 18.0                                                                           | 18.0             |
| Protein Source                                  | Calcium caseinate, magnesium caseinate, milk protein isolate, sodium caseinate |                  |
| Fat (% of total energy)                         | 49.0                                                                           | 49.0             |
| MCT oil (% of total fats)                       | 0.0                                                                            | 0.0              |
| Omega-6:Omega-3 ratio                           | 5.2:1                                                                          | 5.2:1            |
| Fat Source                                      | High oleic safflower oil, canola oil, soy lecithin                             |                  |
| Carbohydrate (% of total energy)                | 33.0                                                                           | 33.0             |
| Carbohydrate Source                             | Corn syrup solids, sugar, corn maltodextrin fibre, glycerine, scFOS            |                  |
| Total Cal:g nitrogen ratio                      | 142:1                                                                          | 142:1            |
| Non-protein Cal:g nitrogen ratio                | 116:1                                                                          | 116:1            |
| Water (g/L)                                     | 727                                                                            | 727              |
| Osmolality (mOsm/kg water)                      | 745                                                                            | 745              |
| Renal solute load (mOsm/L)                      | 555                                                                            | 555              |
| Minimum tube size for gravity/pump feeding (Fr) | Not applicable/8                                                               | Not applicable/8 |
| Fibre                                           | Yes                                                                            | Yes              |

## AVAILABILITY

### Ready to use

|         |                 |                                  |         |
|---------|-----------------|----------------------------------|---------|
| 5362413 | Nepro®, Vanilla | 237-mL bottles                   | 24/case |
| 6266913 | Nepro®, Vanilla | 1000-mL ready-to-hang containers | 8/case  |

## ENERGY

|                                                | Per 237 mL | Per 1000 mL |
|------------------------------------------------|------------|-------------|
| ENERGY (Cal [kJ])                              | 420 (1760) | 1770 (7410) |
| PROTEIN (g)                                    | 19         | 81          |
| Taurine (mg)                                   | 38         | 160         |
| Carnitine (mg)                                 | 63         | 265         |
| FAT (g)                                        | 23         | 96          |
| Linoleic Acid (g)                              | 3.6        | 15          |
| Linolenic Acid (g)                             | 0.58       | 2.5         |
| CARBOHYDRATE (g)                               | 38         | 160         |
| Fibre (g)                                      | 6.0        | 25          |
| Short-chain fructooligosaccharides (scFOS) (g) | 2.0        | 8.3         |

## VITAMINS

|                       |        |        |
|-----------------------|--------|--------|
| Vitamin A (IU)        | 600    | 2530   |
| Vitamin D (IU)        | 152    | 640    |
| Vitamin E (IU)        | 11     | 46     |
| Vitamin K (mg)        | 0.019  | 0.08   |
| Vitamin C (mg)        | 23     | 95     |
| Thiamine (mg)         | 0.60   | 2.5    |
| Riboflavin (mg)       | 0.50   | 2.1    |
| Niacin (mg)           | 8.0    | 34     |
| Vitamin B6 (mg)       | 2.2    | 9.3    |
| Folic acid (mg)       | 0.18   | 0.76   |
| Vitamin B12 (mg)      | 0.0012 | 0.0051 |
| Pantothenic acid (mg) | 2.3    | 9.5    |
| Biotin (mg)           | 0.015  | 0.063  |
| Choline (mg)          | 140    | 591    |

## MINERALS

|                 |        |       |
|-----------------|--------|-------|
| Sodium (mg)     | 250    | 1050  |
| Potassium (mg)  | 225    | 949   |
| Chloride (mg)   | 200    | 844   |
| Calcium (mg)    | 250    | 1050  |
| Phosphorus (mg) | 170    | 717   |
| Magnesium (mg)  | 40     | 169   |
| Iron (mg)       | 3.4    | 14    |
| Zinc (mg)       | 3.0    | 13    |
| Iodine (mg)     | 0.038  | 0.16  |
| Copper (mg)     | 0.43   | 1.8   |
| Manganese (mg)  | 0.60   | 2.5   |
| Selenium (mg)   | 0.014  | 0.058 |
| Chromium (mg)   | 0.0075 | 0.032 |
| Molybdenum (mg) | 0.011  | 0.046 |

## INGREDIENTS

### Nepro®, Vanilla, Bottle:

Water, Corn syrup solids, High oleic safflower oil, Calcium caseinate, Magnesium caseinate, Canola oil, Sugar, Milk protein isolate, Corn maltodextrin fibre, Sodium caseinate, Glycerin, Short-chain fructooligosaccharides, Soy lecithin, Natural and artificial flavours, Cellulose gel, L-carnitine, Taurine, Cellulose gum, Minerals (calcium citrate, sodium citrate, potassium citrate, salt, potassium chloride, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, potassium iodide, chromium chloride, sodium selenate, sodium molybdate), Vitamins (choline chloride, ascorbic acid, niacinamide, D-alpha-tocopheryl acetate, pyridoxine hydrochloride, calcium D-pantothenate, thiamine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**

### Nepro®, Vanilla, Ready-to-hang container:

Water, Corn syrup solids, High oleic safflower oil, Calcium caseinate, Magnesium caseinate, Canola oil, Sugar, Milk protein isolate, Corn maltodextrin fibre, Sodium caseinate, Glycerin, Short-chain fructooligosaccharides, Soy lecithin, Natural and artificial flavours, Cellulose gel, L-carnitine, Taurine, Cellulose gum, Minerals (calcium citrate, sodium citrate, potassium citrate, salt, potassium chloride, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, potassium iodide, chromium chloride, sodium selenate, sodium molybdate), Vitamins (choline chloride, ascorbic acid, niacinamide, D-alpha-tocopheryl acetate, pyridoxine hydrochloride, calcium D-pantothenate, thiamine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**

REFERENCE:  
1. Wolf BW et al. Glycemic response to a rapidly digested starch is not affected by the addition of an indigestible dextrin in humans. *Nutr Res* 2001;21:1099-106.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# OSMOLITE® 1.2 CAL

Calorically dense liquid formula



## INDICATIONS FOR USE

Osmolite® 1.2 Cal is a high-protein liquid formula that provides complete, balanced nutrition for people who may benefit from increased calories and protein.

- For short- or long-term tube feeding.
- For supplemental or as a sole source of nutrition.
- May be used for oral feeding of people with altered taste perception.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- Concentrated calories (1.2 Cal/mL) and high in protein (18.5% of Cal) to help patients gain and maintain a healthy weight. Protein is needed for lean body tissue maintenance and repair.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                     | Ready to use                                                | Ready to hang |
|-----------------------------------------------------|-------------------------------------------------------------|---------------|
| Caloric density (Cal/mL)                            | 1.2                                                         | 1.2           |
| Protein (% of total energy)                         | 18.5                                                        | 18.5          |
| Protein source                                      | Sodium and calcium caseinates                               |               |
| Fat (% of total energy)                             | 29.0                                                        | 29.0          |
| MCT oil (% of total fats)                           | 19.1                                                        | 19.1          |
| Omega-6:Omega-3 ratio                               | 5.0:1                                                       | 5.1:1         |
| Fat source                                          | High oleic safflower oil, canola oil, MCT oil, soy lecithin |               |
| Carbohydrate (% of total energy)                    | 52.5                                                        | 52.5          |
| Carbohydrate source                                 | Corn maltodextrin                                           |               |
| Total Cal:g nitrogen ratio                          | 138:1                                                       | 137.9:1       |
| Non-protein Cal:g nitrogen ratio                    | 113:1                                                       | 112.4:1       |
| Water (g/L)                                         | 817                                                         | 820           |
| Osmolality (mOsm/kg water)                          | 360                                                         | 360           |
| Renal solute load (mOsm/L)                          | 465                                                         | 465           |
| Minimum tube size for gravity/<br>pump feeding (Fr) | 8/5                                                         | 10/10         |
| Fibre                                               | No                                                          | No            |

## AVAILABILITY

### Ready to use

|         |                                   |                                        |         |
|---------|-----------------------------------|----------------------------------------|---------|
| 6218113 | Osmolite® 1.2 Cal,<br>Unflavoured | 235-mL cans                            | 24/case |
| 6269313 | Osmolite® 1.2 Cal,<br>Unflavoured | 1500-mL<br>ready-to-hang<br>containers | 6/case  |

## ENERGY

|                    | Per 235 mL | Per 1500 mL |
|--------------------|------------|-------------|
| ENERGY (Cal [kJ])  | 282 (1180) | 1800 (7530) |
| PROTEIN (g)        | 13         | 83          |
| Taurine (mg)       | 35         | 225         |
| Carnitine (mg)     | 35         | 225         |
| FAT (g)            | 9.2        | 59          |
| Linoleic acid (g)  | 0.9        | 8.1         |
| Linolenic acid (g) | 0.2        | 1.7         |
| CARBOHYDRATE (g)   | 37         | 236         |

## VITAMINS

|                              |        |       |
|------------------------------|--------|-------|
| Vitamin A (IU)               | 940    | 3600  |
| Beta-carotene (mg)           | 0.47   | 1.9   |
| Vitamin D (IU)               | 70     | 960   |
| Vitamin E (IU)               | 8.9    | 134   |
| Vitamin K (mg)               | 0.019  | 0.19  |
| Vitamin C (mg)               | 71     | 375   |
| Thiamine (mg)                | 0.54   | 2.6   |
| Riboflavin (mg)              | 0.61   | 3.7   |
| Niacin (mg)                  | 7.1    | 12    |
| Vitamin B <sub>6</sub> (mg)  | 0.71   | 2.1   |
| Folic acid (mg)              | 0.14   | 0.29  |
| Vitamin B <sub>12</sub> (mg) | 0.0021 | 0.014 |
| Pantothenic acid (mg)        | 3.5    |       |
| Biotin (mg)                  | 0.11   | 0.036 |
| Choline (mg)                 | 141    | 900   |

## MINERALS

|                 |       |       |
|-----------------|-------|-------|
| Sodium (mg)     | 317   | 1600  |
| Potassium (mg)  | 425   | 3410  |
| Chloride (mg)   | 362   | 2250  |
| Calcium (mg)    | 282   | 1800  |
| Phosphorus (mg) | 282   | 1800  |
| Magnesium (mg)  | 94    | 555   |
| Iron (mg)       | 4.2   | 22    |
| Zinc (mg)       | 5.4   | 16    |
| Iodine (mg)     | 0.035 | 0.23  |
| Copper (mg)     | 0.47  | 2.6   |
| Manganese (mg)  | 1.2   | 5.1   |
| Selenium (mg)   | 0.017 | 0.087 |
| Chromium (mg)   | 0.028 | 0.087 |
| Molybdenum (mg) | 0.035 | 0.15  |

## INGREDIENTS

### Osmolite® 1.2 Cal, Unflavoured, Can:

Water, Corn maltodextrin, Sodium caseinate, High oleic safflower oil, Calcium caseinate, Canola oil, Modified coconut and/or palm kernel oils (medium chain triglycerides), Soy lecithin, Cellulose gel, Taurine, L-carnitine, Cellulose gum, Minerals (tricalcium phosphate, sodium citrate, magnesium phosphate, potassium citrate, potassium chloride, magnesium chloride, dipotassium phosphate, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine hydrochloride, pyridoxine hydrochloride, riboflavin, beta-carotene, vitamin A palmitate, folic acid, D-biotin, phyloquinone, cyanocobalamin, vitamin D<sub>3</sub>). As needed: Potassium hydroxide.

### Contains: Milk, Soy.

### Osmolite® 1.2 Cal, Unflavoured, Ready-to-hang container:

Water, Corn maltodextrin, Sodium caseinate, High oleic safflower oil, Calcium caseinate, Canola oil, Modified coconut and/or palm/palm kernel oils (medium chain triglycerides), Soy lecithin, Cellulose gel, Taurine, L-carnitine, Cellulose gum, Minerals (potassium citrate, tricalcium phosphate, magnesium phosphate dibasic, potassium chloride, sodium citrate, magnesium chloride, potassium phosphate dibasic, potassium hydroxide, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, chromium chloride, potassium iodide, sodium molybdate, sodium selenate), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine hydrochloride, riboflavin, pyridoxine hydrochloride, beta-carotene, vitamin A palmitate, folic acid, D-biotin, phyloquinone, vitamin D<sub>3</sub>, cyanocobalamin).

### Contains: Milk, Soy.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PIVOT™ 1.5 CAL

## Immune-modulating enteral formula



### INDICATIONS FOR USE

Pivot™ 1.5 Cal is peptide-based, specialized nutrition designed to meet the elevated calorie and protein needs of metabolically stressed patients.

- For metabolically stressed surgical, trauma, burn, or head and neck cancer patients who could benefit from an immune-modulating enteral formula.
- For short- or long-term tube feeding use.
- For supplemental or sole source nutrition.

### FEATURES AND BENEFITS

- Very high in protein (25% of total energy), to support protein synthesis and tissue repair.
- Hydrolyzed protein, MCT oil and 8 g/L of short-chain fructooligosaccharides (scFOS) to support absorption and tolerance.
- Contains nutrients for immune support:
  - 13 g of arginine per litre. Arginine helps support the proliferation and function of immune cells.<sup>1</sup>
  - Omega-3 fatty acids from fish oil, to help modulate inflammation and support immune function.<sup>2,4</sup>
  - Elevated levels of antioxidants (vitamin C, vitamin E and selenium), to help protect against oxidative stress.
- Gluten-free.
- Halal.

### TECHNICAL DATA

|                                                 | Ready to use                                                                                                                                                 | Ready to hang |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Caloric density (Cal/mL)                        | 1.5                                                                                                                                                          | 1.5           |
| Protein (% of total energy)                     | 25                                                                                                                                                           | 25            |
| Protein Source                                  | Hydrolyzed sodium caseinate, Whey protein hydrolysate, L-arginine                                                                                            |               |
| Fat (% of total energy)                         | 30                                                                                                                                                           | 30            |
| MCT oil (% of total fats)                       | 20                                                                                                                                                           |               |
| Omega-6:Omega-3 ratio                           | 1.7:1                                                                                                                                                        | 1.7:1         |
| Fat Source                                      | Structured lipid (interesterified marine oil, modified coconut and/or palm/palm kernel oils [medium chain triglycerides]),soya oil, canola oil, soy lecithin |               |
| Carbohydrate (% of total energy)                | 45                                                                                                                                                           | 45            |
| Carbohydrate Source                             | Corn syrup solids, scFOS                                                                                                                                     |               |
| Total Cal/g nitrogen ratio                      | 90:1                                                                                                                                                         | 90:1          |
| Non-protein Cal/g nitrogen ratio                | 68:1                                                                                                                                                         | 68:1          |
| Water (g/L)                                     | 750                                                                                                                                                          | 750           |
| Osmolality (mOsm/kg water)                      | 660                                                                                                                                                          | 660           |
| Renal solute load (mOsm/L)                      | 695                                                                                                                                                          | 695           |
| Minimum tube size for gravity/pump feeding (Fr) | 10/10                                                                                                                                                        | 10/10         |
| Fibre                                           | Yes                                                                                                                                                          | Yes           |

### AVAILABILITY

#### Ready to use

|         |                             |                                  |         |
|---------|-----------------------------|----------------------------------|---------|
| 6500713 | Pivot™ 1.5 Cal, Unflavoured | 237-mL recloseable cartons       | 24/case |
| 6271913 | Pivot™ 1.5 Cal, Unflavoured | 1000-mL ready-to-hang containers | 8/case  |

#### REFERENCES:

1. Weitzel LR, et al. *Curr Opin Anaesthesiol.* 2009;22(2):177-183. 2. Calder PC. *Prostaglandins Leukot Essent Fatty Acids.* 2008;79(3-5):101-108. 3. Calder PC. *Clin Nutr.* 2010;29(1):5-12. 4. Rees D, et al. *Am J Clin Nutr.* 2006;83(2):331-342.

### ENERGY

|                                            | Per 237 mL | Per 1000 mL |
|--------------------------------------------|------------|-------------|
| ENERGY (Cal [kJ])                          | 355 (1486) | 1500 (6276) |
| PROTEIN (g)                                | 22         | 94          |
| FAT (g)                                    | 5.1        | 51          |
| Monounsaturates (g)                        | 1.1        | 12          |
| Polysaturates (g)                          | 1.6        | 16          |
| Omega-3 (g)                                | 0.6        | 5.8         |
| Linolenic Acid (g)                         | 0.2        | 2.1         |
| Eicosapentaenoic Acid (EPA) (g)            | 0.26       | 2.6         |
| Docosahexaenoic Acid (DHA) (g)             | 0.11       | 1.1         |
| Omega-6 (g)                                | 1          | 10          |
| Linoleic Acid (g)                          | 1          | 10          |
| CARBOHYDRATE (g)                           | 17         | 172         |
| Fibre (g)                                  | 0.8        | 7.5         |
| Short-chain fructooligosaccharides (scFOS) | 1.8        | 8           |
| Arginine (g)                               | 1.3        | 13          |
| Carnitine (mg)                             | 36         | 150         |
| Glutamine (g)                              | 1.8        | 8           |
| Taurine (mg)                               | 36         | 150         |
| Water (g)                                  | 178        | 750         |

### VITAMINS

|                              |        |       |
|------------------------------|--------|-------|
| Vitamin A (IU)               | 1420   | 6000  |
| Beta-carotene (IU)           | 943    | 3980  |
| Vitamin D (IU)               | 264    | 1110  |
| Vitamin E (IU)               | 9.5    | 40    |
| Vitamin K (mg)               | 0.03   | 0.13  |
| Vitamin C (mg)               | 72     | 304   |
| Folic Acid (mg)              | 0.09   | 0.37  |
| Thiamine (mg)                | 0.47   | 2     |
| Riboflavin (mg)              | 0.5    | 2.1   |
| Vitamin B <sub>6</sub> (mg)  | 0.55   | 2.3   |
| Vitamin B <sub>12</sub> (mg) | 0.0012 | 0.005 |
| Niacin (mg)                  | 4.8    | 20    |
| Choline (mg)                 | 180    | 760   |
| Biotin (mg)                  | 0.007  | 0.03  |
| Pantothenic Acid (mg)        | 2.1    | 8.9   |

### MINERALS

|                 |       |      |
|-----------------|-------|------|
| Sodium (mg)     | 350   | 1480 |
| Potassium (mg)  | 470   | 1980 |
| Chloride (mg)   | 380   | 1600 |
| Calcium (mg)    | 240   | 1010 |
| Phosphorus (mg) | 230   | 970  |
| Magnesium (mg)  | 100   | 420  |
| Iodine (mg)     | 0.04  | 0.17 |
| Manganese (mg)  | 1.2   | 5    |
| Copper (mg)     | 0.52  | 2    |
| Zinc (mg)       | 7.3   | 31   |
| Iron (mg)       | 5.6   | 24   |
| Selenium (mg)   | 0.019 | 0.08 |
| Chromium (mg)   | 0.025 | 0.11 |
| Molybdenum (mg) | 0.04  | 0.17 |

### INGREDIENTS

#### Pivot™ 1.5 Cal, Unflavoured, Carton:

Water, Corn syrup solids, Hydrolyzed sodium caseinate, Whey protein hydrolysate, Structured lipid (interesterified marine oil, modified coconut and/or palm/palm kernel oils [medium chain triglycerides]), Soya oil, Canola oil, L-arginine, Short-chain fructooligosaccharides (scFOS), Citric acid, Soy lecithin, Natural and artificial flavour, Cellulose gel, Carrageenan, Taurine, L-carnitine, Cellulose gum, Minerals (potassium citrate, tricalcium phosphate, magnesium chloride, magnesium phosphate, potassium chloride, potassium hydroxide, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, sodium selenate, potassium iodide), Vitamins (choline chloride, ascorbic acid, D-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, beta-carotene, vitamin A palmitate, folic acid, phyloquinone, D-biotin, vitamin D<sub>3</sub>, cyanocobalamin).

#### Contains: Milk, Soy.

#### Pivot™ 1.5 Cal, Unflavoured, Ready-to-hang container:

Water, Corn syrup solids, Hydrolyzed sodium caseinate, Whey protein hydrolysate, Structured lipid (interesterified marine oil, modified coconut and/or palm/palm kernel oils [medium chain triglycerides]), Soya oil, Canola oil, L-arginine, Short-chain fructooligosaccharides (scFOS), Citric acid, Soy lecithin, Natural and artificial flavour, Cellulose gel, Carrageenan, Taurine, L-carnitine, Cellulose gum, Minerals (potassium citrate, tricalcium phosphate, magnesium chloride, magnesium phosphate, potassium chloride, potassium hydroxide, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, sodium selenate, potassium iodide), Vitamins (choline chloride, ascorbic acid, D-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, beta-carotene, vitamin A palmitate, folic acid, phyloquinone, D-biotin, vitamin D<sub>3</sub>, cyanocobalamin).

#### Contains: Milk, Soy.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.



### INDICATIONS FOR USE

Promote® is a very-high-protein liquid formula for people who may have increased protein needs relative to their estimated calorie requirements.

- For people with or at risk of pressure injuries.
- For people with or at risk for protein-energy malnutrition.
- For supplemental or as a sole source of nutrition.
- For oral or tube feeding use.

#### Safety precaution:

- Not for parenteral use.

### FEATURES AND BENEFITS

- Approximately 25% of total energy as protein. Protein is needed for lean body tissue maintenance and repair.
- Approximately 19% of fat provided by medium chain triglycerides to help improve fat absorption.
- Vanilla flavour.
- Gluten-free.
- Kosher.
- Halal.

### TECHNICAL DATA

|                                                 | Ready to use                                  |
|-------------------------------------------------|-----------------------------------------------|
| Caloric density (Cal/mL)                        | 1.0                                           |
| Protein (% of total energy)                     | 25.1                                          |
| Protein Source                                  | Sodium caseinate, soy protein isolate         |
| Fat (% of total energy)                         | 23.0                                          |
| MCT oil (% of total fats)                       | 19.3                                          |
| Omega-6:Omega-3 ratio                           | 10:1                                          |
| Fat Source                                      | Soy oil, MCT oil, safflower oil, soy lecithin |
| Carbohydrate (% of total energy)                | 51.9                                          |
| Carbohydrate Source                             | Corn maltodextrin, sucrose                    |
| Total Cal:g nitrogen ratio                      | 100:1                                         |
| Non-protein Cal:g nitrogen ratio                | 75:1                                          |
| Water (g/L)                                     | 837                                           |
| Osmolality (mOsm/kg water)                      | 340                                           |
| Renal solute load (mOsm/L)                      | 486                                           |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                          |
| Fibre                                           | No                                            |

### AVAILABILITY

#### Ready to use

6223413 Promote®, Vanilla 235-mL cans 24/case

### ENERGY

|                    | Per 100 mL | Per 235 mL |
|--------------------|------------|------------|
| ENERGY (Cal [kJ])  | 100 (418)  | 235 (982)  |
| PROTEIN (g)        | 6.3        | 15         |
| Taurine (mg)       | 15         | 35         |
| Carnitine (mg)     | 15         | 35         |
| FAT (g)            | 2.6        | 6.2        |
| Linoleic Acid (g)  | 1.0        | 2.2        |
| Linolenic Acid (g) | 0.1        | 0.2        |
| CARBOHYDRATE (g)   | 13         | 31         |

### VITAMINS

|                       |        |        |
|-----------------------|--------|--------|
| Vitamin A (IU)        | 350    | 823    |
| Vitamin D (IU)        | 40     | 94     |
| Vitamin E (IU)        | 5      | 12     |
| Vitamin K (mg)        | 0.012  | 0.028  |
| Vitamin C (mg)        | 34     | 80     |
| Thiamine (mg)         | 0.23   | 0.54   |
| Riboflavin (mg)       | 0.26   | 0.61   |
| Niacin (mg)           | 3      | 7.1    |
| Vitamin B6 (mg)       | 0.3    | 0.71   |
| Folic acid (mg)       | 0.06   | 0.14   |
| Vitamin B12 (mg)      | 0.0009 | 0.0021 |
| Pantothenic acid (mg) | 1.5    | 3.5    |
| Biotin (mg)           | 0.045  | 0.11   |
| Choline (mg)          | 60     | 141    |

### MINERALS

|                 |       |       |
|-----------------|-------|-------|
| Sodium (mg)     | 100   | 235   |
| Potassium (mg)  | 198   | 465   |
| Chloride (mg)   | 126   | 296   |
| Calcium (mg)    | 120   | 282   |
| Phosphorus (mg) | 120   | 282   |
| Magnesium (mg)  | 40    | 94    |
| Iron (mg)       | 1.8   | 4.2   |
| Zinc (mg)       | 2.4   | 5.6   |
| Iodine (mg)     | 0.015 | 0.035 |
| Copper (mg)     | 0.2   | 0.47  |
| Manganese (mg)  | 0.5   | 1.2   |
| Selenium (mg)   | 0.007 | 0.016 |
| Chromium (mg)   | 0.012 | 0.028 |
| Molybdenum (mg) | 0.015 | 0.035 |

### INGREDIENTS

#### Promote®, Vanilla:

Water, Corn maltodextrin, Sodium caseinate, Soy protein, Soy oil, Sugar, Modified coconut and/or palm kernel oils (medium chain triglycerides), Safflower oil, Natural and artificial flavour, Soy lecithin, Taurine, L-carnitine, Minerals (calcium citrate, magnesium phosphate, tricalcium phosphate, potassium chloride, potassium citrate, sodium citrate, potassium hydroxide, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopherol acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, cyanocobalamin, vitamin D3).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# SUPLENA®

Specialized liquid nutrition



## INDICATIONS FOR USE

Suplena® is specialized nutrition designed to help meet the nutrient needs of non-dialysed people with chronic kidney disease requiring protein, electrolyte, and fluid restrictions. Suplena® helps maintain nutritional status while minimizing accumulation of nitrogenous waste products and electrolytes in patients prone to uremia.<sup>1</sup>

- For people prone to uremia.
- For people with chronic kidney disease who are not undergoing dialysis.
- For supplemental or as a sole source of nutrition.
- For oral or tube feeding use.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- Provides 10% of energy as protein to help patients meet their limited protein needs.
- Contains a special carbohydrate blend suitable for people with diabetes.<sup>2</sup>
- Provides 2 g short-chain fructooligosaccharides per 235-mL can.
- Vitamin and mineral profile specifically designed for patients with chronic kidney disease.
  - Lower in phosphorus and potassium compared to a standard meal replacement.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                       |
|-------------------------------------------------|----------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.8                                                |
| Protein (% of total energy)                     | 10.0                                               |
| Protein Source                                  | Milk protein isolate, sodium caseinate             |
| Fat (% of total energy)                         | 48.0                                               |
| MCT oil (% of total fats)                       | 0.0                                                |
| Omega-6:Omega-3 ratio                           | 5.2:1                                              |
| Fat Source                                      | High oleic safflower oil, canola oil, soy lecithin |
| Carbohydrate (% of total energy)                | 42.0                                               |
| Carbohydrate Source                             | Corn maltodextrin, isomaltulose, sucrose, scFOS    |
| Total Cal:g nitrogen ratio                      | 256:1                                              |
| Non-protein Cal:g nitrogen ratio                | 230:1                                              |
| Water (g/L)                                     | 738                                                |
| Osmolality (mOsm/kg water)                      | 780                                                |
| Renal solute load (mOsm/L)                      | 345                                                |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                               |
| Fibre                                           | Yes                                                |

## AVAILABILITY

### Ready to use

6208813 Suplena®, Vanilla 235-mL cans 24/case

### REFERENCES:

1. Montes-Delgado R et al. Treatment with low-protein diet and calorie supplements in patients with predialysis chronic renal failure: Comparative study. *Rev Clin Esp* 1998;198:580-6. 2. Wolf BW et al. Glycemic response to a rapidly digested starch is not affected by the addition of an indigestible dextrin in humans. *Nutr Res* 2001;21:1099-106.

## ENERGY

|                                                | Per 100 mL | Per 235 mL |
|------------------------------------------------|------------|------------|
| ENERGY (Cal [kJ])                              | 179 (749)  | 421 (1760) |
| PROTEIN (g)                                    | 4.5        | 11         |
| Taurine (mg)                                   | 16.0       | 38         |
| Carnitine (mg)                                 | 27         | 63         |
| FAT (g)                                        | 9.6        | 23         |
| Linoleic acid (g)                              | 1.6        | 3.8        |
| Linolenic acid (g)                             | 0.32       | 0.74       |
| CARBOHYDRATE (g)                               | 20         | 46         |
| Fibre (g)                                      | 1.3        | 3.0        |
| Short-chain fructooligosaccharides (scFOS) (g) | 0.88       | 2.1        |

## VITAMINS

|                       |         |        |
|-----------------------|---------|--------|
| Vitamin A (IU)        | 316     | 744    |
| Vitamin D (IU)        | 8       | 20     |
| Vitamin E (IU)        | 9.7     | 23     |
| Vitamin K (mg)        | 0.0084  | 0.020  |
| Vitamin C (mg)        | 11      | 25     |
| Thiamine (mg)         | 0.24    | 0.56   |
| Riboflavin (mg)       | 0.27    | 0.64   |
| Niacin (mg)           | 3.2     | 7.4    |
| Vitamin B6 (mg)       | 0.84    | 2      |
| Folic acid (mg)       | 0.11    | 0.25   |
| Vitamin B12 (mg)      | 0.00097 | 0.0023 |
| Pantothenic acid (mg) | 1.60    | 3.8    |
| Biotin (mg)           | 0.051   | 0.12   |
| Choline (mg)          | 63      | 149    |

## MINERALS

|                 |        |       |
|-----------------|--------|-------|
| Sodium (mg)     | 80     | 188   |
| Potassium (mg)  | 114    | 268   |
| Chloride (mg)   | 93     | 218   |
| Calcium (mg)    | 105    | 248   |
| Phosphorus (mg) | 72     | 168   |
| Magnesium (mg)  | 21     | 50    |
| Iron (mg)       | 1.9    | 4.5   |
| Zinc (mg)       | 2.7    | 6.4   |
| Iodine (mg)     | 0.016  | 0.038 |
| Copper (mg)     | 0.21   | 0.5   |
| Manganese (mg)  | 0.21   | 0.5   |
| Selenium (mg)   | 0.0076 | 0.018 |
| Chromium (mg)   | 0.013  | 0.030 |
| Molybdenum (mg) | 0.0080 | 0.019 |

## INGREDIENTS

### Suplena®, Vanilla:

Water, Corn maltodextrin, High oleic safflower oil, Milk protein isolate, Isomaltulose, Sugar, Canola oil, Corn maltodextrin fibre, Sodium caseinate, Glycerin, Short-chain fructooligosaccharides, Soy lecithin, Natural and artificial flavour, L-carnitine, Carrageenan, Taurine, Minerals (potassium citrate, sodium citrate, magnesium chloride, magnesium phosphate, calcium carbonate, calcium phosphate, potassium phosphate, salt, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, chromium chloride, sodium molybdate, potassium iodide, sodium selenate), Vitamins (choline chloride, ascorbic acid, D-alpha tocopheryl acetate, niacinamide, calcium D-pantothenate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phylloquinone, cyanocobalamin, vitamin D3).

**Contains: Milk, Soy.**



[Back to the table of contents](#)

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# TWOCAL® HN

Calorie- and protein-dense liquid formula



## INDICATIONS FOR USE

TwoCal® HN is a nutritionally complete, high-calorie formula designed to meet the needs of people with increased protein and calorie requirements and for people requiring low-volume feedings.

- For people with elevated energy and protein requirements.
- For people requiring low-volume feedings.
- For people with fluid restrictions.
- For supplemental or as a sole source of nutrition.
- For oral or tube feeding use.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- Calorically dense, with 2 Cal/mL.
- 20 g protein/235-mL can (84 g protein/L).
- Contains 2.0 g/235-mL can and 5.0 g/L of short-chain fructooligosaccharides (scFOS).
- TwoCal® HN has been clinically shown to help improve weight status when provided in 60-mL doses, four times per day, along with medication.<sup>1,2</sup>
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                      | Ready to hang                                           |
|-------------------------------------------------|-----------------------------------|---------------------------------------------------------|
| Caloric density (Cal/mL)                        | 2.0                               | 2.0                                                     |
| Protein (% of total energy)                     | 16.3                              | 16.7                                                    |
| Protein Source                                  | Sodium and calcium caseinates     | Milk protein concentrate, sodium and calcium caseinates |
| Fat (% of total energy)                         | 39.4                              | 40.1                                                    |
| MCT oil (% of total fats)                       | 18.7                              | 0                                                       |
| Omega-6:Omega-3 ratio                           | 53:1                              | 4:1:1                                                   |
| Fat Source                                      | Corn oil, MCT oil, soy lecithin   | Canola oil, corn oil                                    |
| Carbohydrate (% of total energy)                | 43.8                              | 43.2                                                    |
| Carbohydrate Source                             | Corn maltodextrin, sucrose, scFOS | Corn syrup solids, corn maltodextrin, sucrose, scFOS    |
| Total Cal:g nitrogen ratio                      | 152:1                             | 153:1                                                   |
| Non-protein Cal:g nitrogen ratio                | 127:1                             | 127:1                                                   |
| Water (g/L)                                     | 690                               | 700                                                     |
| Osmolality (mOsm/kg water)                      | 725                               | 710                                                     |
| Renal solute load (mOsm/L)                      | 656                               | 597                                                     |
| Minimum tube size for gravity/pump feeding (Fr) | Not applicable /8                 | Not applicable /8                                       |
| Fibre                                           | Yes                               | Yes                                                     |

## AVAILABILITY

### Ready to use

|         |                     |                                  |         |
|---------|---------------------|----------------------------------|---------|
| 6224113 | TwoCal® HN, Vanilla | 235-mL cans                      | 24/case |
| 6804813 | TwoCal® HN, Vanilla | 1000-mL ready-to-hang containers | 8/case  |

### REFERENCES:

1. Jukkola K, McLennan P. Improving the efficacy of nutritional supplementation in the hospitalized elderly. *Aust J Ageing* 2005;24:119-24.
2. Kerrigan ER et al. Dispensing of a calorically dense oral supplement with medication pass: a creative approach to oral supplementation. *J Am Diet Assoc* 1996;96(Suppl):A32.

## ENERGY

|                                                | Per 235 mL | Per 1000 mL |
|------------------------------------------------|------------|-------------|
| ENERGY (Cal [kJ])                              | 470 (1966) | 2000 (8368) |
| PROTEIN (g)                                    | 20         | 84          |
| Taurine (mg)                                   | 38         | 200         |
| Carnitine (mg)                                 | 38         | 200         |
| FAT (g)                                        | 21         | 91          |
| Linoleic acid (g)                              | 8.2        | 19          |
| Linolenic acid (g)                             | 0.2        | 4.0         |
| CARBOHYDRATE (g)                               | 53         | 219         |
| Fibre (g)                                      | 2.0        | 5.0         |
| Short-chain fructooligosaccharides (scFOS) (g) | 2.0        | 5.0         |

## VITAMINS

|                       |        |       |
|-----------------------|--------|-------|
| Vitamin A (IU)        | 1238   | 5273  |
| Vitamin D (IU)        | 99     | 960   |
| Vitamin E (IU)        | 9.9    | 75    |
| Vitamin K (mg)        | 0.03   | 0.17  |
| Vitamin C (mg)        | 47     | 316   |
| Thiamine (mg)         | 0.59   | 2.5   |
| Riboflavin (mg)       | 0.68   | 2.7   |
| Niacin (mg)           | 4.5    | 34    |
| Vitamin B6 (mg)       | 0.8    | 3.6   |
| Folic Acid (mg)       | 0.11   | 0.69  |
| Vitamin B12 (mg)      | 0.0015 | 0.01  |
| Pantothenic Acid (mg) | 3.1    | 17    |
| Biotin (mg)           | 0.016  | 0.084 |
| Choline (mg)          | 129    | 844   |

## MINERALS

|                 |       |       |
|-----------------|-------|-------|
| Sodium (mg)     | 343   | 844   |
| Potassium (mg)  | 574   | 2110  |
| Chloride (mg)   | 428   | 970   |
| Calcium (mg)    | 249   | 1371  |
| Phosphorus (mg) | 249   | 1321  |
| Magnesium (mg)  | 99    | 414   |
| Iron (mg)       | 6.3   | 25    |
| Zinc (mg)       | 5.7   | 24    |
| Iodine (mg)     | 0.038 | 0.21  |
| Copper (mg)     | 0.83  | 2.1   |
| Manganese (mg)  | 1.3   | 5.5   |
| Selenium (mg)   | 0.03  | 0.076 |
| Chromium (mg)   | 0.029 | 0.051 |
| Molybdenum (mg) | 0.038 | 0.063 |

## INGREDIENTS

### TwoCal® HN, Vanilla, Can:

Water, Corn maltodextrin, Sodium caseinate, Corn oil, Sugar, Modified coconut and/or palm kernel oils (medium chain triglycerides), Short-chain fructooligosaccharides (scFOS), Calcium caseinate, Soy lecithin, Artificial flavour, Taurine, L-carnitine, Minerals (potassium citrate, magnesium chloride, tricalcium phosphate, sodium citrate, ferrous sulphate, zinc sulphate, manganese sulphate, cupric sulphate, chromium chloride, sodium molybdate, sodium selenate, potassium iodide), Vitamins (choline chloride, ascorbic acid, citric acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, pyridoxine hydrochloride, vitamin A palmitate, thiamine chloride hydrochloride, riboflavin, folic acid, phyloquinone, D-biotin, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**

### TwoCal® HN, Vanilla, Ready-to-hang container:

Water, Corn syrup solids, Corn maltodextrin, Canola oil, Milk protein concentrate, Sodium caseinate, Sugar, Corn oil, Calcium caseinate, Short-chain fructooligosaccharides (scFOS), Natural and artificial flavour, Soy lecithin, Taurine, L-carnitine, Minerals (potassium citrate, magnesium sulphate, potassium phosphate dibasic, magnesium chloride, sodium citrate, potassium hydroxide, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, potassium iodide, chromium chloride, sodium selenate, sodium molybdate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# VITAL® PEPTIDE 1 CAL

Specialized peptide-based liquid formula



## INDICATIONS FOR USE

Vital® Peptide 1 Cal is a ready-to-drink peptide-based liquid formula for patients with impaired gastro-intestinal function. It offers flexibility to meet nutritional needs both orally or as a tube feeding.

- For patients with:
  - GI disease: pancreatitis (acute or chronic) or pancreatic insufficiency; cystic fibrosis; Crohn's disease, ulcerative colitis, or short bowel syndrome; HIV/AIDS-associated enteropathy; celiac disease; gastritis, duodenitis, enterocolitis; dumping syndrome; GI fistulas;
  - GI intolerance symptoms: gas, bloating, diarrhea, and abdominal distention;
  - acute GI dysfunction: critical illness; trauma; burns; sepsis; post-transplant surgery; post-gastric surgery;
  - impaired GI function: abdominal and other surgeries; certain cancer treatments; generalized malabsorption; general intolerance to polymeric feedings; cerebral palsy.
- Can be used:
  - as a supplement or as a sole source of nutrition; for early enteral feeding; for dual feeding (parenteral + enteral); for transition from total parenteral nutrition (TPN); for trophic feeding.
- For oral or tube feeding use.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- Nutrient blend designed to help support tolerance and absorption:
  - 100% hydrolyzed protein;
  - 70% of fat as medium chain triglycerides, an easily digested and well-absorbed fat source.<sup>1</sup>
- High protein, with 9 g per 220-mL serving.
- Provides 28 vitamins and minerals.
- Great-tasting peptide-based feed.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                      |
|-------------------------------------------------|-------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.0                                                               |
| Protein (% of total energy)                     | 16.3                                                              |
| Protein Source                                  | Hydrolyzed whey protein concentrate, hydrolyzed sodium caseinate  |
| Fat (% of total energy)                         | 31.8                                                              |
| MCT oil (% of total fats)                       | 70                                                                |
| Omega-6:Omega-3 ratio                           | 2.6:1                                                             |
| Fat Source                                      | MCT (modified palm and palm kernel oil), canola oil, soy lecithin |
| Carbohydrate (% of total energy)                | 51.9                                                              |
| Carbohydrate Source                             | Corn maltodextrin, sucrose                                        |
| Total Cal:g nitrogen ratio                      | 153:1                                                             |
| Non-protein Cal:g nitrogen ratio                | 128:1                                                             |
| Water (g/L)                                     | 853                                                               |
| Osmolality (mOsm/kg water)                      | 380                                                               |
| Renal solute load (mOsm/L)                      | 348                                                               |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                                              |
| Fibre                                           | No                                                                |

## AVAILABILITY

### Ready to use

05297A31 Vital® Peptide 1 Cal, Vanilla 220-mL bottles 30/case

**REFERENCE:**  
1. Gallagher M. The nutrients and their metabolism. In: Mahan L, Escott-Stump S, eds. Krause's Food and Nutrition Therapy. St. Louis, MO: Saunders Elsevier; 2008:39-143.

## ENERGY

|                    | Per 100 mL | Per 220 mL |
|--------------------|------------|------------|
| ENERGY (Cal [kJ])  | 100 (420)  | 220 (925)  |
| PROTEIN (g)        | 4.0        | 8.8        |
| Taurine (mg)       | 11         | 24         |
| Carnitine (mg)     | 11         | 24         |
| FAT (g)            | 3.7        | 8.1        |
| Linoleic acid (g)  | 0.2        | 0.4        |
| Linolenic acid (g) | 0.1        | 0.2        |
| CARBOHYDRATE (g)   | 13         | 28         |
| Sucralose (mg)     | 8.6        | 19         |

## VITAMINS

|                       |         |         |
|-----------------------|---------|---------|
| Vitamin A (IU)        | 333     | 733     |
| Vitamin D (IU)        | 28      | 62      |
| Vitamin E (IU)        | 2.2     | 4.9     |
| Vitamin K (mg)        | 0.0058  | 0.013   |
| Vitamin C (mg)        | 12      | 26      |
| Thiamine (mg)         | 0.17    | 0.37    |
| Riboflavin (mg)       | 0.22    | 0.48    |
| Niacin (mg)           | 1.3     | 2.9     |
| Vitamin B6 (mg)       | 0.22    | 0.48    |
| Folic acid (mg)       | 0.024   | 0.053   |
| Vitamin B12 (mg)      | 0.00035 | 0.00077 |
| Pantothenic acid (mg) | 0.8     | 1.8     |
| Biotin (mg)           | 0.0045  | 0.0099  |
| Choline (mg)          | 50      | 110     |

## MINERALS

|                 |        |       |
|-----------------|--------|-------|
| Sodium (mg)     | 128    | 282   |
| Potassium (mg)  | 143    | 315   |
| Chloride (mg)   | 100    | 220   |
| Calcium (mg)    | 72     | 158   |
| Phosphorus (mg) | 66     | 145   |
| Magnesium (mg)  | 20     | 44    |
| Iron (mg)       | 1.5    | 3.3   |
| Zinc (mg)       | 1.2    | 2.6   |
| Iodine (mg)     | 0.011  | 0.024 |
| Copper (mg)     | 0.17   | 0.37  |
| Manganese (mg)  | 0.36   | 0.79  |
| Selenium (mg)   | 0.0065 | 0.014 |
| Chromium (mg)   | 0.006  | 0.013 |
| Molybdenum (mg) | 0.011  | 0.024 |

## INGREDIENTS

### Vital® Peptide 1 Cal, Vanilla, Bottle:

Water, Corn maltodextrin, Hydrolyzed whey protein concentrate, Modified palm and palm kernel oils (medium chain triglycerides), Sugar, Hydrolyzed sodium caseinate, Canola oil, Natural and artificial flavour, Soy lecithin, Cellulose, Carrageenan, Cellulose gum, L-carnitine, Taurine, Sucralose, Minerals (sodium citrate, calcium carbonate, potassium phosphate dibasic, magnesium phosphate dibasic, potassium chloride, potassium citrate, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, sodium molybdate, chromium chloride, potassium iodide, sodium selenate), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, vitamin A palmitate, folic acid, phyloquinone, D-biotin, vitamin D3, cyanocobalamin). As needed: Magnesium chloride, Tricalcium phosphate, Potassium hydroxide.

**Contains: Milk, Soy.**



[Back to the table of contents](#)

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# VITAL® PEPTIDE 1.5 CAL

Calorically dense, specialized peptide-based liquid formula



## INDICATIONS FOR USE

Vital® Peptide 1.5 Cal is a ready-to-drink peptide-based liquid formula for patients with impaired gastro-intestinal function. It offers flexibility to meet nutritional needs both orally or as a tube feeding.

- For patients with:
  - GI disease: pancreatitis (acute or chronic) or pancreatic insufficiency; cystic fibrosis; Crohn's disease, ulcerative colitis, or short bowel syndrome; HIV/AIDS-associated enteropathy; celiac disease; gastritis, duodenitis, enterocolitis; dumping syndrome; GI fistulas;
  - GI intolerance symptoms: gas, bloating, diarrhea, and abdominal distention;
  - acute GI dysfunction: critical illness; trauma; burns; sepsis; post-transplant surgery; post-gastric surgery;
  - impaired GI function: abdominal and other surgeries; certain cancer treatments; generalized malabsorption; general intolerance to polymeric feedings; cerebral palsy.
- Can be used:
  - as a supplement or as a sole source of nutrition; for early enteral feeding; for dual feeding (parenteral + enteral); for transition from total parenteral nutrition (TPN); for trophic feeding.
- For oral or tube feeding use.

### Safety precaution:

- Not for parenteral use.

## FEATURES AND BENEFITS

- Nutrient blend designed to help support tolerance and absorption:
  - 100% hydrolyzed protein;
  - 70% of fat as medium chain triglycerides, an easily digested and well-absorbed fat source.<sup>1</sup>
- Calorically dense, with 1.5 Cal/mL.
- High protein, with 15 g per 220-mL serving.
- Provides 28 vitamins and minerals.
- Great-tasting peptide-based feed.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                     | Ready to hang     |
|-------------------------------------------------|------------------------------------------------------------------|-------------------|
| Caloric density (Cal/mL)                        | 1.5                                                              | 1.5               |
| Protein (% of total energy)                     | 18.3                                                             | 18.3              |
| Protein Source                                  | Hydrolyzed whey protein concentrate, hydrolyzed sodium caseinate |                   |
| Fat (% of total energy)                         | 31.8                                                             | 31.8              |
| MCT oil (% of total fats)                       | 70                                                               |                   |
| Omega-6:Omega-3 ratio                           | 2.2:1                                                            |                   |
| Fat Source                                      | MCT (modified coconut oil and/or palm kernel oil), canola oil    |                   |
| Carbohydrate (% of total energy)                | 49.9                                                             | 49.9              |
| Carbohydrate Source                             | Corn maltodextrin, sucrose                                       |                   |
| Total Cal:g nitrogen ratio                      | 136:1                                                            | 136:1             |
| Non-protein Cal:g nitrogen ratio                | 111:1                                                            | 111:1             |
| Water (g/L)                                     | 776                                                              | 776               |
| Osmolality (mOsm/kg water)                      | 630                                                              | 630               |
| Renal solute load (mOsm/L)                      | 552                                                              | 552               |
| Minimum tube size for gravity/pump feeding (Fr) | Not applicable/ 8                                                | Not applicable/ 8 |
| Fibre                                           | No                                                               | No                |

## AVAILABILITY

### Ready to use

|          |                                 |                                  |         |
|----------|---------------------------------|----------------------------------|---------|
| 05298A31 | Vital® Peptide 1.5 Cal, Vanilla | 220-mL bottles                   | 30/case |
| 05298A03 | Vital® Peptide 1.5 Cal, Vanilla | 1000-mL ready-to-hang containers | 8/case  |

**REFERENCE:**  
1. Gallagher M. The nutrients and their metabolism. In: Mahan L, Escott-Stump S, eds. Krause's Food and Nutrition Therapy. St. Louis, MO: Saunders Elsevier; 2008:39-143.

## ENERGY

|                    | Per 100 mL | Per 220 mL | Per 1000 mL |
|--------------------|------------|------------|-------------|
| ENERGY (Cal [kJ])  | 150 (631)  | 330 (1388) | 1500 (6311) |
| PROTEIN (g)        | 6.8        | 15         | 68          |
| Taurine (mg)       | 15         | 33         | 150         |
| Carnitine (mg)     | 15         | 33         | 150         |
| FAT (g)            | 5.5        | 12         | 55          |
| Linoleic acid (g)  | 0.2        | 0.5        | 2.4         |
| Linolenic acid (g) | 0.1        | 0.2        | 1.1         |
| CARBOHYDRATE (g)   | 18         | 40         | 184         |
| Sucralose (mg)     | 10         | 22         | 98          |

## VITAMINS

|                       |        |        |       |
|-----------------------|--------|--------|-------|
| Vitamin A (IU)        | 500    | 1100   | 5000  |
| Vitamin D (IU)        | 40     | 88     | 400   |
| Vitamin E (IU)        | 2.9    | 6.3    | 29    |
| Vitamin K (mg)        | 0.007  | 0.015  | 0.07  |
| Vitamin C (mg)        | 18     | 40     | 180   |
| Thiamine (mg)         | 0.21   | 0.46   | 2.1   |
| Riboflavin (mg)       | 0.3    | 0.66   | 3     |
| Niacin (mg)           | 1.5    | 3.3    | 15    |
| Vitamin B6 (mg)       | 0.3    | 0.66   | 3     |
| Folic acid (mg)       | 0.03   | 0.066  | 0.3   |
| Vitamin B12 (mg)      | 0.0005 | 0.0011 | 0.005 |
| Pantothenic acid (mg) | 1      | 2.2    | 10    |
| Biotin (mg)           | 0.0055 | 0.012  | 0.055 |
| Choline (mg)          | 68     | 150    | 680   |

## MINERALS

|                 |        |       |       |
|-----------------|--------|-------|-------|
| Sodium (mg)     | 169    | 372   | 1690  |
| Potassium (mg)  | 200    | 440   | 2000  |
| Chloride (mg)   | 150    | 330   | 1500  |
| Calcium (mg)    | 100    | 220   | 1000  |
| Phosphorus (mg) | 100    | 220   | 1000  |
| Magnesium (mg)  | 30     | 66    | 300   |
| Iron (mg)       | 2      | 4.4   | 20    |
| Zinc (mg)       | 1.8    | 4     | 18    |
| Iodine (mg)     | 0.015  | 0.033 | 0.15  |
| Copper (mg)     | 0.24   | 0.53  | 2.4   |
| Manganese (mg)  | 0.5    | 1.1   | 5     |
| Selenium (mg)   | 0.0095 | 0.021 | 0.095 |
| Chromium (mg)   | 0.0080 | 0.018 | 0.08  |
| Molybdenum (mg) | 0.018  | 0.04  | 0.18  |

## INGREDIENTS

### Vital® Peptide 1.5 Cal, Vanilla, Bottle:

Water, Corn maltodextrin, Hydrolyzed whey protein concentrate, Modified palm and palm kernel oils (medium chain triglycerides), Sugar, Hydrolyzed sodium caseinate, Canola oil, Natural and artificial flavour, Diacetyl tartaric acid ester of mono- and diglycerides, Cellulose, Carrageenan, L-carnitine, Taurine, Cellulose gum, Sucralose, Minerals (calcium carbonate, magnesium phosphate dibasic, potassium phosphate dibasic, potassium chloride, sodium citrate, potassium citrate, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, sodium molybdate, chromium chloride, sodium selenate, potassium iodide), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, vitamin A palmitate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, folic acid, phyloquinone, D-biotin, vitamin D3, cyanocobalamin). As needed: Magnesium chloride, Tricalcium phosphate, Potassium hydroxide.

### Contains: Milk.

### Vital® Peptide 1.5 Cal, Vanilla, Ready-to-hang container:

Water, Corn maltodextrin, Hydrolyzed whey protein concentrate, Modified palm and palm kernel oils (medium chain triglycerides), Sugar, Hydrolyzed sodium caseinate, Canola oil, Natural and artificial flavour, Diacetyl tartaric acid ester of mono- and diglycerides, Cellulose, Carrageenan, L-carnitine, Taurine, Cellulose gum, Sucralose, Minerals (calcium carbonate, magnesium phosphate dibasic, potassium phosphate dibasic, potassium chloride, sodium citrate, potassium citrate, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, sodium molybdate, chromium chloride, sodium selenate, potassium iodide), Vitamins (choline chloride, ascorbic acid, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, vitamin A palmitate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, folic acid, phyloquinone, D-biotin, vitamin D3, cyanocobalamin). As needed: Magnesium chloride, Tricalcium phosphate, Potassium hydroxide.

### Contains: Milk.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# READY-TO-HANG PRODUCTS



## COMMON SOLUTION FOR ENTERAL FEEDING TUBE SAFETY

**Abbott ready-to-hang containers include the universal Safety Screw Cap system.** The Safety Screw Cap has been introduced as part of a worldwide initiative designed to help reduce the risk of enteral feeding misconnections.

Ready-to-hang containers are **compatible with all enteral nutrition feeding sets**. No matter the brand of enteral pump or feeding set being used:

- Patients can continue to use their Abbott enteral formula when they change feeding pumps.
- Health care professionals can make their choice of enteral nutrition formula according to clinical judgement and patient's needs.



### FEATURES

- Minimizes handling to reduce risk of touch contamination.
- Rigid neck makes spiking easy.
- Semi-rigid containers can be easily stacked.
- Container has convenient and easy-to-read graduations.
- 48-hour hang time: Unless a shorter hang time is specified by the set manufacturer, hang product for up to 48 hours after initial connection when clean technique and only one new set are used. Otherwise hang for no more than 24 hours.

### AVAILABILITY

| Product                | 1000 mL | 1500 mL |
|------------------------|---------|---------|
| Glucerna® 1.2 Cal      | ✓       |         |
| Jevity® 1.2 Cal        |         | ✓       |
| Jevity® 1.5 Cal        |         | ✓       |
| Nepro®                 | ✓       |         |
| Osmolite® 1.2 Cal      |         | ✓       |
| Pivot™ 1.5 Cal         | ✓       |         |
| TwoCal® HN             | ✓       |         |
| Vital® Peptide 1.5 Cal | ✓       |         |



Back to the table  
of contents



**THERAPEUTIC  
HYDRATION**

# PEDIALYTE®

Oral rehydration solution for all ages



## INDICATIONS FOR USE

Pedialyte® is specially formulated to help prevent dehydration in children and adults by replenishing fluids and electrolytes lost during diarrhea and vomiting. Can be used for maintenance of water and electrolytes following corrective parenteral therapy for diarrhea.

### Safety precautions:

- Not for parenteral use.
- For infants under 1 year, consult a physician or qualified health care professional before using Pedialyte® as infants and young children are at greater risk of dehydration.

## FEATURES AND BENEFITS

- #1 doctor and pharmacist recommended brand.
- Contains the optimal balance of sodium and sugar recommended by experts<sup>1,2</sup> to help prevent dehydration due to diarrhea and vomiting.
- Helps replenish zinc lost during diarrhea.<sup>3,4</sup>
- Promotes fluid absorption more effectively than common household beverages.
- Low osmolality.
- 1-L reclosable bottles for easy measuring and pouring.
- Unflavoured liquid available for infants – no artificial sweeteners, dyes, or flavours.
- 3 delicious flavours to encourage compliance.
- Gluten-free.
- Kosher.
- Halal (excluding Fruit).

## TECHNICAL DATA

|                                                     | Ready to use<br>Unflavoured | Ready to use<br>Flavoured |
|-----------------------------------------------------|-----------------------------|---------------------------|
| Caloric Density (Cal/mL)                            | 0.10                        | 0.12                      |
| Protein (% of total energy)                         | 0                           | 0                         |
| Protein Source                                      | N/A                         | N/A                       |
| Fat (% of total energy)                             | 0                           | 0                         |
| MCT oil (% of total fat)                            | N/A                         | N/A                       |
| Omega-6:Omega-3 Ratio                               | N/A                         | N/A                       |
| Fat Source                                          | N/A                         | N/A                       |
| Carbohydrate (% of total energy)                    | 100                         | 100                       |
| Carbohydrate Source                                 | N/A                         | N/A                       |
| Total Cal/g Nitrogen Ratio                          | N/A                         | N/A                       |
| Nonprotein Cal/g Nitrogen Ratio                     | N/A                         | N/A                       |
| Water (g/L)                                         | 978                         | 973-975                   |
| Osmolality (mOsm/kg water)                          | 250                         | 270                       |
| Renal solute load (mOsm/L)                          | 100                         | 100                       |
| Minimum tube size for gravity/<br>pump feeding (Fr) | N/A                         | N/A                       |

## AVAILABILITY

### Ready to use

|         |                         |                                |        |
|---------|-------------------------|--------------------------------|--------|
| 6646713 | Pedialyte®, Unflavoured | 1-L reclosable plastic bottles | 8/case |
| 6646913 | Pedialyte®, Grape       | 1-L reclosable plastic bottles | 8/case |
| 6646813 | Pedialyte®, Fruit       | 1-L reclosable plastic bottles | 8/case |
| 6902213 | Pedialyte®, Strawberry  | 1-L reclosable plastic bottles | 8/case |

### REFERENCES:

1. World Health Organization. Oral Rehydration Salts: Production of the new ORS. 2006.
2. Leung A, Prince T. Oral Rehydration therapy and early refeeding in the management of childhood gastroenteritis. Canadian Paediatric Society Nutrition and Gastroenterology Committee. *Paediatr Child Health* 2006;11(8):527-31.
3. Bhatnagar S et al. Zinc with oral rehydration therapy reduces stool output and duration of diarrhea in hospitalized children: a randomized controlled trial. *Journal of Pediatric Gastroenterology and Nutrition* 2004;38(1):34-40.
4. Lukacki M, Thomas RL, Aranda JV. A meta-analysis of the effects of oral zinc in the treatment of acute and persistent diarrhea. *Pediatrics* 2008;121(2):326-36.



Back to the table  
of contents

## ENERGY

|                   | Per 100 mL<br>Unflavoured | Per 1000 mL<br>Unflavoured |
|-------------------|---------------------------|----------------------------|
| ENERGY (Cal [kJ]) | 11 (46)                   | 110 (460)                  |
|                   | Flavoured                 | Flavoured                  |
| ENERGY (Cal [kJ]) | 12 (50)                   | 120 (502)                  |

## MEDICINAL INGREDIENTS

|                       | Unflavoured | Unflavoured |
|-----------------------|-------------|-------------|
| Sodium (mg) (mmol)    | 104 (4.5)   | 1035 (45)   |
| Potassium (mg) (mmol) | 78.2 (2.0)  | 782 (20)    |
| Chloride (mg) (mmol)  | 124 (3.5)   | 1240 (35)   |
| Citrate (g) (mmol)    | 0.26 (1.4)  | 2.64 (14.0) |
| Zinc (mg)             | 0.78        | 7.8         |
| Dextrose (g)          | 2.5         | 25          |
|                       | Flavoured   | Flavoured   |
| Sodium (mg) (mmol)    | 103 (4.5)   | 1035 (45)   |
| Potassium (mg) (mmol) | 78.2 (2.0)  | 782 (20)    |
| Chloride (mg) (mmol)  | 124 (3.5)   | 1240 (35)   |
| Citrate (g) (mmol)    | 0.48 (2.6)  | 4.8 (25.5)  |
| Zinc (mg)             | 0.78        | 7.8         |
| Dextrose (g)          | 2.5         | 25          |

## INGREDIENTS

### Pedialyte®, Unflavoured:

**MEDICINAL INGREDIENTS:** Dextrose, potassium citrate, sodium chloride, sodium citrate, citric acid, zinc gluconate.

**NON-MEDICINAL INGREDIENT:** Water.

### Pedialyte®, Grape:

**MEDICINAL INGREDIENTS:** Dextrose, citric acid, potassium citrate, sodium chloride, sodium citrate, zinc gluconate.

**NON-MEDICINAL INGREDIENTS:** Water, artificial flavour, sucralose, acesulfame-potassium, FD&C Red N° 40, FD&C Blue N° 1.

### Pedialyte®, Fruit:

**MEDICINAL INGREDIENTS:** Dextrose, citric acid, potassium citrate, sodium chloride, sodium citrate, zinc gluconate.

**NON-MEDICINAL INGREDIENTS:** Water, natural and artificial flavours, sucralose, acesulfame-potassium, FD&C Yellow N° 6.

### Pedialyte®, Strawberry:

**MEDICINAL INGREDIENTS:** Dextrose, citric acid, potassium citrate, sodium chloride, sodium citrate, zinc gluconate.

**NON-MEDICINAL INGREDIENTS:** Water, natural flavour, sucralose, acesulfame-potassium, FD&C Red N° 40, FD&C Blue N° 1.

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIALYTE® ADVANCEDCARE® PLUS

Oral rehydration solution for all ages



## INDICATIONS FOR USE

Pedialyte® AdvancedCare® Plus is formulated with 33% more electrolytes\* to replenish fluids and electrolytes lost during diarrhea and vomiting to help prevent dehydration. Can be used for maintenance of water and electrolytes following corrective parenteral therapy for diarrhea.

### Safety precautions:

- Not for parenteral use.
- Not for children with milk allergy, GOS allergy or galactosemia.
- For infants under 1 year, consult a physician or qualified health care professional before using Pedialyte® AdvancedCare® Plus as infants and young children are at greater risk of dehydration.

## FEATURES AND BENEFITS

- #1 doctor and pharmacist recommended brand.
- 33% more electrolytes\* for higher electrolyte loss.
- Contains PreActiv® prebiotics in the form of galactooligosaccharides (GOS) that help stimulate the growth of good bacteria in the large intestine.
- Contains the optimal balance of sodium and sugar recommended by experts<sup>1,2</sup> to help prevent dehydration due to diarrhea and vomiting.
- Helps replenish zinc lost during diarrhea.<sup>3,4</sup>
- Promotes fluid absorption more effectively than common household beverages.
- 1-L reclosable bottles for easy measuring and pouring.
- 2 delicious flavours to encourage compliance.
- Low osmolality.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use |
|-------------------------------------------------|--------------|
| Caloric Density (Cal/mL)                        | 0.10         |
| Protein (% of total energy)                     | 0            |
| Protein Source                                  | N/A          |
| Fat (% of total energy)                         | 0            |
| MCT oil (% of total fat)                        | N/A          |
| Omega-6:Omega-3 Ratio                           | N/A          |
| Fat Source                                      | N/A          |
| Carbohydrate (% of total energy)                | 100          |
| Carbohydrate Source                             | N/A          |
| Total Cal/g Nitrogen Ratio                      | N/A          |
| Nonprotein Cal/g Nitrogen Ratio                 | N/A          |
| Water (g/L)                                     | 970          |
| Osmolality (mOsm/kg water)                      | 265          |
| Renal Solute Load (mOsm/L)                      | 130          |
| Minimum Tube Size for Gravity/Pump Feeding (Fr) | N/A          |

## AVAILABILITY

### Ready to use

|         |                                                   |                                |        |
|---------|---------------------------------------------------|--------------------------------|--------|
| 6729313 | Pedialyte® AdvancedCare® Plus, Berry Frost        | 1-L reclosable plastic bottles | 8/case |
| 6729413 | Pedialyte® AdvancedCare® Plus, Cherry Pomegranate | 1-L reclosable plastic bottles | 8/case |

\* Sodium electrolytes per equal volume compared to other Pedialyte® products.

### REFERENCES:

1. World Health Organization. Oral Rehydration Salts: Production of the new ORS. 2006. 2. Leung A, Prince T. Paediatr Child Health 2006;11(8):527-31. 3. Bhatnagar S et al. JPN 2004;38(1):34-40. 4. Lukacik M et al. Pediatrics 2008;121(2):326-36.

## ENERGY

|                   | Per 100 mL | Per 1000 mL |
|-------------------|------------|-------------|
| ENERGY (Cal [kJ]) | 10 (42)    | 100 (418)   |

## MEDICINAL INGREDIENTS

|                                  |             |            |
|----------------------------------|-------------|------------|
| Dextrose, g                      | 1.6         | 16         |
| Galactooligosaccharides (GOS), g | 0.32        | 3.2        |
| Sodium, mg (mmol)                | 138 (6.0)   | 1380 (60)  |
| Potassium, mg (mmol)             | 78.0 (2.0)  | 780 (20)   |
| Chloride, mg (mmol)              | 177 (5.0)   | 1770 (50)  |
| Zinc, mg                         | 0.78        | 7.8        |
| Citrate, g (mmol)                | 0.47 (2.48) | 4.7 (24.8) |

## INGREDIENTS

### Pedialyte® AdvancedCare® Plus, Berry Frost:

**MEDICINAL INGREDIENTS:** Dextrose, galactooligosaccharides (GOS), sodium chloride, citric acid, potassium citrate, sodium citrate, zinc gluconate.

**NON-MEDICINAL INGREDIENTS:** Water, natural and artificial flavours, sucralose, acesulfame-potassium, FD&C Blue N° 1.

### Pedialyte® AdvancedCare® Plus, Cherry Pomegranate:

**MEDICINAL INGREDIENTS:** Dextrose, galactooligosaccharides (GOS), citric acid, potassium citrate, sodium chloride, sodium citrate, zinc gluconate.

**NON-MEDICINAL INGREDIENTS:** Water, natural and artificial flavours, sucralose, acesulfame-potassium, FD&C Red N° 40, FD&C Blue N° 1.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIALYTE® ADVANCEDCARE® PLUS Powder Sticks

Oral rehydration solution for all ages



## INDICATIONS FOR USE

Pedialyte® AdvancedCare® Plus is formulated with 33% more electrolytes\* to replenish fluids and electrolytes lost during diarrhea and vomiting to help prevent dehydration. Can be used for maintenance of water and electrolytes following corrective parenteral therapy for diarrhea.

### Safety precautions:

- Not for parenteral use.
- For infants under 1 year, consult a physician or qualified health care professional before using Pedialyte® AdvancedCare® Plus as infants and young children are at greater risk of dehydration.

## FEATURES AND BENEFITS

- #1 doctor and pharmacist recommended brand.
- 33% more electrolytes\* for higher electrolyte loss.
- Contains PreActive® prebiotics in the form of fructooligosaccharides (scFOS) that help stimulate the growth of good bacteria in the large intestine.<sup>1</sup>
- When mixed with 500 mL of water:
  - contains the optimal balance of sodium and sugar recommended by experts<sup>2,3</sup> to help prevent dehydration due to diarrhea and vomiting;
  - promotes fluid absorption more effectively than common household beverages.
- 2 delicious flavours to encourage compliance.
- Low osmolality.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Powder<br>(at standard dilution) |
|-------------------------------------------------|----------------------------------|
| Caloric Density (Cal/mL)                        | 0.1                              |
| Protein (% of total energy)                     | 0                                |
| Protein Source                                  | N/A                              |
| Fat (% of total energy)                         | 0                                |
| MCT oil (% of total fats)                       | N/A                              |
| Omega-6:Omega-3 Ratio                           | N/A                              |
| Fat Source                                      | N/A                              |
| Carbohydrate (% of total energy)                | 100                              |
| Carbohydrate Source                             | N/A                              |
| Total Cal:g Nitrogen Ratio                      | N/A                              |
| Nonprotein Cal:g Nitrogen Ratio                 | N/A                              |
| Water (g/L)                                     | 960                              |
| Osmolality (mOsm/kg water)                      | 265-268                          |
| Renal Solute Load (mOsm/L)                      | 130                              |
| Minimum Tube Size for Gravity/Pump Feeding (Fr) | N/A                              |

## AVAILABILITY

| Powder  |                                                                |                 |        |
|---------|----------------------------------------------------------------|-----------------|--------|
| 6696913 | Pedialyte® AdvancedCare® Plus Powder Sticks, Berry Frost       | 6 x 17-g sticks | 6/case |
| 6697213 | Pedialyte® AdvancedCare® Plus Powder Sticks, Strawberry Freeze | 6 x 17-g sticks | 6/case |

\* Sodium electrolytes per equal volume compared to other Pedialyte® products.

### REFERENCES:

1. Robertford M et al. British Journal of Nutrition 2010;104:S1-S63. 2. World Health Organization. Oral Rehydration Salts: Production of the new ORS. 2006. 3. Leung A, Prince T. Paediatr Child Health 2006;11(8):527-31.

## ENERGY

|                   | Per 100 mL<br>(at standard dilution) | Per 17-g stick<br>(at standard dilution) |
|-------------------|--------------------------------------|------------------------------------------|
| ENERGY (Cal [kJ]) | 9.8 (41)                             | 50 (209)                                 |

## MEDICINAL INGREDIENTS

|                                                |           |           |
|------------------------------------------------|-----------|-----------|
| Citrate (g) (mmol)                             | 0.5 (2.5) | 2.57 (13) |
| Sodium (mg) (mmol)                             | 127 (5.9) | 650 (30)  |
| Chloride (mg) (mmol)                           | 164 (4.9) | 840 (25)  |
| Potassium (mg) (mmol)                          | 72 (2.0)  | 370 (10)  |
| Short-chain fructooligosaccharides (scFOS) (g) | 0.14      | 0.71      |
| Dextrose (g)                                   | 2.11      | 10.8 (60) |

Nutritional information for Pedialyte® AdvancedCare® Plus, Berry Frost, powder stick.

## INGREDIENTS

**Pedialyte® AdvancedCare® Plus, Berry Frost, Powder Sticks:**

**MEDICINAL INGREDIENTS:** Dextrose, short-chain fructooligosaccharides, citric acid, sodium chloride, potassium citrate, sodium citrate.

**NON-MEDICINAL INGREDIENTS:** Natural and artificial flavours, calcium silicate, acesulfame-potassium, sucralose, FD&C Blue N° 1.

**Pedialyte® AdvancedCare® Plus, Strawberry Freeze, Powder Sticks :**

**MEDICINAL INGREDIENTS:** Dextrose, short-chain fructooligosaccharides, citric acid, sodium chloride, potassium citrate, sodium citrate.

**NON-MEDICINAL INGREDIENTS:** Natural flavour, calcium silicate, acesulfame-potassium, sucralose, FD&C Red N° 40, FD&C Blue N° 1.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIALYTE® ADVANCEDCARE®

Oral rehydration solution for all ages



## INDICATIONS FOR USE

Pedialyte® AdvancedCare® contains PreActiv® prebiotics and is specially formulated to help prevent dehydration in children and adults by replenishing fluids and electrolytes lost during diarrhea and vomiting. Can be used for maintenance of water and electrolytes following corrective parenteral therapy for diarrhea.

### Safety precautions:

- Not for parenteral use.
- Not for children with milk allergy, GOS allergy or galactosemia.
- For infants under 1 year, consult a physician or qualified health care professional before using Pedialyte® AdvancedCare® as infants and young children are at greater risk of dehydration.

## FEATURES AND BENEFITS

- #1 doctor and pharmacist recommended brand.
- Contains PreActiv® prebiotics in the form of galactooligosaccharides (GOS) that helps stimulate the growth of good bacteria in the large intestine.
- Contains the optimal balance of sodium and sugar recommended by experts<sup>1,2</sup> to help prevent dehydration due to diarrhea and vomiting.
- Helps replenish zinc lost during diarrhea.<sup>3,4</sup>
- Promotes fluid absorption more effectively than common household beverages.
- Low osmolality.
- 1-L reclosable bottles for easy measuring and pouring.
- 2 delicious flavours to encourage compliance.
- Gluten-free.
- Kosher.
- Halal. (Blue Raspberry only)

## TECHNICAL DATA

|                                                         | Cherry Punch<br>Ready to use | Blue Raspberry<br>Ready to use |
|---------------------------------------------------------|------------------------------|--------------------------------|
| Caloric Density (Cal/mL)                                | 0.10                         | 0.07                           |
| Protein (% of total energy)                             | 0                            | 0                              |
| Protein Source                                          | N/A                          | N/A                            |
| Fat (% of total energy)                                 | 0                            | 0                              |
| MCT oil (% of total fats)                               | N/A                          | N/A                            |
| Omega-6:Omega-3 Ratio                                   | N/A                          | N/A                            |
| Fat Source                                              | N/A                          | N/A                            |
| Carbohydrate (% of total energy)                        | 100                          | 100                            |
| Carbohydrate Source                                     | N/A                          | N/A                            |
| Total Cal:g Nitrogen Ratio                              | N/A                          | N/A                            |
| Nonprotein Cal:g Nitrogen Ratio                         | N/A                          | N/A                            |
| Water (g/L)                                             | 970                          | 970                            |
| Osmolality (mOsm/kg water)                              | 240                          | 239                            |
| Renal Solute Load (mOsm/L)                              | 100                          | 100                            |
| Recommended Tube Size for Gravity/<br>Pump Feeding (Fr) | N/A                          | N/A                            |

## AVAILABILITY

### Ready to use

|         |                                          |                                |        |
|---------|------------------------------------------|--------------------------------|--------|
| 6647013 | Pedialyte® AdvancedCare®, Cherry Punch   | 1-L reclosable plastic bottles | 8/case |
| 6647113 | Pedialyte® AdvancedCare®, Blue Raspberry | 1-L reclosable plastic bottles | 8/case |

### REFERENCES:

1. World Health Organization. Oral Rehydration Salts: Production of the new ORS. 2006. 2. Leung A, Prince T. Oral Rehydration therapy and early refeeding in the management of childhood gastroenteritis. Canadian Paediatric Society Nutrition and Gastroenterology Committee. *Paediatr Child Health* 2006;11(8):527-31. 3. Bhatnagar S et al. Zinc with oral rehydration therapy reduces stool output and duration of diarrhea in hospitalized children: a randomized controlled trial. *Journal of Pediatric Gastroenterology and Nutrition* 2004;38(1):34-40. 4. Lukacki M, Thomas RL, Avenda JV. A meta-analysis of the effects of oral zinc in the treatment of acute and persistent diarrhea. *Pediatrics* 2008;121(2):326-36.

## ENERGY

|                   | Cherry Punch<br>Per 1000 mL | Blue Raspberry<br>Per 1000 mL |
|-------------------|-----------------------------|-------------------------------|
| ENERGY (Cal [kJ]) | 100 (418)                   | 70 (293)                      |

## MEDICINAL INGREDIENTS

|                                   |            |            |
|-----------------------------------|------------|------------|
| Sodium (mg) (mmol)                | 1030 (45)  | 1030 (45)  |
| Potassium (mg) (mmol)             | 782 (20)   | 782 (20)   |
| Chloride (mg) (mmol)              | 1244 (35)  | 1244 (35)  |
| Citrate (g) (mmol)                | 4.8 (25.5) | 4.8 (25.5) |
| Zinc (mg)                         | 7.8        | 7.8        |
| Galactooligosaccharides (GOS) (g) | 3.2        | 3.2        |
| Dextrose (g)                      | 16.0       | 16.0       |

## INGREDIENTS

**Pedialyte® AdvancedCare®, Cherry Punch:**

**MEDICINAL INGREDIENTS:** Dextrose, galactooligosaccharides, citric acid, potassium citrate, sodium chloride, sodium citrate, zinc gluconate.

**NON-MEDICINAL INGREDIENTS:** Water, natural and artificial flavours, sucralose, acesulfame-potassium, FD&C Red N° 40.

**Pedialyte® AdvancedCare®, Blue Raspberry:**

**MEDICINAL INGREDIENTS:** Dextrose, galactooligosaccharides, citric acid, potassium citrate, sodium chloride, sodium citrate, zinc gluconate.

**NON-MEDICINAL INGREDIENTS:** Water, natural and artificial flavours, sucralose, acesulfame-potassium, FD&C Blue N° 1, FD&C Red N° 40.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIALYTE®

## Powder Sticks

Oral rehydration solution for all ages



### INDICATIONS FOR USE

Pedialyte® is specially formulated to help prevent dehydration in children and adults by replenishing fluids and electrolytes lost during diarrhea and vomiting. Can be used for maintenance of water and electrolytes following corrective parenteral therapy for diarrhea.

#### Safety precautions:

- Not for parenteral use.
- For infants under 1 year, consult a physician or qualified health care professional before using Pedialyte® as infants and young children are at greater risk of dehydration.

### FEATURES AND BENEFITS

- #1 doctor and pharmacist recommended brand.
- When mixed with 250 mL of water:
  - contains the optimal balance of sodium and sugar recommended by experts<sup>1,2</sup> to help prevent dehydration due to diarrhea and vomiting;
  - promotes fluid absorption more effectively than common household beverages.
- Low osmolality.
- Convenient powder format.
- 2 delicious flavours to encourage compliance.
- Gluten-free.
- Kosher.
- Halal.

### TECHNICAL DATA

|                                                         | Powder<br>(at standard dilution) |
|---------------------------------------------------------|----------------------------------|
| Caloric Density (Cal/mL)                                | 0.10                             |
| Protein (% of total energy)                             | 0                                |
| Protein Source                                          | N/A                              |
| Fat (% of total energy)                                 | 0                                |
| MCT oil (% of total fats)                               | N/A                              |
| Omega-6:Omega-3 Ratio                                   | N/A                              |
| Fat Source                                              | N/A                              |
| Carbohydrate (% of total energy)                        | 100                              |
| Carbohydrate Source                                     | N/A                              |
| Total Cal/g Nitrogen Ratio                              | N/A                              |
| Nonprotein Cal/g Nitrogen Ratio                         | N/A                              |
| Water (g/L)                                             | 970                              |
| Osmolality (mOsm/kg water)                              | 265-270                          |
| Renal Solute Load (mOsm/L)                              | 80                               |
| Recommended Tube Size for Gravity/<br>Pump Feeding (Fr) | N/A                              |

### AVAILABILITY

| Powder  |                                       |                  |        |
|---------|---------------------------------------|------------------|--------|
| 6647413 | Pedialyte® Powder Sticks, Apple       | 8 x 8.5-g sticks | 8/case |
| 6647313 | Pedialyte® Powder Sticks, Fruit Punch | 8 x 8.5-g sticks | 8/case |

#### REFERENCES:

1. World Health Organization. Oral Rehydration Salts: Production of the new ORS, 2006. 2. Leung A, Prince T. Oral Rehydration therapy and early refeeding in the management of childhood gastroenteritis. Canadian Paediatric Society Nutrition and Gastroenterology Committee. Paediatr Child Health 2006; 11(8):527-31.

### ENERGY

|                   | Per 250 mL<br>(at standard dilution) |
|-------------------|--------------------------------------|
| ENERGY (Cal [kJ]) | 23 (96)                              |

### MEDICINAL INGREDIENTS

|                       |            |
|-----------------------|------------|
| Dextrose (g)          | 5.7        |
| Sodium (mg [mmol])    | 244 (10.6) |
| Potassium (mg [mmol]) | 184 (8.7)  |
| Chloride (mg [mmol])  | 294 (8.3)  |
| Citrate (g [mmol])    | 1.15 (6.1) |

### INGREDIENTS

#### Pedialyte® Powder Sticks, Apple:

**MEDICINAL INGREDIENTS:** Dextrose, citric acid, potassium citrate, sodium chloride, sodium citrate.

**NON-MEDICINAL INGREDIENTS:** Malic acid, artificial apple flavour, caramel colour, sucralose, acesulfame-potassium.

#### Pedialyte® Powder Sticks, Fruit Punch:

**MEDICINAL INGREDIENTS:** Dextrose, citric acid, potassium citrate, sodium chloride, sodium citrate.

**NON-MEDICINAL INGREDIENTS:** Malic acid, natural and artificial fruit punch flavours, sucralose, acesulfame-potassium, FD&C Red N° 40.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIALYTE®

## Freezer Pops

Oral rehydration solution for all ages



### INDICATIONS FOR USE

Pedialyte® is specially formulated to help prevent dehydration in children and adults by replenishing fluids and electrolytes lost during diarrhea and vomiting. Can be used for maintenance of water and electrolytes following corrective parenteral therapy for diarrhea.

#### Safety precautions:

- Not for parenteral use.
- For infants under 1 year, consult a physician or qualified health care professional before using Pedialyte® as infants and young children are at greater risk of dehydration.

### FEATURES AND BENEFITS

- #1 doctor and pharmacist recommended brand.
- Contains the optimal balance of sodium and sugar recommended by experts<sup>1,2</sup> to help prevent dehydration due to diarrhea and vomiting.
- Promotes fluid absorption more effectively than common household beverages.
- Low osmolality.
- 4 delicious flavours to enhance compliance.
- Gluten-free.
- Kosher.
- Halal.

### TECHNICAL DATA

|                                                     | Ready to use |
|-----------------------------------------------------|--------------|
| Caloric density (Cal/mL)                            | 0.10         |
| Protein (% of total energy)                         | N/A          |
| Fat (% of total energy)                             | N/A          |
| Carbohydrate (% of total energy)                    | 100          |
| Total Cal/g nitrogen ratio                          | N/A          |
| Non-protein Cal/g nitrogen ratio                    | N/A          |
| Water (g/L)                                         | 973          |
| Osmolality (mOsm/kg water)                          | 270          |
| Renal solute load (mOsm/L)                          | 100          |
| Minimum tube size for gravity/<br>pump feeding (Fr) | N/A          |

### AVAILABILITY

#### Ready to use

|         |                                           |                         |             |
|---------|-------------------------------------------|-------------------------|-------------|
| 0024513 | Pedialyte® Freezer Pops,<br>Variety Pack† | 16 x 62.5-mL<br>sleeves | 8 x 16/case |
|---------|-------------------------------------------|-------------------------|-------------|

† Grape, Cherry, Orange, and Blue Raspberry.

#### REFERENCES:

1. World Health Organization. Oral Rehydration Salts Production of the new ORS. 2006. 2. Leung A, Prince T. Oral Rehydration therapy and early refeeding in the management of childhood gastroenteritis. Canadian Paediatric Society Nutrition and Gastroenterology Committee. Paediatr Child Health 2006;11(8):S27-31.

### ENERGY

|                   | Per 62.5-mL<br>Freezer Pop |
|-------------------|----------------------------|
| ENERGY (Cal [kJ]) | 6.3 (26.1)                 |

### MEDICINAL INGREDIENTS

|                      |              |
|----------------------|--------------|
| Sodium (g) (mmol)    | 0.065 (2.8)  |
| Potassium (g) (mmol) | 0.0488 (1.3) |
| Chloride (g) (mmol)  | 0.0778 (2.2) |
| Dextrose (g)         | 1.6          |

### INGREDIENTS

**Pedialyte® Freezer Pops, Grape, Cherry, Orange, and Blue-Raspberry:**

**MEDICINAL INGREDIENTS:** Sodium chloride, potassium citrate.  
**NON-MEDICINAL INGREDIENTS:** Water, dextrose (25 g/L), citric acid, sodium carboxymethyl cellulose, potassium sorbate, sodium benzoate, sucralose, acesulfame-potassium.

**Grape also contains:** Natural and artificial grape flavours, FD&C Red N° 40, FD&C Blue N° 1.

**Cherry also contains:** Natural and artificial cherry flavours, FD&C Red N° 40.

**Orange also contains:** Natural and artificial orange flavours, FD&C Yellow N° 6, FD&C Red N° 40.

**Blue Raspberry also contains:** Natural and artificial blue raspberry flavours, FD&C Blue N° 1.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIALYTE® DOSAGE CHART

Pedialyte® is scientifically formulated for fast, effective rehydration for both children and adults.

Refer to dosage chart for the recommended amount of Pedialyte® required for maintenance of fluids and electrolytes. Total daily intake should be adjusted to meet individual needs based on ongoing losses, thirst, and response to therapy.

| RECOMMENDED DOSE                                                                                                                                                                                                                                                                  |                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Infants &lt; 1 year of age</b>                                                                                                                                                                                                                                                 | Consult a physician before using Pedialyte®.                                                                 |
| <b>Children 1 year of age</b>                                                                                                                                                                                                                                                     | 50 – 100 mL per episode of diarrhea and/or vomiting, up to a maximum of 1 L over a period of 24 hours.       |
| <b>Children 2 to 9 years</b>                                                                                                                                                                                                                                                      | 100 – 200 mL per episode of diarrhea and/or vomiting, up to a maximum of 1 L over a period of 8 to 24 hours. |
| <b>Adults, adolescents, and children ≥ 10 years</b>                                                                                                                                                                                                                               | 200 – 400 mL per episode of diarrhea and/or vomiting, or as much as wanted.                                  |
| <ul style="list-style-type: none"><li>• Attempt to give/take Pedialyte® as soon as diarrhea begins.</li><li>• Give/take frequently in small amounts (e.g. 5 mL) gradually increased, as tolerated. If more solution is requested/desired, give/take more, as tolerated.</li></ul> |                                                                                                              |

For children, including *infants < 1 year old*, the Canadian Pediatric Society recommends that *50 to 100 mL/kg* of oral rehydration solution (ORS) be given over 4 hours, to treat mild to moderate dehydration due to acute gastroenteritis.<sup>1</sup> It is also suggested to:

- Give small amounts at frequent intervals;
- Use a spoon or dropper for very small infants;
- Increase the amount of ORS based on ongoing losses, such as diarrhea and vomiting;
- Feed an age-appropriate diet after rehydration;
- If breastfeeding, continue during rehydration therapy.<sup>1</sup>



[Back to the table  
of contents](#)

**REFERENCE:**

1. Leung A, Prince T. Oral rehydration therapy and early refeeding in the management of childhood gastroenteritis. Canadian Paediatric Society Nutrition and Gastroenterology Committee. *Paediatr Child Health* 2006;11(8):527-31. Reaffirmed 2016.



TODDLERS  
AND CHILDREN

# PEDIASURE COMPLETE® GROW & GAIN™

Nutritional supplement

For children 1 to 13 years of age



## INDICATIONS FOR USE

Complete, Balanced Nutrition to help support growth and development. Pediasure Complete® Grow & Gain™ can be used with or between meals as part of a healthy diet.

- For children:
  - who lack variety in their diet;
  - with feeding difficulties;
  - who require additional calories and/or nutrients due to a poor appetite or intake;
  - with high energy and nutrient needs;
  - with growth faltering.
- For oral feeding.

### Safety precautions:

- Not for tube feeding.
- Not for parenteral use.
- For children under 1 year of age, consult a physician or qualified health care professional prior to using Pediasure Complete® Grow & Gain™.

## FEATURES AND BENEFITS

- Provides 26 vitamins and minerals.
- 9.3 g protein to help build strong muscles and antibodies.
- DHA is the most abundant Omega-3 fat in the brain and eyes.<sup>1</sup>
- 1 g of short-chain fructooligosaccharides (scFOS).
- 5% of fat as medium-chain triglycerides, an easily digested and well-absorbed fat source.<sup>2</sup>
- Convenient, reclosable bottle.
- 2 delicious, kid-approved flavours.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                    |
|-------------------------------------------------|-----------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.0                                                             |
| Protein (% of total energy)                     | 16                                                              |
| Protein Source                                  | Milk protein concentrate, soy protein, whey protein concentrate |
| Fat (% of total energy)                         | 30                                                              |
| MCT oil (% of total fats)                       | 5                                                               |
| Fat Source                                      | Soy oil, canola oil, MCT oil                                    |
| Carbohydrate (% of total energy)                | 54                                                              |
| Carbohydrate Source                             | Sucrose, corn maltodextrin, scFOS, cellulose gel                |
| Total Cal/g nitrogen ratio                      | 160:1                                                           |
| Non-protein Cal/g nitrogen ratio                | 136:1                                                           |
| Water (g/L)                                     | 830                                                             |
| Osmolality (mOsm/kg water)                      | 600                                                             |
| Renal solute load (mOsm/L)                      | 350                                                             |
| Minimum tube size for gravity/pump feeding (Fr) | N/A                                                             |
| Fibre                                           | Yes                                                             |

## AVAILABILITY

### Ready to use

|         |                                                |                |            |
|---------|------------------------------------------------|----------------|------------|
| 6249113 | Pediasure Complete®<br>Grow & Gain™, Vanilla   | 235-mL bottles | 4 x 4/case |
| 6249013 | Pediasure Complete®<br>Grow & Gain™, Chocolate | 235-mL bottles | 4 x 4/case |

### REFERENCES:

1. Dyall SC. Long-chain omega-3 fatty acids and the brain: a review of the independent and shared effects of EPA, DPA and DHA. *Front Aging Neurosci* 2015;7:52. 2. Duggan C, Watkins JB, Walker WA. Nutrition in Pediatrics: Standard and Specialized Enteral Formulas. BC Decker Inc. Hamilton: 2008.

## ENERGY

|                                | Per 100 mL | Per 235 mL |
|--------------------------------|------------|------------|
| ENERGY (Cal [kJ])              | 100 (419)  | 235 (984)  |
| PROTEIN (g)                    | 4.0        | 9.3        |
| FAT (g)                        | 3.3        | 7.7        |
| Linoleic Acid (g)              | 1.3        | 3          |
| Linolenic Acid (g)             | 0.19       | 0.5        |
| Docosahexaenoic Acid (DHA) (g) | 0.0043     | 0.01       |
| Arachidonic Acid (ARA) (g)     | 0.0014     | 0.0033     |
| Saturates (g)                  | 0.4        | 1          |
| Polyunsaturates (g)            | 0.8        | 1.9        |
| Monounsaturates (g)            | 1.4        | 3.2        |
| CARBOHYDRATE (g)               | 14.0       | 33.0       |
| Fibre (g)                      | 0.7        | 1.7        |
| Sugar (g)                      | 8.9        | 21         |

## VITAMINS

|                       |      |      |
|-----------------------|------|------|
| Vitamin A (mcg) RE    | 100  | 235  |
| Vitamin D (mcg)       | 0.3  | 0.6  |
| Vitamin E (mg)        | 1    | 2.4  |
| Vitamin K (mcg)       | 3    | 6    |
| Vitamin C (mg)        | 5.1  | 12   |
| Thiamine (mg)         | 0.14 | 0.33 |
| Riboflavin (mg)       | 0.18 | 0.42 |
| Niacin (mg)           | 3    | 7.1  |
| Vitamin B6 (mg)       | 0.18 | 0.42 |
| Folic acid (mcg) DFE  | 50   | 118  |
| Vitamin B12 (mcg)     | 0.1  | 0.2  |
| Pantothenic acid (mg) | 0.6  | 1.4  |
| Biotin (mcg)          | 12   | 28   |
| Choline (mg)          | 28   | 66   |

## MINERALS

|                  |      |      |
|------------------|------|------|
| Sodium (mg)      | 38   | 90   |
| Potassium (mg)   | 191  | 450  |
| Chloride (mg)    | 87   | 204  |
| Calcium (mg)     | 106  | 250  |
| Phosphorus (mg)  | 106  | 250  |
| Magnesium (mg)   | 23   | 55   |
| Iron (mg)        | 1.0  | 2.4  |
| Zinc (mg)        | 1.4  | 3.3  |
| Iodine (mcg)     | 15   | 36   |
| Copper (mg)      | 0.15 | 0.36 |
| Manganese (mg)   | 0.5  | 1.1  |
| Selenium (mcg)   | 4    | 10   |
| Chromium (mcg)   | 4    | 10   |
| Molybdenum (mcg) | 8    | 19   |

Nutritional information for Pediasure Complete® Grow & Gain™, Vanilla, 235-mL bottle.

## INGREDIENTS

### Pediasure Complete® Grow & Gain™, Vanilla:

Water, Sugar, Corn maltodextrin, Milk protein concentrate, Soya oil, Soy protein, Whey protein concentrate, Short-chain fructooligosaccharides (scFOS), Canola oil, Natural and artificial flavour, Cellulose gel, Modified coconut and/or palm kernel oils (medium chain triglycerides), Cellulose gum, Carrageenan, Monoglycerides, Soy lecithin, Schizochytrium sp. oil (a source of DHA), M. alpina oil (a source of ARA), Minerals (potassium citrate, magnesium phosphate dibasic, tricalcium phosphate, potassium chloride, potassium phosphate monobasic, salt, potassium hydroxide, zinc sulphate, ferrous sulphate, manganese sulphate, copper sulphate, potassium iodide, sodium molybdate, chromium chloride, sodium selenate), Vitamins (choline chloride, ascorbic acid, niacinamide, DL-alpha-tocopheryl acetate, calcium D-pantothenate, vitamin A palmitate, pyridoxine hydrochloride, thiamine chloride hydrochloride, riboflavin, folic acid, D-biotin, vitamin D3, cyanocobalamin).

**Contains: Milk, Soy.**



[Back to the table of contents](#)

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIASURE COMPLETE® GROW & GAIN™ REDUCED SUGAR

Nutritional supplement

For children 1 to 13 years of age



## INDICATIONS FOR USE

Complete, balanced nutrition to help support growth and development. PediaSure Complete® Grow & Gain™ can be used with or between meals as part of a healthy diet.

- For children:
  - who lack variety in their diet;
  - with feeding difficulties;
  - who require additional calories and/or nutrients due to a poor appetite or intake;
  - with high energy and nutrient needs;
  - with growth faltering.
- For oral feeding.

### Safety precautions:

- Not for tube feeding.
- Not for parenteral use.
- Maximum of 1 serving per day for children 1 to 3 years old.
- Consult a health care professional if child is taking blood thinners.
- For children under 1 year of age, consult a physician or qualified health care professional prior to using PediaSure Complete® Grow & Gain™ Reduced Sugar.

## FEATURES AND BENEFITS

- 33% less sugar than the original PediaSure Complete® formulation.
- Provides 27 vitamins and minerals.
- 9 g of protein, to help build strong muscles and antibodies.
- DHA, an Omega-3 fatty acid that supports the normal physical development of the brain and eyes.<sup>1</sup>
- 3 delicious, kid-approved flavours.
- Convenient, reclosable bottle.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                        | Ready to use                            |
|--------------------------------------------------------|-----------------------------------------|
| Caloric density (Cal/mL)                               | 1                                       |
| Protein (% of total energy)                            | 15                                      |
| Protein Source                                         | Milk protein concentrate, soy protein   |
| Fat (% of total energy)                                | 31                                      |
| MCT oil (% of total fats)                              | 0                                       |
| Omega-6:Omega-3 Ratio                                  | 4.7:1                                   |
| Fat Source                                             | Canola oil, corn oil, soy oil, tuna oil |
| Carbohydrate (% of total energy)                       | 54                                      |
| Carbohydrate Source                                    | Corn maltodextrin, sucrose              |
| Total Cal/g Nitrogen Ratio                             | 173:1                                   |
| Nonprotein Cal/g Nitrogen Ratio                        | 148:1                                   |
| Water (g/L)                                            | 840                                     |
| Osmolality (mOsm/kg water)                             | 499                                     |
| Renal Solute Load (mOsm/L)                             | 345                                     |
| Recommended Tube Size for Gravity/<br>Pump Feeding (F) | N/A                                     |
| Fibre                                                  | No                                      |

## AVAILABILITY

### Ready to use

|         |                                                            |                |            |
|---------|------------------------------------------------------------|----------------|------------|
| 6782113 | PediaSure Complete® Grow & Gain™ Reduced Sugar, Vanilla    | 235-mL bottles | 4 x 4/case |
| 6782213 | PediaSure Complete® Grow & Gain™ Reduced Sugar, Chocolate  | 235-mL bottles | 4 x 4/case |
| 6782313 | PediaSure Complete® Grow & Gain™ Reduced Sugar, Strawberry | 235-mL bottles | 4 x 4/case |

REFERENCE:  
1. Agence canadienne d'inspection des aliments. Allégations santé – allégations nutritionnelles fonctionnelles. Dernière modification : 2019-10-31. [Consultation en ligne : 2024-05-31]

## ENERGY

|                                | Per 100 mL | Per 235 mL |
|--------------------------------|------------|------------|
| ENERGY, Cal (kJ)               | 100 (419)  | 240 (984)  |
| PROTEIN, g                     | 3.66       | 9          |
| FAT, g                         | 3.49       | 8          |
| Polyunsaturates, g             | 1.28       | 3          |
| Docosahexaenoic Acid (DHA), mg | 14         | 32         |
| Omega-6, g                     | 1.06       | 2.5        |
| Omega-3, g                     | 0.21       | 0.5        |
| Monounsaturates, g             | 1.49       | 3.5        |
| Saturates, g                   | 0.43       | 1          |
| Trans, g                       | 0          | 0          |
| Cholesterol, mg                | 2.13       | 5          |
| CARBOHYDRATE, g                | 13.62      | 32         |
| Fibre, g                       | 0          | 0          |
| Sugar, g                       | 5.96       | 14         |

## VITAMINS

|                               |      |      |
|-------------------------------|------|------|
| Lutein, mcg                   | 49   | 120  |
| Vitamin A, mcg RE             | 58   | 150  |
| Vitamin D, mcg                | 2.55 | 6    |
| Vitamin E, mg                 | 1.0  | 2.5  |
| Vitamin K, mcg                | 7.2  | 17   |
| Vitamin C, mg                 | 6.4  | 15   |
| Thiamine, mg                  | 0.13 | 0.30 |
| Riboflavin, mg                | 0.14 | 0.30 |
| Niacin, mg NE                 | 1.36 | 3    |
| Vitamin B <sub>6</sub> , mg   | 0.15 | 0.35 |
| Folate, mcg DFE               | 26   | 60   |
| Vitamin B <sub>12</sub> , mcg | 0.21 | 0.5  |
| Pantothenic Acid, mg          | 0.43 | 1    |
| Biotin, mcg                   | 1.9  | 4.5  |
| Choline, mg                   | 23.4 | 60   |

## MINERALS

|                 |      |      |
|-----------------|------|------|
| Sodium, mg      | 38   | 90   |
| Potassium, mg   | 200  | 450  |
| Chloride, mg    | 98   | 225  |
| Calcium, mg     | 140  | 350  |
| Phosphorus, mg  | 106  | 250  |
| Magnesium, mg   | 17.9 | 40   |
| Iron, mg        | 1.15 | 2.5  |
| Zinc, mg        | 0.70 | 1.75 |
| Iodide, mcg     | 12.8 | 30   |
| Copper, mg      | 0.06 | 0.14 |
| Manganese, mg   | 0.20 | 0.45 |
| Selenium, mcg   | 3.5  | 8    |
| Chromium, mcg   | 4.2  | 10   |
| Molybdenum, mcg | 4.5  | 10.5 |

Nutritional information for PediaSure Complete®  
Grow & Gain™ Reduced Sugar, Vanilla, 235-mL bottle.

## INGREDIENTS

**PediaSure Complete® Grow & Gain™ Reduced Sugar, Vanilla:**  
Water, Corn maltodextrin, Sugar, Milk protein concentrate, Canola oil, Soy protein, Corn oil, Soy oil, Natural and artificial flavours, Cellulose gel, Tuna oil<sup>§</sup>, Cellulose gum, Monoglycerides, Soy lecithin, Carrageenan, Stevia leaf extract, Lutein<sup>†</sup>, Minerals (potassium citrate, calcium phosphate, potassium chloride, magnesium phosphate, potassium phosphate, calcium carbonate, salt, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, chromium chloride, potassium iodide, sodium molybdate, sodium selenate), Vitamins (ascorbic acid, choline chloride, DL-alpha-tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, phyloquinone, vitamin D<sub>3</sub>, biotin, cyanocobalamin).

### Contains: Milk, Soy.

Source per serving of: §0.032 g DHA; †10.12 mg Lutein.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIASURE®

## Sole-source nutrition

For children 1 to 13 years of age



### INDICATIONS FOR USE

- For children:
  - requiring short- or long-term tube feeding;
  - with increased nutrient needs;
  - with or at risk for malnutrition;
  - with growth faltering.
- For oral or tube feeding use.
- Can be used as a supplement or as a sole source of nutrition.

#### Safety precautions:

- Not for parenteral use.
- For children under 1 year of age, consult a physician or qualified health care professional prior to using PediaSure®.

### FEATURES AND BENEFITS

- Fortified with taurine and carnitine to help prevent deficiencies associated with long-term tube feeding.<sup>1-3</sup>
- 19.5% of fat as medium chain triglycerides, an easily digested and well-absorbed fat source.<sup>4</sup>
- Provides 27 vitamins and minerals.
- 3 delicious flavours to help prevent flavour fatigue and improve compliance.
- Gluten-free.
- Kosher.
- Halal.

### TECHNICAL DATA

|                                                 | Ready to use                               |
|-------------------------------------------------|--------------------------------------------|
| Caloric density (Cal/mL)                        | 1.0                                        |
| Protein (% of total energy)                     | 12.0                                       |
| Protein Source                                  | Sodium caseinate, whey protein concentrate |
| Fat (% of total energy)                         | 44.2                                       |
| MCT oil (% of total fat)                        | 19.5                                       |
| Omega-6:Omega-3 ratio                           | 11:1                                       |
| Fat Source                                      | High oleic safflower oil, soy oil, MCT oil |
| Carbohydrate (% of total energy)                | 43.8                                       |
| Carbohydrate Source                             | Corn maltodextrin, sucrose                 |
| Total Cal:g nitrogen ratio                      | 208:1                                      |
| Non-protein Cal:g nitrogen ratio                | 183:1                                      |
| Water (g/L)                                     | 854                                        |
| Osmolality (mOsm/kg water)                      | 310                                        |
| Renal solute load (mOsm/L)                      | 275                                        |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                       |
| Fibre                                           | No                                         |

### AVAILABILITY

#### Ready to use

|         |                        |             |         |
|---------|------------------------|-------------|---------|
| 6220013 | PediaSure®, Vanilla    | 235-mL cans | 12/case |
| 6219613 | PediaSure®, Chocolate  | 235-mL cans | 12/case |
| 6223613 | PediaSure®, Strawberry | 235-mL cans | 12/case |

#### REFERENCES:

1. Feller AG et al. Subnormal concentrations of serum selenium and plasma carnitine in chronically tube-fed patients. *Am J Clin Nutr* 1987;45:476-83. 2. Fischer MH et al. Improved selenium carnitine and taurine status in an enterally fed population. *JPEN* 1990;14:270-4. 3. Bourdieu B et al. Plasma Free Carnitine Depletion in Polytrauma Patients. *J Nutr Health Aging* 2010;14(3):253. 4. Duggan C, Watkins JB, Walker WA. Nutrition in Pediatrics. Standard and Specialized Enteral Formulas. BC Decker Inc. Hamilton. 2008.

### ENERGY

|                    | Per 100 mL | Per 235 mL |
|--------------------|------------|------------|
| ENERGY (Cal [kJ])  | 100 (419)  | 235 (984)  |
| PROTEIN (g)        | 3.0        | 7.1        |
| Taurine (mg)       | 7.2        | 17         |
| Carnitine (mg)     | 1.7        | 4          |
| FAT (g)            | 5.0        | 12         |
| Linoleic acid (g)  | 0.8        | 1.9        |
| Linolenic acid (g) | 0.1        | 0.2        |
| CARBOHYDRATE (g)   | 11         | 26         |

### VITAMINS

|                       |        |        |
|-----------------------|--------|--------|
| Vitamin A (IU)        | 259    | 608    |
| Vitamin D (IU)        | 32     | 75     |
| Vitamin E (IU)        | 3.5    | 8.2    |
| Vitamin K (mg)        | 0.003  | 0.008  |
| Vitamin C (mg)        | 10     | 24     |
| Thiamine (mg)         | 0.27   | 0.64   |
| Riboflavin (mg)       | 0.21   | 0.5    |
| Niacin (mg)           | 1.7    | 4      |
| Vitamin B6 (mg)       | 0.26   | 0.62   |
| Folic acid (mg)       | 0.037  | 0.088  |
| Vitamin B12 (mg)      | 0.0006 | 0.0014 |
| Pantothenic acid (mg) | 1      | 2.4    |
| Biotin (mg)           | 0.032  | 0.076  |
| Choline (mg)          | 30     | 71     |

### MINERALS

|                 |        |        |
|-----------------|--------|--------|
| Sodium (mg)     | 37     | 87     |
| Potassium (mg)  | 130    | 306    |
| Chloride (mg)   | 101    | 238    |
| Calcium (mg)    | 97     | 228    |
| Phosphorus (mg) | 80     | 188    |
| Magnesium (mg)  | 20     | 47     |
| Iron (mg)       | 1.4    | 3.3    |
| Zinc (mg)       | 1.2    | 2.8    |
| Iodine (mg)     | 0.0097 | 0.023  |
| Copper (mg)     | 0.10   | 0.24   |
| Manganese (mg)  | 0.25   | 0.59   |
| Selenium (mg)   | 0.0023 | 0.0054 |
| Chromium (mg)   | 0.0030 | 0.0071 |
| Molybdenum (mg) | 0.0036 | 0.0084 |

Nutritional information for PediaSure®, Vanilla, 235-mL can.

### INGREDIENTS

#### PediaSure®, Vanilla:

Water, Corn maltodextrin, Sugar, Sodium caseinate, High oleic safflower oil, Soy oil, Modified coconut and/or palm kernel oil (medium chain triglycerides), Whey protein concentrate, Natural and artificial flavour, Soy lecithin, Monoglycerides, Carrageenan, Taurine, L-carnitine, Minerals (calcium phosphate tribasic, potassium citrate, magnesium chloride, potassium phosphate dibasic, potassium chloride, potassium hydroxide, ferrous sulphate, zinc sulphate, manganese sulphate, copper sulphate, potassium iodide, sodium molybdate, sodium selenite), Vitamins (choline chloride, ascorbic acid, DL-alpha tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, cyanocobalamin, vitamin D3). As needed: Sodium citrate.

Contains: Milk, Soy.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIASURE® FIBRE

Sole-source nutrition

For children 1 to 13 years of age



## INDICATIONS FOR USE

- For children:
  - who may benefit from dietary fibre;
  - requiring short- or long-term tube feeding;
  - with increased nutrient needs;
  - with or at risk for malnutrition;
  - with growth faltering.
- For oral or tube feeding use.
- Can be used as a supplement or as a sole source of nutrition.

### Safety precautions:

- Not for parenteral use.
- For children under 1 year of age, consult a physician or qualified health care professional prior to using Pediasure® Fibre.

## FEATURES AND BENEFITS

- Provides 1.1 g of dietary fibre per 235 mL.
- Fortified with taurine and carnitine to help prevent deficiencies associated with long-term tube feeding.<sup>1-3</sup>
- 19.5% of fat as medium chain triglycerides, an easily digested and well-absorbed fat source.<sup>4</sup>
- Provides 27 vitamins and minerals.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                    |
|-------------------------------------------------|-----------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.0                                                             |
| Protein (% of total energy)                     | 12.1                                                            |
| Protein Source                                  | Sodium caseinate, whey protein concentrate, soy cotyledon fibre |
| Fat (% of total energy)                         | 44.8                                                            |
| MCT oil (% of total fats)                       | 19.5                                                            |
| Omega-6:Omega-3 ratio                           | 11:1                                                            |
| Fat Source                                      | High oleic safflower oil, soy oil, MCT oil                      |
| Carbohydrate (% of total energy)                | 43.0                                                            |
| Carbohydrate Source                             | Corn maltodextrin, sugar, soy cotyledon fibre                   |
| Total Cal:g nitrogen ratio                      | 206:1                                                           |
| Non-protein Cal:g nitrogen ratio                | 181:1                                                           |
| Water (g/L)                                     | 854                                                             |
| Osmolality (mOsm/kg water)                      | 345                                                             |
| Renal solute load (mOsm/L)                      | 275                                                             |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                                            |
| Fibre                                           | No                                                              |

## AVAILABILITY

### Ready to use

6219713 Pediasure® Fibre, Vanilla 235-mL cans 12/case

### REFERENCES:

1. Feller AG et al. Subnormal concentrations of serum selenium and plasma carnitine in chronically tube-fed patients. *Am J Clin Nutr* 1987;45:476-83. 2. Fischer MH et al. Improved selenium carnitine and taurine status in an enterally fed population. *JPEN* 1990;14:270-4. 3. Bourdette B et al. Plasma Free Carnitine Depletion in Polytrauma Patients. *J Nutr Health Aging* 2010;14(3):253. 4. Duggan C, Watkins JB, Walker WA. Nutrition in Pediatrics: Standard and Specialized Enteral Formulas. BC Decker Inc. Hamilton, 2008.

## ENERGY

|                    | Per 100 mL | Per 235 mL |
|--------------------|------------|------------|
| ENERGY (Cal [kJ])  | 100 (419)  | 235 (984)  |
| PROTEIN (g)        | 3.0        | 7.1        |
| Taurine (mg)       | 7.2        | 17         |
| Carnitine (mg)     | 1.7        | 4          |
| FAT (g)            | 5.0        | 12         |
| Linoleic acid (g)  | 0.8        | 1.9        |
| Linolenic acid (g) | 0.1        | 0.2        |
| CARBOHYDRATE (g)   | 11         | 26         |
| Fibre (g)          | 0.5        | 1.1        |

## VITAMINS

|                       |        |        |
|-----------------------|--------|--------|
| Vitamin A (IU)        | 259    | 608    |
| Vitamin D (IU)        | 32     | 75     |
| Vitamin E (IU)        | 3.5    | 8.2    |
| Vitamin K (mg)        | 0.003  | 0.008  |
| Vitamin C (mg)        | 10     | 24     |
| Thiamine (mg)         | 0.27   | 0.64   |
| Riboflavin (mg)       | 0.21   | 0.5    |
| Niacin (mg)           | 1.7    | 4      |
| Vitamin B6 (mg)       | 0.26   | 0.62   |
| Folic acid (mg)       | 0.037  | 0.088  |
| Vitamin B12 (mg)      | 0.0006 | 0.0014 |
| Pantothenic acid (mg) | 2.4    | 5.7    |
| Biotin (mg)           | 0.032  | 0.076  |
| Choline (mg)          | 30     | 71     |

## MINERALS

|                 |        |        |
|-----------------|--------|--------|
| Sodium (mg)     | 37     | 87     |
| Potassium (mg)  | 130    | 306    |
| Chloride (mg)   | 101    | 238    |
| Calcium (mg)    | 97     | 228    |
| Phosphorus (mg) | 80     | 188    |
| Magnesium (mg)  | 20     | 47     |
| Iron (mg)       | 1.4    | 3.3    |
| Zinc (mg)       | 1.2    | 2.8    |
| Iodine (mg)     | 0.0097 | 0.023  |
| Copper (mg)     | 0.1    | 0.24   |
| Manganese (mg)  | 0.25   | 0.59   |
| Selenium (mg)   | 0.0023 | 0.0054 |
| Chromium (mg)   | 0.0030 | 0.0071 |
| Molybdenum (mg) | 0.0036 | 0.0084 |

## INGREDIENTS

### Pediasure® Fibre, Vanilla:

Water, Corn maltodextrin, Sugar, Sodium caseinate, High oleic safflower oil, Soy oil, Modified coconut and/or palm kernel oil (medium chain triglycerides), Whey protein concentrate, Soy cotyledon fibre, Natural and artificial flavour, Monoglycerides, Soy lecithin, Carrageenan, Taurine, L-carnitine, Minerals (calcium phosphate tribasic, potassium citrate, magnesium chloride, potassium phosphate dibasic, potassium chloride, potassium hydroxide, ferrous sulphate, zinc sulphate, manganese sulphate, cupric sulphate, potassium iodide, sodium molybdate, sodium selenite), Vitamins (choline chloride, ascorbic acid, DL-alpha tocopheryl acetate, niacinamide, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, cyanocobalamin, vitamin D3). As needed: Sodium citrate.

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIASURE® PLUS

Sole-source nutrition

For children 1 to 13 years of age



## INDICATIONS FOR USE

- For children:
  - with fluid restrictions or volume sensitivity;
  - who may benefit from dietary fibre;
  - requiring short- or long-term tube feeding;
  - with increased nutrient needs;
  - with or at risk for malnutrition;
  - with growth faltering.
- For oral or tube feeding use.
- Can be used as a supplement or as a sole source of nutrition.

### Safety precautions:

- Not for parenteral use.
- For children under 1 year of age, consult a physician or qualified health care professional prior to using PediaSure® Plus.

## FEATURES AND BENEFITS

- Increased nutrient density provides more calories in less volume: 118 more calories per serving than PediaSure®.
- Provides 2.6 g of dietary fibre per 235-mL.
- Contains 0.82 g of short-chain fructooligosaccharides (scFOS) per 235-mL serving.
- Fortified with taurine and carnitine to help prevent deficiencies associated with long-term tube feeding.<sup>1-3</sup>
- 19.6% of fat as medium-chain triglycerides, an easily digested and well-absorbed fat source.<sup>4</sup>
- Provides 27 vitamins and minerals.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                                               |
|-------------------------------------------------|--------------------------------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.5                                                                                        |
| Protein (% of total energy)                     | 11.0                                                                                       |
| Protein Source                                  | Sodium and calcium caseinates, whey protein concentrate                                    |
| Fat (% of total energy)                         | 43.3                                                                                       |
| MCT oil (% of total fats)                       | 19.6                                                                                       |
| Omega-6:Omega-3 ratio                           | 11:1                                                                                       |
| Fat Source                                      | High oleic safflower oil, soy oil, MCT oil                                                 |
| Carbohydrate (% of total energy)                | 45.7                                                                                       |
| Carbohydrate Source                             | Corn maltodextrin, sugar, scFOS, oat fibre, soy cotyledon fibre, gum arabic, cellulose gum |
| Total Cal:g nitrogen ratio                      | 232:1                                                                                      |
| Non-protein Cal:g nitrogen ratio                | 207:1                                                                                      |
| Water (g/L)                                     | 778                                                                                        |
| Osmolality (mOsm/kg water)                      | 387                                                                                        |
| Renal solute load (mOsm/L)                      | 348                                                                                        |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                                                                       |
| Fibre                                           | Yes                                                                                        |

## AVAILABILITY

### Ready to use

6224413 PediaSure® Plus, Vanilla 235-mL cans 12/case

### REFERENCES:

1. Feller AG et al. Subnormal concentrations of serum selenium and plasma carnitine in chronically tube-fed patients. *Am J Clin Nutr* 1987;45:476-83. 2. Fischer MH et al. Improved selenium carnitine and taurine status in an enterally fed population. *JPEN* 1990;14:270-4. 3. Bourdett B et al. Plasma Free Carnitine Depletion in Polytrauma Patients. *J Nutr Health Aging* 2010;14(3):253. 4. Duggan C, Watkins JB, Walker WA. Nutrition in Pediatrics. Standard and Specialized Enteral Formulas. BC Decker Inc. Hamilton. 2008.

## ENERGY

|                                                | Per 100 mL | Per 235 mL |
|------------------------------------------------|------------|------------|
| ENERGY (Cal [kJ])                              | 150 (628)  | 353 (1476) |
| PROTEIN (g)                                    | 4.2        | 9.9        |
| Taurine (mg)                                   | 11         | 25         |
| Carnitine (mg)                                 | 2.6        | 6.1        |
| FAT (g)                                        | 7.5        | 18         |
| Linoleic acid (g)                              | 1.2        | 2.8        |
| Linolenic acid (g)                             | 0.1        | 0.3        |
| CARBOHYDRATE (g)                               | 18         | 42         |
| Fibre (g)                                      | 1.1        | 2.6        |
| Short-chain fructooligosaccharides (scFOS) (g) | 0.4        | 0.8        |

## VITAMINS

|                       |        |        |
|-----------------------|--------|--------|
| Vitamin A (IU)        | 330    | 776    |
| Vitamin D (IU)        | 45     | 106    |
| Vitamin E (IU)        | 2.3    | 5.4    |
| Vitamin K (mg)        | 0.0059 | 0.014  |
| Vitamin C (mg)        | 10     | 24     |
| Thiamine (mg)         | 0.27   | 0.63   |
| Riboflavin (mg)       | 0.21   | 0.49   |
| Niacin (mg)           | 1.7    | 4      |
| Vitamin B6 (mg)       | 0.26   | 0.61   |
| Folic acid (mg)       | 0.037  | 0.087  |
| Vitamin B12 (mg)      | 0.0008 | 0.0019 |
| Pantothenic acid (mg) | 1      | 2.4    |
| Biotin (mg)           | 0.032  | 0.075  |
| Choline (mg)          | 30     | 71     |
| Inositol (mg)         | 12.0   | 28     |

## MINERALS

|                 |        |        |
|-----------------|--------|--------|
| Sodium (mg)     | 65     | 153    |
| Potassium (mg)  | 180    | 423    |
| Chloride (mg)   | 122    | 287    |
| Calcium (mg)    | 90     | 212    |
| Phosphorus (mg) | 80     | 188    |
| Magnesium (mg)  | 24     | 57     |
| Iron (mg)       | 1.4    | 3.3    |
| Zinc (mg)       | 1.4    | 3.3    |
| Iodine (mg)     | 0.0097 | 0.023  |
| Copper (mg)     | 0.17   | 0.4    |
| Manganese (mg)  | 0.1    | 0.24   |
| Selenium (mg)   | 0.0023 | 0.0054 |
| Chromium (mg)   | 0.003  | 0.0071 |
| Molybdenum (mg) | 0.0036 | 0.0085 |

## INGREDIENTS

### PediaSure® Plus, Vanilla:

Water, Corn maltodextrin, High oleic safflower oil, Sodium caseinate, Soy oil, Sugar, Modified coconut and/or palm kernel oil (medium chain triglycerides), Calcium caseinate, Whey protein concentrate, Short chain fructooligosaccharides (scFOS), Gluten-free oat fibre, Soy cotyledon fibre, Natural and artificial flavour, Gum arabic, Monoglycerides, Soy lecithin, Cellulose gum, Taurine, M-inositol, L-carnitine, Minerals (potassium citrate, calcium phosphate tribasic, magnesium chloride, potassium phosphate dibasic, sodium citrate, sodium chloride, potassium chloride, ferrous sulphate, zinc sulphate, copper sulphate, manganese sulphate, potassium iodide, chromium chloride, sodium molybdate, sodium selenate), Vitamins (choline chloride, ascorbic acid, niacinamide, DL-alpha-tocopheryl acetate, calcium D-pantothenate, thiamine chloride hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, D-biotin, phyloquinone, vitamin D3, cyanocobalamin). As needed: Potassium hydroxide.

**Contains: Milk, Soy.**



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.

# PEDIASURE® PEPTIDE 1 CAL

Specialized peptide-based liquid formula

For children 1 to 13 years of age



## INDICATIONS FOR USE

PediaSure® Peptide 1 Cal is a ready-to-drink peptide-based liquid formula for children with impaired gastro-intestinal function. It offers flexibility to meet nutritional needs both orally or as a tube feeding.

- For children with:
  - GI disease: pancreatitis (acute or chronic) or pancreatic insufficiency; cystic fibrosis; Crohn's disease, ulcerative colitis, or short bowel syndrome; HIV/AIDS-associated enteropathy; celiac disease; gastritis, duodenitis, enterocolitis; dumping syndrome; GI fistulas;
  - GI intolerance symptoms: gas, bloating, diarrhea, and abdominal distention;
  - acute GI dysfunction: critical illness; trauma; burns; sepsis; post-transplant surgery; post-gastric surgery;
  - impaired GI function: abdominal and other surgeries; certain cancer treatments; generalized malabsorption; general intolerance to polymeric feedings; cerebral palsy.
- Can be used:
  - as a supplement or as a sole source of nutrition;
  - for early enteral feeding;
  - as the source of enteral nutrition for dual feeding (parenteral + enteral);
  - for transition from total parenteral nutrition (TPN) to enteral nutrition.
- For oral or tube feeding use.

## Safety precautions:

- Not for parenteral use.
- Not for children under the age of 1 unless specified by a health care professional.

## FEATURES AND BENEFITS

- Nutrient blend designed to help support tolerance and absorption:
  - 100% hydrolyzed protein;
  - 50% of fat as medium-chain triglycerides (MCT), an easily digested and well-absorbed fat source.<sup>1</sup>
- Contains 1 g of short-chain fructooligosaccharides (scFOS) fibre per 237-mL serving.
- Provides 27 vitamins and minerals.
- Convenient, reclosable bottle.
- Gluten-free.
- Kosher.
- Halal.

## TECHNICAL DATA

|                                                 | Ready to use                                                         |
|-------------------------------------------------|----------------------------------------------------------------------|
| Caloric density (Cal/mL)                        | 1.0                                                                  |
| Protein (% of total energy)                     | 12.0                                                                 |
| Protein Source                                  | Whey protein hydrolysate, hydrolyzed sodium caseinate                |
| Fat (% of total energy)                         | 35.0                                                                 |
| MCT oil (% of total fats)                       | 50                                                                   |
| Omega 6:Omega 3 ratio                           | 2.7:1                                                                |
| Fat Source                                      | Structured lipid (interesterified canola oil, MCT oil), soy lecithin |
| Carbohydrate (% of total energy)                | 53.0                                                                 |
| Carbohydrate Source                             | Corn maltodextrin, sugar, scFOS                                      |
| Total Cal:g nitrogen ratio                      | 208:1                                                                |
| Non-protein Cal:g nitrogen ratio                | 183:1                                                                |
| Water (g/L)                                     | 844                                                                  |
| Osmolality (mOsm/kg water)                      | 390                                                                  |
| Renal solute load (mOsm/L)                      | 265                                                                  |
| Minimum tube size for gravity/pump feeding (Fr) | 10/8                                                                 |
| Fibre                                           | Yes                                                                  |

## AVAILABILITY

### Ready to use

|         |                                   |                |         |
|---------|-----------------------------------|----------------|---------|
| 6211913 | PediaSure® Peptide 1 Cal, Vanilla | 237-mL bottles | 24/case |
|---------|-----------------------------------|----------------|---------|

**REFERENCE:**  
1. Duggan C, Watkins JB, Walker WA. Nutrition in Pediatrics: Standard and Specialized Enteral Formulas. BC Decker Inc. Hamilton. 2008.

## ENERGY

|                                                | Per 100 mL | Per 237 mL |
|------------------------------------------------|------------|------------|
| ENERGY (Cal [kJ])                              | 100 (418)  | 237 (992)  |
| PROTEIN (g)                                    | 3          | 7          |
| Taurine (mg)                                   | 7.6        | 18         |
| Carnitine (mg)                                 | 1.69       | 4.0        |
| FAT (g)                                        | 4          | 10         |
| Linoleic acid (g)                              | 0.40       | 0.95       |
| Linolenic acid (g)                             | 0.15       | 0.35       |
| CARBOHYDRATE (g)                               | 13         | 32         |
| Fibre (g)                                      | 1          | 1          |
| Short-chain fructooligosaccharides (scFOS) (g) | 0.3        | 0.7        |
| Sucralose (mg)                                 | 6          | 14         |

## VITAMINS

|                       |         |        |
|-----------------------|---------|--------|
| Vitamin A (IU)        | 250     | 592    |
| Vitamin D (IU)        | 53.0    | 125    |
| Vitamin E (IU)        | 2.3     | 5.4    |
| Vitamin K (mg)        | 0.0059  | 0.014  |
| Vitamin C (mg)        | 10.1    | 24     |
| Thiamine (mg)         | 0.25    | 0.6    |
| Riboflavin (mg)       | 0.21    | 0.5    |
| Niacin (mg)           | 1.01    | 2.4    |
| Vitamin B6 (mg)       | 0.25    | 0.6    |
| Folic acid (mg)       | 0.030   | 0.071  |
| Vitamin B12 (mg)      | 0.00059 | 0.0014 |
| Pantothenic acid (mg) | 1.01    | 2.4    |
| Biotin (mg)           | 0.019   | 0.045  |
| Choline (mg)          | 30.0    | 71     |
| Inositol (mg)         | 8.4     | 20     |

## MINERALS

|                 |         |        |
|-----------------|---------|--------|
| Sodium (mg)     | 70      | 170    |
| Potassium (mg)  | 135     | 320    |
| Chloride (mg)   | 101     | 240    |
| Calcium (mg)    | 106     | 250    |
| Phosphorus (mg) | 84.4    | 200    |
| Magnesium (mg)  | 19.8    | 47     |
| Iron (mg)       | 1.4     | 3.3    |
| Zinc (mg)       | 1.18    | 2.8    |
| Iodine (mg)     | 0.00969 | 0.023  |
| Copper (mg)     | 0.1     | 0.24   |
| Manganese (mg)  | 0.17    | 0.4    |
| Selenium (mg)   | 0.0032  | 0.0076 |
| Chromium (mg)   | 0.003   | 0.0071 |
| Molybdenum (mg) | 0.0036  | 0.0085 |

## INGREDIENTS

### PediaSure® Peptide 1 Cal, Vanilla:

Water, corn maltodextrin, sucrose, whey protein hydrolysate, structured lipid (interesterified canola oil and medium chain triglycerides\*), hydrolyzed sodium caseinate, MINERALS (calcium phosphate, potassium citrate, magnesium phosphate, potassium chloride, magnesium chloride, sodium citrate, ferrous sulphate, zinc sulphate, manganese sulphate, cupric sulphate, chromium chloride, potassium iodide, sodium selenate, sodium molybdate), medium chain triglycerides\*, canola oil, short-chain fructooligosaccharides, natural and artificial flavours, VITAMINS (ascorbic acid, choline chloride, m-inositol, dl-alpha-tocopheryl acetate, calcium d-pantothenate, niacinamide, thiamine hydrochloride, pyridoxine hydrochloride, riboflavin, vitamin A palmitate, folic acid, biotin, phylloquinone, cyanocobalamin, vitamin D3), cellulose gel, soy lecithin, carrageenan, sucralose, cellulose gum, taurine, L-carnitine.

### Contains: Milk, Soy.

\* Modified coconut and/or palm kernel oils.



Back to the table  
of contents

Values listed are subject to change. Please refer to the product label or packaging for the most current ingredient, allergen and nutrient profile information.






**ADDITIONAL  
INFORMATION**

# ALBERTA REIMBURSEMENT LIST

The following Abbott nutritional products are listed on the Alberta Human Services Drug Benefit Supplement.

| PIN                                    | Description                               | Format                 |
|----------------------------------------|-------------------------------------------|------------------------|
| <b>REGULAR (UNRESTRICTED) BENEFITS</b> |                                           |                        |
| 999901                                 | Ensure® Regular, All flavours             | 235-mL bottles         |
| 999902                                 | Ensure® Plus Calories, All flavours       | 235-mL bottles         |
| 999940                                 | Glucerna® nutritional drink, All flavours | 237-mL bottles         |
| 999685                                 | Glucerna® 1.2 Cal, Vanilla                | 237-mL cartons         |
| 999685                                 | Glucerna® 1.2 Cal, Vanilla                | 1000-mL RTH containers |
| 989998                                 | PediaSure® Peptide 1 Cal, Vanilla         | 237-mL bottles         |
| 999938                                 | Jevity® 1.0 Cal, Unflavoured              | 235-mL cans            |
| 999545                                 | Nepro®, Vanilla                           | 237-mL bottles         |
| 999545                                 | Nepro®, Vanilla                           | 1000-mL RTH containers |
| 999621                                 | Osmolite® 1.2 Cal, Unflavoured            | 235-mL cans            |
| 999621                                 | Osmolite® 1.2 Cal, Unflavoured            | 1500-mL RTH containers |
| 80074173                               | Pedialyte®, All flavours                  | 1-L bottles            |
| 80072902                               | Pedialyte®, Unflavoured                   | 1-L bottles            |
| 999933                                 | PediaSure®, All flavours                  | 235-mL cans            |
| 990029                                 | PediaSure® Fibre, Vanilla                 | 235-mL cans            |
| 999449                                 | Similac® Alimentum®, Unflavoured          | 237-mL cans            |
| 999788                                 | Similac® Alimentum®, Unflavoured          | 400-g cans             |
| 999465                                 | Similac® Neosure®, Unflavoured            | 363-g cans             |
| 999414                                 | Suplena®, Vanilla                         | 235-mL cans            |
| <b>SPECIAL AUTHORIZATION*</b>          |                                           |                        |
| 999404                                 | Ensure® Advance, All flavours             | 235-mL bottles         |
| 999416                                 | Jevity® 1.2 Cal, Unflavoured              | 235-mL cans            |
| 999416                                 | Jevity® 1.2 Cal, Unflavoured              | 1500-mL RTH containers |
| 999475                                 | Jevity® 1.5 Cal, Unflavoured              | 235-mL cans            |
| 999475                                 | Jevity® 1.5 Cal, Unflavoured              | 1500-mL RTH containers |
| 999434                                 | PediaSure® Plus, Vanilla                  | 235-mL cans            |
| 999430                                 | TwoCal® HN, Vanilla                       | 235-mL cans            |
| 999430                                 | TwoCal® HN, Vanilla                       | 1000-mL RTH containers |

For more information, visit:  
<https://idbl.ab.bluecross.ca/idbl/load.do>



\* For use in patients who are unable to tolerate, have failed, or have nutritional requirements which cannot be met with the nutritional products which are unrestricted benefits (listed in PTC 40:20 of the Alberta Human Services Drug Benefit Supplement).

Information is required regarding the patient's diagnosis, previous nutritional products utilized and the patient's response to therapy, and/or the nutritional requirement which cannot be met with other nutritional products.

RTH = Ready-to-hang.

# ONTARIO REIMBURSEMENT LIST

The following Abbott nutritional products are listed on the Ontario Drug Benefit (ODB) Formulary.

| PIN                        | Description                       | Format                 |
|----------------------------|-----------------------------------|------------------------|
| <b>ADULT AND PEDIATRIC</b> |                                   |                        |
| 80074173                   | Pedialyte®, All flavours          | 1-L bottles            |
| 80072902                   | Pedialyte®, Unflavoured           | 1-L bottles            |
| <b>ADULT</b>               |                                   |                        |
| 97904333                   | Ensure® Plus, All flavours        | 235-mL cans            |
| 97984060                   | Jevity® 1.0 Cal, Unflavoured      | 235-mL cans            |
| 9854096                    | Jevity® 1.2 Cal, Unflavoured      | 235-mL cans            |
| 9857117                    | Jevity® 1.2 Cal, Unflavoured      | 1500-mL RTH containers |
| 9857344                    | Jevity® 1.5 Cal, Unflavoured      | 235-mL cans            |
| 9857312                    | Jevity® 1.5 Cal, Unflavoured      | 1500-mL RTH containers |
| 9854169                    | Osmolite® 1.2 Cal, Unflavoured    | 235-mL cans            |
| 9857095                    | Osmolite® 1.2 Cal, Unflavoured    | 1500-mL RTH containers |
| 9853731                    | Suplena®, Vanilla                 | 235-mL cans            |
| 9858101                    | Vital® Peptide 1.0 Cal, Vanilla   | 220-mL bottles         |
| 9858102                    | Vital® Peptide 1.5 Cal, Vanilla   | 220-mL bottles         |
| 9858103                    | Vital® Peptide 1.5 Cal, Vanilla   | 1000-mL RTH containers |
| 9854380                    | TwoCal® HN, Vanilla               | 235-mL cans            |
| <b>PEDIATRIC</b>           |                                   |                        |
| 97984370                   | PediaSure®, All flavours          | 235-mL cans            |
| 9854371                    | PediaSure® Fibre, Vanilla         | 235-mL cans            |
| 9857419                    | PediaSure® Plus, Vanilla          | 235-mL cans            |
| 9857523                    | PediaSure® Peptide 1 Cal, Vanilla | 237-mL bottles         |
| 97973084                   | RCF®                              | 384-mL cans            |
| 97984558                   | Similac® Alimentum®, Unflavoured  | 237-mL cans            |
| 9857564                    | Similac® Alimentum®, Unflavoured  | 400-g cans             |
| 9857124                    | Similac® Neosure®, Unflavoured    | 363-g cans             |

For more information, visit:  
<https://www.ontario.ca/page/get-coverage-prescription-drugs>



RTH = Ready-to-hang.

# QUEBEC REIMBURSEMENT LIST

The following Abbott nutritional products are listed on the Régie de l'assurance maladie du Québec (RAMQ) List of Medications.

| RAMQ Code                       | Exception Drug Status Code | Description                    | Format                 |
|---------------------------------|----------------------------|--------------------------------|------------------------|
| <b>ADULT POLYMERIC FORMULAS</b> |                            |                                |                        |
| 99114086                        |                            | Ensure® Plus, All flavours     | 235-mL cans            |
| 99114339                        |                            | Glucerna® 1.2 Cal              | 237-mL cartons         |
| 99114340                        |                            | Glucerna® 1.2 Cal              | 1000-mL RTH containers |
| 99000482                        |                            | Jevity® 1.0 Cal, Unflavoured   | 235-mL cans            |
| 99003392                        |                            | Jevity® 1.2 Cal, Unflavoured   | 235-mL cans            |
| 99003600                        |                            | Jevity® 1.2 Cal, Unflavoured   | 1500-mL RTH containers |
| 99100417                        |                            | Jevity® 1.2 Cal, Unflavoured   | 235-mL cans            |
| 99100402                        |                            | Jevity® 1.5 Cal, Unflavoured   | 1500-mL RTH containers |
| 99100702                        |                            | Nepro®, Vanilla                | 237-mL bottles         |
| 99100703                        |                            | Nepro®, Vanilla                | 1000-mL RTH containers |
| 99004224                        |                            | Osmolite® 1.2 Cal, Unflavoured | 235-mL cans            |
| 99004216                        |                            | Osmolite® 1.2 Cal, Unflavoured | 1500-mL RTH containers |
| 99001543                        |                            | Promote®, Vanilla              | 235-mL cans            |
| 99002647                        |                            | Suplena®, Vanilla              | 235-mL cans            |
| 99004690                        |                            | TwoCal® HN, Vanilla            | 235-mL cans            |
| 99100462                        |                            | TwoCal® HN, Vanilla            | 1000-mL RTH containers |

## PEDIATRIC POLYMERIC FORMULAS

|          |  |                           |             |
|----------|--|---------------------------|-------------|
| 99000474 |  | PediaSure®, All flavours  | 235-mL cans |
| 99001381 |  | PediaSure® Fibre, Vanilla | 235-mL cans |
| 99005050 |  | PediaSure® Plus, Vanilla  | 235-mL cans |

## SEMI-ELEMENTAL

|          |      |                                   |                        |
|----------|------|-----------------------------------|------------------------|
| 99101182 | VA98 | Vital® Peptide 1 Cal, Vanilla     | 220-mL bottles         |
| 99101183 | VA98 | Vital® Peptide 1.5 Cal, Vanilla   | 220-mL bottles         |
| 99101178 | VA98 | Vital® Peptide 1.5 Cal, Vanilla   | 1000-mL RTH containers |
| 99101181 | VA98 | PediaSure® Peptide 1 Cal, Vanilla | 237-mL bottles         |

## CASEIN HYDROLYSATE-BASED (INFANTS AND CHILDREN)

|          |       |                                  |             |
|----------|-------|----------------------------------|-------------|
| 99100206 | VA105 | Similac® Alimentum®, Unflavoured | 237-mL cans |
|----------|-------|----------------------------------|-------------|

## POST-DISCHARGE FORMULAS FOR PRETERM INFANTS

|          |       |                                |            |
|----------|-------|--------------------------------|------------|
| 99100123 | VA104 | Similac® Neosure®, Unflavoured | 363-g cans |
|----------|-------|--------------------------------|------------|

For more information, visit:  
<https://www.ramq.gouv.qc.ca/fr/professionnels/professionnels/Pages/liste-medicaments.aspx>



# SASKATCHEWAN REIMBURSEMENT LIST

The following Abbott nutritional products are listed by the Saskatchewan Aids to Independent Living (SAIL) Program.

| Description                                     | Format                 |
|-------------------------------------------------|------------------------|
| <b>THERAPEUTIC NUTRITIONAL PRODUCTS PROGRAM</b> |                        |
| Jevity® 1.0 Cal, Unflavoured                    | 235-mL cans            |
| Jevity® 1.2 Cal, Unflavoured                    | 235-mL cans            |
| Jevity® 1.2 Cal, Unflavoured                    | 1500-mL RTH containers |
| Jevity® 1.5 Cal, Unflavoured                    | 235-mL cans            |
| Jevity® 1.5 Cal, Unflavoured                    | 1500-mL RTH containers |
| Nepro®, Vanilla                                 | 237-mL bottles         |
| Nepro®, Vanilla                                 | 1000-mL RTH containers |
| Osmolite® 1.2 Cal, Unflavoured                  | 235-mL cans            |
| Osmolite® 1.2 Cal, Unflavoured                  | 1000-mL RTH containers |
| PediaSure Complete® Grow & Gain™, All flavours  | 235-mL bottles         |
| PediaSure®, All flavours                        | 235-mL cans            |
| PediaSure® Fibre, Vanilla                       | 235-mL cans            |
| PediaSure® Plus, Vanilla                        | 235-mL cans            |
| PediaSure® Peptide 1 Cal, Vanilla               | 237-mL bottles         |
| Promote®, Vanilla                               | 235-mL cans            |
| RCF®, Unflavoured                               | 384-mL cans            |
| Similac® Alimentum®, Unflavoured                | 237-mL cans            |
| Similac® Alimentum®, Unflavoured                | 400-g cans             |
| Similac® Neosure®, Unflavoured                  | 363-g cans             |
| Suplena®, Vanilla                               | 235-mL cans            |
| TwoCal® HN, Vanilla                             | 235-mL cans            |
| TwoCal® HN, Vanilla                             | 1000-mL RTH containers |
| Vital® Peptide 1 Cal, Vanilla                   | 220-mL bottles         |
| Vital® Peptide 1.5 Cal, Vanilla                 | 220-mL bottles         |
| Vital® Peptide 1.5 Cal, Vanilla                 | 1000-mL RTH containers |

## MODULAR SUPPLEMENT – eligible if combined with eligible formula

|               |               |
|---------------|---------------|
| LiquiProtein® | 54-mL bottles |
|---------------|---------------|

## CYSTIC FIBROSIS PROGRAM

|                                                |                        |
|------------------------------------------------|------------------------|
| Ensure® Regular, All flavours                  | 235-mL bottles         |
| PediaSure®, All flavours                       | 235-mL cans            |
| PediaSure® Fibre, Vanilla                      | 235-mL cans            |
| PediaSure® Plus, Vanilla                       | 235-mL cans            |
| PediaSure Complete® Grow & Gain™, All flavours | 235-mL bottles         |
| PediaSure® Peptide 1 Cal, Vanilla              | 237-mL bottles         |
| Vital® Peptide 1 Cal, Vanilla                  | 220-mL bottles         |
| Vital® Peptide 1.5 Cal, Vanilla                | 220-mL bottles         |
| Vital® Peptide 1.5 Cal, Vanilla                | 1000-mL RTH containers |

For more information, visit:  
<https://www.saskatchewan.ca/residents/health/accessing-health-care-services/health-services-for-people-with-disabilities/sail>



[www.abbottnutrition.ca](http://www.abbottnutrition.ca)  
1-866-767-7411, option 1

© Abbott Laboratories Co.

DIR/552A08 (SAP 20061942)-July 2024 - 02052