

GREYZONE

ENGINEERING THE IN-BETWEEN

BRAND GUIDELINES

Version 1.0 / 2026 / Ahmedabad, Gujarat, India

Engineering the in-between.

GREYZONE is a technology and design studio based in Ahmedabad, Gujarat. We design and build websites, web applications, AI solutions, automation and custom software for businesses.

This document is the source of truth for how the brand looks, sounds and behaves. Use it when you design a website, a proposal, a post or a product screen.

WHAT WE DO

01 **Website design and frontend development**

02 **Backend and web application development**


03 **AI solutions and integrations**

04 **Automation and digital solutions**

05 **Mobile applications**

06 **Custom software for businesses**

WHERE WE WORK



Brand essence

The name describes the space between black and white, between engineering and design, between a business problem and a working product. That space is where we work.

Seven qualities decide how GREYZONE looks, sounds and behaves. If a decision does not fit one of them, change it.




01	**Intelligent**	We understand complex technical problems and turn them into useful products.
02	**Modern**	Contemporary and digitally native, never dated, never trend-chasing.
03	**Precise**	Deliberate, structured and clean. Every element has a reason.
04	**Bold**	Confident, with real visual presence. Contrast over decoration.
05	**Creative**	Technology is not only functional. It can be beautifully designed.
06	**Adaptable**	Websites, software, AI, automation and mobile, one consistent system.
07	**Direct**	No corporate jargon. Say what matters, in plain words.

Logo system


Four supplied files make up the logo system. Use them exactly as supplied. Never redraw, rebuild or retype any part of them.




Primary logo
For light backgrounds



Primary logo
For dark backgrounds



Brand mark
For light backgrounds



Brand mark
For dark backgrounds

READING OF THE MARK

Solid module

The built side. Engineering, structure, the part you can rely on.

Outline module

The designed side. Interface, space, the part people see and touch.

The transition

Where the two meet. This is the in-between, and the idea behind our graphic language.

PRIMARY LOGO





PREFERRED USE

The stacked lockup is the default logo for GREYZONE. Use it wherever the brand introduces itself: website header, covers, proposals, presentations and signage.

IDEAL BACKGROUNDS


White, Paper and Mist take the black logo. Black and Graphite take the white logo. Red and photography are covered on the background page.


RECOMMENDED SCALE

Cover and hero use: 30 to 40 percent of the layout width. Everyday use: 240 px or wider on screen, 40 mm or wider in print. Smaller than that, use the brand mark.

Brand mark

The mark works alone when space is tight or the name is already known. It is the logo for small, repeated and interface-level use.





USE IT FOR

Social profile images


Favicon and app icon

Website footer and navigation


Small-format and merchandise

Product interface and loading states


IN USE




Social profile



App icon




Favicon, 32 px




Website footer

Clear space

Keep the logo free of text, images and edges. The exclusion zone is measured from the logo itself, so it scales with it.



Primary logo: 1x = cap height of the wordmark (letter E)



Brand mark: 1x = half the height of the mark

Minimum size

Shown at on-screen size.



Primary logo

240 px on screen, 40 mm in print




Brand mark

40 px on screen, 10 mm in print


Below the primary logo minimum, the tagline stops being readable. Switch to the brand mark instead of shrinking further.

Background control

Choose the logo version by the background it sits on. If contrast is below 4.5 to 1, change the background or the version, never the logo.




White
Black logo
19.8 to 1



Black
White logo
19.8 to 1



Signal Red
White logo
5.4 to 1



Grey
Black logo
5.7 to 1



Photographic
White logo
Calm, dark area only

NOT PERMITTED



Black logo on Signal Red
3.6 to 1, too low



White logo on Grey
3.5 to 1, too low



Black logo on Graphite
Nearly invisible

Logo misuse

These distortions are all wrong. If a layout needs the logo to behave differently, change the layout.

✓ Correct

As supplied. Original proportions, approved colours, clear space respected.






Stretched



Compressed



Rotated



Skewed



Unapproved colour



Gradient



Drop shadow



Outlined



Too close to other elements



Insufficient contrast



Rearranged




Mirrored or redrawn

Color

Red is powerful because it is controlled.

White builds the canvas. Black builds structure and type. Grey supports. Red interrupts, once, where it matters most.



Color codes

HEX and RGB are for screens. CMYK is for print. Pantone is for spot colour work and signage.

CMYK values are calculated conversions. Proof every print job against a physical swatch before approval.

ROLES

Primary
White, Black, Signal Red

Support
Grey, Mist, Paper, Ink, Graphite

State
Deep Signal for hover and pressed only

Zone White
PRIMARY / CANVAS

HEX #FFFFFF
RGB 255, 255, 255
CMYK 0, 0, 0, 0
Pantone: uncoated paper white

Zone Black
PRIMARY / TYPE AND STRUCTURE

HEX #0A0A0A
RGB 10, 10, 10
CMYK 0, 0, 0, 96
Pantone Black 6 C

Signal Red
ACCENT / ACTION AND EMPHASIS

HEX #D1162C
RGB 209, 22, 44
CMYK 0, 89, 79, 18
Pantone 186 C (nearest)

Zone Grey
SUPPORT / SECONDARY ELEMENTS

HEX #868A90
RGB 134, 138, 144
CMYK 7, 4, 0, 44
Pantone Cool Gray 8 C

Mist
SUPPORT / DIVIDERS, FINE FILLS

HEX #E4E5E7
RGB 228, 229, 231
CMYK 1, 1, 0, 9
Pantone Cool Gray 1 C

Paper
SUPPORT / PANELS, PAGE TINT

HEX #F4F4F2
RGB 244, 244, 242
CMYK 0, 0, 1, 4
Process CMYK only

Ink
SUPPORT / SECONDARY TEXT ON LIGHT

HEX #55585D
RGB 85, 88, 93
CMYK 9, 5, 0, 64
Process CMYK only

Graphite
SUPPORT / DARK SURFACES

HEX #1C1D1F
RGB 28, 29, 31
CMYK 10, 6, 0, 88
Process CMYK only

Deep Signal
STATE / HOVER AND PRESSED

HEX #9E0F20
RGB 158, 15, 32
CMYK 0, 91, 80, 38
Pantone 187 C (nearest)

Color balance

The numbers are visual weights, not surface percentages. They set a hierarchy: white carries the most, black structures it, red draws the eye, grey supports.

Red weighs 30 because of attention, not area. It should cover under 10 percent of a layout and still be the first thing seen.

70 **White** Canvas



50 **Black** Type, structure, dark surfaces



30 **Red** Emphasis, action, brand moments



10 **Grey** Secondary text, dividers, fine fills

BACKGROUNDS	White by default. Paper for panels. Black for hero and dark surfaces. Red fills a whole page or screen once per document or campaign.
TEXT	Black on white, white on black. Ink for secondary text on light, Grey on dark. Red text only on white, at 16 px or larger.
STRUCTURE	Mist hairlines and dividers on light, Graphite lines on dark. One weight, no decorative borders.
CTA AND INTERACTION	Signal Red fill with a white label. One primary action per view. Hover and pressed use Deep Signal. Secondary actions are black outlines.
DIGITAL	Specify HEX or RGB. Dark mode runs Black to Graphite, with red reserved for focus, selection and action.
PRINT	Specify CMYK or Pantone. On one-colour jobs, Signal Red is the spot colour. Set text in Zone Black.


APPROVED PAIRINGS AND CONTRAST RATIO



19.8 to 1 Body	**19.8 to 1** Body	**5.4 to 1** CTA label	**5.4 to 1** Accent text	**5.7 to 1** On grey	**5.7 to 1** Secondary, dark	**7.1 to 1** Secondary, light	**3.6 to 1** Large only	**3.5 to 1** Avoid


Color in composition

Four common surfaces. Red stays controlled in every one.



1 Light interface

White, Black, Grey support, Red on the one action.




2 Dark interface

Black and Graphite, White type, Red on action and the active state.



3 Editorial and marketing

White and Black. Red appears once, as the full stop.



4 Digital product

Neutral foundation. Red marks selection, progress and focus.

HEADING / TITLE FONT

Proxima Nova Bold

Headlines, titles, strong statements and section openers. Sentence case by default. Uppercase sparingly, with tracking at +50. Tracking 0 in sentence case.

Aa

Aa Bb Cc Dd Ee Ff Gg Hh Ii Jj Kk Ll
Mm Nn Oo Pp Qq Rr Ss Tt Uu Vv Ww
Xx Yy Zz

0123456789
!@#$%&*()_+<>?/!

Build what matters.

DISPLAY / PERSONALITY FONT

Glitz

A pop of brand personality for selected hero statements and special headlines. Sentence case, bold headline use only, once per layout. Never for paragraphs or labels.

Aa

Aa Bb Cc Dd Ee Ff Gg Hh Ii
Jj Kk Ll Mm Nn Oo Pp Qq
Rr Ss Tt Uu Vv Ww Xx Yy
Zz

0123456789
!@#$%&*()_+<>?/!

Made precisely.

Specimens in this document are set in substitute typefaces until licensed Proxima Nova and Glitz files are installed on the production system.

SUBTITLE FONT

Proxima Nova Bold

Subtitles, labels, supporting headings and section identifiers. Uppercase with tracking from +50 to +100, or sentence case for a short description.

AaBbCc1234

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

0123456789

!@#$%&*()_+<>?/!

BODY FONT

Proxima Nova Regular

Paragraphs, descriptions and explanatory copy. Sentence case, tracking 0. Never replace body copy with the title or subtitle font. Use Bold for emphasis inside a sentence.

Regular **Bold**

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

0123456789

!@#$%&*()_+<>?/!

IN USE

We design and build digital products that solve real business problems. Websites, web applications, AI and automation, built carefully and explained clearly.

Type scale

Use no more than three levels in one layout: a headline, a subtitle and body. Sizes are for desktop and print. Scale proportionally for mobile.

ROLE	SPECIMEN	SIZE / LINE	CASE	TRACKING	WEIGHT
H1	Build what matters	64 / 72	Sentence	0	Bold
H2	Clear, then clever	40 / 48	Sentence	0	Bold
H3	Systems that scale	28 / 36	Sentence	0	Bold
Display	Made precisely	72 / 76	Sentence, once	0	Glitz
Subtitle	WEB, AI, AUTOMATION	18 / 26	Uppercase	+50 to +100	Bold
Body	Plain words, short sentences.	16 / 26	Sentence	0	Regular
Caption	Figure 01. System overview	12 / 18	Sentence	0	Regular
Button	START A PROJECT	14 / 20	Uppercase	+60	Bold
Label	CASE STUDY	11 / 16	Uppercase	+100	Bold

Brand voice

Clear

Plain words. Technical terms only when they help.

Confident

Authority without exaggeration. No big claims.

Intelligent

Show expertise through clarity, not vocabulary.

Direct

Say what matters, then stop.

Human


Write like a person, to a person.


INSTEAD OF	PREFER
✕ We provide cutting-edge end-to-end digital transformation solutions.	✓ **We design and build digital products that solve real business problems.**
✕ Leveraging AI-powered synergies to unlock efficiency.	✓ **We add AI where it saves your team time, and we say where it does not.**
✕ Our passionate experts are committed to excellence.	✓ **You talk directly to the people building your product.**
✕ We deliver bespoke software ecosystems.	✓ **We build custom software around how your business actually works.**
✕ Contact us to explore potential synergies.	✓ **Tell us what you are trying to fix. We will tell you what we would build.**
✕ Revolutionary automation that transforms your workflow.	✓ **Automation that removes repeat work, so your team can focus on work that needs people.**
✕ Dear Valued Customer, we are pleased to inform you of completion.	✓ **Hi Priya, your website is live. Here is what we shipped and what comes next.**

Imagery direction


MODERN / INTELLIGENT / PRECISE
BOLD / MINIMAL / EXPERIMENTAL


Composition	Strong geometry, one subject, generous empty space. Align to the grid.
Lighting	One light source. Hard or soft, never flat. Let shadows stay.
Contrast	Real blacks, clean whites, nothing muddy.
Colour treatment	Neutral and desaturated, graded toward the palette. No teal and orange.
Photography	Architecture, materials, hands and devices. People cropped, never posed.
Abstract graphics	Light studies, modules and lines built from the brand system.
UI and product	Real interfaces, cropped tight, shown in context.
Cropping	Crop hard. Let subjects bleed off the frame.
Red accents	One small red detail per image, or none.














Direction studies. Source or commission photography that follows the same rules.

AVOID

- ✕ Handshakes and boardrooms
- ✕ Stock coding screens
- ✕ Neon and glowing grids
- ✕ Glossy AI renders
- ✕ Cliche technology icons


Graphic language

Built from the logo: two modules and the space between them. Five devices, used together or alone, make GREYZONE recognisable without the logo.




01 Module

A rounded rectangle, solid or outline. Corner radius is 20 percent of its height.



02 Bridge

A red line joins a solid and an outline module. One bridge per layout.




03 Zone grid

Twelve columns, hairlines, small coordinate tags. Modules snap to it.



04 Cropped type


Oversized words, cut by the edge, in Graphite on black or Mist on white. Never the logo.



05 Field

Modules tiled on a grid in Mist and Grey, with a single Signal Red module as the focus.

Digital application



BUTTONS

START
Default

START
Hover

START
Focus

START
Disabled

SECONDARY

Text link

NAVIGATION

Work Studio Journal

SPACING AND SHAPE


8 px spacing unit, 12 px card and 10 px button radius


Button height 48 px, 40 px compact

One primary red action per view


Focus ring: 2 px black, 4 px offset

Product interface





Light mode



Dark mode

RED IS INTERACTION

Selection, progress, toggles, focus and the primary action. Nothing decorative.

NEUTRAL FOUNDATION


Black, Graphite and White carry the structure. Grey carries secondary information.

STATUS COLOURS


Success and warning colours are functional and sit outside the brand palette. Use them only for status, with an icon and a label.

Social media

One idea per post. One red move. The brand mark sits bottom left. Layouts vary by content, but the grid, type and colour balance never do.



Project announcement
Instagram post, 1:1




Service announcement
Instagram post, 1:1




Quote
Instagram post, 1:1




Recruitment
Instagram story, 9:16



Case study
LinkedIn post, 1.91:1



Team
Instagram post, 1:1



Statistic
Instagram post, 1:1. One red field per row.


Business collateral



Letterhead
A4. White, logo top left.



Proposal cover
A4. Black, one red module.




Presentation cover
16:9. Black, Glitz title, one bridge.



Business card
85 x 55 mm. Black front, white back.



Invoice and document header
Logo left, document type right, one red rule.



Email signature
Brand mark, one red rule, three lines of text.

Engineering the in-between.

When a decision is not covered here, choose the clearer, simpler and more precise option. Then check it against these seven principles.

GREYZONE

ENGINEERING THE IN-BETWEEN

01 **Black and white build.**
Red interrupts, once.

02 **One red move per layout.**
Controlled, never decorative.

03 **The logo is never altered.**
Use the supplied files, with clear space.

04 **Space is a feature.**
Generous margins, strong hierarchy.

05 **Say it plainly.**
Short sentences, no jargon.

06 **Use the modules.**
Solid, outline and the bridge between.

07 **Precision over decoration.**
Every element has a reason.