buffers

TUGAS 01 M.K. KRIPTOGRAFI

Judul:

Algoritma Enkripsi ROT13

Oleh:
Rizqi Nur Assyaufi / 15.01.157

STMIK Balikpapan

20170925



Topik Bahasan:

- Bahasa pemrograman apa yang digunakan ?
- Algoritma program ?
- Method / Function apa yang digunakan ?
- Let's Ngoding !
- Let's GUI (Graphic User Interface) !




Bahasa Pemrograman:



Kenapa JavaScript ?


- include in Modern Browser
- no need to install
- has many Standard built-in object
- integrated with HTML5 & CSS3

<u>A</u>lgoritma Caesar ROT13:





<u>A</u>lgoritma Program:



Let's Ngoding, Bro

Method / Function built-in JavaScript :

string.charCodeAt()

The charCodeAt() method **returns** an **integer between 0 and 65535** representing the UTF-16 code unit at the given index.

String.fromCharCode()

The static String.fromCharCode() method returns a string created by using the specified sequence of Unicode values.

ASCII TABLE

Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char
0	0	[NULL]	32	20	[SPACE]	64	40	@	96	60	`
1	1	[START OF HEADING]	33	21	!	65	41	Α	97	61	а
2	2	[START OF TEXT]	34	22		66	42	В	98	62	b
3	3	[END OF TEXT]	35	23	#	67	43	С	99	63	С
4	4	[END OF TRANSMISSION]	36	24	\$	68	44	D	100	64	d
5	5	[ENQUIRY]	37	25	%	69	45	E	101	65	e
6	6	[ACKNOWLEDGE]	38	26	&	70	46	F	102	66	f
7	7	[BELL]	39	27		71	47	G	103	67	g
8	8	[BACKSPACE]	40	28	(72	48	Н	104	68	h
9	9	[HORIZONTAL TAB]	41	29)	73	49		105	69	i
10	Α	[LINE FEED]	42	2A	*	74	4A	J	106	6A	j
11	В	[VERTICAL TAB]	43	2B	+	75	4B	K	107	6B	k
12	С	[FORM FEED]	44	2C	,	76	4C	L	108	6C	1
13	D	[CARRIAGE RETURN]	45	2D		77	4D	М	109	6D	m
14	E	[SHIFT OUT]	46	2E		78	4E	N	110	6E	n
15	F	[SHIFT IN]	47	2F	1	79	4F	0	111	6F	0
16	10	[DATA LINK ESCAPE]	48	30	0	80	50	P	112	70	р
17	11	[DEVICE CONTROL 1]	49	31	1	81	51	Q	113	71	q
18	12	[DEVICE CONTROL 2]	50	32	2	82	52	R	114	72	r
19	13	[DEVICE CONTROL 3]	51	33	3	83	53	S	115	73	S
20	14	[DEVICE CONTROL 4]	52	34	4	84	54	T	116	74	t
21	15	[NEGATIVE ACKNOWLEDGE]	53	35	5	85	55	U	117	75	u
22	16	[SYNCHRONOUS IDLE]	54	36	6	86	56	V	118	76	v
23	17	[ENG OF TRANS. BLOCK]	55	37	7	87	57	W	119	77	w
24	18	[CANCEL]	56	38	8	88	58	X	120	78	x
25	19	[END OF MEDIUM]	57	39	9	89	59	Υ	121	79	у
26	1A	[SUBSTITUTE]	58	3A	:	90	5A	Z	122	7A	Z
27	1B	[ESCAPE]	59	3B	;	91	5B	[123	7B	{
28	1C	[FILE SEPARATOR]	60	3C	<	92	5C	1	124	7C	T
29	1D	[GROUP SEPARATOR]	61	3D	=	93	5D	1	125	7D	}
30	1E	[RECORD SEPARATOR]	62	3E	>	94	5E	^	126	7E	~
31	1F	[UNIT SEPARATOR]	63	3F	?	95	5F	_	127	7F	[DEL]

Let's GUI, Bro!

Mockup User Interface Design :

JS Javascript <html> .container <h1> Nama App Deskripsi app Instruksi penggunaan app <textarea> .ta #plain cols: 55 rows: 6 <textarea>.ta #chipper

<html>

font-family: Trebuchet width: 410px margin: 20px padding: auto

<textarea>

width: 97%

.container

width: 410px background: #FFFAAA border: 1px solid black border-radius: 10px padding: 10px

.ta

padding: 5px

ROT13 **KONVERTER**

brought to you by

RIZQI NUR **ASSYAUFI**

cols: 55 rows: 6

KONVERSI

rizqinurassyaufi libreoffice

buffers

الحمدللُّهِ.

izginurassyaufi libreoffice



Terima Kasih_