Deployment Test

0.11.1

Generated by Doxygen 1.9.1

1 Main Page 2
1.1 Deployment test . . . 2
1.1.1 Setup . . . 2
1.1.2 TODO . . . 2

2 Change Log 2
2.1 0.11.1 . . . 2
2.2 Change Log . . . 2
2.2.1 0.11.0 . . . 2
2.3 Change Log . . . 2
2.3.1 0.10.0 . . . 2
2.4 Change Log . . . 3
2.4.1 0.9.0 . . . 3
2.5 Change Log . . . 3
2.5.1 0.8.0 . . . 3
2.6 Change Log . . . 3
2.6.1 0.7.0 . . . 3
2.7 Change Log . . . 3
2.7.1 0.6.0 . . . 3
2.7.2 0.1.0 . . . 3

3 Namespace Index 3
3.1 Namespace List . . . 3

4 Class Index 4
4.1 Class List . . . 4

5 File Index 4
5.1 File List . . . 4

6 Namespace Documentation 4
6.1 deploytest Namespace Reference . . . 4
6.1.1 Detailed Description . . . 4

7 Class Documentation 4
7.1 deploytest::TestClass Class Reference . . . 4
7.1.1 Detailed Description . . . 5
7.1.2 Constructor & Destructor Documentation . . . 5
7.1.3 Member Function Documentation . . . 5

8 File Documentation 6
8.1 include/test.hpp File Reference . . . 6
8.1.1 Detailed Description . . . 7
8.1.2 Macro Definition Documentation . . . 7

Index 9

1 Main Page

1.1 Deployment test

A test repository to test GitHub Actions to do the following:

- Create release and publish Doxygen HTML documentation to a version specific subdirectory in the `gh-pages` branch
- Publish the Doxygen for the *latest* (development) code to the `latest` subdirectory in the gh-pages branch
- Create branches for patches to major.minor release builds

1.1.1 Setup

Create the `gh-pages` branch for a repository:

```
git checkout --orphan gh-pages
git reset --hard
touch .nojekyll
git push origin gh-pages
```

1.1.2 TODO

Especially in the `create-release` action with have race conditions and and possible problems on push

2 Change Log

2.1 0.11.1

Test patch

2.2 Change Log

2.2.1 0.11.0

Fixed sed in branch to correct capture group

2.3 Change Log

2.3.1 0.10.0

Fixed SED using + notation

2.4 Change Log

2.4.1 0.9.0

Changed version number increment

2.5 Change Log

2.5.1 0.8.0

Create Branch Changed

2.6 Change Log

2.6.1 0.7.0

Added –ignore-unmatch to git rm

2.7 Change Log

2.7.1 0.6.0

Fixed (to (

2.7.2 0.1.0

Fixed the fake issue Fixed the rc2 build issue

2.7.2.1 Known Issues Not fully tested

3 Namespace Index

3.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

deploytest
The Deployment Test namespace 4

4 Class Index

4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

deploytest::TestClass
The Deployment Test struct **4**

5 File Index

5.1 File List

Here is a list of all documented files with brief descriptions:

include/test.hpp
The main Deployment Test file **6**

6 Namespace Documentation

6.1 deploytest Namespace Reference

The Deployment Test namespace.

Classes

- class TestClass
  The Deployment Test struct.

6.1.1 Detailed Description

The Deployment Test namespace.

7 Class Documentation

7.1 deploytest::TestClass Class Reference

The Deployment Test struct.

```
#include <test.hpp>
```

Public Member Functions

- TestClass ()

  Creates an empty Test Class object.
- TestClass (const **std::string** &name)

  Creates a Test Class with the specified name.
- const **std::string** & Name () const

  Gets the name.
- **std::size_t** Length () const

  Gets the object length.

7.1.1 Detailed Description

The Deployment Test struct.

7.1.2 Constructor & Destructor Documentation

7.1.2.1 TestClass() [1/2] deploytest::TestClass::TestClass ( )

Creates an empty Test Class object.

7.1.2.2 TestClass() [2/2] deploytest::TestClass::TestClass (const **std::string** & *name*)

Creates a Test Class with the specified name.

Parameters

name	The name for the class

7.1.3 Member Function Documentation

7.1.3.1 Length() **std::size_t** deploytest::TestClass::Length ( ) const [inline]

Gets the object length.

Returns

The length of the object

7.1.3.2 Name() const std::string& deploytest::TestClass::Name ( ) const [inline]

Gets the name.

Returns

The name of the object

The documentation for this class was generated from the following file:

- include/test.hpp

8 File Documentation

8.1 include/test.hpp File Reference

The main Deployment Test file.

```
#include <string>
```

Include dependency graph for test.hpp:



Classes

- class deploytest::TestClass

  The Deployment Test struct.

Namespaces

- deploytest

  The Deployment Test namespace.

Macros

- #define DEPLOYTEST_VERSION_MAJOR 0

  Major version number of the Library.
- #define DEPLOYTEST_VERSION_MINOR 11

  Minor version number of the Library.
- #define DEPLOYTEST_VERSION_REVISION 1

  Revision version number of the Library.
- #define DEPLOYTEST_VERSION_SUFFIX ""

  Pre-release suffix of the Library.

8.1.1 Detailed Description

The main Deployment Test file.

8.1.2 Macro Definition Documentation

8.1.2.1 DEPLOYTEST_VERSION_MAJOR `#define DEPLOYTEST_VERSION_MAJOR 0`

Major version number of the Library.

8.1.2.2 DEPLOYTEST_VERSION_MINOR `#define DEPLOYTEST_VERSION_MINOR 11`

Minor version number of the Library.

8.1.2.3 DEPLOYTEST_VERSION_REVISION `#define DEPLOYTEST_VERSION_REVISION 1`

Revision version number of the Library.

8.1.2.4 DEPLOYTEST_VERSION_SUFFIX `#define DEPLOYTEST_VERSION_SUFFIX ""`

Pre-release suffix of the Library.

Use `semantic versioning` suffices with alpha characters are compared by ASCII ordering; therefore `-DEV < -alpha < -beta < -rc` providing `DEV` is uppercase and `alpha`, `beta`, and `rc` are all lower case.

Index

deploytest, 4
deploytest::TestClass, 4
    Length, 5
    Name, 5
    TestClass, 5
DEPLOYTEST_VERSION_MAJOR
    test.hpp, 7
DEPLOYTEST_VERSION_MINOR
    test.hpp, 7
DEPLOYTEST_VERSION_REVISION
    test.hpp, 7
DEPLOYTEST_VERSION_SUFFIX
    test.hpp, 7

include/test.hpp, 6

Length
    deploytest::TestClass, 5

Name
    deploytest::TestClass, 5

test.hpp
    DEPLOYTEST_VERSION_MAJOR, 7
    DEPLOYTEST_VERSION_MINOR, 7
    DEPLOYTEST_VERSION_REVISION, 7
    DEPLOYTEST_VERSION_SUFFIX, 7
TestClass
    deploytest::TestClass, 5