

Data & Mapping Reference

> source_status

> 9 records with 5 properties

Data & Mapping Reference

Reference page for data freshness, mapping files, and source table locations.

Data Source Status

Last date of data available in each mart. A lag of 1–2 days is normal for daily sources — GA4 and Ads data typically land the following day. **Questionnaire responses load weekly (Sunday), so a lag of up to ~9 days is expected there** unless a manual export is kicked off. Status thresholds are cadence-aware.

Source	Description	Last Date
Core Web Metrics	Site traffic: users, sessions, bounce rate	2026-08-04
GA4 Geography	Traffic by country, region, city	2026-08-04
Top Content	Page views by content category and title	2026-08-04
User Journeys	Page-to-page flows (next / previous page)	2026-08-04
Outbound Clicks	External link click events from GA4	2026-08-04
Traffic Attribution	Sessions by channel, source, medium	2026-08-04
Google Ads · Campaigns	Daily Google Ads cost + GA4 session data	2026-08-03
Search Console	Google search: impressions, clicks, avg. position	2026-08-03
Questionnaire Responses	Completed BrainGuide + Go365 responses (loads weekly, Sun)	2026-08-02

Mapping Files (dbt Seeds)

All seeds live in BigQuery at `usa2-brainguide.reporting_seeds`. To update a mapping: edit the CSV in `seeds/`, then `dbt seed` (or let CI rebuild).

File	Maps	Notes
<code>seeds/content_page_map.csv</code>	URL slug → category · canonical title · locale · is_active	9 categories (Result, Hub, Factsheet, Article, Clinical Trials, Find a Provider, Legal, Other, Home). Tracks URL changes via <code>is_active</code> + <code>superseded_by</code> .

File	Maps	Notes
seeds/source_medium_map.csv	(source, medium) pair → channel · is_paid · campaign_target	Unmapped slugs surface as "Unmapped" in Top Content. Most frequently updated. ~73 rules; covers current GA4 naming (google/search, pmax, display) and legacy formats (cpc, paid, bing). Drives the Traffic Attribution and Channel pages.
seeds/persona_page_map.csv	Result-page slug → persona label · slug · audience · diagnosed · brain health · score_family	All 8 assessment personas, keyed by descriptive label/slug on three axes (Self/Someone Else · Diagnosed/Not Diagnosed · Good/Poor), + 3 SBC personas. Legacy first-name labels retained in <code>persona</code> . English + Spanish slugs; Spanish rows carry <code>en_slug</code> for rollup.
seeds/campaign_name_map.csv	GA4 campaign name variant → canonical Ads campaign name	~18 GA4 variants → 9 active campaigns. Needed because GA4 and Ads use different naming conventions.
seeds/campaign_target_map.csv	Campaign name prefix → business target label	Prefix match: <code>CTC_</code> → Clinical Trials · <code>FP-</code> → Find a Provider · unmatched → BrainGuide General.
seeds/legacy_web_kpis.csv	Weekly web KPI history Mar 2021 – Dec 2024	Frozen. Pre-daily-data era. Grain = <code>weekly</code> — do not sum with daily rows.
seeds/legacy_questionnaire_monthly.csv	Monthly questionnaire counts Mar 2021 – Jan 2024	Frozen. Pre-DynamoDB era. DynamoDB supersedes from Jan 2024.
seeds/legacy_persona_traffic.csv	Weekly persona page traffic Mar 2021 – Aug 2023	Frozen. Pre-SBC era. Reconstructed monotonic dates.

Raw BigQuery Source Tables

These tables are read by dbt. Evidence cannot query them directly.

Group	BQ Dataset	Key Table(s)	What's In It
GA4 Events	analytics_257799278	events_* (wildcard)	All GA4 events, event-level rows
GA4 Backfill	reporting	ga4_page_historical · ga4_questionnaire_*_historical · ga4_geo_device_historical · ga4_outbound_clicks_historical · +6 more	Historical GA4 data pulled via Data API
Google Ads	googleads	ads_Campaign_8328184535 · ads_CampaignBasicStats_8328184535	Daily campaign metrics + attributes (Ads Data Transfer views)
DynamoDB Exports	MyBrainguide	raw_dpn-chat-bot-content · raw_dpn-chat-bot-content-go365	Raw questionnaire responses (DynamoDE JSON)
Search Console	searchconsole_brainguide	searchdata_site_impression · searchdata_url_impression	Daily search impressions clicks, position

dbt Model Layers

Layer	BQ Dataset	Materialization	Purpose
Seeds	reporting_seeds	Table	Mapping CSVs loaded by dbt seed
Staging	reporting_staging	Views	Clean + normalize raw sources; no joins across source systems
Marts	reporting	Tables	Aggregate + join for Evidence queries

Evidence SQL sources in dashboard/sources/bigquery/ all query the reporting (marts) dataset.