

Scoring Reference

This page defines how BrainGuide questionnaire scores are calculated, how result pages map to user personas, and what those results indicate about brain health. Use this as the key for interpreting the **Questionnaire Responses** dashboard.

Web Personas

Each questionnaire result routes the respondent to a specific URL that corresponds to a persona. The persona determines the type of guidance shown and reflects the respondent's brain health context.

Persona naming

Personas are identified by the **three routing axes** that define them — **Who** (Self vs. Someone Else) · **Diagnosed** · **Indicating Brain Health** — rather than the legacy first-name labels (Ben, Julia, ...). Every dashboard now shows the descriptive **label**; the **slug** is the compact key used in data columns and filters. The legacy names are retained only for reference.

Persona (label)	Slug	Who	Diagnosed	Indicating Brain Health	Legacy name
Self · Not Diagnosed · Good	self-undx-good	Self	Not Diagnosed	Good	Julia
Self · Not Diagnosed · Poor	self-undx-poor	Self	Not Diagnosed	Poor	Ben
Self · Diagnosed · Good	self-dx-good	Self	Diagnosed	Good	Meredith
Self · Diagnosed · Poor	self-dx-poor	Self	Diagnosed	Poor	Carol
Someone Else · Not Diagnosed · Good	other-undx-good	Someone Else	Not Diagnosed	Good	Nicole
Someone Else · Not Diagnosed · Poor	other-undx-poor	Someone Else	Not Diagnosed	Poor	Anson
Someone Else · Diagnosed · Good	other-dx-good	Someone Else	Diagnosed	Good	Olivia
Someone Else · Diagnosed · Poor	other-dx-poor	Someone Else	Diagnosed	Poor	Farah

The three **SBC** result pages route by risk level rather than a diagnosis, so they keep their own scheme: `self-sbc-low` (**Self · Low Risk (SBC)**), `self-sbc-med` (**Self · Moderate Risk (SBC)**), and `self-sbc-high` (**Self · High Risk (SBC)**).

Both the descriptive `persona` label and the `persona_slug` are available across the questionnaire and result-page dashboards, along with the individually filterable `persona_who` and `persona_diagnosed` axes. All are sourced from the `persona_page_map` seed.

Routing & scoring detail

Persona (label)	Result URL	Summary	Concerned About Brain Health	AD8 Score Range
Self · Not Diagnosed · Good	<code>/maintain-brain-health-1/</code>	Worried well — Actively protecting brain health	Yes / No / Not Sure	5–7, 8, No Q
Self · Not Diagnosed · Poor	<code>/address-memory-concerns-1/</code>	Experiencing memory problems	Yes / No / Not Sure	0, 1–4, No Q
Self · Diagnosed · Good	<code>/understand-next-steps-2/</code>	Actively learning how to live with Alzheimer's	Yes / Not Sure	5–7, 8
Self · Diagnosed · Poor	<code>/understand-next-steps-1/</code>	Recently diagnosed with Alzheimer's	Yes / Not Sure	0, 1–4, No Q
Someone Else · Not Diagnosed · Good	<code>/guide-loved-ones-4/</code>	Worried well — Concerned about recently diagnosed mother	Yes / No / Not Sure	0–1, No Q
Someone Else · Not Diagnosed · Poor	<code>/guide-loved-ones-3/</code>	Emerging caregiver, starting from zero	Yes / No / Not Sure	2–8, No Q
Someone Else · Diagnosed · Good	<code>/guide-loved-ones-2/</code>	Concerned about her recently diagnosed mother	Yes / Not Sure	0–1
Someone Else · Diagnosed · Poor	<code>/guide-loved-ones-1/</code>	Care partner for Alzheimer's patient	Yes / Not Sure	2–8, No Q

"No Q" means the respondent reached this result without completing a scored questionnaire (e.g. via the SBC flow or by skipping scoring steps).

The **Concerned About Brain Health** and **Diagnosed** columns are the up-front routing inputs the respondent supplies before scoring. Together with **Who** and the resulting brain health category, they determine which persona and result page the respondent

is routed to. Note that a respondent who has been **Diagnosed** always answers "Yes / Not Sure" to being concerned — no diagnosed persona reaches a result page having answered "No" to concern.

The `result_url` column in the Questionnaire Responses dashboard maps directly to these personas; cross-reference here to identify which persona and brain health category is represented.

Questionnaire Scoring Systems

AD8 — Alzheimer's Disease 8-Item Informant Interview

Lower score = less concern. Higher score = more concern.

- 8 yes/no questions about memory and function changes
- **Yes (a change noticed)** = 1 point · **No** = 0 points · **Not sure** = 0 points
- Score range: **0–8**

Score	Interpretation
0–1	Good — unlikely significant cognitive impairment
2–8	Poor — possible cognitive impairment; follow-up recommended

Each "Yes (a change noticed)" answer = 1 point. Lower score = less concern. The AD8 `assessment_score` column in the mart stores the raw 0–8 value; `score_category` maps it to Good / Poor.

MIS — Memory Impairment Screen

Higher score = better memory performance.

MIS Score = (2 × Free Recall) + Cued Recall

- **Free Recall:** words the respondent remembered without any prompting (×2 weight)
- **Cued Recall:** words recalled only after a category cue is given
- **Score range: 0–8**

Score	Interpretation
5–8	Good — normal memory performance
0–4	Poor — possible memory impairment

Raw fields in source data: `numWordsFreeRecalled`, `numWordsCueRecalled`, `misWordList` (the word set used). The `mis_word_list` filter on the dashboard lets you control for which word set was presented.

SBC — Speech Based Cognition

Higher score = lower risk.

SBC is a speech-based cognitive assessment. The SBC score is a continuous 0–1 value; used for respondents in the `sbc` flow type who don't complete a memory screen.

Score	Risk Level	Result URL
<code>> 0.5</code>	Low Risk	<code>/navigate-next-steps-1/</code>
<code>0.2 – 0.5</code>	Medium Risk	<code>/navigate-next-steps-2/</code>
<code>< 0.2</code>	High Risk	<code>/navigate-next-steps-3/</code>

All SBC respondents in the `navigate-next-steps-*` result URLs are **Self**. The continuous score is stored in the mart's `sbc_score` column (float 0–1); `score_category` maps it to Low / Medium / High Risk (Good / Moderate / Poor). See the **SBC Analysis** page for the full breakdown. Boundary scores (exactly 0.2 or 0.5) may route to either adjacent tier, so the tier is taken from the routed result page rather than recomputed from the score.

Flow Types in the Data

<code>flow_type</code>	Description	Has Demographics	Scoring
<code>ad8</code>	Full AD8 memory concern screen	Yes	AD8 (0–8)
<code>mis</code>	Memory Impairment Screen	Yes	MIS formula
<code>sbc</code>	Speech Based Cognition assessment	Yes	SBC (0–1)
<code>c</code>	User clicked "Get Information" — no scored result	No	None

The `c` flow represents users who clicked **"Get Information"** rather than completing a scored assessment. They receive a result page (and therefore a persona/brain health routing) but do not receive a calculated score. They do not collect demographics. They make up approximately 24% of completions and are **excluded from score calculations** by default.

Result URL → Persona Quick Reference

Result URL	Persona	Brain Health	Who
/maintain-brain-health-1/	Julia	Good	Self
/address-memory-concerns-1/	Ben	Poor	Self
/guide-loved-ones-3/	Anson	Poor	Someone Else
/understand-next-steps-1/	Carol	Poor	Self
/understand-next-steps-2/	Meredith	Good	Self
/guide-loved-ones-1/	Farah	Poor	Someone Else
/guide-loved-ones-4/	Nicole	Good	Someone Else
/guide-loved-ones-2/	Olivia	Good	Someone Else
/navigate-next-steps-1/	(SBC Low Risk)	Good	Self
/navigate-next-steps-2/	(SBC Medium Risk)	Moderate	Self
/navigate-next-steps-3/	(SBC High Risk)	Poor	Self