The contents of this document represent and go over the topics covered in lecture on 1/17 and 1/19. Use this to review the content as you please, also be sure not to use these in place of lecture as these documents will only cover lecture highlights and important details and do not represent the full scope of what you may be tested on. As always if you have any questions ask on ED!

Lecture 1 - 1/17/2023

Course logistics - you can view all of these on the canvas homepage which every student should spend AT LEAST 5 MINUTES reading

Preliminary definitions:

<u>Algorithm</u>: A well-ordered collection of unambiguous and effectively computable operations that when executed produces a result and halts in a finite amount of time.

<u>Computer Science:</u> The study of algorithms including: 1. Their formal and mathematical properties 2. Their hardware realizations 3. Their linguistic realizations 4. Their applications

Your first Algorithm:

Linear Search (sequential search): Algorithm to determine whether a given name x appears on a list.

Input: A list of $n \ge 1$ names A[1], A[2], ..., A[n], and a given name x. Output. The message "Sorry, x is not on the list" if x is not on the list. Otherwise, the message: "x occurs at position i on the list."

A programming language is a notation for specifying instructions that a computer can execute

- Every (programming) language has a syntax and a semantics
 - Syntax specifies how something is said (grammar)
 - Semantics specifies what it means
- Pseudocode is an informal programming language with English-like constructs modeled to look like statements in a Java-like language
- Anyone able to program in any computer language should understand how to read pseudocode instructions.
 - When in doubt just write it out in English.

Lecture 2 - 1/19/2023

Linear search is quite inefficient when it comes to large chunks of data or even small chunks of data but the element you are looking for is towards the end of the collection of data. An improved searching method is known as **Binary Search** and it cuts the remaining data set in half after each iteration.

Binary Search:

Input: A SORTED list of $n \ge 1$ numbers A[1], A[2], ..., A[n],

and a target number x.

Output. The message "Sorry, x is not on the list" if x is not

on the list. Otherwise, the message: "x occurs at position i on the list."