```
test> use college
switched to db college
college> db.createCollection("s2mca")
{ ok: 1 }
college> db.s2mca.insert({roll:1,name:'Visal',age:20,div:'A',sub:['Maths','OS']})
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
 acknowledged: true,
 insertedIds: { '0': ObjectId('6613988694d143be678bf202') }
college> db.s2mca.insert({roll:2,name:'John',age:20,div:'B',sub:['Maths','CN']})
 acknowledged: true,
 insertedIds: { '0': ObjectId('661398ac94d143be678bf203') }
college> db.s2mca.insert({roll:3,name:'Akash',age:20,div:'C',sub:['ACN','AOS']})
 acknowledged: true,
 insertedIds: { '0': ObjectId('661398cd94d143be678bf204') }
college> db.s2mca.find()
    id: ObjectId('6613988694d143be678bf202'),
   roll: 1,
   name: 'Visal'.
    age: 20,
   div: 'A',
    sub: [ 'Maths', 'OS' ]
```

```
id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
   age: 20,
   div: 'B',
   sub: [ 'Maths', 'CN' ]
 },
   id: ObjectId('661398cd94d143be678bf204'),
   roll: 3,
   name: 'Akash',
   age: 20,
   div: 'C',
   sub: [ 'ACN', 'AOS' ]
college> db.s2mca.aggregate([{$match:{div:'A'}},{$count:'Total stud in A'}]);
{ 'Total stud in A': 1 } ]
college> db.s2mca.aggregate([{$group:{_id:'$div',total_st:{$sum:1},max_age:{$max:'$age'}}}])
 { _id: 'C', total_st: 1, max_age: 20 },
 { _id: 'A', total_st: 1, max_age: 20 },
  { id: 'B', total_st: 1, max_age: 20 }
```

```
college> db.s2mca.aggregate([{$match:{age:{$gt:19}}}])
     id: ObjectId('6613988694d143be678bf202'),
    roll: 1,
name: 'Visal',
    age: 20,
div: 'A',
sub: [ 'Maths', 'OS' ]
    _id: ObjectId('661398ac94d143be678bf203'),
    roll: 2,
name: 'John',
    age: 20,
    div: 'B',
    sub: [ 'Maths', 'CN' ]
    _id: ObjectId('661398cd94d143be678bf204'),
    roll: 3,
    name: 'Akash',
    age: 20,
    div: 'C',
sub: [ 'ACN', 'AOS' ]
college> db.s2mca.aggregate([{$sort:{'age':1}}])
    _id: ObjectId('6613988694d143be678bf202'),
    roll: 1,
    name: 'Visal',
    age: 20,
    div: 'A',
sub: [ 'Maths', 'OS' ]
    id: ObjectId('661398ac94d143be678bf203'),
    roll: 2,
name: 'John',
    age: 20,
div: 'B',
sub: [ 'Maths', 'CN' ]
    _id: ObjectId('661398cd94d143be678bf204'),
    roll: 3,
    name: 'Akash',
```

```
id: ObjectId('661398cd94d143be678bf204'),
   roll: 3,
   name: 'Akash',
   age: 20,
   div: 'C',
   sub: [ 'ACN', 'AOS' ]
college> db.s2mca.aggregate([{$sort:{'age':-1}}])
   id: ObjectId('6613988694d143be678bf202'),
   roll: 1,
   name: 'Visal',
   age: 20,
   div: 'A',
   sub: [ 'Maths', 'OS' ]
   _id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
   age: 20,
   div: 'B',
   sub: [ 'Maths', 'CN' ]
   _id: ObjectId('661398cd94d143be678bf204'),
   roll: 3,
   name: 'Akash',
   age: 20,
   div: 'C',
   sub: [ 'ACN', 'AOS' ]
college> db.s2mca.aggregate([{$match:{div:"A"}},{'$sort':{'age':-1}},{$limit:1}])
   id: ObjectId('6613988694d143be678bf202'),
   roll: 1,
   name: 'Visal',
   age: 20,
   div: 'A',
   sub: [ 'Maths', 'OS' ]
```

```
college> db.s2mca.aggregate([{$unwind:'$sub'}])
 {
    id: ObjectId('6613988694d143be678bf202'),
   roll: 1,
   name: 'Visal',
   age: 20,
   div: 'A',
   sub: 'Maths'
   _id: ObjectId('6613988694d143be678bf202'),
   roll: 1,
   name: 'Visal',
   age: 20,
   div: 'A',
   sub: '05'
 },
   _id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
   age: 20,
   div: 'B',
   sub: 'Maths'
 },
   _id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
   age: 20,
   div: 'B',
   sub: 'CN'
   _id: ObjectId('661398cd94d143be678bf204'),
   roll: 3,
   name: 'Akash',
   age: 20,
   div: 'C',
   sub: 'ACN'
   _id: ObjectId('661398cd94d143be678bf204'),
   roll: 3,
   name: 'Akash',
   age: 20,
   div: 'C',
   sub: 'A05'
```

```
college> db.s2mca.aggregate([{$unwind:'$sub'}])
 {
    id: ObjectId('6613988694d143be678bf202'),
    roll: 1,
    name: 'Visal',
    age: 20,
   div: 'A',
    sub: 'Maths'
 },
    id: ObjectId('6613988694d143be678bf202'),
    roll: 1,
    name: 'Visal',
    age: 20,
   div: 'A',
    sub: '05'
 },
 {
   _id: ObjectId('661398ac94d143be678bf203'),
    roll: 2,
    name: 'John',
    age: 20,
   div: 'B',
    sub: 'Maths'
 },
    id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
    age: 20,
   div: 'B',
    sub: 'CN'
 },
   _id: ObjectId('661398cd94d143be678bf204'),
    roll: 3,
   name: 'Akash',
    age: 20,
   div: 'C',
    sub: 'ACN'
 },
    id: ObjectId('661398cd94d143be678bf204'),
    roll: 3,
    name: 'Akash',
    age: 20,
   div: 'C',
    sub: 'AOS
```

```
college> db.s2mca.aggregate([{$unwind:'$sub'}])
 {
    _id: ObjectId('6613988694d143be678bf202'),
   roll: 1,
   name: 'Visal',
   age: 20,
   div: 'A',
   sub: 'Maths'
    _id: ObjectId('6613988694d143be678bf202'),
   roll: 1,
   name: 'Visal',
   age: 20,
   div: 'A',
   sub: '05'
 },
    _id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
   age: 20,
   div: 'B',
   sub: 'Maths'
 },
    id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
    age: 20,
   div: 'B',
   sub: 'CN'
 },
{
    _id: ObjectId('661398cd94d143be678bf204'),
   roll: 3,
   name: 'Akash',
   age: 20,
   div: 'C',
   sub: 'ACN'
 },
    _id: ObjectId('661398cd94d143be678bf204'),
   roll: 3,
   name: 'Akash',
   age: 20,
   div: 'C',
    sub: 'A05'
```

```
college> db.s2mca.aggregate([{$group:{_id:'roll',averageAge:{$avg:'$age'}}}]);
[ { _id: 'roll', averageAge: 20 } ]
college> db.s2mca.aggregate([{$group:{_id:'$gender',count:{$sum:1}}}]);
[ { id: null, count: 3 } ]
college> db.s2mca.find({name:/^j/});
college> db.s2mca.find({name:/^J/});
    id: ObjectId('661398ac94d143be678bf203'),
   roll: 2,
   name: 'John',
   age: 20,
   div: 'B',
    sub: [ 'Maths', 'CN' ]
```