



Delta Environmental Products, Inc.

OGVF2022AU
CONTROL PANEL

VOLTAGE	120/240V	(480V, 277/480V, 240V, 120/240V, 208V, 120/208V)
PHASE/HZ	1/60	
NO. MOTORS	1	
HP	2	
FLA	15	
TYPE OF PUMP	Submersible	(Self-Priming, Submersible)
MANUFACTURER	Barnes	
CATALOG NUMBER	OGVF2022AU	

CONTROL VOLTAGE	120V	(120V, Other)
ENCLOSURE	IP-55	(NEMA 1, NEMA 3R, NEMA 4, NEMA 4X)
ENCLOSURE MATERIAL	Poly	(Painted Steel, Stainless Steel, Fiberglass)
CONTROL SENSOR	Floats	(Floats, Bubbler, Other)
CAPACITORS	No	(Yes, No)
CAPACITOR WIRING FIGURE	N/A	
THERM. & SEAL FAIL WIRING FIGURE		


OPTIONS:


SEAL FAIL LIGHTS		(Submersible Only)
SEAL FAIL RELAYS		(Submersible Only)
SEAL FAIL PUMP SHUTDOWN		(Submersible Only)
HT PUMP SHUTDOWN	INTERNAL	(Self-Primer, Submersible)
ALARM HORN		
ALARM LIGHT	X	
LIGHT PANEL MTD	X	
LIGHT REMOTE MTD		
LIGHT FLASHER		
LIGHTNING ARRESTER		
ELAPSED TIME METER		
PHASE MONITOR		
NEMA RATED STARTERS		
GROUND FAULT RECPT.		
GREEN RUN LIGHTS VS. RED		
POLE, BOX, SEAL		
INTRINSICALLY SAFE RELAYS		
HIGH TEMP. LOCKOUT, MANUAL RESET		
ECONOMY VERSION		

SOLD TO: Delta Process

TAG : _____

SHIP TO: Delta Process


	Drawing Title						
	PANEL DESCRIPTION						
DATE 9/20/06		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION Application Engineer R.C.	DRAWN BY C. RACHAL	ECN	DATE BY
	Project Title	PURCHASE ORDER NUMBER					
	OGVF2022AU CONTROL PANEL	 Delta Environmental Products, Inc.				DRAWING NUMBER CP-1799	
						SHEET NUMBER 1	



PUMP INTERNAL THERMAL OVERLOAD IS REQUIRED


	Drawing Title							
	POWER DIAGRAM							
DATE 9/20/06		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION Application Engineer R.C.	ECN	DATE	BY	
	Project Title				BY C. RACHAL	APPROVED		
	OGVF2022AU CONTROL PANEL					DATE		PURCHASE ORDER NUMBER
								DRAWING NUMBER CP-1799
								SHEET NUMBER 2


Delta Environmental Products, Inc.



NOTE:


SEWER GASSES WILL DESTROY COMPONENTS IN PANEL.
PROPER SEALS MUST BE INSTALLED EXTERNAL TO THE
PANEL TO PREVENT ENTRY OF GASSES.

	Drawing Title							
	ENCLOSURE							
DATE 9/20/06		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION Application Engineer R.C.	ECN	DATE	BY	
	Project Title	DRAWN				APPROVED		
	OGVF2022AU CONTROL PANEL	BY CTR				BY	DATE	PURCHASE ORDER NUMBER
		 Delta Environmental Products, Inc.				DRAWING NUMBER		
						CP-1799		
						SHEET NUMBER		
						3		



BILL OF MATERIALS

ITEM	QTY	MANUFACTURER	PART NO.	DESCRIPTION
1	1	ABB	12644	ENCLOSURE
2	1	SQUARE D	QOU225	CB1
3	1	C.D.I.	R10-S-10	ALARM LIGHT
4	5	WEIDMULLER	WDU	TERMINAL BLOCKS
5				
6				
7				
8				
9				
10				

	Drawing Title						
	BILL OF MATERIALS						
DATE 9/20/06		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION Application Engineer R.C.	ECN BY C. RACHAL	DATE BY	BY DATE
	Project Title	 Delta Environmental Products, Inc.				PURCHASE ORDER NUMBER	
	OGVF2022AU CONTROL PANEL					DRAWING NUMBER CP-1799	
						SHEET NUMBER 5	