
COX

Research and Technology, Inc.

DUPLEX PUMP
CONTROL PANEL
LENCO

Cox Research and Technology, Inc.
14697 S. Harrells Ferry Road
Baton Rouge, LA. 70816
(225) 756-3271 Fax (225) 755-1030

QTY 2
CP-1794

VOLTAGE	120/240V	(480V, 277/480V, 240V, 120/240V, 208V, 120/208V)
PHASE/HZ	1/60	
NO. MOTORS	2	
HP	1.5	
FLA	16	
TYPE OF PUMP	Submersible	(Self-Priming, Submersible)
MANUFACTURER	BARNES	
CATALOG NUMBER	3SE1524L	

CONTROL VOLTAGE	120V	(120V, Other)
ENCLOSURE	NEMA 4X	(NEMA 1, NEMA 3R, NEMA 4, NEMA 4X)
ENCLOSURE MATERIAL	Fiberglass	(Painted Steel, Stainless Steel, Fiberglass)
CONTROL SENSOR	Floats	(Floats, Bubbler, Other)
CAPACITORS	NO	(Yes, No)
CAPACITOR WIRING FIGURE	N/A	
THERM. & SEAL FAIL WIRING FIGURE		


OPTIONS:

SEAL FAIL LIGHTS		(Submersible Only)
SEAL FAIL RELAYS		(Submersible Only)
SEAL FAIL PUMP SHUTDOWN		(Submersible Only)
HT PUMP SHUTDOWN		(Self-Primer, Submersible)
ALARM HORN		
ALARM LIGHT	X	
LIGHT PANEL MTD	X	
LIGHT REMOTE MTD		
LIGHT FLASHER		
LIGHTNING ARRESTER		
ELAPSED TIME METER		
PHASE MONITOR		
NEMA RATED STARTERS		
GROUND FAULT RECPT.		
GREEN RUN LIGHTS VS. RED		
POLE, BOX, SEAL		
INTRINSICALLY SAFE RELAYS		
HIGH TEMP. LOCKOUT, MANUAL RESET		
ECONOMY VERSION	X	


SOLD TO: Delta Process - Denham Springs, LA
TAG : GLENCO

SHIP TO: Delta Process - Denham Springs, LA

	Drawing Title						
	PANEL DESCRIPTION						
DATE 5/07/04		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION Application Engineer R.C.	DRAWN BY C. RACHAL	APPROVED BY	DATE
	Project Title DUPLIX PUMP CONTROL PANEL	<div>COX</div> <div>Research and Technology, Inc.</div>			P.O. Box 77808 Baton Rouge, LA 70809 Ph. (225)756-3271 Fax (225)756-1030		PURCHASE ORDER NUMBER
							DRAWING NUMBER CP-1794
							SHEET NUMBER 1




	Drawing Title							
	POWER DIAGRAM							
DATE 5/07/04		REFERENCE DRAWING	NO.	REVISION-LOCATION	ECN	DATE	BY	
		S/N	Sales Engineer C.C.	Application Engineer R.C.	BY C. RACHAL	APPROVED		
	Project Title				P.O. Box 77808 Baton Rouge, LA 70809	PURCHASE ORDER NUMBER		
	DUPLEX PUMP CONTROL PANEL	<div>COX</div> <div>Research and Technology, Inc.</div>			Ph. (225)756-3271 Fax (225)756-1030	DRAWING NUMBER CP-1794		
						SHEET NUMBER 2		



* * REMOVE JUMPERS AND INSTALL LOCKOUT DEVICES IF REQUIRED

* DIVERSIFIED ALTERNATOR

Drawing Title	CONTROL DIAGRAM					
DATE 5/07/04	Project Title	<div> <div>COX</div> <div>Research and Technology, Inc.</div> </div>				<div> <div>P.O. Box 77808 Baton Rouge, LA 70809</div> <div>Ph. (225)756-3271 Fax (225)756-1030</div> </div>
		<div> <div>REFERENCE DRAWING</div> <div>NO.</div> <div>REVISION-LOCATION</div> </div>				<div> <div>ECN</div> <div>DATE</div> <div>BY</div> </div>
		<div> <div>S/N</div> <div>Sales Engineer C.C.</div> <div>Application Engineer R.C.</div> <div>BY C. RACHAL</div> </div>				<div> <div>APPROVED</div> <div>BY</div> <div>DATE</div> </div>
		<div> <div>PURCHASE ORDER NUMBER</div> <div>DRAWING NUMBER CP-1794</div> <div>SHEET NUMBER 3</div> </div>				



VIEW OF FRONT OF ENCLOSURE

NAMEPLATE SCHEDULE

NP-1	PUMP 1
NP-2	PUMP 2
NP-3	RUN
NP-4	RUN
NP-5	HOA
NP-6	HOA

NOTE:
SEWER GASSES WILL DESTROY COMPONENTS IN PANEL.
PROPER SEALS MUST BE INSTALLED EXTERNAL TO THE
PANEL TO PREVENT ENTRY OF GASSES.

DATE 5/07/04	Drawing Title							
	ENCLOSURE							
	Project Title		REFERENCE DRAWING		NO.		REVISION-LOCATION	
	DUPLEX PUMP CONTROL PANEL		S/N		Sales Engineer C.C.		Application Engineer R.C.	
							DRAWN BY C. RACHAL	
							APPROVED BY DATE	
							PURCHASE ORDER NUMBER	
							DRAWING NUMBER CP-1794	
							SHEET NUMBER 4	

COX

Research and Technology, Inc.

P.O. Box 77808
Baton Rouge, LA
70809

Ph. (225)756-3271
Fax (225)756-1030

BILL OF MATERIALS

ITEM	QTY	MANUFACTURER	PART NO.	DESCRIPTION
1	1	VYNCKIER	VJ1412HWPL	ENCLOSURE
1a	1	VYNCKIER	MP1412A	BACKPLATE
2	2	ABB	A16-30-10-84	MOTOR STARTER
3	2	ABB	TA25DU19	O.L. RELAY (13-19A)
4	2	SQUARE D	QOU230	CB1, CB2
5	1	DIVERSIFIED	ARB-120-ADA	ALTERNATING RELAY
6	2	ACI	JR22FR	RED PILOT LIGHT
7	2	ACI	JR22P3M20B	HOA SWITCH
8	1	INGRAM	MX-15	ALARM LIGHT
9	1	MARATHON	1323580	DISTRIBUTION BLOCK
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

	Drawing Title							
	<h2 style="margin: 0;">BILL OF MATERIALS</h2>							
DATE 5/07/04		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION Application Engineer R.C.	DRAWN BY C. RACHAL	ECN	DATE	BY
		<div style="border-top: 3px double black; border-bottom: 3px double black; padding: 5px 0;"> <h1 style="margin: 0;">COX</h1> <p style="margin: 0;">Research and Technology, Inc.</p> </div>		<p>P.O. Box 77808 Baton Rouge, LA 70809</p> <p>Ph. (225)756-3271 Fax (225)756-1030</p>		<p>PURCHASE ORDER NUMBER</p> <hr/> <p>DRAWING NUMBER CP-1794</p> <hr/> <p>SHEET NUMBER</p>		5