



INFILTRATOR®


water technologies


CP2210/RCT/LEC
CONTROL PANEL

Infiltrator Water Technologies
15785 Industry Way
Walker, LA 70785
(225) 665-6162 Fax (800) 219-9183






| | | | | | | | | | | |
|--|------|----------------------|----|---|----------------------------------|---|-----------------|-----------------------|----------|--|
| | | | |  | | 15785 Industry Way Walker, LA 70785 Ph. (225) 665-6162 Fax (225) 219-9183 | | WIRING DIAGRAM | | |
| REV. | DATE | REVISION DESCRIPTION | BY | | | | | | | |
| COMPANY CONFIDENTIAL: INFORMATION CONTAINED HEREIN IS CONFIDENTIAL, IT IS THE PROPERTY OF PENTAIR PUMP GROUP, IT IS TO BE USED SOLELY FOR THE PURPOSE PROVIDED, AND IT IS NOT TO BE DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF PENTAIR PUMP GROUP. | | | | PLOT SCALE NTS | DRAWING NUMBER CP2210/RCT/LEC | DRAWN BY GMR | DATE 9/11/24 | SHEET OF 2 OF 5 | REV A | |



HIGH LEVEL ALARM
ADJUSTMENT SCREW




AIR LINE
TO COMPRESSOR

UL/NEMA TYPE 4X FITTINGS MUST BE USED
TO MAINTAIN THE ENCLOSURE INTEGRITY RATING

SETTING HIGH LEVEL PRESSURE SWITCH

BRING PLANT TO OPERATING WATER LEVEL WITH
COMPRESSOR TURNED ON. USING PROPERLY SIZED
SCREW DRIVER, TURN HIGH LEVEL ALARM ADJUSTMENT
SCREW CLOCKWISE UNTIL ALARM OCCURS. THEN TURN
THE SCREW COUNTER-CLOCKWISE UNTIL ALARM STOPS.

| REV. | DATE | REVISION DESCRIPTION | BY |
|------|------|----------------------|----|
| | | | |
| | | | |
| | | | |

| | |
|---|---|
|  INFILTRATOR water technologies | 15785 Industry Way Walker, LA 70785 Ph. (225) 665-6162 Fax (225) 219-9183 |
| PLOT SCALE NTS | DRAWING NUMBER CP2210/RCT/LEC |

| |
|---|
| 15785 Industry Way Walker, LA 70785 Ph. (225) 665-6162 Fax (225) 219-9183 |
| DRAWN BY GMR |


| PANEL LAYOUT | | | |
|-----------------|-----------------|---------------|----------|
| DRAWN BY GMR | DATE 9/11/24 | SHEET OF 5 | REV A |

BILL OF MATERIAL

| ITEM | QTY | MANUFACTURER | PART NO. | DESCRIPTION |
|------|-----|--------------|---------------|----------------------------|
| 1 | 1 | STAHLIN | RJ1614HPL | ENCLOSURE |
| 2 | 1 | STAHLIN | BP1614AL | BACK PLATE |
| 3 | 1 | SQUARE D | QOU110 | CB2 |
| 4 | 1 | SQUARE D | QOU120 | CB1 |
| 5 | 1 | STOCK | STOCK | BUZZER |
| 6 | 1 | EZ SWITCH | EZ-03-89652-L | HOA TOGGLE |
| 7 | 1 | CARLING TECH | 2GM51-73 | TEST-SILENCE-NORMAL SWITCH |
| 8 | 1 | SQUARE D | RPF2AF7 | POWER RELAY |
| 9 | 1 | OMRON | H3CR-F8N | RCT |
| 10 | 3 | IDEC | RY2SULAC120 | CR1-3 |
| 11 | 2 | ABB | CL-100R | ALARM LIGHT |
| 12 | 1 | ALTECH | CF4U | FUSE HOLDER |
| 13 | 1 | BUSSMAN | BK-GDC-5A | FU1 |
| 14 | 1 | CMW | S-HOA BRACKET | HOA BRACKET |
| 15 | 1 | HERGA | STOCK | DUAL PRESSURE SWITCH |
| 16 | 1 | SIEMENS | LOGO! POWER | 24VDC POWER SUPPLY |
| 17 | 1 | LEC | - | WIRELESS ROUTER |
| 18 | 1 | DWYER | | CURRENT SWITCH |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |
| 26 | | | | |
| 27 | | | | |
| 28 | | | | |
| 29 | | | | |
| 30 | | | | |
| 31 | | | | |
| 32 | | | | |
| 33 | | | | |
| 34 | | | | |
| 35 | | | | |
| 36 | | | | |
| 37 | | | | |
| | | | | |
| | | | | |
| | | | | |

*

*PROVIDED BY INFILTRATOR

| | | | | | | | | | |
|--|------|----------------------|----|---|--|---|--|---|--|
| | | | | | | | | | |
| | | | |  | | 15785 Industry Way Walker, LA 70785 | | <h3 style="margin: 0;">BILL OF MATERIALS</h3> | |
| | | | | INFILTRATOR <small>water technologies</small> | | Ph. (225) 665-6162 Fax (225) 219-9183 | | | |
| REV. | DATE | REVISION DESCRIPTION | BY | PLOT SCALE NTS | | DRAWING NUMBER CP2210/RCT/LEC | | DRAWN BY GMR | |
| COMPANY CONFIDENTIAL: INFORMATION CONTAINED HEREIN IS CONFIDENTIAL, IT IS THE PROPERTY OF PENTAIR PUMP GROUP, IT IS TO BE USED SOLELY FOR THE PURPOSE PROVIDED, AND IT IS NOT TO BE DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF PENTAIR PUMP GROUP. | | | | | | DATE 9/11/24 | | SHEET OF 4 5 | |
| | | | | | | | | REV A | |

HOW TO SET THE REPEAT CYCLE TIMER

EXAMPLES OF SETTINGS

| * | Selector | | | Dial | | Time On | Time Off |
|---|----------|--------|---------|-------------|-------------|---------|----------|
| | 3 | 4 (On) | 7 (Off) | Orange (On) | Green (Off) | | |
| | 1.2 | 10m | 10h | .7 | .2 | 7min | 2hours |
| | 1.2 | 10m | 10h | 1.2 | 1.2 | 12min | 12hours |
| | 3.0 | 10m | hrs | 2.0 | 2.0 | 20min | 2hours |
| | 3.0 | 10m | hrs | 3.0 | 3.0 | 30min | 3hours |

* = Factory Settings


Time On = 4(On) Setting x Orange Setting

Time Off = 7(Off) Setting x Green Setting

Factory Setting:

Time On = 10m x 0.7 = 7 Minutes


Time Off = 10h x 0.2 = 2 Hours




* H3CR-F8N
(10s, 10m, hrs, 10h)

- ① OFF Indicator (Green)
- ② ON Indicator (Orange)
- ③ Range Time Selector
- ④ ON Time Unit Selector
- ⑤ Setting dial for OFF (Green pointer)
- ⑥ Setting dial for ON (Orange pointer)
- ⑦ OFF Time Unit Selector

Note: If pointer is turned counterclockwise until overranged, instantaneous output will be set.

| | | | | | | | | | | |
|--|------|----------------------|--|---|---|-------------------------|-----------------|---------------|----------|--|
| | | | |  INFILTRATOR water technologies | 15785 Industry Way Walker, LA 70785 | RCT INSTRUCTIONS | | | | |
| | | | | | Ph. (225) 665-6162 Fax (225) 219-9183 | | | | | |
| REV. | DATE | REVISION DESCRIPTION | | | BY | | | | | |
| COMPANY CONFIDENTIAL: INFORMATION CONTAINED HEREIN IS CONFIDENTIAL, IT IS THE PROPERTY OF PENTAIR PUMP GROUP, IT IS TO BE USED SOLELY FOR THE PURPOSE PROVIDED, AND IT IS NOT TO BE DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF PENTAIR PUMP GROUP. | | | | | | | | | | |
| PLOT SCALE NTS | | | | DRAWING NUMBER CP2210/RCT/LEC | | DRAWN BY GMR | DATE 9/11/24 | SHEET OF 5 | REV A | |



①