
COX

Research and Technology, Inc.

LEAK DETECTOR
CONTROL PANEL
LDCP
AMITE, LA

Cox Research and Technology, Inc.
14697 S. Harrells Ferry Road
Baton Rouge, LA. 70816
(225) 756-3271 Fax (225) 755-1030

CP-1524

CONTROL VOLTAGE
ENCLOSURE
ENCLOSURE MATERIAL


120V
NEMA 3R
Stainless Steel

(120V, Other)
(NEMA 1, NEMA 3R, NEMA 4, NEMA 4X)
(Painted Steel, Stainless Steel, Fiberglass)

SOLD TO: Nottingham Construction
TAG : _____

SHIP TO: _____

	Drawing Title						
	PANEL DESCRIPTION						
DATE 1/30/03		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION Application Engineer R.C.	ECN	DATE	BY
	Project Title	DRAWN BY CTR			APPROVED BY DATE		
	LEAK DETECTOR CONTROL PANEL	<div>COX</div> <div>Research and Technology, Inc.</div>			PURCHASE ORDER NUMBER		
					DRAWING NUMBER CP-1524		
					SHEET NUMBER 1		



LEGEND

	PANEL TERMINAL
	WIRING BY VENDOR
	WIRING BY CUSTOMER


	Drawing Title							
	POWER DIAGRAM							
DATE	1/30/03	REFERENCE DRAWING	NO.	REVISION-LOCATION	ECN	DATE	BY	
		S/N	Sales Engineer C.C.	Application Engineer R.C.	BY	CTR	APPROVED	
	Project Title							PURCHASE ORDER NUMBER
	DUPLEX PUMP CONTROL PANEL							DRAWING NUMBER CP-1524
								SHEET NUMBER 2

COX

Research and Technology, Inc.

P.O. Box 77808
Baton Rouge, LA
70809


Ph. (225)756-3271
Fax (225)756-1030



VIEW OF FRONT OF LDCP

NAMEPLATE SCHEDULE

NP-1 LEAK DETECTOR CONTROL PANEL
 NP-2 TEST
 NP-3 SILENCE



VIEW OF FRONT OF REMOTE STATION

NOTE:
 SEWER GASSES WILL DESTROY COMPONENTS IN PANEL.
 PROPER SEALS MUST BE INSTALLED EXTERNAL TO THE
 PANEL TO PREVENT ENTRY OF GASSES.

	Drawing Title							
	ENCLOSURE							
DATE		REFERENCE DRAWING	NO.	REVISION-LOCATION	ECN	DATE	BY	
1/30/03		S/N	Sales Engineer C.C.	Application Engineer R.C.	DRAWN	APPROVED		
	Project Title				BY	CTR	BY	DATE
	DUPLEX PUMP CONTROL PANEL						PURCHASE ORDER NUMBER	
							DRAWING NUMBER	CP-1524
							SHEET NUMBER	3

COX

Research and Technology, Inc.

P.O. Box 77808
 Baton Rouge, LA
 70809

Ph. (225)756-3271
 Fax (225)756-1030

BILL OF MATERIALS

ITEM	QTY	MANUFACTURER	PART NO.	DESCRIPTION
1	1	EBE	S16126REPL	ENCLOSURE 3R S.S.
1a	1	EBE	A1612P	BACKPLATE
2	1	SQUARE D	QOU120	CB1
3	2	OMRON	G2R2SAC120	CR1,2
4	1	SQUARE D	KYSS2	ENCL FOR TEST/REMOTE STATION
5	1	EDWARDS	870P-N5	HORN
6	1	STOCK		HORN ENCL. 4X
7	2	KILLARK	NVA15GG	REMOTE LIGHT
8	2	ACI	JR30AN11B	PUSH BUTTON
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

	Drawing Title						
	<h2 style="margin: 0;">BILL OF MATERIALS</h2>						
DATE 1/30/03		REFERENCE DRAWING	NO.	REVISION-LOCATION	ECN	DATE	BY
		S/N	Sales Engineer C.C.	Application Engineer R.C.	DRAWN BY CTR	APPROVED BY	DATE
	Project Title	<div style="border-top: 3px double black; border-bottom: 3px double black; padding: 5px;"> <h1 style="margin: 0;">COX</h1> <p style="margin: 0;">Research and Technology, Inc.</p> </div>			P.O. Box 77808 Baton Rouge, LA 70809 Ph. (225)756-3271 Fax (225)756-1030		PURCHASE ORDER NUMBER DRAWING NUMBER CP-1524 SHEET NUMBER <div style="text-align: right;">4</div>
	DUPLEX PUMP CONTROL PANEL						