
COX


Research and Technology, Inc.

EAGLE POINT
DUPLEX PUMP
CONTROL PANEL


FIELD REVISION

June 16, 2015

Cox Research and Technology, Inc.
14697 S. Harrells Ferry Road
Baton Rouge, LA. 70816
(225) 756-3271 Fax (225) 755-1030



	Drawing Title CONTROL DIAGRAM								
DATE 6/16/15			REFERENCE DRAWING S/N		NO. Sales Engineer T.L.	REVISION-LOCATION Application Engineer T.L.		DRAWN BY B.V.	ECN BY
	Project Title DUPLEX PUMP CONTROL PANEL		<div>COX</div> <div>Research and Technology, Inc.</div>			P.O. Box 77808 Baton Rouge, LA 70879 Ph. (225)756-3271 Fax (225)755-1030		PURCHASE ORDER NUMBER	
DRAWING NUMBER CP-1289-R1									
SHEET NUMBER									
3									



VIEW OF INNER SWING PANEL

NAMEPLATE SCHEDULE

NP-1	PUMP 1/RUN
NP-2	PUMP 2/RUN
NP-3	HOA
NP-4	HOA
NP-5	SEAL FAIL
NP-6	SEAL FAIL

NOTE:
SEWER GASSES WILL DESTROY COMPONENTS IN PANEL.
PROPER SEALS MUST BE INSTALLED EXTERNAL TO THE
PANEL TO PREVENT ENTRY OF GASSES.

Drawing Title									
ENCLOSURE									
DATE	6/16/15	REFERENCE DRAWING	NO.	REVISION-LOCATION	ECN	DATE	BY		
		S/N	Sales Engineer T.L.	Application Engineer T.L.	DRAWN BY B.V.		APPROVED BY DATE		
Project Title		<div style="text-align: center;"> COX Research and Technology, Inc. </div>			P.O. Box 77808 Baton Rouge, LA 70879 Ph. (225)756-3271 Fax (225)755-1030		PURCHASE ORDER NUMBER		
DUPLEX PUMP CONTROL PANEL							DRAWING NUMBER CP-1289-R1		
							SHEET NUMBER 4		

BILL OF MATERIAL

[illegible][illegible]