



Delta Process  
Equipment, Inc.

DUPLEX PUMP  
CONTROL PANEL  
M. HARRIS

Delta Process Equipment, Inc.  
P.O. Box 969 Denham Springs, LA 70727  
225-665-1666

CP-2326

VOLTAGE	120/240V	(480V, 277/480V, 240V, 120/240V, 208V, 120/208V)
PHASE/HZ	1/60	
NO. MOTORS	2	
HP	1.5	
FLA	11	
TYPE OF PUMP	Submersible	(Self-Priming, Submersible)
MANUFACTURER	GOULD	
CATALOG NUMBER		
CONTROL VOLTAGE	120V	(120V, Other)
ENCLOSURE	NEMA 3R	(NEMA 1, NEMA 3R, NEMA 4, NEMA 4X)
ENCLOSURE MATERIAL	Stainless Steel	(Painted Steel, Stainless Steel, Fiberglass)
CONTROL SENSOR	Floats	(Floats, Bubbler, Other)
CAPACITORS	NO	(Yes, No)
CAPACITOR WIRING FIGURE	N/A	
THERM. & SEAL FAIL WIRING FIGURE		

OPTIONS:

SEAL FAIL LIGHTS	X	(Submersible Only)
SEAL FAIL RELAYS	X	(Submersible Only)
SEAL FAIL PUMP SHUTDOWN		(Submersible Only)
HT PUMP SHUTDOWN	X	(Self-Primer, Submersible)
ALARM HORN		
ALARM LIGHT	X	
LIGHT PANEL MTD	X	
LIGHT REMOTE MTD		
LIGHT FLASHER		
LIGHTNING ARRESTER	X	
ELAPSED TIME METER		
PHASE MONITOR		
NEMA RATED STARTERS		
GROUND FAULT RECPT.		
GREEN RUN LIGHTS VS. RED		
POLE, BOX, SEAL		
INTRINSICALLY SAFE RELAYS		
HIGH TEMP. LOCKOUT, MANUAL RESET		
ECONOMY VERSION		

SOLD TO: Delta Process - New Orleans, LA

TAG : M. Harris

SHIP TO: Delta Process - Ruston, LA



Delta Process  
Equipment, Inc.

P.O. Box 969 Denham Springs, LA 70727

PANEL DESCRIPTION  
DUPLEX PUMP  
CONTROL PANEL


DWN BY:  
C.RACHAL

DATE:  
3/01/06

SCALE:  
N.T.S.

DWG. NO.:  
CP-2326

PAGE  
1



Delta Process  
Equipment, Inc.

P.O. Box 969 Denham Springs, LA 70727

# POWER DIAGRAM DUPLEX PUMP CONTROL PANEL


DWN BY:  
C.RACHAL

DATE:  
3/01/06

SCALE:  
N.T.S.

DWG. NO.:  
CP-2326

PAGE  
2



Delta Process  
Equipment, Inc.

P.O. Box 969 Denham Springs, LA 70727

## CONTROL DIAGRAM DUPLEX PUMP CONTROL PANEL


DWN BY:  
C.RACHAL

DATE:  
3/01/06

SCALE:  
N.T.S.

DWG. NO.:  
CP-2326

PAGE  
3



NOTE:  
SEWER GASSES WILL DESTROY COMPONENTS IN PANEL.  
PROPER SEALS MUST BE INSTALLED EXTERNAL TO THE  
PANEL TO PREVENT ENTRY OF GASSES.

# NAMEPLATE SCHEDULE

NP-1	PUMP 1
NP-2	PUMP 2
NP-3	RUN
NP-4	RUN
NP-5	HOA
NP-6	HOA
NP-7	SEAL FAIL
NP-8	SEAL FAIL

**D** Delta Process  
Equipment, Inc.

P.O. Box 969 Denham Springs, LA 70727

ENCLOSURE  
DUPLEX PUMP  
CONTROL PANEL

DWN BY:  
C.RACHAL

DATE:  
3/01/06

SCALE:  
N.T.S.

DWG. NO.:  
CP-2326

PAGE  
4

# BILL OF MATERIALS

ITEM	QTY	MANUFACTURER	PART NO.	DESCRIPTION
1	1	C & I	C-2016SRHPL	ENCLOSURE
1a	1	C & I	CI-2016P	BACKPLATE
1b	1	C & I	CI-2016SPA	DEAD FRONT
2	1	ABB	OT63E3	MAIN DISC. SWITCH
3	2	ABB	A16-30-10-84	MOTOR STARTER
4	2	ABB	TA25DU14	O.L. (10-14A)
5	2	SQUARE D	QOU220	CB1, CB2
6	1	SQUARE D	QOU110	CB3
7	1	TIMEMARK	261DT120	ALTERNATING RELAY
8	4	ACI	JR22FR	RED PILOT LIGHT
9	2	ACI	JR22P3M20B	HOA SWITCH
10	1	AC/DC	BL5-R-120	ALARM LIGHT
11	1	MARATHON	1323580	DISTRIBUTION BLOCK
12	1	DELTA	LA302R	LIGHTNING ARRESTER
13	2	SSAC	LLC54AA	SEAL FAIL RELAY
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				



Delta Process  
Equipment, Inc.

P.O. Box 969 Denham Springs, LA 70727

## BILL OF MATERIALS DUPLEX PUMP CONTROL PANEL

DWN BY:  
C.RACHAL

DATE:  
3/01/06

SCALE:  
N.T.S.

DWG. NO.:  
CP-2326

PAGE  
5