

---

---

# COX

Research and Technology, Inc.

---

---

## DUPLEX PUMP CONTROL PANEL EXXON AFRICA FLOW EQUALIZATION

Cox Research and Technology, Inc.  
14697 S. Harrells Ferry Road  
Baton Rouge, LA. 70816  
(225) 756-3271 Fax (225) 755-1030

VOLTAGE	380V	(480V, 277/480V, 240V, 120/240V, 208V, 120/208V)
PHASE/HZ	3/50	
NO. MOTORS	2	
HP	1.1	
FLA	4.0A	
TYPE OF PUMP	Submersible	(Self-Priming, Submersible)
MANUFACTURER	BARNES	
CATALOG NUMBER	SGVF20Z2L	
CONTROL VOLTAGE	110V	(120V, Other)
ENCLOSURE	NEMA 4X	(NEMA 1, NEMA 3R, NEMA 4, NEMA 4X)
ENCLOSURE MATERIAL	Fiberglass	(Painted Steel, Stainless Steel, Fiberglass)
CONTROL SENSOR	Floats	(Floats, Bubbler, Other)
CAPACITORS	No	(Yes, No)
CAPACITOR WIRING FIGURE	N/A	
THERM. & SEAL FAIL WIRING FIGURE		


OPTIONS:

SEAL FAIL LIGHTS	_____	(Submersible Only)
SEAL FAIL RELAYS	_____	(Submersible Only)
SEAL FAIL PUMP SHUTDOWN	_____	(Submersible Only)
HT PUMP SHUTDOWN	X	(Self-Primer, Submersible)
ALARM HORN	_____	
ALARM LIGHT	X	
LIGHT PANEL MTD	X	
LIGHT REMOTE MTD	_____	
LIGHT FLASHER	_____	
LIGHTNING ARRESTER	X	
ELAPSED TIME METER	X	
PHASE MONITOR	_____	
NEMA RATED STARTERS	_____	
GROUND FAULT RECPT.	_____	
GREEN RUN LIGHTS VS. RED	X	
POLE, BOX, SEAL	_____	
INTRINSICALLY SAFE RELAYS	_____	
HIGH TEMP. LOCKOUT, MANUAL RESET	_____	
ECONOMY VERSION	_____	


SOLD TO: Delta Environmental - Denham Springs, LA  
TAG : EXXON AFRICA  
FLOW EQUALIZATION

SHIP TO: Delta Environmental - Denham Springs, LA  
   
 


Drawing Title	PANEL DESCRIPTION	REFERENCE DRAWING		NO. C.C.	REVISION-LOCATION		ECN DRAWN BY C. RACHAL	DATE APPROVED BY DATE
		S/N	Sales Engineer		Application Engineer	DRAWN BY		
DATE 8/11/04	Project Title  DUPLEX PUMP CONTROL PANEL	COX			P.O. Box 77808 Baton Rouge, LA 70809	PURCHASE ORDER NUMBER		
					Ph. (225)756-3271 Fax (225)756-1030	DRAWING NUMBER CP-1869	SHEET NUMBER 1	



	Drawing Title  <b>POWER DIAGRAM</b>				
DATE 8/11/04	REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION DRAWN Application Engineer R.C.	ECN	DATE BY
Project Title  <b>DUPLEX PUMP CONTROL PANEL</b>	<b>COX</b> Research and Technology, Inc.	P.O. Box 77808 Baton Rouge, LA 70809  Ph. (225)756-3271 Fax (225)756-1030	PURCHASE ORDER NUMBER  DRAWING NUMBER CP-1869  SHEET NUMBER 2		



	Drawing Title  CONTROL DIAGRAM							
DATE 8/11/04		REFERENCE DRAWING		NO.	REVISION-LOCATION		ECN	DATE
	S/N	Sales Engineer C.C.	Application Engineer R.C.	DRAWN BY C. RACHAL		APPROVED BY DATE		
	Project Title		<hr/> <hr/> <b>COX</b> <hr/> <hr/> Research and Technology, Inc.		P.O. Box 77808 Baton Rouge, LA 70809		PURCHASE ORDER NUMBER	
	DUPLEX PUMP CONTROL PANEL				Ph. (225)756-3271 Fax (225)756-1030		DRAWING NUMBER CP-1869	
							SHEET NUMBER 3	



#### NAMEPLATE SCHEDULE

#### VIEW OF SWING OUT PANEL

NP-1	PUMP 1
NP-2	PUMP 2
NP-3	RUN
NP-4	RUN
NP-5	HOA
NP-6	HOA

NOTE:




SEWER GASSES WILL DESTROY COMPONENTS IN PANEL.  
PROPER SEALS MUST BE INSTALLED EXTERNAL TO THE  
PANEL TO PREVENT ENTRY OF GASSES.

	Drawing Title					
	ENCLOSURE					
DATE 8/11/04	REFERENCE DRAWING S/N	NO. C.C.	REVISION-LOCATION DRAWN BY C. RACHAL	ECN	DATE APPROVED BY DATE	BY
	Project Title					
	DUPLEX PUMP CONTROL PANEL		COX Research and Technology, Inc.	P.O. Box 77808 Baton Rouge, LA 70809  Ph. (225)756-3271 Fax (225)756-1030	PURCHASE ORDER NUMBER  DRAWING NUMBER CP-1869  SHEET NUMBER 4	



## BILL OF MATERIALS

ITEM	QTY	MANUFACTURER	PART NO.	DESCRIPTION
1	1	STAHLIN	RJ1816HPLDF	ENCLOSURE
1a	1	STAHLIN	BP1816AL	BACKPLATE
2	1	ABB	OT63E3	MAIN DISC. SWITCH
3	2	ABB	A16-30-10-84	MOTOR STARTER
4	2	ABB	TA25DU5.0	O.L. RELAY (3.5-5.0A)
5	2	ABB	S1N015TL	CB1, CB2
6	1	TIMEMARK	261DT120	ALTERNATING RELAY
7	2	ACI	JR22FG	GREEN PILOT LIGHT
8	2	ACI	JR22P3M20B	HOA SWITCH
9	1	DONGAN	50-0250-058	TRANSFORMER
10	1	AC/DC	BL5-R-120	ALARM LIGHT
11	2	GRASSLIN	FWZ 55K 120/50	ELAPSED TIME METER
12	1	DELTA	LA603	LIGHTNING ARRESTER
13	1	MARATHON	1323580	DISTRIBUTION BLOCK
14	1	OMRON	H3CRF8300	RCT
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

	Drawing Title  <b>BILL OF MATERIALS</b>					
		REFERENCE DRAWING S/N	NO. Sales Engineer C.C.	REVISION-LOCATION DRAWN BY C. RACHAL	ECN	DATE APPROVED BY DATE
DATE 8/11/04	Project Title  <b>DUPLEX PUMP CONTROL PANEL</b>					
		<b>COX</b> Research and Technology, Inc.		P.O. Box 77808 Baton Rouge, LA 70809 Ph. (225)756-3271 Fax (225)756-1030	PURCHASE ORDER NUMBER DRAWING NUMBER CP-1869 SHEET NUMBER	5



TOP VIEW



DELTA ENVIRONMENTAL PRODUCTS, INC.  
P. O. BOX 969 DENHAM SPRINGS, LA 70727


EXXON MOBIL EQUATORIAL  
GUINEA DF100A PUMP TANK

DWN BY:  
B.LANDRY

DATE:  
08/10/04

SCALE:  
N.T.S.

DWG. NO.:  
DEP162



Delta Environmental Products, Inc.  
P.O. Box 969 Denham Springs, LA 70727

## Delta Environmental Products, Inc. PUMP RETRACTOR

DWN BY:  
C.RACHAL

DATE:  
11/21/02

SCALE:  
N.T.S.

DWG. NO.:  
CRT334

JOB NO.: