

YEEZY BOOST 350 V2 SEMI FROZEN YELLOW NOVEMBER 18, 2017

x **splash**force

SETUP GUIDE V1

PROVIDED BY: THE SNKR TALK

# INTRODUCTION

THE SNKR TALK SUPPORT HAS DECIDED TO BRING YOU A **SETUP GUIDE** TO MAKE **SPLASHFORCE USERS LIVES** EASIER DURING THE SEMI FROZEN RELEASE DAY. WE SUGGEST YOU READ THIS GUIDE CAREFULLY. AFTER YOU READ THIS GUIDE AND STILL HAVE QUESTIONS, PLEASE ASK IN THE SPLASHFORCESUPPORT CHANNEL. WE WILL BE HAPPY TO HELP YOU OUT! GOOD LUCK!

### REPEAT AFTER ME...






# WINDOWS USER

## **INSTALL GUIDE AND INTRODUCTION**

- 1. FIRST OF ALL, WHAT YOU NEED TO DO IS TO MAKE SURE THAT YOUR SPLASHFORCE (SF) IS IN THE LATEST VERSION. IF YOU WANT TO DOWNLOAD A NEW ONE, MAKE SURE YOU DELETE ALL THE FILES THAT RELATED TO SF ON YOUR WINDOWS, OR ELSE, YOU WILL GET ERRORS EVERYWHERE AND SF WILL CRASH. WE DON'T WANT THAT!
- AFTER MAKING SURE EVERYTHING IS CLEANED, PLEASE DOWNLOAD THE NEW VERSION OF SPLASHFORCE.
- 3. ONCE INSTALLED, YOU WILL SEE THREE SHORTCUTS ON YOUR DESKTOP.



4. IF YOU CLICK SPLASHFORCE FOLDER, YOU WILL SEE ALL THESE FILES IN IT. IF ALL FILES ARE THERE, YOU ARE GOOD TO GO!




WE WILL GO INTO FURTHER DETAIL AS TO WHAT FOLDERS YOU WILL NEED TO EDIT

5. NOW, CLICK TASKEDITOR AND YOU WILL SEE THIS PAGE POPS OUT. THIS IS WHERE YOU GOING TO PUT ALL THE IMPORTANT DETAILS TO RUN SPLASHFORCE.

WE WILL NOW EXPLAIN WHAT EACH OF THE INPUT FIELDS DO.





## **USER**

THIS IS WHERE YOU WILL INPUT YOUR EMAIL AND KEY THAT YOU RECEIVED AFTER YOU PURCHASE SPLASHFORCE.

## **SITEKEY**

SITEKEY IS A WEB-BASED SECURITY SYSTEM THAT PROVIDES ONE TYPE OF MUTUAL AUTHENTICATION BETWEEN END-USERS AND WEBSITES. YOU NEED TO CHECK SITEKEY ON TWITTER REGULARLY, <u>@SITEKEYS</u>, TO GET THE SITEKEY. REMEMBER, DIFFERENT ADIDAS REGIONS HAVE DIFFERENT SITEKEYS!

SITEKEY IS NOT NEEDED DURING SPLASH RELEASES AS THE SPLASH MODE AUTOMATICALLY DETECTS THE SITE KEY AND SETS IT FOR YOU

#### **RELEASE TIMER**

RELEASE TIMER HELPS RUN YOUR PROGRAM AT THE EXACT TIME YOU SET IF YOU ENABLE IT. USUALLY, PEOPLE WILL START TO SOLVE CAPTCHA 2 MINUTES BEFORE THE RELEASE TIME, AS CAPTCHA'S ONLY LAST 2 MINUTES. LET SAY, THE RELEASE WILL BE AT 10AM EST. ONE WILL ENABLE THE RELEASE TIMER AND SET IT ON 9:59:58AM. WE WILL DISCUSS THIS IN MORE DETAILS LATER. PLEASE REMEMBER THAT THE RELEASE TIMER IS BASED ON YOUR PC TIME ZONE SETTING.



### **CART BAY**

CART BAY IS THE FIRST EVER CART MARKETPLACE WHERE ANYONE CAN BUY AND SELL THEIR ADIDAS CARTS ON THE RELEASE DAY. YOU CAN TAKE A LOOK AT THEIR TWITTER AND WEBSITE TO UNDERSTAND MORE ABOUT IT. BASICALLY, YOU NEED TO SIGN UP ON THE WEBSITE. THEN, YOU CAN PUT YOUR USERNAME AND PASSWORD THAT YOU SIGN UP WITH, AND THE PRICE OF THE CART THAT YOU WANT TO SELL IN THE TASKEDITOR. SO, WHENEVER YOU CART A PAIR OF SHOE FROM ADIDAS, THE CART WILL BE SENT TO YOUR CARTBAY.

## **SPLASH**

THIS NEEDS TO BE FILLED IN WHEN THERE IS SPLASH PAGE RELEASE. DON'T CHANGE OR INPUT ANYTHING HERE IF THERE'S NO SPLASH PAGE!

#### REGION

THIS SETTING OVERRIDES ALL THE OTHER REGIONS IN YOUR TASK (I.E. IF ONE OF YOUR TASKS IS SET AS US BUT UNDER SPLASH SETTINGS IT IS GB THEN YOUR TASKS WILL ALL RUN AS A GB TASKS.) THIS IS USEFUL FOR PEOPLE RUNNING BOTH GB AND US CARTS.


### URL

THE URL WILL BE THE ADIDAS SPLASH URL ON THE RELEASE DAY OR YOU CAN TRY ON THE FAKE URL (HTTPS://SPLASHFORCE.IO/SPLASH/).

# DISCORD/SLACK


BY HAVING ENABLING THIS FEATURE, YOU CAN EASILY IMPORT YOUR CART TO A DISCORD OR CHANNEL BUT, YOU NEED TO CREATE YOUR OWN DISCORD CHANNEL FIRST. HERE'S HOW:

### GO TO YOUR DISCORD AND ADD A NEW CHANNEL






2. YOU WILL NOW NEED TO CREATE A WEBHOOK THAT WILL ENABLE YOUR CART TO SHOW UP IN YOUR DISCORD. FOLLOW THE STEPS ILLUSTRATED BELOW



\*COPY THE WEBHOOK URL\*

DON'T FORGET TO COPY THE WEBHOOK URL. THIS IS THE LINK THAT YOU NEED TO PASTE ON THE SPLASHFORCE TASK EDITOR WHERE IT SAYS DISCORD / SLACK. WHEN PASTING IT INTO THE WEBHOOK FIELD IN SPLASHFORCE PLEASE ADD "/SLACK" TO THE URL. IF YOU DO IT RIGHT AND FOLLOW THE INSTRUCTIONS, THE CARTS WILL BE SENT SUCCESSFULLY BY SPLASHFORCE TO YOUR DISCORD WHEN YOU LAUNCHING YOUR TASK. SO, BETTER DONE IT RIGHT, GUYS!





#### MANUAL CAPTCHA

DURING SPLASH RELEASES MANUAL CAPTCHA IS THE BEST METHOD OF CAPTCHA SOLVING AS THERE ARE NOT THAT MANY CAPTCHA'S THAT YOU NEED TO SOLVE.

THIS TWO FIELDS ARE DEFAULTED TO "PORT: 8080" AND "URL: CAPTCHA.ADIDAS.COM". NOW IF YOU'RE HAVING ISSUES THERE ARE TWO FIXES THAT WE HAVE SEEN:

- 1. CHANGE THE URL TO "DEV.ADIDAS.COM"
- CHANGE YOUR HOST FILE: WATCH THIS VIDEO ON HOW TO CHANGE YOUR HOSTS FILES ON WINDOWS.

## HTTPS://WWW.YOUTUBE.COM/WATCH?V=WH25TXGXLAS

WHEN YOU ARE AT MINUTE 1:24 IN THE VIDEO, TYPE "127.0.0.1 CAPTCHA.ADIDAS.COM" THERE'S A SPACE BETWEEN THEM! BE CAREFUL!

SKIP THE VIDEO UNTIL MINUTES 1:36, AND JUST FOLLOW THE REST OF THE INSTRUCTIONS AND YOU CAN IGNORE THE VIDEO AFTER MINUTES 2:25. CREDIT TO BIJO VARGHESE FOR THE SIMPLE AND EASY VIDEO TUTORIAL ON HOW TO CHANGE THE HOSTS FILE

OKAY. NOW, WHATEVER YOU PUT ON YOUR HOSTS FILE, YOU HAVE TO PUT IT ON YOUR TASK EDITOR. ON PORT, PUT 8080 AND DON'T YOU EVER CHANGE THAT UNLESS WE TOLD YOU TO DO SO! IN THE URL, PUT CAPTCHA.ADIDAS.COM AND YOU ARE GOOD TO GO. HOWEVER, THE URL MIGHT BE CHANGED FROM TIME TO TIME. IT COULD BE DEV.ADIDAS.COM, OR CAPTCHA.ADIDAS.COM, OR SOMETHING ELSE. WHAT I DID WAS I SAVED TWO DIFFERENT HOSTS FILES: ONE WITH DEV.ADIDAS.COM, AND THE OTHER WITH CAPTCHA.ADIDAS.COM. MIGHT BE EASIER FOR FUTURE USE IN CASE I NEED TO CHANGE IT.

## **2CAPTCHA**

2CAPTCHA FOR THEM TO SOLVES CAPTCHAS DURING A RELEASE. CLICK HERE TO GO TO 2CAPTCHA WEBSITE TO LEARN MORE. BASICALLY, YOU HAVE TO SETUP YOUR 2CAPTCHA ACCOUNT. YOU HAVE TO DEPOSIT PROBABLY \$5 - \$10 INTO THE ACCOUNT AND IN RETURN, YOU WILL HAVE THE CAPTCHAS SOLVED FOR YOU. SOMETIMES (90% OF THE TIME), 2CAPTCHA DOESN'T WORK LIKE HOW WE WANT IT TO BE WHEN EVERYBODY IS USING THEM, BUT LET JUST SAY, JUST IN CASE IF IT WORKS (LOL), THEN LUCKY YOU! FIND YOUR API KEY, COPY IT, AND PASTE IT UNDER THE 2CAPTCHA ON YOUR TASKEDITOR.



#### **ANTICAPTCHA**

ANTICAPTCHA IS A COMPANY THAT HELP US TO SOLVE THE CAPTCHA, SAME LIKE 2CAPTCHA. CLICK THE <u>LINK HERE</u> TO VISIT THE WEBSITE. DO AS WHAT YOU DID WITH YOUR 2CAPTCHA ACCOUNT, COPY THE API KEY AND PASTE IT ON YOUR TASKEDITOR.

### CAPTCHA SOLUTIONS

CAPTCHA SOLUTIONS IS A COMPANY THAT HELP US TO SOLVE THE CAPTCHA, SAME LIKE 2CAPTCHA AND ANTICAPTCHA. CLICK THE <u>LINK HERE</u> TO VISIT THE WEBSITE. DO AS WHAT YOU DID WITH YOUR 2CAPTCHA AND ANTICAPTCHA ACCOUNT, COPY THE API KEY AND PASTE IT ON YOUR TASKEDITOR.

## **ACCOUNT GEN**


SPLASHFORCE HAS A COOL FEATURE WHERE IT CAN BUILD THOUSANDS OF CUSTOM ADIDAS ACCOUNTS IN JUST A SPLIT SECOND. THIS IS VERY SIMPLE. JUST PUT YOUR **PREFIX** AS "ADIDASCARTS", OR MAYBE "KANYEWEST", "MCCOOKING", OR WHATEVER YOU LIKE, BUT JUST MAKE IT SIMPLE. DON'T OVER COMPLICATE IT (**NO SYMBOLS**). FOR **DOMAIN**, I PERSONALLY PUT GMAIL.COM WITHOUT THE "@" SYMBOL. SO BE CAREFUL WITH THAT. AND FOR THE **PASSWORD**, YOU CAN PUT WHATEVER YOU LIKE BUT LIKE I SAID, DON'T OVER COMPLICATE IT. JUST PUT "WASHED123, KIMK1212, ETC". BUT, MAKE SURE YOU HAVE ONE CAPITAL LETTER, SMALL LETTER, NUMBERS, AND MAKE IT MORE THAN 8 WORDS JUST TO BE SAFE! CLEAR?


\*ALWAYS CLICK ON EXPORT TO SAVE YOUR SETTINGS\*



# **TASKS TAB**

THIS IS WHERE ALL YOUR TASKS WILL BE ENTERED. INPUT YOUR REGION, SKU (PRODUCT CODE), SHOE SIZE, ONLY PUT EMAIL AND PASSWORD FOR ADIDAS ACCOUNT IF YOU WANT THE CART TO GO SPECIFICALLY INTO THAT ACCOUNT OTHERWISE LEAVE IT BLACK AND BUT GUESTS TO TRUE. PUT PROXY TRUE OR FALSE DEPENDING IF YOU ARE USING ANY PROXIES. PUT CAPTCHA TO TRUE, AND PUT CARTBAY TO TRUE OR FALSE. IF YOU WOULD LIKE TO MAKE MANY TASKS AT ONCE CLICK ON FULL SIZE RUN AND FOLLOW THE DIRECTIONS BELOW.





\*ALWAYS CLICK ON EXPORT TO SAVE YOUR SETTINGS\*



# **RUNNING SPLASHFORCE**

BEFORE WE GO INTO RUNNING SPLASHFORCE, LETS TALK ABOUT YEEZY SPLASH MODE AND WHAT IT MEANS.

YEEZY SPLASH MODE IS A MODE THAT ACTIVATES INSTANCES TO SIT ON THE YEEZY SPLASH PAGE FOR YOU. NOW YOU MAY ASK:

- 1. "WHAT ARE INSTANCES?"
  INSTANCES ARE BASICALLY VIRTUAL MACHINES FROM A PUBLIC OR PRIVATE CLOUD
  NETWORK
- 2. "HOW MANY TASKS MAY I RUN PER PROXY?"

  THIS IS A COMMON MISCONCEPTION; THE REAL QUESTION IS "HOW MANY INSTANCES MAY I RUN PER PROXY?"
  - SO HERE ARE YOUR ANSWERS:
    - A. UP TO 200 (MAX) INSTANCES ON YOUR PERSONAL IP (FOR YEEZY SPLASH)
    - B. UP TO 10 (MAX) INSTANCES PER PROXY (FOR YEEZY SPLASH)

LET'S TALK ABOUT PROXIES FOR A MINUTE...

### **PROXIES**

IN SHORT TERM, A PROXY IS BASICALLY A DIFFERENT IP ADDRESS. IT MAKES WEBSITES, LIKE ADIDAS, THINK WE ARE ACTUALLY FROM A DIFFERENT LOCATION, WHEN IN REALITY, YOU'RE ACTUALLY IN ONE LOCATION.

# NOW I HEAR THE QUESTIONS IN YOUR MIND "HOW MANY PROXIES DO I NEED!?"

ANY AMOUNT OF PROXIES IS GOOD. HOWEVER, I WOULD RECOMMEND USING ABOUT 100-250 PROXIES FOR PRODUCT MODE DROPS.

FOR SPLASH DROPS, I RECOMMEND USING ABOUT 100-125 PROXIES. THIS WILL GIVE US A LOT OF FREEDOM IN CREATING TASKS AND MUCH MORE!

## \*THESE ARE RECOMMENDATIONS NOT MUSTS. IT IS UP TO YOU TO DECIDE\*

IF YOU WANT TO KNOW HOW MANY PROXIES PER INSTANCE PLEASE RE-READ THE TWO ANSWERS.

## HOW DO WE INSERT PROXIES IN SPLASHFORCE?

INSERTING PROXIES IN SPLASHFORCE IS AS EASY AS 1, 2 AND 3. GO INTO YOUR **SPLASHFORCE FOLDER**, OPEN UP **PROXIES.TXT** AND **COPY/PASTE** YOUR PROXIES.

IF YOU WANTED TO DO, LET'S SAY 8 TASKS PER PROXY. YOU WOULD HAVE TO **PASTE THAT PROXY 8 TIMES INTO PROXIES.TXT** 



#### **HOW MANY TASKS PER PROXY?**

#### FOR PRODUCT MODE:

- 2 TASKS PER 1 PROXY IS THE MAXIMUM
- 2 TASKS **PER** HOME IP ADDRESS IS THE **MAXIMUM**

#### FOR SPLASH MODE:

- 10 INSTANCES PER 1 PROXY IS THE MAXIMUM
- 200 INSTANCES **PER** HOME IP ADDRESS IS THE **MAXIMUM**

## "WHAT PROXIES ARE GOOD?"

PROXY PROVIDERS, LIKE ANY CONSUMER PRODUCT PROVIDER, HAVE THEIR PROS AND CONS. AT SNKR TALK WE **SUGGEST** USING THE FOLLOWING:

- 1. COPPED PROXIES: FOR AMAZING RESIDENTIAL IP'S AND EXCELLENT SUPPORT
- 2. **QJERU035** (HE'S IN SNKRTALK): HE PROVIDES AMAZING RESIDENTIAL PROXIES AND DATA CENTRE PROXIES. HIS PROXIES ARE THE AMONG THE CHEAPEST IN PRICE, BUT HIGHEST IN QUALITY. ALWAYS LOOKING TO HELP HIS CUSTOMERS.
- 3. <u>BACKDOOR PROXIES</u>: ANOTHER AMAZING RESIDENTIAL PROXY PROVIDER. FAST AND CHEAP IN PRICE RESIDENTIAL PROXIES.
- 4. CHI COOKED PROXIES: EXCELLENT CUSTOMER SUPPORT AND FAST PROXIES.
- 5. **BOOSTED PROXIES**: AGAIN, EXCELLENT CUSTOMER SUPPORT AND FAST PROXIES (US & UK)

WE WOULD RECOMMEND ANY OF THESE PROVIDERS. THEY ARE ALL AMAZING AND GOOD IN PRICE!
PLEASE PM ANY OF THE SNKRTALK STAFF FOR MORE QUESTIONS REGARDING ANYTHING HERE!



# BACK TO RUNNING SPLASHFORCE

LET'S START WITH HOW MANY CARTS YOU GET FOR EVERY INSTANCE THAT GETS THROUGH. WHEN AN INSTANCE PASSES SPLASH IT WILL USE A RANDOM TASK TO CHECK OUT. IF THE SIZE IS NOT AVAILABLE, THE BOT WILL MOVE ON TO THE NEXT TASK UNTIL THERE IS A TASK WITH AN AVAILABLE SIZE.

NOW, FOR THE NUMBER OF TASKS, THAT IS ACTUALLY ULTIMATELY UP TO YOU.

## WHEN YOU OPEN SPLASHFORCE YOU WILL SEE THE FOLOWING SCREEN:



- PRODUCT MODE: YOU ENABLE PRODUCT MODE WHEN THERE IS NO SPLASH FOR A SHOE.
- SPLASH MODE: YOU ENABLE SPLASH MODE WHEN A PRODUCT HAS A SPLASH PAGE BUT IS
  NOT A YEEZY SPLASH PAGE.
- 3. YEEZY SPLASH MODE: THIS IS MADE ONLY FOR YEEZY SPLASH PAGE.

## YOU CAN TEST YOUR SPLASH PAGE SETUP WITH THE FOLLOWING LINKS:

HTTP://SPLASHFORCE.IO/SPLASH/

HTTP://CARTCHEFS.CO.UK/SPLASH

HTTP://SPLASH-ROULETTE.HEROKUAPP.COM/SPLASH

IF YOU'RE STILL HAVING ISSUES PLEASE WATCH THE VIDEO, MADE BY IWAN, BELOW:

HTTPS://WWW.YOUTUBE.COM/WATCH?V=TJB2MTXNQYM8FEATURE=YOUTU.BE

NOW YOU SHOULD BE SET FOR A YEEZY SPLASH PAGE RELEASE! PLEASE FOLLOW THESE STEPS AND IF YOU HAVE ANY MORE QUESTIONS PLEASE FEEL FREE TO ASK.



# **COLLABORATIVE CAPTCHA (ADVANCED)**

# COURTESY OF @JALFRAZI#5293

<u>WARNING</u>, THIS IS FOR ADVANCED USERS ONLY. PLEASE ONLY TRY THIS ONCE YOU HAVE EVERYTHING ELSE WORKING.

- BOTH COMPUTERS MUST BE ON THE SAME NETWORK FOR THIS METHOD TO WORK.
- FROM PERSONAL EXPERIENCE THE CAPTCHAS SOLVED ON THE SECONDARY MACHINE TAKE LONGER TO COME THROUGH SO BEWARE THEY ARE NOT ALWAYS INSTANT.

### **WINDOWS**

- 1. OPEN COMMAND PROMPT AND TYPE IPCONFIG
- 2. THEN LOOK FOR IPV4 ADDRESS:

```
C:\Users\ | ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

Connection-specific DNS Suffix | :
Link-local IPv6 Address | 192.168.1.100

Subnet Mask | 192.168.1.100

Subnet Mask | : :
Default Gateway | : :

Ethernet adapter Bluetooth Network Connection 2:

Media State | : : Media disconnected
Connection-specific DNS Suffix | :
```

- 3. COPY THE NUMBER FROM HERE DOWN (CIRCLED BLUE, YOURS WILL PROBABLY BE DIFFERENT)
- 4. GO TO THE OTHER PC THAT YOU WANT TO SOLVE CAPTCHAS ON AND OPEN THE HOSTS FILE (WHICH IS LOCATED IN THIS FOLDER C:\Windows\System32\drivers\etc)
- 5. NOW ADD THE IPV4 ADDRESS YOU HAD ON THE OTHER PC TO BOTTOM OF THE HOSTS FILE FOLLOWED BY captcha.adidas.com



```
# Copyright (c) 1993-2009 Microsoft Corp.
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
# For example:
                        rhino.acme.com
                                                # source server
                                                # x client host
                        x.acme.com
# localhost name resolution is handled within DNS itself.
       127.0.0.1
                        localhost
        ::1
                        localhost
192.168.1.100 captcha.adidas.com
```

- 6. SAVE HOSTS FILE AS ADMINISTRATOR.
- 7. NOW WHEN YOU START SPLASHFORCE AND THE CAPTCHA SOLVER POPS UP ON THE PC WITH SPLASHFORCE INSTALLED, YOU CAN NAVIGATE TO captcha.adidas.com:8080 IN YOUR BROWSER ON THE OTHER MACHINE THAT YOU JUST EDITED THE HOSTS FILE ON AND SOLVE CAPTCHAS THERE AS WELL.

## MAC

1. Open terminal and type:

```
ifconfig | grep "inet " | grep -v 127.0.0.1 | cut -d\ -f2

s ifconfig | grep "inet " | grep -v 127.0.0.1 | cut -d\ -f2
10.0.0.104
```

- 2. COPY THE NUMBER FROM HERE DOWN (CIRCLED BLUE, YOURS WILL PROBABLY BE DIFFERENT)
- 3. GO TO THE OTHER MAC THAT YOU WANT TO SOLVE CAPTCHAS ON AND OPEN THE HOSTS FILE WHICH YOU CAN EDIT BY OPENING UP A TERMINAL AND TYPING: sudo nano/etc/hosts
- 4. NOW ADD THE IPV4 ADDRESS YOU HAD ON THE OTHER MAC TO BOTTOM OF THE HOSTS FILE FOLLOWED BY CAPTCHA.ADIDAS.COM (E.G 10.0.0.104 dev.adidas.com)
- SAVE HOSTS FILE.
- 6. NOW WHEN YOU START SPLASHFORCE AND THE CAPTCHA SOLVER POPS UP ON THE MAC WITH SPLASHFORCE INSTALLED, YOU CAN NAVIGATE TO DEV.ADIDAS.COM:8080 IN YOUR BROWSER ON THE OTHER MACHINE THAT YOU JUST EDITED THE HOSTS FILE ON AND SOLVE CAPTCHAS THERE AS WELL.



# **GETTING UNBANNED FROM GOOGLE**


GUIDE TO GET YOURSELF UNBANNED FROM GOOGLE SO YOU CAN CONTINUE USING SPLASHFORCE.

COURTESY OF SPLASHFORCE DISCORD

1. INSPECT ELEMENT ON THE PAGE THAT YOU'RE ON. GO TO IFRAME AND TAKE THAT LINK IN THE SRC- AND COPY IT.


```
🖟 📶 Elements Console Sources Network Performance Memory Application Security Audits »
                                                                                                                                                                                                                                                                                                                                        2 2
                                                                                                                                                                                                                                                                                                                                         Styles >>>
                                                                                                                                                                                                                                                                                                                                        :hov .cls
  ▶#shadow-root (open)
  ▶ <head>...</head>
                                                                                                                                                                                                                                                                                                                                      element.st
  ▼<body>
                                                                                                                                                                                                                                                                                                                                      yle {
       ▼ <div class="container">
             ▼<div class="g-recaptcha" data-sitekey="6LdC0iQUAAAAA0YmRv34KSLDe-7DmQrUSYJH8eB_" data-callback=
                                                                                                                                                                                                                                                                                                                                      bootstrap...
               'sendCaptcha"
                  ▼ <div style="width: 304px; height: auto;">
                       ▼<div>
                                                                     https://www.google.com/recaptcha/api2/anchor?k=6LdC0iQUAAAAAOYmRv34KS...
                                                                                                                                                                                                                                                                                                                                                       hox-
                                                                                                                                                                                                                                                                                                                                                        sizing
                             EuYWRpZGFzLmNvbTo4MDgw&hl=en&v=r28171109115411&size=norma1&cb=xwocvs354bwr width="304" height="78" role="presentation" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origing to the control of the contro
                                                                                                                                                                                                                                                                                                                                                       borde
                                                                                                                                                                                                                                                                                                                                                       box;
                              allow-scripts allow-top-navigation allow-modals allow-popups-to-escape-sandb
                                 ▼#document
                                    ▶ <html>...</html>
                                                                                                                                                                                                                                                                                                                                                        sizine
                                 </iframe>
                            </div>
                                                                                                                                                                                                                                                                                                                                                      box;
                            "width: 250px; height: 40px; border: 1px solid #c1c1c1; margin: 10px 25px; padding: 0px; resize: none;
display: none; " anticaptured="anticaptured">/textarea>
                                                                                                                                                                                                                                                                                                                                                       sizing
                       ▶ <div class="antigate_solver in_process">...</div>
                                                                                                                                                                                                                                                                                                                                                      box;
                      </div>
                  </div>
                                                                                                                                                                                                                                                                                                                                      iframe[Att
                 ributes
                 ::after
                                                                                                                                                                                                                                                                                                                                      Style] {
                                                                                                                                                                                                                                                                                                                                             width:
       <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js"></script>
b<script type="text/javascript">...</script>
                                                                                                                                                                                                                                                                                                                                                       304px;
                                                                                                                                                                                                                                                                                                                                              height
                                                                                                                                                                                                                                                                                                                                                       78px;
  </html>
                                                                                                                                                                                                                                                                                                                                              border-
                                                                                                                                                                                                                                                                                                                                                       width:
                                                                                                                                                                                                                                                                                                                                                       0px;
                                                                                                                                                                                                                                                                                                                                              border-
                                                                                                                                                                                                                                                                                                                                                       width:
```

2. NEXT, PASTE THAT LINK INTO YOUUR SEARCH ENGINE, WHICH SHOULD REDIRECT YOU TO A IPV4 SITE.





3. AFTER THAT, SOLVE THE CAPTCHA WHICH WILL BRING YOU INTO SOMETHING THAT MAY LOOK LIKE THIS:



4. FINALLY, GO BACK TO SPLASHFORCE AND START IT UP AGAIN. YOU SHOULD HAVE THE CAPTCHAS AVAILABLE AGAIN. IF NOT, REPEAT THE PROCESS OVER AGAIN.





# **FAQ**

#### **HOW DO INPUT PROXIES?**

TO INPUT PROXIES, GO TO THE SPLASHFORCE FOLDER. IN THERE, YOU WILL SEE A BUNCH OF FILES. CLICK ON PROXIES.TXT. COPY AND PASTE YOUR PROXIES INTO THAT FOLDER AND CLICK FILE SAVE.

#### WHAT'S THE DIFFERENCE BETWEEN AN INSTANCE AND A TASK?

AN INSTANCE IS LIKE A "USER" THE MORE INSTANCES YOU HAVE THE BETTER CHANCE OF GETTING THROUGH SPLASH. A TASK IS LIKE THE CART. WHEN AN INSTANCE PASSES SPLASH IT WILL CHOOSE A RANDOM TASK TO CART THE SHOE.

### **HOW MANY INSTANCES SHOULD I RUN?**

RUN AS MUCH AS YOUR COMPUTER CAN HANDLE. YOU DON'T WANT TO OVERLOAD OR ELSE BAD THINGS CAN HAPPEN.

## DO YOU NEED A SERVER TO RUN SPLASHFORCE?

NO, A SERVER IS NOT NEEDED TO RUN SPLASHFORCE. UNLESS YOU REALLY WANT TO **OR** YOUR INTERNET SPEEDS AREN'T SO GREAT, A SERVER IS FINE. BUT BE WARNED, YOU WILL LOSE AN ACTIVATION IF YOU DESTROY YOUR SERVER.

#### HOW DO I RESET MY KEY AND WHAT DOES THAT MEAN?

TO RESET YOUR KEY PLEASE CONTACT IWAN IN THE SPLASHFORCE DISCORD. GIVE HIM YOUR USER EMAIL AND KEY, ASK HIM NICELY TO RESET YOUR KEY. HE WILL GET TO YOU WHEN HE IS AVAILABLE PLEASE DON'T KEEP MESSAGING HIM OVER AND OVER. NO ONE LIKES THAT.

#### **HOW DO I UPDATE SPLASHFORCE?**

FIRST THING YOU HAVE TO DO BEFORE ANYTHING. CHECK TO SEE IF THERE IS AN UPDATE OUT. GO INTO THE SPLASHFORCE DISCORD. CLICK RELEASES AND YOU WILL SEE IF THERE IS AN UPDATE OUT. IF THERE IS, YOU WILL SEE A DOWNLOAD LINK CLICK ON IT AND IT WILL INSTALL THE THREE FILES. THAT'S IT, JUST FOLLOW THE GUIDE AGAIN IF YOU DON'T REMEMBER HOW TO SET UP AGAIN. I KNOW IT MIGHT BE A PAIN BUT YOU WILL GET THROUGH IT.

### WHEN MY I OPEN SPLASHFORCE WHY DOES IT CLOSE AFTER 2-5 SECONDS?

THIS CAN MEAN ONE OF TWO THINGS. ONE, THE SPLASH FORCE SERVERS ARE DOWN AT THE MOMENT AND YOU SHOULD TRY AGAIN IN ABOUT 30 MIN <u>OR</u> TWO, YOUR KEY IS USED UP AND YOU SHOULD GET IT RESET.

