

Google



<https://www.loyalsunsvending.com>

Know More.....

Commercial Coffee Machines



·OFFICIAL WEBSITE·

Tel: 86-13315958880 86-0311-89898649

E-mail: service@loyalsuns.com

**Add: Building 2, Zone B, Fangyi Technology Industrial Park, No. 222 Xing'an Street, Shijiazhuang
High-Tech Industrial Development Zone, Hebei Province, P.R.China**

Loyalsuns | Commercial Coffee Machines



About US

Loyalsuns was founded in 2014, specializes in commercial coffee machines and solutions for unmanned/semi-unmanned scenarios.

Our products have obtained CB, CE, KC, UL, CQC, NSF, SASO, SAA, EAC and other international certifications. All series are equipped with the SMB Intelligent Extraction System as standard. Core components including the brewing module, ice-making module, fresh milk module, and carbonation module are all independently developed and manufactured.

Loyalsuns focuses on the research, development, production, and sales of commercial self-service coffee machines, our products are exported to over 60 countries and regions. We can provide personalized customization services for partners engaged in coffee business, covering in-depth cooperation in module combinations, system customization, new feature development, and other aspects.

We continuously explore technological innovation, aiming to promote the generational development of convenient coffee experiences through professional and innovative technological breakthroughs, and help our partners gain competitive advantages.



R&D Center
2000 +m²



Production Base
20000 +m²



R&D staff
30 +




Cooperation Cases





Source Factory



We sincerely invite you



Technical Advantages



Easily Meets Golden Cup Standard

The SMB intelligent extraction system offers professional parameters preset for master-level brewing, including flow rate, pre-soaking, extraction pressure and pressing level. The taste is comparable to premium specialty coffee shops.



Long lifespan of over 70,000 cups

64mm imported flat burr ensure uniform grinding and concentrated particle size, avoiding over or under extraction. Excellent consistency guarantees stable flavor in every cup.



Extended maintenance intervals

Φ53mm large-diameter commercial extractor support 50000 cup maintenance-free operation and total lifespan of 300000 cups. 2.5kg bean hopper, 25L waste water bucket and coffee grounds bucket which can hold grounds of more than 100 cups resulting extended maintenance interval.



Creamy and rich milk foam



Smooth texture, every cup delivers professional quality.



500 cups iced drinks per day

Efficient and continuous ice making, with a maximum daily ice production of 120 kg.



Double-Cup System

Paper cups and plastic cups with various calibers and capacities for making ice, hot coffee, and other beverages.



Long durability

250 cups per day.




Self-developed & Self-produced Module




SMB Intelligent Extraction System

Flow rate preset · Soaking preset · Extraction pressure preset · Pressing level preset

The system converts the accumulated experience of a senior barista into systematic and visual data needed to make golden cup standard coffee



Leading Product Development Capability



Leading industrial design capability



Gene of continuous innovation




Core Modules self-developed & self-produced




Insight into integrating products with regional and cultural characteristics

Operation & Management



Supports quick integration with third-party software and external payment devices



Real-time monitoring of equipment operation status.



/Sales



/Equipment




/Material



/O&M



01/MB1
Fresh Milk - Master Coffee



Real-time display
Fresh milk adding time
Refrigerator temperature
Milk / Water pipes cleaning time

32-inch
touch screen

Card reader
installation area

Iced drink
lids / straws
Automatic lifting

Heavy-duty
adjustable casters



LED header

Visible double
brewing module

Coffee aroma outlet
Packing Table

Hot drink
lids / stirrers
Automatic lifting



SMB
Intelligent Extraction System

200 + Drinks



Americano, Espresso, Latte, Cappuccino, Mocha, Fruit Coffee, Milk Tea, Juice, Tea(optional)...

Specifications

Dimension ○ H2100mm×W1060mm×D860mm	Weight ○ 375Kg	Operating Temperature ○ 5-43°C	Power Supply Specification ○ 220-240V~ 50Hz 220-230V~ 60Hz 120V~ 60Hz	Maximum Power ○ 3500W
Standby Power ○ <180W	Screen Size ○ 32-inch touch screen	Network ○ 4G/WIFI/RJ45 Cable	Payment Method ○ WeChat / Alipay / Card Reader / Cash / Third party Interfaces	Cleaning Method ○ Standard cleaning/Regular cleaning/ Descaling cleaning/Automatic Milk Circuit Cleaning
Pick-up Door ○ Transparent lifting door (anti-pinch protection)	Coffee Aroma Outlet ○ Equipped	Packing Table ○ Equipped	Speaker ○ 8Q10W Dual Channel Speakers	Cup Carrying Method ○ Visible rotation cup carrier
Door Lock ○ Electronic & Mechanical	Water Supply ○ 18L barreled water×3 (include tap water connection)	Heating Method ○ 1800W High pressure resistant heat storage boiler+800W milk heating unit	Paper Cup Dispenser ○ 1	Paper Cup Storage ○ 2 tubes (approx.70-100 cups)
Paper Cup Specification ○ 90 mm, 12/16 oz	Transparent Cup Dispenser ○ 1	Transparent Cup Storage ○ 2 tubes (approx.100 cups)	Transparent Cup Specification ○ 90/98 mm, 16 oz	Cup Lid ○ Double dispensing outlets (separate for hot & cold drinks)
Lid Storage ○ About 100 sets each for hot & cold drinks Including cup lids + straws / stirrers	Lid Specification ○ 90mm-98mm	Pumps For Syrup ○ 6	Canisters For Powder ○ 6*3L	Tea Canister ○ 2*3L (for tea brewer option)
Brewer ○ 2	Brewing Parameter ○ 2*26g 9bar (1 set can be optionally configured as a tea extractor)	Coffee Bean Hopper ○ 2*2.5kg	Grinder ○ 64mm flat burr	Ice Maker ○ 120 kg/day
Carbonated Module ○ /	Cream Module ○ /	Refrigerated Compartment ○ 92L fridge, 4°C constant temperature for milk	Fresh Milk Module ○ 10L Milk Container × 2 (Hot & Cold Milk / Milk Foam)	

02/MB3

Soda & Fresh Tea, Tea and Coffee Dual-Talented Master



Advertising area

32-inch
touch screen

Card reader
installation area

LED header


Visible
bean hopper
+
tea canisters

Coffee aroma outlet
Packing Table

Iced drink
lids / straws
Automatic lifting

Hot drink
lids / stirrers
Automatic lifting

Heavy-duty
adjustable casters



200+ Drinks



Americano, Espresso, Latte, Cappuccino, Mocha, Fruit Coffee, Milk Tea, Juice, Tea, Soda Drinks...

Specifications

Dimension

○ H2100mm×W1060mm×D860mm

Standby Power

○ <180W

Pick-up Door

○ Transparent lifting door (anti-pinch protection)

Door Lock

○ Electronic & Mechanical

Paper Cup Specification

○ Caliber 90 mm, capacity 12/16 oz

Lid Storage

○ About 100 sets each for hot & cold drinks
Including cup lids + straws / stirrers

Brewer

○ 2

Carbonated Module

○ Equipped

Weight

○ 375Kg

Screen Size

○ 32-inch touch screen

Coffee Aroma Outlet

○ Equipped

Water Supply

○ 18L barreled water×3 (include tap water connection)

Transparent Cup Dispenser

○ 1

Lid Specification

○ 90mm-98mm

Brewing Parameter

○ 1*26g 9bar + Tea Extractor

Cream Module

○ /

Operating Temperature

○ 5-43°C

Network

○ 4G/WIFI/RJ45 Cable

Packing Table

○ Equipped

Heating Method

○ 1800W High pressure resistant heat storage boiler

Transparent Cup Storage

○ 2 tubes (approx.100 cups)

Pumps For Syrup

○ 8

Coffee Bean Hopper

○ 1*2.5kg

Refrigerated Compartment

○ /

Power Supply Specification

○ 220-240V~ 50Hz 220-230V~ 60Hz
120V~ 60Hz

Payment Method

○ WeChat / Alipay / Card Reader / Cash / Third party Interfaces

Speaker

○ 8Ω10W Dual Channel Speakers

Paper Cup Dispenser

○ 1

Transparent Cup Specification

○ Caliber 90/98 mm, capacity 16 oz

Canisters For Powder

○ 4*3L

Grinder

○ 64mm flat burr

Fresh Milk Module

○ /

Maximum Power

○ 3500W

Cleaning Method

○ Standard cleaning/Regular cleaning/Descaling cleaning

Cup Carrying Method

○ Visible rotation cup carrier

Paper Cup Storage

○ 2 tubes (approx.70-100 cups)

Cup Lid

○ Double dispensing outlets (separate for hot & cold drinks)

Tea Canister


○ 2*3L

Ice Maker

○ 120 kg/day

03/MS1

Ideal choice for semi-unmanned scenarios



Americano, Espresso, Latte, Cappuccino, Mocha, Milk Tea, Iced Cup, Juice...

Specifications


Dimension H1690mm×W620mm×D505mm	Weight 120Kg	Operating Temperature 5-43°C	Power Supply Specification 220-240V~50Hz 220-230V~60Hz 120V~60Hz	Maximum Power 2000W
Standby Power <70W	Screen Size 10.1-inch touch screen	Network 4G/WIFI/RJ45 Cable	Payment Method WeChat / Alipay / Card Reader / Cash / Third party Interfaces	Cleaning Method Standard cleaning/Regular cleaning/Descaling cleaning
Pick-up Door /	Coffee Aroma Outlet Equipped	Packing Table /	Speaker 4Ω3W Dual Channel Speakers	Cup Carrying Method Self-service cup(supports own cup)
Door Lock Electronic & Mechanical	Water Supply 18L barreled water×1 (include tap water connection)	Heating Method 1800W High pressure resistant heat storage boiler	Paper Cup Dispenser /	Paper Cup Storage Approx. 40-50 pcs (Different cup types supported)
Paper Cup Specification 90 mm, 10/12/16 oz	Transparent Cup Dispenser /	Transparent Cup Storage Approx. 40-50 pcs(Different cup types supported)	Transparent Cup Specification 90 mm, 10/12/16 oz	Cup Lid Lid compartment ×1, Straw compartment ×1
Lid Storage Approx. 40 pcs	Lid Specification 90mm	Pumps For Syrup 2	Canisters For Powder 2*2L	Tea Canister /
Brewer 1	Brewing Parameter 1*26g 9bar	Coffee Bean Hopper 1*2.5kg	Grinder 64mm flat burr	Ice Maker 30 kg/day
Carbonated Module /	Cream Module /	Refrigerated Compartment /	Fresh Milk Module /	

Visible bean hopper

10.1-inch touch screen

Consumables area One on each side

Heavy-duty adjustable casters



Self-service cup


Paper / Plastic cups

Consumables Cup lids / Straws / Stirrers



Gray · White · Blue
Three colors available

Tiny With Full Functionality, Commercial Use For Small Scenarios



05/ MR2

Advanced version for unmanned scenarios, double-extraction, double-cup



Americano, Espresso, Latte, Cappuccino, Mocha, Fruit Coffee, Milk Tea, Juice, Tea...

Specifications

Dimension

- H1950mm×W1060mm×D805mm

Standby Power

- <150W

Pick-up Door

- Transparent lifting door (anti-pinch protection)

Door Lock

- Electronic & Mechanical

Paper Cup Specification

- 90 mm, 12/16 oz

Lid Storage

- About 100 sets each for hot & cold drinks Including cup lids + straws / stirrers

Brewer

- 2

Carbonated Module

- /

Weight

- 325Kg

Screen Size

- 32-inch touch screen

Coffee Aroma Outlet

- Equipped

Water Supply

- 18L barreled water×3 (include tap water connection)

Transparent Cup Dispenser

- 1

Lid Specification

- 90mm-98mm

Brewing Parameter

- 1*26g 9bar + Tea Extractor

Cream Module

- /

Operating Temperature

- 5-43°C

Network

- 4G/WIFI/RJ45 Cable

Packing Table

- Equipped

Heating Method

- 1800W High pressure resistant heat storage boiler

Transparent Cup Storage

- 3 tubes (approx.150 cups)

Pumps For Syrup

- 6

Coffee Bean Hopper

- 1*2.5kg

Refrigerated Compartment

- /

Power Supply Specification

- 220-240V~ 50Hz 220-230V~ 60Hz 120V~ 60Hz

Payment Method

- WeChat / Alipay / Card Reader / Cash / Third party Interfaces

Speaker

- 8Ω10W Dual Channel Speakers

Paper Cup Dispenser

- 1

Transparent Cup Specification

- 90/98 mm, 16 oz

Canisters For Powder

- 4*3L

Grinder

- 64mm flat burr

Fresh Milk Module

- /

Maximum Power

- 2600W

Cleaning Method

- Standard cleaning/Regular cleaning/Descaling cleaning

Cup Carrying Method

- Visible rotation cup carrier

Paper Cup Storage

- 3 tubes (approx.110-150 cups)

Cup Lid

- Double dispensing outlets (separate for hot & cold drinks)

Tea Canister

- 2*3L

Ice Maker

- 120 kg/day

Visible bean hopper

Coffee aroma outlet

Card reader installation area


Iced drink lids / straws Automatic lifting

Heavy-duty adjustable casters

32-inch touch screen

Packing Table

Hot drink lids / stirrers Automatic lifting



06/MA2
Soda & Cream, Coffee Magician



Americano, Espresso, Latte, Cappuccino, Mocha, Sparkling Coffee, Cream Top Coffee, Milk Tea, Soda Drinks, Juice...

Specifications

Dimension

- H1950mm×W1060mm×D860mm

Standby Power

- <200W

Pick-up Door

- Transparent lifting door (anti-pinch protection)

Door Lock

- Electronic & Mechanical

Paper Cup Specification

- Caliber 90 mm, capacity 12/16 oz

Lid Storage

- /

Brewer

- 1

Carbonated Module

- Equipped

Weight

- 325Kg

Screen Size

- 32-inch touch screen

Coffee Aroma Outlet

- /

Water Supply

- 18L barreled water×3 (include tap water connection)

Transparent Cup Dispenser

- 1

Lid Specification

- /

Brewing Parameter

- 1*26g 9bar

Cream Module

- Equipped

Operating Temperature

- 5-43°C

Network

- 4G/WIFI/RJ45 Cable

Packing Table

- /

Heating Method

- 1800W High pressure resistant heat storage boiler

Transparent Cup Storage

- 2 tubes (approx.100 cups)

Pumps For Syrup

- 10

Coffee Bean Hopper

- 1*2.5kg

Refrigerated Compartment

- /

Power Supply Specification

- 220-240V~ 50Hz 220-230V~ 60Hz 120V~ 60Hz

Payment Method

- WeChat / Alipay / Card Reader / Cash / Third party Interfaces

Speaker

- 8Ω10W Dual Channel Speakers

Paper Cup Dispenser

- 1

Transparent Cup Specification

- 90/98 mm, 16 oz

Canisters For Powder

- 6*3L + Topping canister *1

Grinder

- 64mm flat burr

Fresh Milk Module

- /

Maximum Power

- 3500W

Cleaning Method

- Standard cleaning/Regular cleaning/Descaling cleaning

Cup Carrying Method

- Visible linear motion cup carrier

Paper Cup Storage

- 2 tubes (approx.70-100 cups)

Cup Lid


- /

Tea Canister

- /

Ice Maker

- 120 kg/day



Soda



Cream top



120Kg-class
ice maker



Commercial class brewer



SMB
Intelligent Extraction System

Visible
bean hopper

32-inch
touch screen

Advertising
screen

Card reader
installation area

Visible
production area

Pick-up Door
Electric anti-pinch

Heavy-duty
adjustable casters

08/MC4

Ideal choice for unmanned scenarios

Tiny With Full Functionality

Commercial Use For Small Scenarios

MC4 is equipped with a 30kg-class ice maker, which is the smallest commercial self-service coffee machine with ice maker suitable for unmanned scenarios.

Visible
bean hopper

Coffee
aroma outlet

Straws

Heavy-duty
adjustable casters




21.5-inch
touch screen

Card reader
installation area

Packing Table

Lids



40 + Drinks



Americano, Espresso, Latte, Cappuccino, Mocha, Fruit Coffee, Milk Tea, Juice...

Specifications

Dimension

○ H1900mm×W720mm×D725mm

Standby Power

○ <100W

Pick-up Door

○ Transparent lifting door (anti-pinch protection)

Door Lock

○ Electronic & Mechanical

Paper Cup Specification

○ 90 mm, 12 oz

Lid Storage

○ Approx. 100 pcs

Brewer

○ 1

Carbonated Module

○ /

Weight

○ 200Kg

Screen Size

○ 21.5-inch touch screen

Coffee Aroma Outlet

○ Equipped

Water Supply

○ 18L barreled water×2 (include tap water connection)

Transparent Cup Dispenser

○ /

Lid Specification

○ 90mm

Brewing Parameter

○ 1*26g 9bar

Cream Module

○ /

Operating Temperature

○ 5~43°C

Network

○ 4G/WIFI/RJ45 Cable

Packing Table

○ Equipped

Heating Method

○ 1800W High pressure resistant heat storage boiler

Transparent Cup Storage

○ /

Pumps For Syrup

○ 3

Coffee Bean Hopper

○ 1*2.5kg

Refrigerated Compartment

○ /

Power Supply Specification

○ 220-240V~ 50Hz 220-230V~ 60Hz 120V~ 60Hz

Payment Method

○ WeChat / Alipay / Card Reader / Cash / Third party Interfaces

Speaker

○ 8Ω10W Dual Channel Speakers

Paper Cup Dispenser

○ 1

Transparent Cup Specification

○ /

Canisters For Powder

○ 2*3L+1*2L

Grinder

○ 64mm flat burr

Fresh Milk Module

○ /

Maximum Power

○ 2000W

Cleaning Method

○ Standard cleaning/Regular cleaning/Descaling cleaning

Cup Carrying Method

○ Visible rotation cup carrier

Paper Cup Storage

○ 3 tubes (approx.110-150 cups)

Cup Lid

○ Lid compartment × 1, Straw compartment × 1

Tea Canister

○ /

Ice Maker

○ 30 kg/day



Commercial class brewer



30Kg-class
ice maker



SMB
Intelligent Extraction System