Texas Department of Transportation

Roadway Illumination and Electrical Supplies

Material Producer List

Traffic Safety Division – Traffic Engineering Section

Contents

Item 610 – Roadway Illumination Assemblies 4

Item 610 – Roadway Illumination Poles 4

Item 610 – Approved Aluminum Pole Designs 5

Item 610 – Breakaway Transformer Base 6

Item 610 – LED Roadway Luminaires 7

Item 610 & 614 – High Pressure Sodium Lamps 22

Item 610 & 620 – Breakaway Fuse Holders 24

Item 610 & 628 – Photoelectric Controls 27

Item 613 – High Mast Illumination Poles 29

Item 614 – High Mast Illumination Assemblies 30

Item 614 – LED High Mast Luminaires 30

Item 614 – High Mast Kit 40

Item 614 – High Mast Ring – Previously Approved Shop Drawings 43

Item 618 – Conduit 46

Item 618 – Rigid Metallic Conduit (RMC) 47

Item 618 – PolyVinyl Chloride Conduit (PVC) 49

Item 618 – High-Density Polyethylene Conduit (HDPE) 52

Item 618 – Precast Polymer Concrete Junction Box for Concrete Traffic Barrier 59

Item 620 – Electrical Conductors 60

Item 620 – Conductors- Type XHHW 61

Item 621 – Tray Cable 65

Item 621 – Tray Cable – XHHW Conductors with Overall PVC Jacket 66

Special Specification 6000 – Duct Cable 68

SS 6000 – Duct Cable with Type XHHW Conductors 69

Item 624 – Ground Boxes 71

Item 624 – Ground Boxes – Precast Polymer Concrete 72

Item 628 – Electrical Services 78

Item 628 – Electrical Service 79

Item 685 – Roadside Flashing Beacon Assemblies 84

Item 685 – Breakaway Holder - Non-Fused 84

Item 685 & 687 – Pedestal Pole Base and Assemblies 87

Item 687 – Pedestal Pole Assemblies 89

Item 687 – Breakaway Electrical Disconnects 89

Item 610 – Roadway Illumination Assemblies

Item 610 – Roadway Illumination Poles

General

Roadway Illumination Poles do not need to be pre-qualified when Texas Department of Transportation (TxDOT) RIP (Roadway Illumination Pole) standard sheets are included in the plan set.

Construction

Perform work in accordance with the details shown on the plans, and the requirements of Item 610 and applicable Special Provisions to Item 610.

Fabricate steel roadway illumination poles in accordance with TxDOT standards RIP. Poles fabricated according to RIP standard sheets require no shop drawings.

Alternate designs to RIP or the use of aluminum to fabricate poles will require the submission of shop drawings electronically.

For instructions on shop drawing submittal requirements see Shop drawing submittal cycle.

Item 610 – Approved Aluminum Pole Designs

Materials and Tests Division's Structural Materials Section verifies, on a per project basis, that products furnished to TxDOT projects from fabrication plants, approved per Departmental Material Specification (DMS) - 7380, comply with Buy America requirements.

Hapco

26252 Hillman Highway, Abingdon, VA 24210 - (800) 368-7171 - Hapco Pole Products

Table 1- Hapco Approved Pole Designs

Type	Model	Buy America Status
40 Ft.-Aluminum - T-Base mounted with (1) 8Ft. Arm Only	Based on Drawing # B15138 and B15136	See above

Item 610 – Breakaway Transformer Base

Akron Foundry Co.

2728 Wingate Ave., Akron, OH 44314 - (330) 745-3101 – Akron Foundry

Table 2- Akron Foundry Approved Breakaway Bases

Type	Model	Buy America Status
Breakaway Transformer Base for Luminaire Poles Less Than 40 Foot Height	TB1-17	Project Level Certification Required
Breakaway Transformer Base for Luminaire Poles 40 to 50 Foot Height	TB3-17	Project Level Certification Required

Item 610 – LED Roadway Luminaires

General

The following manufacturers of LED luminaires comply with the requirements of DMS-11011, "LED Roadway Luminaires."

The materials listed below are pre-qualified for use when DMS-11011 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11011.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11011. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Trastar, Inc.

860 N. Dorothy Drive #600, Richardson, TX 75081 - (972) 480-0888 - Trastar - Brand: Duralight

Table 3- Trastar Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED – (65W)-120/240 Volt; LLF=0.766	JXM-ST140-3-40K-120-4-GR-SCLB-G2	Compliant
150W EQ LED – (65W)-480/240 Volt; LLF=0.766	JXM-ST140-3-40K-480-4-GR-SCLB-G2	Compliant
250W EQ LED (120W)-120/240 Volt; LLF=0.766	JXM-ST180-3-40K-120-2-GR-SCLB-G2	Compliant
250W EQ LED (120W)-480 Volt; LLF=0.766	JXM-ST180-3-40K-480-2-GR-SCLB-G2	Compliant
400W EQ LED (155W)-120/240 Volt; LLF=0.766	JXM-ST180-4-40K-120-2-GR-SCLB-G2	Compliant
400W EQ LED (155W)-480 Volt; LLF=0.766	JXM-ST180-4-40K-480-2-GR-SCLB-G2	Compliant
150W EQ LED – (65W)-120/240 Volt; LLF=0.766	DURA-ST15-4K-120-3-GR-SCLB-G2	Project Level Certification Required
150W EQ LED - (65W)- 480 Volt; LLF=0.766	DURA-ST15-4K-480-3-GR-SCLB-G2	Project Level Certification Required
250W EQ LED (120W)-120/240 Volt; LLF=0.766	DURA-ST25-4K-120-2-GR-SCLB-G2	Project Level Certification Required
250W EQ LED (120W)-480 Volt; LLF=0.766	DURA-ST25-4K-480-2-GR-SCLB-G2	Project Level Certification Required
400W EQ LED (185W) 120/240 Volt; LLF=0.766	DURA-ST40-4K-120-2-GR-SCLB-G2	Project Level Certification Required
400W EQ LED (185W)-480 Volt; LLF=0.766	DURA-ST40-4K-480-2-GR-SCLB-G2	Project Level Certification Required
150W EQ LED – (65W)-120/240 Volt; LLF=0.766	DURA-STR15-4K-120-4-GR-SCLB	Compliant

Type	Model	Buy America Status
150W EQ LED - (65W)- 480 Volt; LLF=0.766	DURA-STR15-4K-480-4-GR-SCLB	Compliant
250W EQ LED (120W)- 120/240 Volt; LLF=0.766	DURA-STR25-4K-120-2-GR-SCLB	Compliant
250W EQ LED (120W)- 480 Volt; LLF=0.766	DURA-STR25-4K-480-2-GR-SCLB	Compliant
400W EQ LED (185W) 120/240 Volt; LLF=0.766	DURA-STR40-4K-120-2-GR-SCLB	Compliant
400W EQ LED (185W)-480 Volt; LLF=0.766	DURA-STR40-4K-480-2-GR-SCLB	Compliant

Cooper Lighting Solutions

1121 Highway 74 South, Peachtree City, GA 30269 - (770) 486-4800 - Cooper Lighting - Brand: Streetworks

Table 4- Cooper Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (50W) - 120/240 Volt; LLF=0.79	VERD-S-CA1-50-740-U-T4-AP-20MSP-K-PR7-TXDOT-D127891	Compliant
150W EQ LED (50W) - 480 Volt; LLF=0.79	VERD-S-CA1-50-740-8-T4-AP-20MSP-K-PR7-TXDOT-D127892	Compliant
250W EQ LED (100W) - 120/240 Volt; LLF=0.77	VERD-CA2-100-740-U-T2-AP-20MSP-K-PR7-TXDOT-D122749	Compliant
250W EQ LED (100W) - 480 Volt; LLF=0.77	VERD-CA2-100-740-8-T2-AP-20MSP-K-PR7-TXDOT-D125802	Compliant
400W EQ LED (150W) - 120/240 Volt; LLF=0.78	VERD-G-CA2-150-740-U-T2-AP-20MSP-K-PR7-TXDOT-D127893	Compliant

Type	Model	Buy America Status
400W EQ LED (150W) - 480 Volt; LLF=0.78	VERD-G-CA2-150-740-8-T2-AP-20MSP-K-PR7-TXDOT-D127942	Compliant
150W EQ LED (60W)-120/240 VOLT LLF=0.81	VERD-C01-D-U-T3-4N7-20K-AP-TXDOT-D96083	Project Level Certification Required
150W EQ LED (60W)-480 VOLT LLF=0.81	VERD-C01-D-8-T3-4N7-20K-AP-TXDOT-D96084	Project Level Certification Required
250W EQ LED (110W)-120/240 VOLT LLF=0.81	VERD-C02H-D-U-T2-4N7-20K-AP-TXDOT-D96085	Project Level Certification Required
250W EQ LED (120W)-480 VOLT LLF=0.81	VERD-C02H-8-T2-4N7-20K-AP-TXDOT-D96082	Project Level Certification Required
400W EQ LED (160W)-120/240 Volt; LLF=0.81	VERD-G-C02H-D-U-T2-4N7-20K-K-AP-TXDOT-D96080	Project Level Certification Required
400W EQ LED (160W)-480 Volt; LLF=0.81	VERD-G-C02H-D-8-T2-4N7-20K-K-AP-TXDOT-D96081	Project Level Certification Required
150W EQ LED (60W)-120/240 VOLT LLF=0.81	VERD-C01-D-U-T3-4N7-20K-AP-TXDOT-D0208	Project Level Certification Required
150W EQ LED (60W)-480 VOLT LLF=0.81	VERD-C01-D-8-T3-4N7-20K-AP-TXDOT-D0209	Project Level Certification Required
250W EQ LED (110W)-120/240 VOLT LLF=0.81	VERD-C02H8-D-U-T2-4N7-20K-AP-TXDOT-D0210	Project Level Certification Required
250W EQ LED (110W)-480 VOLT LLF=0.81	VERD-C02H8-D-8-T2-4N7-20K-AP-TXDOT-D0211	Project Level Certification Required

Type	Model	Buy America Status
400W EQ LED (160W)-120/240 Volt; LLF=0.81	VERD-G-C02H-D-U-T2-4N7-20K-AP-TXDOT-D0212	Project Level Certification Required
400W EQ LED (160W)-480 Volt; LLF=0.81	VERD-G-C02H-D-8-T2-4N7-20K-AP-TXDOT-D0213	Project Level Certification Required
150W EQ LED (72W)-120/240 VOLT LLF=0.86	VERD-A028-D-U-T3-4N7-20K-AP-TXDOT-D0077	Project Level Certification Required
150W EQ LED (72W)-480 VOLT LLF=0.86	VERD-A028-D-8-T3-4N7-20K-AP-TXDOT-D0078	Project Level Certification Required
250W EQ LED (143W)-120/240 VOLT LLF=0.816	VERD-G-A02-D-U-T2-4N7-20K-AP-TXDOT-D0027	Project Level Certification Required
250W EQ LED (154W)-480 VOLT LLF=0.816	VERD-G-A02-D-8-T2-4N7-20K-AP-TXDOT-D0028	Project Level Certification Required
400W EQ LED (180W)-120/240 Volt; LLF=0.81	VERD-M-A03-D-U-T2-4N7-20K-AP-TXDOT-D0004	Project Level Certification Required
400W EQ LED (180W)-480 Volt; LLF=0.81	VERD-M-A03-D-8-T2-4N7-20K-AP-TXDOT-D0005	Project Level Certification Required

Leotek

1955 Lundy Ave., San Jose, CA 95131 - Leotek

Table 5- Leotek Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (45W) – 120/240V; LLF=0.85	GCJ2-30J-MV-40K-3R-GY-070-PCR7CR-WL-DF-SP2-SC-TXDOT	Compliant

Type	Model	Buy America Status
150W EQ LED (45W) – 480V; LLF=0.85	GCJ2-30J-HV-40K-3R-GY-070-PCR7CR-WL-DF-SP2-SC-TXDOT	Compliant
250W EQ LED (100W) – 120/240V; LLF=0.85	GCM3-60J-MV-40K-2R-GY-155-PCR7CR-WL-SP2-SC-TXDOT	Compliant
250W EQ LED (100W) – 480V; LLF=0.85	GCM3-60J-HV-40K-2R-GY-155-PCR7CR-WL-SP2-SC-TXDOT	Compliant
400W EQ LED (145W) – 120/240V; LLF=0.85	GCM3-60J-MV-40K-2R-GY-220-PCR7CR-WL-SP2-SC-TXDOT	Compliant
400W EQ LED (145W) – 480V; LLF=0.85	GCM3-60J-HV-40K-2R-GY-220-PCR7CR-WL-SP2-SC-TXDOT	Compliant

Current Lighting

3010 Spartanburg Hwy, East Flat Rock, NC 28726 - Current Lighting –

Brand: Evolve

Table 6- Current Lighting Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (78W)-120V; LLF=0.80	ERS11B3D17404GRAY120	Project Level Certification Required
150W EQ LED (78W)-240V; LLF=0.80	ERS13B3D17404GRAY120	Project Level Certification Required
150W EQ LED (78W)-480V; LLF=0.80	ERS15B3D17404GRAY081	Project Level Certification Required
250W EQ LED (130W)-240V; LLF=0.79	ERS20E3E17404GRAY083	Project Level Certification Required
250W EQ LED (130W)-480V; LLF=0.79	ERS2HE3E17404GRAY134	Project Level Certification Required

Type	Model	Buy America Status
400W EQ LED (285W)-240V; LLF=0.70	ERS20H3E11404GRAY135	Project Level Certification Required
400W EQ LED (285W)-480V; LLF=0.70	ERS2HH3E11404GRAY136	Project Level Certification Required

Signify

118 Maderas, Seguin, TX 78155 - Signify – Brand: Lumec

Table 7- Signify Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (50W) - 120/240 Volt; LLF=0.88	[RFS-091]-50W16LED4K-G2-R3S-UNV-DMG-API-BAC-[FS2-013]-ML-PH9-RCD7-SP2-GY3	Compliant
150W EQ LED (50W) - 480 Volt; LLF=0.88	[RFS-090]-50W16LED4K-G2-R3S-480-DMG-API-BAC-[FS2-013]-ML-PH9-RCD7-SP2-GY3	Compliant
250W EQ LED (108W) - 120/240 Volt; LLF=0.88	[RFS-083]-108W32LED4K-G2-R2M-UNV-DMG-API-BAC-ML-PH9-RCD7-SP2-GY3	Compliant
250W EQ LED (108W) - 480 Volt; LLF=0.88	[RFS-084]-108W32LED4K-G2-R2M-HVU-DMG-API-BAC-ML-PH9-RCD7-SP2-GY3	Compliant
400W EQ LED (160W) - 120/240 Volt; LLF=0.87	[RFM-156]-160W48LED4K-G2-R2M-UNV-DMG-API-BAC-ML-PH9-RCD7-SP2-GY3	Compliant
400W EQ LED (160W) - 480 Volt; LLF=0.87	[RFM-157]-160W48LED4K-G2-R2M-HVU-DMG-API-BAC-ML-PH9-RCD7-SP2-GY3	Compliant

Type	Model	Buy America Status
150W EQ LED (50W) - 120/240 Volt; LLF=0.88	[RFS-091]-50W16LED4K-G2-R3S-UNV-DMG-API-[FS2-013]-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required
150W EQ LED (50W) - 480 Volt; LLF=0.88	[RFS-090]-50W16LED4K-G2-R3S-480-DMG-API-[FS2-013]-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required
250W EQ LED (108W) - 120/240 Volt; LLF=0.88	[RFS-083]-108W32LED4K-G2-R2M-UNV-DMG-API-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required
250W EQ LED (108W) - 480 Volt; LLF=0.88	[RFS-084]-108W32LED4K-G2-R2M-HVU-DMG-API-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required
400W EQ LED (160W) - 120/240 Volt; LLF=0.87	[RFM-156]-160W48LED4K-G2-R2M-UNV-DMG-API-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required
400W EQ LED (160W) - 480 Volt; LLF=0.87	[RFM-157]-160W48LED4K-G2-R2M-HVU-DMG-API-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required
250W EQ LED (110W)-120/277V; LLF=0.833	[RFM-004]-108W48LED4K-G2-R2M-UNV-DMG-API-ML-PH9-RCD-SP2-GY3	Project Level Certification Required
250W EQ LED (110W)-480V; LLF=0.833	[RFM-004]-108W48LED4K-G2-R2M-HVU-DMG-API-ML-PH9-RCD-SP2-GY3	Project Level Certification Required
400W EQ LED (160W)-120/240V; LLF=0.869	[RFM-004]-160W48LED4K-G2-[R2S-001]-UNV-DMG-API-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required
400W EQ LED (160W)-480V; LLF=0.869	[RFM-004]-160W48LED4K-G2-[R2S-001]-HVU-DMG-API-ML-PH9-RCD7-SP2-GY3	Project Level Certification Required

SolarMax

3080 12th Street Riverside, CA 92507 - SolarMax

Table 8- SolarMax Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (52W)-120/240 Volt; LLF= 0.849	SMX-52WiE-NV-LL5-00-4070-T302-P-10-FS-ELI-CPL	Compliant
250W EQ LED (105W)-120/240 Volt; LLF=0.849	SMX-105WiE-NV-LL5-00-4070-T302-P-10-ELI-CPL	Compliant
250W EQ LED (105W)-480 Volt; LLF=0.849	SMX-105WiE-HV-LL5-00-4070-T302-P-10-ELI-CPL	Compliant
400W EQ LED (166W)-120/240 Volt; LLF=0.849	SMX-166WiE-NV-LL5-00-4070-T302-P-10-ELI-CPL	Compliant
400W EQ LED (166W)-480 Volt; LLF=0.849	SMX-166WiE-HV-LL5-00-4070-T302-P-10-ELI-CPL	Compliant

Acuity

3825 Columbus Rd, Granville, OH – 43023 - Acuity – Brand: American Electric

Table 9- Acuity Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (50W) - 120/240 Volt; LLF=0.85	ATB0 P202 MVOLT R4 BL NL P7 SH BAA TXDOT RFD353993	Compliant
150W EQ LED (50W) - 480 Volt; LLF=0.85	ATB0 P202 480 R4 BL NL P7 SH BAA TXDOT RFD353994	Compliant

Type	Model	Buy America Status
250W EQ LED (110W) – 120/240 Volt; LLF=0.85	ATB0 P303 MVOLT R2 BL NL P7 SH BAA TXDOT RFD353996	Compliant
250W EQ LED (110W) - 480 Volt; LLF=0.85	ATB0 P303 480 R2 BL NL P7 SH BAA TXDOT RFD353998	Compliant
400W EQ LED (160W) - 120/240 Volt; LLF=0.85	ATB0 P453 MVOLT R2 BL NL P7 SH BAA TXDOT RFD353999	Compliant
400W EQ LED (160W) - 480 Volt; LLF=0.85	ATB0 P453 480 R2 BL NL P7 SH BAA TXDOT RFD354000	Compliant
250W EQ LED (110W) – 120/240 Volt; LLF=0.85 - Bronze	ATB0 P303 MVOLT R2 BZ BL NL P7 SH BAA TXDOT RFD353995	Compliant
250W EQ LED (110W) – 120/240 Volt; LLF=0.85 - Black	ATB0 P303 MVOLT R2 BK BL NL P7 SH BAA TXDOT RFD353997	Compliant
250W EQ LED (110W) – 120/240 Volt; LLF=0.85	ATB0 P303 MVOLT R2 BL NL P7 SH TXDOT RFD331872	Project Level Certification Required
250W EQ LED (110W) - 480 Volt; LLF=0.85	ATB0 P303 480 R2 BL NL P7 SH TXDOT RFD331873	Project Level Certification Required
400W EQ LED (160W) - 120/240 Volt; LLF=0.85	ATB0 P453 MVOLT R2 BL NL P7 SH TXDOT RFD331874	Project Level Certification Required
400W EQ LED (160W) - 480 Volt; LLF=0.85	ATB0 P453 480 R2 BL NL P7 SH TXDOT RFD331875	Project Level Certification Required
150W EQ LED (50W) - 120/240 Volt; LLF=0.85	ATB0 P202 MVOLT R4 BL NL P7 SH TXDOT RFD322496	Project Level Certification Required

Type	Model	Buy America Status
150W EQ LED (50W) - 480 Volt; LLF=0.85	ATB0 P202 480 R4 BL NL P7 SH TXDOT RFD322495	Project Level Certification Required
250W EQ LED (110W) - 120/240 Volt; LLF=0.85	ATB0 P303 MVOLT R3 BL NL P7 SH TXDOT RFD322498	Project Level Certification Required
250W EQ LED (110W) - 480 Volt; LLF=0.85	ATB0 P303 480 R3 BL NL P7 SH TXDOT RFD322497	Project Level Certification Required
400W EQ LED (160W) - 120/240 Volt; LLF=0.85	ATB0 P453 MVOLT R3 BL NL P7 SH TXDOT RFD322500	Project Level Certification Required
400W EQ LED (160W) - 480 Volt; LLF=0.85	ATB0 P453 480 R3 BL NL P7 SH TXDOT RFD322499	Project Level Certification Required
150W EQ LED (75W) - 120-277V; LLF=0.81	ATBS P30 MVOLT R3 NL P7 SH DF RFD313335	Project Level Certification Required
150W EQ LED (75W) - 480V; LLF = 0.81	ATBS P30 480 R3 NL P7 SH DF RFD313336	Project Level Certification Required
250W EQ LED (120W)- 120-277V; LLF=0.78	ATBM P30 MVOLT R2 NL P7 SH TXDOT RFD309288	Project Level Certification Required
250W EQ LED (120W) - 480V; LLF = 0.78	ATBM P30 480 R2 NL P7 SH TXDOT RFD309289	Project Level Certification Required
400W EQ LED (190W)- 120-277V; LLF=0.78	ATBM P70 MVOLT R2 NL P7 SH TXDOT RFD309290	Project Level Certification Required
400W EQ LED (190W) - 480V; LLF = 0.78	ATBM P70 480 R2 NL P7 SH TXDOT RFD309291	Project Level Certification Required

Type	Model	Buy America Status
250W EQ LED (126W)-120/240V; LLF=0.815	ATB0 30BLEDE13 MVOLTR2 20 BL NL SH FD244668	Project Level Certification Required
250W EQ LED (126W)-480V; LLF=0.815	ATB0 30BLEDE13 480 R220 BL NL SH RFD244669	Project Level Certification Required

Excellence Opto, Inc

21858 Garcia Lane, City of Industry, CA – 91789 - Excellence Opto, Inc – Brand: EOI

Table 10- Excellence Opto, Inc Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (60W) - 120/240 Volt; LLF=0.80	CRLS 24L090UD4M40GY20V-7RS-FSEB	Compliant
150W EQ LED (60W) - 480 Volt; LLF=0.80	CRLS-A24L090HD4M40GY20V-7RS-FSEB	Compliant
250W EQ LED (110W) - 120/240 Volt; LLF=0.79	CRLM-A48L160UD3M40GY20V-7RS-EB	Compliant
250W EQ LED (110W) - 480 Volt; LLF=0.79	CRLM-A48L160HD3M40GY20V-7RS-EB	Compliant
400W EQ LED (170W) - 120/240 Volt; LLF=0.79	CRLM-A48L240UD3M40GY20V-7RS-EB	Compliant
400W EQ LED (170W) - 480 Volt; LLF=0.79	CRLM-A48L240HD3M40GY20V-7RS-EB	Compliant

Type	Model	Buy America Status
150W EQ LED (70W) 120/240V; LLF=0.846	ESU-FA013M03240M-700FIU1-1678N	Compliant
150W EQ LED (70W) 480V; LLF=0.846	ESU-FA023M03240M-700FIU1-1678N	Compliant
250W EQ LED (160W) 120/240V; LLF=0.888	ESU-EA013P03240M-150DIU1-1638N	Compliant
250W EQ LED (160W) 480V; LLF=0.888	ESU-EA023P03240M-150DIU1-1638N	Compliant
400W EQ LED (230W) 120/240V; LLF=0.888	ESU-EA013P04840L-150DIU1-1638N	Compliant
400W EQ LED (230W) 480V; LLF=0.888	ESU-EA023P04840L-150DIU1-1638N	Compliant
150W EQ LED (70W) 120/240V; LLF=0.846	ESU-FA013M03240M-700FIU1-1688N	Compliant
250W EQ LED (160W) 120/240V; LLF=0.888	ESU-EA013P03240M-150DIU1-1648N	Compliant
400W EQ LED (230W) 120/240V; LLF=0.888	ESU-EA013P04840L-150DIU1-1648N	Compliant

Visionaire Lighting

19645 Rancho Way, Rancho Dominguez, CA – 90220 - Visionaire Lighting

Table 11- Visionaire Lighting Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (70W) - 120/240V; LLF=0.86	RLX-3-T3L-70W-4K-UNV-MAF-GY-7PINPER-DIM-20KV-DF240-EBL-UWL	Project Level Certification Required
150W EQ LED (70W) - 480V; LLF=0.86	RLX-3-T3L-70W-4K-5-MAF-GY-7PINPER-DIM-20KV-DF480-EBL-UWL	Project Level Certification Required
250W EQ LED (125W) - 120/240V; LLF=0.86	RLX-3-T2-125W-4K-UNV-MAF-GY-7PINPER-DIM-20KV-EBL-UWL	Project Level Certification Required
250W EQ LED (125W) - 480V; LLF=0.86	RLX-3-T2-125W-4K-5-MAF-GY-7PINPER-DIM-20KV-EBL-UWL	Project Level Certification Required

Cree Lighting

9201 Washington Avenue, Racine, WI -53406 - Cree Lighting

Table 12- Cree Approved LED Roadway Luminaires

Type	Model	Buy America Status
150W EQ LED (50W)- 120/240V; LLF=0.80	GWYSA-8L-40K7-3M-UL-GY-20KV-F2-W10-TXDOT	Compliant
150W EQ LED (50W)- 480V; LLF=0.80	GWYSA-8L-40K7-3M-UH-GY-20KV-F2-W10-TXDOT	Compliant
250W EQ LED (100W)- 120/240V; LLF=0.80	GWYMA-17L-40K7-2M-UL-GY-20KV-W10-TXDOT	Compliant
250W EQ LED (100W)- 480V; LLF=0.80	GWYMA-17L-40K7-2M-UH-GY-20KV-W10-TXDOT	Compliant
400W EQ LED (150W)- 120/240V; LLF=0.80	GWYLA-25L-40K7-2M-UL-GY-20KV-W10-TXDOT	Compliant

Type	Model	Buy America Status
400W EQ LED (150W)-480V; LLF=0.80	GWYLA-25L-40K7-2M-UH-GY-20KV-W10-TXDOT	Compliant

Item 610 & 614 – High Pressure Sodium Lamps

Osram Sylvania

100 Endicott Street, Danvers, MA 24210 – (978) 777-1900 – Osram Sylvania – Brand: Sylvania-Lumalux Plus®/ECO

Table 13- Osram Sylvania Approved High Pressure Sodium Lamps

Type	Model	Buy America Status
400 Watt Lamp	67312 - LU400/PLUS/ECO	Project Level Certification Required
250 Watt Lamp	67572 - LU250/PLUS/ECO	Project Level Certification Required
150 Watt Lamp	67494 - LU150/55/PLUS/ECO	Project Level Certification Required

Philips Lighting Company

200 Franklin Square Dr, Somerset, NJ 08875 – (800) 555-0050 – Philips Lighting – Brand: Philips - Ceramalux®/ALTO® Non-Cycling Lamp

Table 14- Philips Lighting Approved High Pressure Sodium Lamps

Type	Model	Buy America Status
400 Watt Lamp	14743-9 – C400S51/ALTO NC HPS	Project Level Certification Required
250 Watt Lamp	14742-1 – C250S50/ALTO NC HPS	Project Level Certification Required
150 Watt Lamp	14741-3 – C150S55/ALTO NC HPS	Project Level Certification Required

GE Lighting

Nela Park, 1975 Noble Rd., Cleveland, OH 44112 – (216) 266-2121 – GE Lighting – Brand: GE – EcoluxNC™

Table 15- GE Lighting Approved High Pressure Sodium Lamps

Type	Model	Buy America Status
400 Watt Lamp	14675 – LU400/ECO/NC	Project Level Certification Required
250 Watt Lamp	14674 – LU250/ECO/NC	Project Level Certification Required
150 Watt Lamp	40390 – LU150/55/ECO/NC	Project Level Certification Required

Item 610 & 620 – Breakaway Fuse Holders

General

The following manufacturers of breakaway fuse holders comply with the requirements of DMS-11040, "Electrical Conductors."

The materials listed below are pre-qualified for use when DMS-11040 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

Each fuse holder will allow 2 conductors per pole for a total of 4 conductors per unit. Each connection rated for 16 AWG up to 2 AWG. These breakaway connectors are to be used for both breakaway and non-breakaway poles where a fuse holder is called for. Installing contractor to supply 10-ampere time delay fuse. To be used when TxDOT Standards RIP and RID are in the plan set.

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11040.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11040. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after

October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Eaton – Bussmann Series

114 Old State Road, Ellisville, MO 63021 - (855) 287-7626 - Eaton

Table 16- Eaton-Bussmann Series Approved Breakaway Fuse Holders

Type	Model	Buy America Status
Double-pole	HEX-KW-DRYC – used when no neutral is required.	Project Level Certification Required
Double-pole	HEN-KW-DRYC – used when neutral is present.	Project Level Certification Required

Littelfuse Inc

800 E. Northwest Highway, Des Plaines, IL 60016-3096 – (847) 824-1188 - Littelfuse Inc

Table 17- Littelfuse Inc Series Approved Breakaway Fuse Holders

Type	Model	Buy America Status
Double-pole	0LEXYYCSX – used when no neutral is required	Project Level Certification Required
Double-pole	LEXT0YYSX – used when neutral is present	Project Level Certification Required

Mersen USA

374 Merrimac Street, Newburyport, MA 01950 – (978) 462-6662 - Mersen

Table 18- Mersen USA Approved Breakaway Fuse Holders

Type	Model	Buy America Status
Double-pole	FEX-91-91-BA – used when no neutral is required	Project Level Certification Required
Double-pole	FEXN-91-91-BA – used when neutral is present	Project Level Certification Required

Ideal Industries, Inc

1 Becker Place, Sycamore, IL 60178 – (800) 435-0705 - Ideal Industries

Brand: Ideal Buchanan SLK

Table 19- Ideal Industries, Inc Approved Breakaway Fuse Holders

Type	Model	Buy America Status
Double-pole	30-S2222D – used when no neutral is required	Project Level Certification Required
Double-pole	30-S2222P – used when neutral is present	Project Level Certification Required

Item 610 & 628 – Photoelectric Controls

General

The following manufacturers of photoelectric controls comply with the requirements of DMS-11080, "Electrical Services."

The materials listed below are pre-qualified for use when DMS-11080 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11080.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11080. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Tork

1 Grove Street, Mt. Vernon, NY 10550 – (914) 664-5042 - Tork

Table 20- Tork Approved Photoelectric Controls

Type	Model	Buy America Status
120-277 Volt Photocell	S895	Project Level Certification Required

American Electric Lighting/DTL

P.O. Box 3004, Newark, OH 43800 – (800) 754-0463 - Acuity Brands. Brand: DTL

Table 21- American Electric Lighting / DTL Approved Photoelectric Controls

Type	Model	Buy America Status
120-277 Volt Photocell	DUX124 -12A30	Project Level Certification Required

Tyco Electronics

8000 Purfoy Rd., Fuquay-Varina, NC 27526 – (919) 557-8459 – Tyco Electronics

Table 22- Tyco Electronics Approved Photoelectic Controls

Type	Model	Buy America Status
120-277 Volt Photocell	ALR-SST-PV-IES-UL (3E7425-000)	Project Level Certification Required

Item 613 – High Mast Illumination Poles

General

High mast poles must be fabricated at an approved fabrication plant in accordance with DMS-7380, "Steel Non-Bridge Member Fabrication Plant Qualification." The approved plants are listed on the MPL for "High Mast Illumination Pole Fabrication Plants."

Construction

Perform work in accordance with the details shown on the plans, and the requirements of item 613. Provide components that fit together properly.

a) Standard Design. Fabricate poles in accordance with this Item and the plans. Alternate designs are not permitted.
b) Shop Drawings. Do not submit shop drawings for high mast illumination poles fabricated in accordance with this Item and the plans.

Item 614 – High Mast Illumination Assemblies

Item 614 – LED High Mast Luminaires

General

The following manufacturers of high mast luminaires comply with the requirements of DMS-11020, "High Mast Light Fixtures."

The materials listed below are pre-qualified for use when DMS-11020 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11020.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11020. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Cooper

1121 Highway 74 South, Peachtree City, GA 30269 - Cooper – Brand: Streetworks.

Table 23- Cooper Approved High Mast Luminaires

Type	Model	Buy America Status
LED High Mast – Type A/B (330W); 120/240 VOLT; LLF=0.78	CST-CA8-330-740-U-T2-AP-FF-20MSP-PSC-PR7-D123390	Compliant
LED High Mast –Type A/B (330W); 480 VOLT; LLF=0.78	CST-CA8-330-740-8-T2-AP-FF-20MSP-PSC-PR7-D123391	Compliant
LED High Mast – Type C (480W); 120/240 VOLT; LLF=0.78	CST-CA8-480-740-U-T3-AP-FF-20MSP-PSC-PR7-D123392	Compliant
LED High Mast – Type C (480W); 480 VOLT; LLF=0.78	CST-CA8-480-740-8-T3-AP-FF-20MSP-PSC-PR7-D125143	Compliant
LED High Mast – Type S (480W); 120/240 VOLT; LLF=0.78	CST-CA8-480-740-3-T5N-AP-FF-20MSP-PSC-PR7-D123394	Compliant
LED High Mast – Type S (480W); 480 VOLT; LLF=0.78	CST-CA8-480-740-8-T5N-AP-FF-20MSP-PSC-PR7-D123395	Compliant
LED High Mast – Type A (477W); 120/240 VOLT; LLF=0.820	CST-8-6-D-U-T2-4N7-20K-SS-AP-D97825	Project Level Certification Required
LED High Mast – Type A (477W); 480 VOLT; LLF=0.820	CST-8-6-D-8-T2-4N7-20K-SS-AP-D96218	Project Level Certification Required
LED High Mast – Type B (477W); 120/240 VOLT; LLF=0.820	CST-8-6-D-U-T2-4N7-20K-SS-AP-D97825	Project Level Certification Required

Type	Model	Buy America Status
LED High Mast – Type B (477W); 480 VOLT; LLF=0.820	CST-8-6-D-8-T2-4N7-20K-SS-AP-D96218	Project Level Certification Required
LED High Mast – Type A (477W); 120/240 VOLT; LLF=0.820	CST-8-6-D-U-T2-4N7-20K-SS-AP-D97825	Project Level Certification Required
LED High Mast – Type A (477W); 480 VOLT; LLF=0.820	CST-8-6-D-8-T2-4N7-20K-SS-AP-D96218	Project Level Certification Required
LED High Mast – Type B (477W); 120/240 VOLT; LLF=0.820	CST-8-6-D-U-T2-4N7-20K-SS-AP-D97824	Project Level Certification Required
LED High Mast – Type B (477W); 480 VOLT; LLF=0.820	CST-8-6-D-8-T2-4N7-20K-SS-AP-D96220	Project Level Certification Required
LED High Mast – Type C (477W); 120/240 VOLT; LLF=0.820	CST-8-6-D-U-T4-4N7-20K-SS-AP-D97823	Project Level Certification Required
LED High Mast – Type C (477W); 480 VOLT; LLF=0.820	CST-8-6-D-8-T4-4N7-20K-SS-AP-D96222	Project Level Certification Required
LED High Mast – Type S (477W); 120/240 VOLT; LLF=0.810	CST-8-6-D-U-T5N-4N7-20K-SS-AP-D97822	Project Level Certification Required
LED High Mast – Type S (477W); 480 VOLT; LLF=0.810	CST-8-6-D-8-T5N-4N7-20K-SS-AP-D96224	Project Level Certification Required

Trastar

860 N. Dorothy Dr., Suite 600, Richardson, Tx 75081 - Trastar

Table 24- Trastar Approved High Mast Luminaires

Type	Model	Buy America Status
LED High Mast - Type A (310W); 120/240 Volt; LLF=0.89	JXM-ST-HM6-3W-40K-120-AB-GR-SCL-G3	Compliant
LED High Mast - Type A (310W); 480 Volt; LLF=0.89	JXM-ST-HM6-3W-40K-480-AB-GR-SCL-G3	Compliant
LED High Mast - Type B (310W); 120/240 Volt; LLF=0.89	JXM-ST-HM6-3W-40K-120-AB-GR-SCL-G3	Compliant
LED High Mast - Type B (310W); 480 Volt; LLF=0.89	JXM-ST-HM6-3W-40K-480-AB-GR-SCL-G3	Compliant
LED High Mast - Type C (310W); 120/240 Volt; LLF=0.89	JXM-ST-HM6-3W-40K-120-C-GR-SCL-G3	Compliant
LED High Mast - Type C (310W); 480 Volt; LLF=0.89	JXM-ST-HM6-3W-40K-480-C-GR-SCL-G3	Compliant
LED High Mast - Type S (400W); 120/240 Volt; LLF=0.89	JXM-ST-HM6-4W-40K-120-S-GR-SCL-G3	Compliant
LED High Mast - Type S (400W); 480 Volt; LLF=0.89	JXM-ST-HM6-4W-40K-480-S-GR-SCL-G3	Compliant
LED High Mast - Type A (410W); 120/240 Volt; LLF=0.766	JXM-ST-HM6-4W-40K-120-AB-GR-SCL-G2	Project Level Certification Required
LED High Mast - Type A (410W); 480 Volt; LLF=0.766	JXM-ST-HM6-4W-40K-480-AB-GR-SCL-G2	Project Level Certification Required

Type	Model	Buy America Status
LED High Mast - Type B (410W); 120/240 Volt; LLF=0.766	JXM-ST-HM6-4W-40K-120-AB-GR-SCL-G2	Project Level Certification Required
LED High Mast - Type B (410W); 480 Volt; LLF=0.766	JXM-ST-HM6-4W-40K-480-AB-GR-SCL-G2	Project Level Certification Required
LED High Mast - Type A (410W); 120/240 VOLT; LLF=0.766	JXM-ST-HM6-4W-40K-120-AB-GR-SCLB	Project Level Certification Required
LED High Mast - Type A (410W); 480 VOLT; LLF=0.766	JXM-ST-HM6-4W-40K-480-AB-GR-SCLB	Project Level Certification Required
LED High Mast - Type B (410W); 120/240 VOLT; LLF=0.766	JXM-ST-HM6-4W-40K-120-AB-GR-SCLB	Project Level Certification Required
LED High Mast - Type B (410W); 480 VOLT; LLF=0.766	JXM-ST-HM6-4W-40K-480-AB-GR-SCLB	Project Level Certification Required
LED High Mast – Type C; (400W); 120/240 VOLT; LLF=0.766	JXM-ST-HM6-4W-40K-120-C-GR-SCLB	Project Level Certification Required
LED High Mast - Type C; (400W); 480 VOLT; LLF=0.766	JXM-ST-HM6-4W-40K-480-C-GR-SCLB	Project Level Certification Required
LED High Mast - Type S; (550W); 120/240 VOLT; LLF=0.766	JXM-ST-HM6-5W-40K-120-S-GR-SCLB	Project Level Certification Required
LED High Mast - Type S; (550W); 480 VOLT; LLF=0.766	JXM-ST-HM6-5W-40K-480-S-GR-SCLB	Project Level Certification Required

Acuity

3825 Columbus Rd, Granville, OH 43023 - Acuity – Brand: Holophane

Table 25- Acuity Approved High Mast Luminaires

Type	Model	Buy America Status
High Mast – Type A (380W); 120/240 VOLT; LLF=0.783	HMLED4 P25 40K MVOLT HGR NAS PR7 DFD SH TXDOT TYPE A RFD321354	Compliant
High Mast – Type A (380W); 480 VOLT; LLF=0.783	HMLED4 P25 40K HVOLT HGR NAS PR7 DFD SH TXDOT TYPE A RFD321353	Compliant
High Mast – Type B (380W); 120/240 VOLT; LLF=0.783	HMLED4 P25 40K MVOLT HGR NAS PR7 DFD SH TXDOT TYPE B RFD322281	Compliant
High Mast – Type B (380W); 480 VOLT; LLF=0.783	HMLED4 P25 40K HVOLT HGR NAS PR7 DFD SH TXDOT TYPE B RFD322280	Compliant
High Mast – Type C (380W); 120/240 VOLT; LLF=0.783	HMLED4 P25 40K MVOLT HGR MAS PR7 DFD SH TXDOT TYPE C RFD320604	Compliant
High Mast – Type C (380W); 480 VOLT; LLF=0.783	HMLED4 P25 40K HVOLT HGR MAS PR7 DFD SH TXDOT TYPE C RFD318759	Compliant
High Mast – Type S (575W); 120/240 VOLT; LLF=0.783	HMLED4 P4 40K MVOLT HGR AN AW PR7 DFD SH TXDOT TYPE S RFD320605	Compliant
High Mast – Type S (575W); 480 VOLT; LLF=0.783	HMLED4 P4 40K HVOLT HGR AN AW PR7 DFD SH TXDOT TYPE S RFD318760	Compliant

Current Lighting

1975 Noble Road, East Cleveland, OH 44112 - Current Lighting – Formerly: GE Lighting Solutions. Brand: Evolve

Table 26- Current Lighting Approved High Mast Luminaires

Type	Model	Buy America Status
LED High Mast - Type A (305W); 120/240 VOLT; LLF=0.83	ERHM02340B3740ND4B GRAYFGT041	Project Level Certification Required
LED High Mast - Type A (305W); 480 VOLT; LLF=0.83	ERHM02540B3740ND4B GRAYFGT042	Project Level Certification Required
LED High Mast - Type B (305W); 120/240 VOLT; LLF=0.83	ERHM02340B3740ND4B GRAYFGT041	Project Level Certification Required
LED High Mast - Type B (305W); 480 VOLT; LLF=0.83	ERHM02540B3740ND4B GRAYFGT042	Project Level Certification Required
LED High Mast - Type C (500W); 120/240 VOLT; LLF=0.84	ERHM02360D3740ND4B GRAYFGT047	Project Level Certification Required
LED High Mast - Type C (500W); 480 VOLT; LLF=0.84	ERHM02560D3740ND4B GRAYFGT043	Project Level Certification Required
LED High Mast - Type S (570W); 120/240 VOLT; LLF=0.86	ERHM02370VW740ND4B GRAYFGT048	Project Level Certification Required
LED High Mast - Type S (570W); 480 VOLT; LLF=0.86	ERHM02570VW740ND4B GRAYFGT044	Project Level Certification Required

Signify

118 Maderas, Seguin, TX 78155 - Signify – Formerly: Philips Lighting.

Brand: Lumec.

Table 27- Signify Approved High Mast Luminaires

Type	Model	Buy America Status
LED High Mast - Type A (350W); 120/240 VOLT; LLF=0.80	HFP-350W160LED-740-G1-R2M-240-DMG-[API-430]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant
LED High Mast - Type A (350W); 480 VOLT; LLF=0.80	HFP-350W160LED-740-G1-R2M-480-DMG-[API-366]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant
LED High Mast - Type B (300W); 120/240 VOLT; LLF=0.82	HFP-300W120LED-740-G1-R3M-240-DMG-[API-431]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant
LED High Mast - Type B (300W); 480 VOLT; LLF=0.82	HFP-300W120LED-740-G1-R3M-480-DMG-[API-367]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant
LED High Mast - Type C (300W); 120/240 VOLT; LLF=0.82	HFP-300W120LED-740-G1-4-240-DMG-[API-432]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant
LED High Mast - Type C (300W); 480 VOLT; LLF=0.82	HFP-300W120LED-740-G1-4-480-DMG-[API-368]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant
LED High Mast - Type S (450W); 120/240 VOLT; LLF=0.80	HFP-450W200LED-740-G1-5M-240-DMG-[API-433]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant

Type	Model	Buy America Status
LED High Mast - Type S (450W); 480 VOLT; LLF=0.80	HFP-450W200LED-740-G1-5M-480-DMG-[API-369]-BAC-[F2-003]-PH9-SP2-TLRD7-GY3	Compliant
LED High Mast - Type A (350W); 120/240 VOLT; LLF=0.80	HFP-350W160LED-740-G1-R2M-240-DMG-[API-430]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required
LED High Mast - Type A (350W); 480 VOLT; LLF=0.80	HFP-350W160LED-740-G1-R2M-480-DMG-[API-366]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required
LED High Mast - Type B (300W); 120/240 VOLT; LLF=0.82	HFP-300W120LED-740-G1-R3M-240-DMG-[API-431]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required
LED High Mast - Type B (300W); 480 VOLT; LLF=0.82	HFP-300W120LED-740-G1-R3M-480-DMG-[API-367]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required
LED High Mast - Type C (300W); 120/240 VOLT; LLF=0.82	HFP-300W120LED-740-G1-4-240-DMG-[API-432]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required
LED High Mast - Type C (300W); 480 VOLT; LLF=0.82	HFP-300W120LED-740-G1-4-480-DMG-[API-368]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required
LED High Mast - Type S (450W); 120/240 VOLT; LLF=0.80	HFP-450W200LED-740-G1-5M-240-DMG-[API-433]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required
LED High Mast - Type S (450W); 480 VOLT; LLF=0.80	HFP-450W200LED-740-G1-5M-480-DMG-[API-369]-[F2-003]-PH9-SP2-TLRD7-GY3	Project Level Certification Required

CHM Lighting

700 E. McLeroy Blvd, Saginaw, TX 76719 - CHM Lighting

Table 28- CHM Lighting Approved High Mast Luminaires

Type	Model	Buy America Status
LED High Mast Type A (410W); 120/240V; LLF=0.87	CLED2-08C-GY-4070-T3-A-7P-F2-TXA	Compliant
LED High Mast Type A (410W); 480V; LLF=0.87	CLED2-08C-GY-4070-T3-B-7P-F2-TXA	Compliant
LED High Mast Type B (410W); 120/240V; LLF=0.87	CLED2-08C-GY-4070-T3-A-7P-F2-TXB	Compliant
LED High Mast Type B (410W); 480V; LLF=0.87	CLED2-08C-GY-4070-T3-B-7P-F2-TXB	Compliant
LED High Mast Type C (410W); 120/240V; LLF=0.87	CLED2-08C-GY-4070-T3-A-7P-F2-TXC	Compliant
LED High Mast Type C (410W); 480V; LLF=0.87	CLED2-08C-GY-4070-T3-B-7P-F2-TXC	Compliant
LED High Mast Type S (510W); 120/240V; LLF=0.87	CLED2-10C-GY-4070-5W-A-7P-F2-TXS	Compliant
LED High Mast Type S (510W); 480V; LLF=0.87	CLED2-10C-GY-4070-5W-B-7P-F2-TXS	Compliant

Item 614 – High Mast Kit

General

The following manufacturers of high mast kits comply with the requirements of DMS-11021, "High Mast Illumination Assembly Kits."

The materials listed below are pre-qualified for use when DMS-11021 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11021.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11021. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Mica Corporation

5750 N. Riverside Dr, Fort Worth, TX 76137 – (817) 577-2088 - Mica Corporation

Table 29- Mica Corporation Approved High Mast Kit

Type	Model	Buy America Status
High Mast – 125 Foot	HMK-125-PH	Compliant
High Mast – 150 Foot	HMK-150-PH	Compliant
High Mast – 175 Foot	HMK-175-PH	Compliant

Carolina High Mast, Inc

700 East McLeroy Blvd Suite A, Saginaw, TX 76719 – (682) 286-0046 - CHM Lighting

Table 30- Carolina High Mast, Inc Approved High Mast Kit

Type	Model	Buy America Status
High Mast – 125 Foot	HMK-125-CHMI	Project Level Certification Required
High Mast – 150 Foot	HMK-150-CHMI	Project Level Certification Required
High Mast – 175 Foot	HMK-175-CHMI	Project Level Certification Required

Stratus Products Division of Structural & Steel Products, Inc

1320 South University Suite 701, Fort Worth, TX 76107 - (800) 782-5804 - Stratus Lowering Devices | Race Rock

Table 31- Stratus Products Approved High Mast Kit

Type	Model	Buy America Status
High Mast – 100 Foot	HMK-100-SSPI	Compliant
High Mast – 125 Foot	HMK-125-SSPI	Compliant
High Mast – 150 Foot	HMK-150-SSPI	Compliant
High Mast – 175 Foot	HMK-175-SSPI	Compliant

Millerbernd Manufacturing Co.

622 6th Street South, Winsted, MN 55395 - (320) 485-2111 - Millerbernd

Table 32- Millerbernd Approved High Mast Kit

Type	Model	Buy America Status
High Mast – 100 Foot	MMC100KIT	Compliant
High Mast – 125 Foot	MMC125KIT	Compliant
High Mast – 150 Foot	MMC150KIT	Compliant
High Mast – 175 Foot	MMC175KIT	Compliant

Item 614 – High Mast Ring – Previously Approved Shop Drawings

J.W. Hall Enterprises, Inc.

17731 Elizabeth Rd, Algoa, TX 77511 – (281) 337-6311 - J.W. Hall Enterprises

Table 33- J.W. Hall Enterprises, Inc. Approved High Mast Ring

Type	Model	Buy America Status
High Mast Ring Drawing # HM 2002-01 Sheets 1 through 6 Drawing # HE 2002 Sheets 7 through 9		Project Level Certification Required

Carolina High Mast, Inc.

700 East McLeroy Blvd Suite A, Saginaw, TX 76179 – (682) 286-0046 - CHM Lighting

Table 34- CHM Approved High Mast Ring

Type	Model	Buy America Status
High Mast Ring Drawing # TXDOT-01 Sheets 1 through 5 Drawing # TXDOT-02 Sheets 1 through 4 Drawing # TXDOT-03 Sheets 1 through 4 Drawing # TXDOT-04 Sheets 1 through 3		Project Level Certification Required
High Mast – 150 Foot		Project Level Certification Required

Type	Model	Buy America Status
High Mast – 175 Foot		Project Level Certification Required

Traffic Control Devices

4417 Main Street, Pearland, TX 77581 – (281) 992-3030 - Traffic Control Devices

Table 35- Traffic Control Devices Approved High Mast Ring

Type	Model	Buy America Status
High Mast Ring Drawing # E-901 Sheets 1 through 10		Project Level Certification Required

Brookfield Fabricating Corp

111 Stanbury Industrial Dr., Brookfield, MO 64628 – (660) 258-2214 - Mica Steelworks

Table 36- Brookfield Fabricating Corp Approved High Mast Ring

Type	Model	Buy America Status
High Mast Ring Drawing for Model No. BFC – HMR TxDOT Dated 4-8-2020 Sheets 1 through 4		Project Level Certification Required

PKM Steel Service

228 E. Avenue A P.O. Box 1066, Salina, KS 67402-1066 – (785) 827-3638 - PKM Steel Service

Table 37- PKM Steel Service Approved High Mast Kit

Type	Model	Buy America Status
High Mast Ring Sheet E1 Dated 8-2-05 Sheet 1 Dated 10-12-05 Sheet 2 Dated 10-12-05 Sheet 3 Dated 10-12-05		Project Level Certification Required

Item 618 – Conduit

General

The following manufacturers of conduit, junction boxes, expansion joints, and conduit fittings comply with the requirements of DMS-11030, "Conduit."

The materials listed below are pre-qualified for use when DMS-11030 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11030.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11030. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Item 618 – Rigid Metallic Conduit (RMC)

Allied Tube & Conduit, Atkore International

16100 S. Lathrop Avenue Harvey, IL 60426-6021 – (800) 882-5543 - Atkore Allied Tube

Table 38- Atkore Allied Tube Approved RMC Conduit

Type	Model	Buy America Status
Galvanized Rigid Metal Conduit (RMC)	Trade Sizes from 1/2" to 6"	Compliant

Wheatland

900 Haddon Avenue P.O. Box 600, NJ 08108-0600 – (800) 257-8182 - Wheatland

Table 39- Wheatland Approved RMC Conduit

Type	Model	Buy America Status
Galvanized Rigid Metal Conduit (RMC)	Trade Sizes from 1/2" to 6"	Compliant

Nucor/Republic Conduit

7301 Logistics Drive Louisville, KY 40258 – (800) 840-8823 - Nucor Tubular – Brand: Republic

Table 40- Nucor Tubular Approved RMC Conduit

Type	Model	Buy America Status
Galvanized Rigid Metal Conduit (RMC)	Trade Sizes from 1/2" to 6"	Project Level Certification Required

Western Tube & Conduit Corp

2001 E. Dominguez St. Long Beach, CA 90801-2720 – (310) 537-6300 - Western Tube & Conduit Corp – Brand: Western Conduit

Table 41- Western Tube & Conduit Corp Approved RMC Conduit

Type	Model	Buy America Status
Galvanized Rigid Metal Conduit (RMC)	Trade Sizes from 1/2" to 6"	Compliant

Item 618 – PolyVinyl Chloride Conduit (PVC)

Cantex

P.O. Box 340, Mineral Wells, TX 76068 – (940) 325-3344 - Cantex

Table 42- Cantex Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 and 80 Trade Sizes from 1/2" to 6"	Compliant

Allied Tube & Conduit, Atkore International

16100 S. Lathrop Avenue Harvey, IL 60426-6021 - Atkore Allied Tube

Table 43- Atkore Allied Tube Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 and 80 Trade Sizes from 1/2" to 6"	Compliant

Prime Conduit Inc

23240 Chagrin Blvd. Suite 405, Cleveland, OH 44122 –(216) 464-3400 - Prime Conduit Inc

Table 44- Prime Conduit Inc Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 and 80 Trade Sizes from 1/2" to 6"	Project Level Certification Required

National Pipe & Plastics, Inc

3421 Old Vestal Road Vestal, NY 13850 – (800) 836-4350 - National Pipe & Plastics, Inc

Table 45- National Pipe & Plastics, Inc. Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 and 80 Trade Sizes from 1/2" to 6"	Project Level Certification Required

Heritage Plastics Central, Inc., Atkore International

1202 N. Bowie Drive, Weatherford, TX 76086 – (817) 594-8791 - Heritage Plastics. Brand: Heritage

Table 46- Heritage Plastics Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 and 80 Trade Sizes from 1/2" to 6"	Compliant

Cor-Tek, Atkore International

5125-B Race Ct., Denver, CO 80216 –(800) 681-8682 - Cor-Tek. Formerly: Rocky Mountain Colby Pipe Co. Brand: Rocky Mountain Colby

Table 47- Cor-Tek Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 - Trade Sizes from 1/2" to 6"	Compliant
PVC	Schedule 80 - Trade Sizes from 1 ¼" to 6"	Compliant

OMNI

259 Plauche Street, Harahan, LA 70123 – (504) 736-0331 - OMNI OPTI

Table 48- OMNI Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 - Trade Sizes from 1/2" to 6"	Compliant
PVC	Schedule 80 - Trade Sizes from 2" to 6"	Compliant

JM Eagle

5200 West Century Boulevard, Los Angeles, CA 90045 – (800) 621-4404 - JM Eagle

Table 49- JM Eagle Approved PVC Conduit

Type	Model	Buy America Status
PVC	Schedule 40 and 80 Trade Sizes from 1/2" to 6"	Project Level Certification Required

Item 618 – High-Density Polyethylene Conduit (HDPE)

Blue Diamond Industries, LLC

3399 Tates Creek Road Suite 110, Lexington, KY 40502 – (859) 224-0415 - Blue Diamond Industries, LLC. Brand: Blue Diamond HDPE

Table 50- Blue Diamond Industries, LLC Approved HDPE Conduit

Type	Model	Buy America Status
HDPE Conduit –Schedule 40 Color - Black	1/2" BDI065BK-UL	Compliant
HDPE Conduit –Schedule 40 Color - Black	3/4" BDI095BK-UL	Compliant
HDPE Conduit –Schedule 40 Color – Black	1" BDI115BK-UL	Compliant
HDPE Conduit –Schedule 40 Color - Black	1 ¼" BDI135BK-UL	Compliant
HDPE Conduit –Schedule 40 Color - Black	1 ½" BDI165BK-UL	Compliant
HDPE Conduit –Schedule 40 Color - Black	2" BDI215BK-UL	Compliant
HDPE Conduit –Schedule 40 Color - Black	3" BDI315BK-UL	Compliant
HDPE Conduit –Schedule 40 Color - Black	4" BDI414BK-UL	Compliant

Draka Cableteq, USA

One Tamaque Blvd, Schuylkill Haven, PA 17972 - (570) 385-4381 - Draka Cableteq, USA.

Table 51- Draka Cableteq, USA Approved HDPE Conduit

Type	Model	Buy America Status
HDPE Conduit –Schedule 40 Color - Black	2" 321659	Project Level Certification Required
HDPE Conduit –Schedule 40 Color - Black	3" 321663	Project Level Certification Required

Dura·line

11400 Parkside Dr. Suite 300, Knoxville, TN 37934 – (865) 218-3460 - Dura-Line

Table 52- Dura line Approved HDPE Conduit

Type	Model	Buy America Status
HDPE Conduit – Schedule 40 Color - Black	1/2" HDP 050 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant
HDPE Conduit – Schedule 40 Color - Black	3/4" HDP 075 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant
HDPE Conduit – Schedule 40 Color - Black	1" HDP 100 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant
HDPE Conduit – Schedule 40 Color - Black	1 ¼" HDP 125 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant
HDPE Conduit – Schedule 40 Color - Black	1 ½" HDP 150 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant

Type	Model	Buy America Status
HDPE Conduit – Schedule 40 Color - Black	2” HDP 200 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant
HDPE Conduit – Schedule 40 Color - Black	3” HDP 300 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant
HDPE Conduit – Schedule 40 Color - Black	4” HDP 400 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant
HDPE Conduit – Schedule 40 Color - Black	6” HDP 600 W SCHE40 SW UVS/UVS N EMPTD X(TXDOT APPROVED)	Compliant

Atkore HDPE

4949 Joseph Hardin Dr., Dallas, TX 75236 – (800) 882-5543 - Atkore.

Formerly: United Poly Systems. Brand: Atkore-United Poly Systems

Table 53- Atkore Approved HDPE Conduit

Type	Model	Buy America Status
HDPE Conduit –Schedule 40 Color - Black	1” Schedule 40 Black HDPE – D100IS40BKNN3NST096	Compliant
HDPE Conduit –Schedule 40 Color - Black	1 1/4” Schedule 40 Black HDPE - D125IS40BKNN3NST096	Compliant
HDPE Conduit –Schedule 40 Color - Black	1 1/2” Schedule 40 Black HDPE - D150IS40BKNN3NST096	Compliant
HDPE Conduit –Schedule 40 Color - Black	2” Schedule 40 Black HDPE – D200IS40BKNN3NST096	Compliant

Type	Model	Buy America Status
HDPE Conduit –Schedule 40 Color - Black	2 1/2" Schedule 40 Black HDPE - D250IS40BKNN3NST096	Compliant
HDPE Conduit –Schedule 40 Color - Black	3" Schedule 40 Black HDPE – D300IS40BKNN3NST096	Compliant
HDPE Conduit –Schedule 40 Color - Black	4" Schedule 40 Black HDPE - D400IS40BKNN3NSTSTK	Compliant
HDPE Conduit –Schedule 40 Color - Black	5" Schedule 40 Black HDPE – D500IS40BKNN3NSTSTK	Compliant
HDPE Conduit –Schedule 40 Color - Black	6" Schedule 40 Black HDPE – D600IS40BKNN3NSTSTK	Compliant

WL Plastics Corporation

3575 Lone Star Circle, Fort Worth, TX 76177 - WL Plastics. Brand: WL

Table 54- WL Plastics Approved HDPE Conduit

Type	Model	Buy America Status
HDPE Conduit – Schedule 40 Color - Black	TX0100SC040S06624X05000T00 - IPS 1'' SCH 40 X 5000FT, 66" X 24" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0100SC040S06624X10000T00 - IPS 1'' SCH 40 X 10000FT, 66" X 24" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0125SC040S08430X05000T00 - IPS 1.25'' SCH 40 X 5000FT, 84" X 30" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0125SC040S09630X08000T00 - IPS 1.25"'' SCH 40 X 8000FT, 96" X 30" Single Reel, TxDOT	Project Level Certification Required

Type	Model	Buy America Status
HDPE Conduit – Schedule 40 Color - Black	TX0150SC040S09630X05000T00 - IPS 1.5'' SCH 40 X 5000FT, 96" X 30" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0150SC040S09630X06000T00 - IPS 1.5'' SCH 40 X 6000FT, 96" X 30" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0200SC040S09642X03500T00 - IPS 2'' SCH 40 X 3500FT, 96" X 42" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0200SC040S10242X04000T00 - IPS 2'' SCH 40 X 4000FT, 102” x 42”" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0300SC040S09660X00500T00 - IPS 3'' SCH 40 X 500FT, 96" X 60" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	TX0300SC040S09660X01000T00 - IPS 3'' SCH 40 X 1000FT, 96" X 60" Single Reel, TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	S0200SC040C28BKNS0050 – UL 2” SCH40 X 50FT BK_NS TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	S0400SC040C28GYNS0040 – UL 4” SCH40 X 40FT GY_NS TxDOT	Project Level Certification Required
HDPE Conduit – Schedule 40 Color - Black	S0600SC040C28BKNS0040 – UL 6” SCH40 X 40FT BK_NS TxDOT	Project Level Certification Required

Petroflex North America, Ltd

1305 North I-35 Gainesville, TX 76240 - Petroflex North America, Ltd.

Table 55- Petroflex North America, Ltd Approved HDPE Conduit

Type	Model	Buy America Status
HDPE Conduit – Schedule 40	1" P100SCH40UL-TXDOT	Compliant
HDPE Conduit – Schedule 40	1 1/4" P125SCH40UL-TXDOT	Compliant
HDPE Conduit – Schedule 40	1 1/2" P150SCH40UL-TXDOT	Compliant
HDPE Conduit – Schedule 40	2" P200SCH40UL-TXDOT	Compliant
HDPE Conduit – Schedule 40	2 1/2" P250SCH40UL-TXDOT	Compliant
HDPE Conduit – Schedule 40	3" P300SCH40UL-TXDOT	Compliant
HDPE Conduit – Schedule 40	4" P400SCH40UL-TXDOT	Compliant

OMNI

259 Plauche Street Harahan, LA 70123 - OMNI OPTI

Table 56- OMNI Approved HDPE Conduit

Type	Model	Buy America Status
HDPE Conduit – Schedule 40	3/4" S40 UL HDPE BLACK UA187010000000TX	Compliant
HDPE Conduit – Schedule 40	1" S40 UL HDPE BLACK UA217010000000TX	Compliant
HDPE Conduit – Schedule 40	1.25" S40 UL HDPE BLACK UA317010000000TX	Compliant

Type	Model	Buy America Status
HDPE Conduit – Schedule 40	1.50” S40 UL HDPE BLACK UA417010000000TX	Compliant
HDPE Conduit – Schedule 40	2” S40 UL HDPE BLACK UA517010000000TX	Compliant
HDPE Conduit – Schedule 40	3” S40 UL HDPE BLACK UA617010000000TX	Compliant
HDPE Conduit – Schedule 40	4” S40 UL HDPE BLACK UA717010000000TX	Compliant
HDPE Conduit – Schedule 40	5” S40 UL HDPE BLACK UA817010000000TX	Compliant

Item 618 – Precast Polymer Concrete Junction Box for Concrete Traffic Barrier

Hubbell

3621 Industrial Park Drive, Lenoir City, TN 37771 – (800) 346-3062 - Hubbell. Brand: Hubbell Quazite

Table 57- Hubbell Approved Precast Concrete Junction Box

Type	Model	Buy America Status
Median Barrier Box	PC1012B500/PC1012CA00	Compliant
Median Barrier Box – for Concrete Barrier (F-Shape)	PC0516B500/PC0516CA00	Compliant
Junction Box w/Cover OD – 9 X 11 X 7 ¼” ID – 7 ⅜ X 9⅜ X 6 ½”	PC0608Z503831 Cover Imprinted “Danger High Voltage –Illumination	Compliant

Item 620 – Electrical Conductors

General

The following manufacturers of electrical conductors comply with the requirements of DMS-11040, "Electrical Conductors."

The materials listed below are pre-qualified for use when DMS-11040 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11040.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11040. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Item 620 – Conductors- Type XHHW

Encore Wire

1410 Millwood Rd., McKinney, TX 75069 – (800) 962-9473 - Encore Wire

Table 58- Encore Wire Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2 - XHHW	Available in 14 AWG through 1000 kcmil	Project Level Certification Required

Service Wire Company

310 Davis Road Culloden, W. Va. 25510 – (800) 624-3572 - Service Wire Company

Table 59- Service Wire Company Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2 – XHHW - Bare	Available in 14 AWG through 750 kcmil	Project Level Certification Required

Southwire Corporation

1 Southwire Division, Carrolton, GA 30119 – (800) 444-1700 - Southwire Corporation

Table 60- Southwire Corporation Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2 – XHHW	Available in 14 AWG through 1000 kcmil	Compliant
XHHW-2 – XHHW	6 AWG & 8 AWG Available in Black Only	Compliant

Advanced Digital Cable Inc.

94 Eagle Fork Road, Hayesville, NC 28904 – (800) 343-2579 - Advanced Digital Cable Inc.

Table 61- Advanced Digital Cable Inc. Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2 – XHHW - Bare	Available in 14 AWG through 1000 kcmil	Project Level Certification Required

Draka Cableteq USA

One Tamaque Blvd., Schuylkill Haven, PA 17972 - (570) 385-4381 - Draka Cableteq USA

Table 62- Draka Cableteq USA Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2	Available in 8 AWG through 2 AWG in Black, White, Red, Green, and Bare	Project Level Certification Required

Falcon Fine Wire

2401 Discovery Blvd., Rockwall, TX 75032 – (800) 874-7230 - Falcon Fine Wire

Table 63- Falcon Fine Wire Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2 - XHHW	Available in 14 AWG through 4000 kcmil in Black, Red, White, and Green.	Project Level Certification Required

Harger Lighting & Grounding

301 Ziegler Drive, Grayslake, IL 60030 – (800) 842-7437 - Harger

Table 64- Harger Approved Type XHHW Conductor

Type	Model	Buy America Status
Bare Copper	Available in 8 AWG through 2 AWG	Project Level Certification Required
Bare Copper	Stranded on 1000, 2500, and 5000 foot reels	Project Level Certification Required

Republican Wire Inc.

5525 Union Centre Drive, West Chester, OH 45069 – (513) 860-1800 - Republican Wire Inc.

Table 65- Republican Wire Inc. Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2 - XHHW	Available in 8 AWG through 2 AWG in Black, Red, White, and Green.	Project Level Certification Required
XHHW-2 - XHHW	Available in 1/0 AWG through 750 kcmil in Black only Bare Copper	Project Level Certification Required
XHHW-2 - XHHW	Available in Soft Drawn Solid and Stranded 8 AWG through 2 AWG	Project Level Certification Required

Coleman Cable, Inc.

1530 Shields Drive, Waukegan, IL 60085 – (800) 325-9355 - Coleman Cable Inc. Brand: CCI

Table 66- Coleman Cable Inc Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2	Available in 8 AWG through 500 MCM in black only.	Project Level Certification Required
Bare Cooper	Available Solid and Stranded in 8 AWG through 4 AWG	Project Level Certification Required
Bare Cooper	Available Stranded 2 AWG - through 600 kcmil	Project Level Certification Required

Kris-Tech Wire Co.

80 Otis Street Rome, New York 13441 – (315) 339-5268 - Kris-Tech Wire Co.

Table 67- Kris-Tech Wire Co. Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2	Available in 14 AWG through 4/0	Project Level Certification Required

Alan Wire Company

1500 W. Malone, Sikeston, MO 63801 – (573) 471-9548 - Alan Wire Company

Table 68- Alan Wire Company Approved Type XHHW Conductor

Type	Model	Buy America Status
XHHW-2	Available in 14 AWG through 750 kcmil	Compliant

Item 621 – Tray Cable

General

The following manufacturers of tray cable comply with the requirements of DMS-11050, "Tray Cable."

The materials listed below are pre-qualified for use when DMS-11050 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11050.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11050. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Item 621 – Tray Cable – XHHW Conductors with Overall PVC Jacket

Service Wire Company

310 Davis Road, Culloden, W. Va. 25510 – (800) 624-3572 - Service Wire Company

Table 69- Service Wire Company Approved Tray Cable Conductor

Type	Model	Buy America Status
Tray Cable – Power Cable – XLP XHHW-2 Insulation, PVC Jacket, Copper Conductors	Available in 14 AWG through 750 kcmil	Project Level Certification Required

Southwire Corporation

1 Southwire Division Carrolton, GA 30119 – (800) 444-1700 - Southwire Corporation

Table 70- Southwire Corporation Approved Tray Cable Conductor

Type	Model	Buy America Status
Tray Cable – Power Cable – XLP XHHW-2 Insulation, PVC Jacket, Copper Conductors	Available in 14 AWG through 500 kcmil	Compliant

Advanced Digital Cable Inc.

94 Eagle Fork Road Hayesville, NC 28904 – (800) 343-2579 - Advanced Digital Cable Inc.

Table 71- Advanced Digital Cable Inc. Approved Tray Cable Conductor

Type	Model	Buy America Status
Tray Cable – Power Cable – XLP XHHW-2 Insulation, PVC Jacket, Copper Conductors	Available in 12 AWG -3 and 4 conductor	Project Level Certification Required

Falcon Fine Wire and Wire Products, Inc.

2401 Discovery Blvd., Rockwall, TX 75032 – (214) 771-3441 - Falcon Fine Wire

Table 72- Falcon Fine Wire and Wire Products, Inc Approved Tray Cable Conductor

Type	Model	Buy America Status
Tray Cable – 3 Conductors	Available in 14 AWG through 8 AWG	Project Level Certification Required
Tray Cable – 4 Conductors	Available in 14 AWG through 8 AWG	Project Level Certification Required

Special Specification 6000 – Duct Cable

General

The following manufacturers of duct cable comply with the requirements of DMS-11060, "Duct Cable."

The materials listed below are pre-qualified for use when DMS-11060 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

Size of Duct and Conductors as shown in the plans. Specify Duct and Conductor size, color and number of conductors needed when ordering. Printing on outside wall of duct as per DMS 11060, also printed on outside wall of duct will be "TxDOT" or "TxDOT Approved".

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11060.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11060. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level

Certification Required" require producer certification documentation for product delivered to each project.

SS 6000 – Duct Cable with Type XHHW Conductors

Dura·line

11400 Parkside Dr. Suite 300, Knoxville, TN 37934 – (865) 218-3460 - Dura-Line

Table 73- Dura·line Approved Duct Cable Conductor

Type	Model	Buy America Status
Duct Cable – HDPE with XHHW Conductors Installed	Duct Cable – HDPE with XHHW Conductors Installed	Compliant

Blue Diamond Industries, LLC

3399 Tates Creek Road Suite 110, Lexington, KY 40502 – (859) 224-0415 - Blue Diamond Industries, LLC

Table 74- Blue Diamond Industries, LLC Approved Duct Cable Conductor

Type	Model	Buy America Status
Duct Cable – HDPE with XHHW Conductors Installed	Duct Cable – HDPE with XHHW Conductors Installed	Compliant

Draka Cableteq USA

One Tamaque Blvd., Schuylkill Haven, PA 17972 – (800) 233-3190 - Draka Cableteq USA

Table 75- Draka Cableteq USA Approved Duct Cable Conductor

Type	Model	Buy America Status
Duct Cable – HDPE with XHHW Conductors Installed	Duct Cable – HDPE with XHHW Conductors Installed	Project Level Certification Required

Southwire Corporation

One Southwire Drive Carrolton, GA 30119 – (770) 832-4242 - Southwire Corporation. Brand: SIMpull

Table 76- Southwire Corporation Approved Duct Cable Conductor

Type	Model	Buy America Status
Duct Cable – HDPE with XHHW Conductors Installed	Duct Cable – HDPE with XHHW Conductors Installed	Project Level Certification Required

Item 624 – Ground Boxes

General

The following manufacturers of ground boxes comply with the requirements of DMS-11070, "Ground Boxes."

The materials listed below are pre-qualified for use when DMS-11070 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11070.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11070. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Item 624 – Ground Boxes – Precast Polymer Concrete

Hubbell

3621 Industrial Park Drive, Lenoir City, TN 37771 – (800) 346-3062 - Hubbell – Brand: Hubbell Quazite

Table 77- Hubbell Approved Ground Boxes

Type	Model	Buy America Status
A	PG1324B512 / PG1324H506	Compliant
B	2PG1324B512 / PG1324H506	Compliant
C	PG1730B512 / PG1730H507	Compliant
D	PG1730B517 / PG1730H507 PG1730B522 / PG1730H507	Compliant
E	PG1324B514 / PG1324H506	Compliant
Cover For Type A, B & E	PG1324H5064A (Danger High Voltage FTM)	Compliant
Cover For Type A, B & E	PG1324H5064B (Danger High Voltage Irrigation)	Compliant
Cover For Type A, B & E	PG1324H5064D (Danger High Voltage Illumination)	Compliant
Cover For Type A, B & E	PG1324H5064E (Danger High Voltage Traffic Signal)	Compliant
Cover For Type A, B & E	PG1324H5064G (Danger High Voltage Sign Lighting)	Compliant
Cover For Type A, B & E	PG1324H506H7 (Danger High Voltage)	Compliant
Cover For Type C & D	PG1730H5074A (Danger High Voltage FTM)	Compliant

Type	Model	Buy America Status
Cover For Type C & D	PG1730H5074B (Danger High Voltage Irrigation)	Compliant
Cover For Type C & D	PG1730H5074D (Danger High Voltage Illumination)	Compliant
Cover For Type C & D	PG1730H5074E (Danger High Voltage Traffic Signal)	Compliant
Cover For Type C & D	PG1730H5074G (Danger High Voltage Sign Lighting)	Compliant
Cover For Type C & D	PG1730H507H7 (Danger High Voltage)	Compliant

NewBasis

2626 Kansas Avenue, Riverside, CA 92507 – (909) 787-0600 - NewBasis

Table 78- NewBasis Approved Ground Boxes

Type	Model	Buy America Status
A	PCB132412G482	Project Level Certification Required
B	(2) PCB132412G482	Project Level Certification Required
C	PCB173012G482	Project Level Certification Required
D	PCB173022G482	Project Level Certification Required
E	PCB132418G482	Project Level Certification Required
Cover For Type A, B & E	PCC1324DLA528- DANGER HIGH VOLTAGE/TRAFFIC SIGNALS	Project Level Certification Required

Type	Model	Buy America Status
Cover For Type A, B & E	PCC1324DCA528- DANGER HIGH VOLTAGE/ILLUMINATION	Project Level Certification Required
Cover For Type A, B & E	PCC1324DMA528- DANGER HIGH VOLTAGE/TRAFFIC MANAGEMENT	Project Level Certification Required
Cover For Type A, B & E	PCC1324DSA528- DANGER HIGH VOLTAGE/SIGN ILLUMINATION	Project Level Certification Required
Cover For Type C & D	PCC1730DLA528- DANGER HIGH VOLTAGE/TRAFFIC SIGNALS	Project Level Certification Required
Cover For Type C & D	PCC1730DCA528- DANGER HIGH VOLTAGE/ILLUMINATION	Project Level Certification Required
Cover For Type C & D	PCC1730DMA528- DANGER HIGH VOLTAGE/TRAFFIC MANAGEMENT	Project Level Certification Required
Cover For Type C & D	PCC1730DSA528- DANGER HIGH VOLTAGE/SIGN ILLUMINATION	Project Level Certification Required
A with Cover	PCA132412S-918 - TRF SIG PCA132412S-928 - ILL PCA132412S-929 - TRF MGMT	Compliant
B with Cover	PCA132424S-912 - TRF SIG PCA132424S-913 - ILL PCA132424S-914 - TRF MGMT	Compliant
C with Cover	PCA173012S-932 - TRF SIG PCA173012S-933 - ILL PCA173012S-934 - TRF MGMT	Compliant
D with Cover	PCA173024S-912 - TRF SIG PCA173024S-913 - ILL PCA173024S-914 - TRF MGMT	Compliant
E with Cover	PCA132418S-929 - TRF SIG PCA132418S-932 - ILL PCA132418S-933 - TRF MGMT	Compliant

Oldcastle Enclosure Solutions

2434 Rubidoux Blvd., Riverside, CA 92509 – (800) 735-5566 - Oldcastle Enclosure Solutions

Table 79- Oldcastle Enclosure Solutions Approved Ground Boxes

Type	Model	Buy America Status
A	13242030	Compliant
B	13242032	Compliant
C	17302061	Compliant
D	17302063	Compliant
E	13242031	Compliant
Cover For Type A, B & E	13244159- DANGER HIGH VOLTAGE/TRAFFIC SIGNALS	Compliant
Cover For Type A, B & E	13244156- DANGER HIGH VOLTAGE/ILLUMINATION	Compliant
Cover For Type A, B & E	13244158- DANGER HIGH VOLTAGE/TRAFFIC MANAGEMENT	Compliant
Cover For Type A, B & E	13244157- DANGER HIGH VOLTAGE	Compliant
Cover For Type C & D	17304185- DANGER HIGH VOLTAGE/TRAFFIC SIGNALS	Compliant
Cover For Type C & D	17304183- DANGER HIGH VOLTAGE/ILLUMINATION	Compliant
Cover For Type C & D	17304184- DANGER HIGH VOLTAGE/TRAFFIC MANAGEMENT	Compliant

Type	Model	Buy America Status
Cover For Type C & D	17304272- DANGER HIGH VOLTAGE	Compliant

American Polymer Company

3330 NW 48th Street, Miami, FL 33142 – (786) 877-4690 - American Polymer Company

Table 80- American Polymer Company Approved Ground Boxes

Type	Model	Buy America Status
A	P1324-12	Project Level Certification Required
B	P1324-24	Project Level Certification Required
C	P1730-12	Project Level Certification Required
D	P1730-24	Project Level Certification Required
E	P1324-18	Project Level Certification Required
Cover For Type A, B & E	P1324 - DANGER HIGH VOLTAGE/TRAFFIC SIGNAL	Project Level Certification Required
Cover For Type A, B & E	P1324 - DANGER HIGH VOLTAGE/ILLUMINATION	Project Level Certification Required
Cover For Type A, B & E	P1324 - DANGER HIGH VOLTAGE/TRAFFIC MANAGEMENT	Project Level Certification Required
Cover For Type C & D	P1730 - DANGER HIGH VOLTAGE/TRAFFIC SIGNAL	Project Level Certification Required
Cover For Type C & D	P1730 - DANGER HIGH VOLTAGE/ILLUMINATION	Project Level Certification Required

Type	Model	Buy America Status
Cover For Type C & D	P1730 - DANGER HIGH VOLTAGE/TRAFFIC MANAGEMENT	Project Level Certification Required

Item 628 – Electrical Services

General

The following manufacturers of electrical services comply with the requirements of DMS-11080, "Electrical Services."

The materials listed below are pre-qualified for use when DMS-11080 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11080.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11080. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Item 628 – Electrical Service

Electrol Systems

10623 Sentinel Drive, San Antonio, TX 78217 – (210) 599-6485 - Electrol Systems

Table 81- Electrol Systems Approved Electrical Services

Type	Model	Buy America Status
A	ELECTROL TYPE A-TXDOT	Project Level Certification Required
C	ELECTROL TYPE C-TXDOT	Project Level Certification Required
C – Auxiliary Only	ELECTROL TYPE C- Auxiliary Only –TXDOT	Project Level Certification Required
D	ELECTROL TYPE D-TXDOT	Project Level Certification Required
T – Auxiliary Only	ELECTROL TYPE T- Auxiliary Only -TXDOT	Project Level Certification Required
T – All in One	ELECTROL TYPE T- ALL IN ONE ENCLOSURE –TXDOT	Project Level Certification Required
A - Pedestal	ELECTROL TYPE A-PEDESTAL-TXDOT	Project Level Certification Required
D - Pedestal	ELECTROL TYPE D-PEDESTAL-TXDOT	Project Level Certification Required

WE Manufacturing

1330 Boyles St., Houston, TX 77020 – (832) 706-1866 - WE Manufacturing

Table 82- WE Manufacturing Approved Electrical Services

Type	Model	Buy America Status
A	WE TYPE A-TXDOT	Compliant

Type	Model	Buy America Status
C	WE TYPE C-TXDOT	Compliant
C – Auxiliary Only	WE TYPE C- Auxiliary Only – TXDOT	Compliant
D	WE TYPE D-TXDOT	Compliant
T – Auxiliary Only	WE TYPE T- Auxiliary Only – TXDOT	Compliant
T – All in One	WE TYPE T- ALL IN ONE ENCLOSURE –TXDOT	Compliant
A - Pedestal	WE TYPE A- PEDESTAL – TXDOT	Compliant
D - Pedestal	WE TYPE D-PEDESTAL – TXDOT	Compliant

Mica Corporation

P.O. Box 161609, Fort Worth, TX 77020 – (817) 847-6121 - Mica Corporation

Table 83- Mica Corporation Approved Electrical Services

Type	Model	Buy America Status
A	MICA TYPE A-TXDOT	Compliant
C	MICA TYPE C-TXDOT	Compliant
D	MICA TYPE D-TXDOT	Compliant
T – Auxiliary Only	MICA TYPE T- Auxiliary Only – TXDOT	Compliant
T – All in One	MICA TYPE T- ALL IN ONE ENCLOSURE –TXDOT	Compliant

Tesco Controls, Inc.

3434 52nd Ave., Sacramento, CA 95823 – (916) 395-8800 - Tesco Controls, Inc.

Table 84- Tesco Controls, Inc. Approved Electrical Services

Type	Model	Buy America Status
A-Pedestal	TESCO TYPE A-PEDESTAL-TXDOT (120/240)	Project Level Certification Required
A-Pedestal	TESCO TYPE A-1-PEDESTAL-TXDOT (240/480)	Project Level Certification Required
C-Pedestal	TESCO TYPE C-PEDESTAL-TXDOT	Project Level Certification Required
D-Pedestal	TESCO TYPE D-PEDESTAL-TXDOT	Project Level Certification Required

Myers Power Products, Inc.

725 E. Harrison St., Corona, CA 92879 – (951) 520-1900 - Myers Power Products, Inc.

Table 85- Myers Power Products, Inc. Approved Electrical Services

Type	Model	Buy America Status
A-Pedestal	MEUG16 TYPE A-PEDESTAL-TXDOT	Project Level Certification Required
A-Pedestal	MEUG16 TYPE D-PEDESTAL-TXDOT	Project Level Certification Required
D	MYERS TYPE D-TXDOT	Project Level Certification Required
A	MYERS TYPE A-TXDOT	Project Level Certification Required

Associated Starters & Controls

310 Breesport, Ste. D, San Antonio, TX 78216 – (210) 798-1334 - Associated Starters & Controls

Table 86- Associated Starters & Controls Approved Electrical Services

Type	Model	Buy America Status
A	ASC TYPE A-TXDOT	Project Level Certification Required
C	ASC TYPE C-TXDOT	Project Level Certification Required
D	ASC TYPE D-TXDOT	Project Level Certification Required
T	ASC TYPE T-TXDOT	Project Level Certification Required
T – Auxiliary Only	ASC TYPE T-AUX-TXDOT	Project Level Certification Required
A - Pedestal	ASC TYPE A-PEDESTAL - TXDOT	Project Level Certification Required
D - Pedestal	ASC TYPE D-PEDESTAL - TXDOT	Project Level Certification Required

Milbank Manufacturing Co.

1601 South Saint Louis St., Concordia, MO 64020 – (877) 483-5314 - Milbank Manufacturing Co.

Table 87- Milbank Manufacturing Co. Approved Electrical Services

Type	Model	Buy America Status
A - Pedestal	MB TYPE A-PEDESTAL – TXDOT (120/240)	Project Level Certification Required
A - Pedestal	MB TYPE A-PEDESTAL – TXDOT (240/480)	Project Level Certification Required

Type	Model	Buy America Status
D - Pedestal	MB TYPE D-PEDESTAL – TXDOT (120/240)	Project Level Certification Required
A	MB TYPE A POLE MOUNT – TXDOT 120/240	Project Level Certification Required
A	MB TYPE A POLE MOUNT – TXDOT 240/480	Project Level Certification Required
C	MB TYPE C POLE MOUNT – TXDOT 120/240	Project Level Certification Required
C	MB TYPE C POLE MOUNT – TXDOT 240/480	Project Level Certification Required
D	MB TYPE D POLE MOUNT – TXDOT 120/240	Project Level Certification Required
T	MB TYPE T POLE MOUNT – TXDOT 120/240	Project Level Certification Required

Item 685 – Roadside Flashing Beacon Assemblies

Item 685 – Breakaway Holder - Non-Fused

General

The following manufacturers of roadside flashing beacon assemblies comply with the requirements of DMS-11040, "Electrical Conductors."

The materials listed below are pre-qualified for use when DMS-11040 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

These breakaway connectors are to be used when required by TxDOT Standards RFBA and SPRFBA. Installing contractor to supply dummy fuse-(slug).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11040.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11040. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level

Certification Required" require producer certification documentation for product delivered to each project.

Mersen

374 Merrimac Street Newburyport, MA 01950 – (978) 462-6662 - Ferraz Fuses. Brand: Ferraz Shawmut

Table 88- Mersen USA Approved Breakaway Holder

Type	Model	Buy America Status
Single Pole	FEB-81-81-BA when fused use slug.	Project Level Certification Required
Single Pole	FEBN-81-81-BA for neutral (non-fused).	Project Level Certification Required
Dummy Fuse (Slug)	MNL30 – Slug.	Project Level Certification Required

Littelfuse Inc.

800 E. Northwest Highway, Des Plaines, IL 60016-3096 – (847) 824-1188 - Littelfuse Inc.

Table 89- Littelfuse Inc. Approved Breakaway Holder

Type	Model	Buy America Status
Single Pole	LEB-JJ-S-WPB1 when fused use slug.	Project Level Certification Required
Single Pole	LET-JJ-S-WPB1 for neutral (non-fused).	Project Level Certification Required
Dummy Fuse (Slug)	Not available at this time	

Eaton –Bussmann Series

114 Old State Road, Ellisville, MO 63021 – (855) 287-7626 - Eaton

Table 90- Eaton Approved Breakaway Holder

Type	Model	Buy America Status
Single Pole	HEB-JW-RLC-J when fused use slug	Project Level Certification Required
Single Pole	HET-JW-RLC-J for neutral (non-fused)	Project Level Certification Required
Dummy Fuse (Slug)	NNB - Slug	Project Level Certification Required

Ideal Industries, Inc.

1375 Park Avenue, Sycamore, IL 60178 – (800) 435-0705 - Ideal Industries, Inc.

Table 91- Ideal Industries, Inc. Approved Breakaway Holder

Type	Model	Buy America Status
Single Pole	30-S1212 when fused use slug	Project Level Certification Required
Single Pole	30-S1212N for neutral (non-fused)	Project Level Certification Required
Dummy Fuse (Slug)	Not available at this time	

Item 685 & 687 – Pedestal Pole Base and Assemblies

General

The following manufacturers of roadside flashing beacon assemblies comply with the requirements of DMS-11140, "Pedestal Pole Base."

The materials listed below are pre-qualified for use when DMS-11140 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11140.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the pre-qualification procedure of DMS-11140. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level Certification Required" require producer certification documentation for product delivered to each project.

Akron Foundry Company

2728 Wingate Ave., Akron, OH 44314 – (330) 745-3101 – Akron Foundry Company

Table 92- Akron Foundry Company Approved Pedestal Pole Base and Assemblies

Type	Model	Buy America Status
Pedestal Pole Base	TS-1000	Project Level Certification Required
Pedestal Pole Base with Extended Neck	TS-1000-L	Project Level Certification Required

Pelco Products, Inc.

320 W. 18th Street, Edmond, OK 73013 – (405) 340-3434 - Pelco Products, Inc.

Table 93- Pelco Products, Inc Approved Pedestal Pole Base and Assemblies

Type	Model	Buy America Status
Pedestal Pole Base	SP-1014 -TX	Compliant

Component Products, Inc.

521 Morse Avenue, Schaumburg, IL 60193 – (800) 807-6537 - Component Products, Inc.

Table 94- Component Products, Inc. Approved Pedestal Pole Base and Assemblies

Type	Model	Buy America Status
Pedestal Pole Base	CPI-BAS-1P (TXDOT)	Project Level Certification Required
Pedestal Pole Base with Extended Neck	CPI-BAS-1-PX (TXDOT)	Project Level Certification Required

Item 687 – Pedestal Pole Assemblies

Item 687 – Breakaway Electrical Disconnects

General

The following manufacturers of breakaway electrical disconnects comply with the requirements of Item 687, "Pedestal Pole Assemblies."

The materials listed below are pre-qualified for use when Item 687 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Traffic Safety Division, (TRF).

These breakaway connectors are to be used to disconnect traffic signal cables in pedestal bases.

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. TRF reserves the right to test samples to verify compliance with DMS-11040.

For qualification on the MPL contact TRF Electrical & Illumination Submittals following the specification of Item 687. For additional information, contact TRF's Traffic Engineering Section at (512)-416-3200.

A Buy America Status of "Compliant" indicates the manufacturer has certified the listed product is compliant with 23 CFR 635.410 and 2 CFR part 184 (as part of the Gold Star certification program) as classified by the Buy America Material Classification Sheet for projects federally obligated after October 1, 2025. Products with a Buy America Status of "Project Level

Certification Required" require producer certification documentation for product delivered to each project.

KABA Labs, Inc

3212 Western Trails Blvd., Ste C 303, Austin, TX 78745 – (512) 554-4150 - KABA Labs

Table 95- KABA Labs, Inc Approved Breakaway Electrical Disconnects

Type	Model	Buy America Status
Multi-Pole Disconnect	KL-MBD-20-1-7C-300V-20A	Compliant
Hardware Kit	KL-MBD-HK	Compliant