

# JavaScript 2: Book List


VS Code - Vite - GitHub -> Firebase/Netlify

<https://github.com/grit-park/be26-js2-goodreads-jeongsook-park-20260923.git>

<https://grit2026.web.app/>

<https://js2-goodreads-jpark.netlify.app/>

23 September 2026  
J Park



# Create environment with bundler, Github, Firebase/Netlify



## Npm configuration and version

- nvm -v: 0.40.7
- npm -v: 12.0.2
- node -v: 24.21.0 (nvm install node)
- nvm install - - lts (latest lts version)
- npm create vite@latest (create-vite@9.2.1
- npm create vite@latest my-project -- --template vanilla
- cd goodreads
- npm install
- Npm run build
- npm run dev
- <http://localhost:5173/>)

## GitHub

- Git status
- Git add .
- Git commit -m "initial commit"
- Git push -u origin main
- Git status
- Git push
- Git add .
- Git commit -m "[delete.js](#) alert"
- Git push
- Git status

## Netlify

- Configuration with GitHub
- Main branch

## Firebase

- npm install -g firebase-tools
- Firebase login
- Firebase init
- firebase -version
- firebase deploy --only hosting --project myProjectName

# Front-End

class = "book-grid"

- id="checkbox"
- id="title"
- Author
- isRead
- Score

main-buttons(add-btn, update-btn, delete-btn)

Add a book -----

class="book-form hidden" id="book-form"

- id="title"
- id="author"
- id="isRead", select option (value=true, false)
- id="Score", select option (value=1-5, 0: not reviewed)

class="form-buttons"

- button type: submit, id="submit"
- button type: button, id="cancel-btn"

Update a book -----

class = "book-form hidden" id="book-form-update"





Welcome to Your Book List

Your checklist of books you have read or haven't read yet. Update your reviews (1 bad - 5 excellent), delete the books you have no longer interest in, and add your new books you want to read.

|                          | Title                        | Author          | isRead           | Score (1-5) |
|--------------------------|------------------------------|-----------------|------------------|-------------|
| <input type="checkbox"/> | Pelle Svanslös på bondgården | Gösta Knutsson  | <div>YesNo</div> | ★ ★ ★ ★ ★   |
| <input type="checkbox"/> | Nils Holgersson              | Selma Lagerlöf  | <div>YesNo</div> | ★ ★ ★ ★ ★   |
| <input type="checkbox"/> | Pippi Långstrump             | Astrid Lindgren | <div>YesNo</div> | ★ ★ ★ ★ ★   |
| <input type="checkbox"/> | Detektivmysteriet Del 1      | Martin Widmark  | <div>YesNo</div> | ★ ★ ★ ★ ★   |

Update

Delete

Add

# Back-End JavaScript

book.js

class Book, constructor, get, set, toJSON

get.js

**import modules (Book, BASE\_URL)**, export modules( async function fetchAndRenderBooks, function updateScoreInput), **function createBookRow**, **updateScoreInput**, **fetchAndRenderBooks**

put.js

-> add a new book

**import(Book, BASE\_URL, fetchAndRenderBooks, updateScoreInput)**, form.addEventListener (const response , form.reset, form.classList.add("hidden"), addButton.addEventListener, cancelButton.addEventListener

```
const response = await fetch(`${BASE_URL}.json`, {
  method: "POST",
  headers: { "Content-Type": "application/json" },
  body: JSON.stringify(newBook.toJSON())
});
```

update.js

-> update a book

**import(BASE\_URL, fetchAndRenderBooks), function updateScoreState**, isReadInput.addEventListener, updateButton.addEventListener("click") updateForm.addEventListener("form") cancelUpdateButton.addEventListener("click")

```
// GET selected book details via REST API
const response = await fetch(`${BASE_URL}/${bookId}.json`);
if (!response.ok) throw new Error("Book not found.");

const book = await response.json();
```

```
const response = await fetch(`${BASE_URL}/${bookId}.json`, {
  method: "PATCH",
  headers: { "Content-Type": "application/json" },
  body: JSON.stringify(patchPayload)
});
```

delete.js

**import(BASE\_URL, fetchAndRenderBooks)**, deleteButton.addEventListener("click")

```
// DELETE book via REST API: book ID
const response = await fetch(`${BASE_URL}/${bookId}.json`, {
  method: "DELETE"
});
```

# Back-End JavaScript

## +Firebase Realtime Database



 <https://grit2026-default-rtdb.europe-west1.firebaseio.com>

`https://grit2026-default-rtdb.europe-west1.firebaseio.com/`

▼ — books

▼ — -P1nb0vZSM981GFhM-M6

author: "Gösta Knutsson"

isRead: true

score: 4

title: "Pelle Svanslös på bondgården"


▶ — -P1zSGJf3PZdseGE1bLc

▶ — -P2-YY7eB1Po0MNSpq0-

▶ — -P21wEWdmjMdawnuLq46

▶ — -P22LOEHTsRfnyUeF3V3

# Project File Structure



## Own feedback

## What was difficult

- Consistent matching with id and class in html, css and javascript
- JSON-call to the cell of book-grid at update calling: only for title and author, separately , rather than entire input update
- Border control with () and {}



## What can be done more or better

- There is still a bug that can be improved, e.g., capable of duplicate title and author
- Can add pop-up window for each book: synopsis and other book details, image attachment
- Search function can be added
- Filter function can be added