## **Proportion of reporting country**

Study	reported	total				weight	F-T,[95% CI]
Ghai et al. 2023	34	34		ŀ	: : :	100.0%	0.995 [0.940, 1.000]
Hendriks et al. 2018	188	188				100.0%	1.000 [0.991, 1.000]
Kissel & Friedman, 2023	1500	1500				100.0%	1.000 [1.000, 1.000]
Saab et al. 2020	144	144				100.0%	1.000 [0.987, 1.000]
Scholtz, 2021	139	139				100.0%	1.000 [0.987, 1.000]
Wilson, 2024	1241	1244				99.8%	0.999 [0.996, 1.000]
Richmond et al. 2015	311	312			: : <b>=</b>	99.7%	0.998 [0.987, 1.000]
Gallegos-Riofrio et al. 2022	2 173	174			Н	99.4%	0.994 [0.975, 1.000]
Nielsen et al. 2017	1566	1582			: : <b>=</b>	99.0%	0.992 [0.986, 0.996]
Sabik et al. 2021	92	100		<del></del>	<del>:</del> <del>: 1</del>	92.0%	0.918 [0.856, 0.964]
Robertson et al. 2019	317	347		H <b>=</b>	Ė	91.4%	0.915 [0.882, 0.942]
Rad et al. 2018	198	223		⊢∎⊣	:	88.8%	0.888 [0.843, 0.927]
Tam & Milfont, 2020	170	202		<b>⊢-</b>	:	84.2%	0.842 [0.788, 0.889]
Weisz et al. 2005	348	427		⊢■⊣	:	81.5%	0.816 [0.778, 0.852]
McGorray et al. 2023	1011	1762	H		:	57.4%	0.574 [0.551, 0.597]
Singh et al. 2023	959	1682	H <b>≡</b> H			57.0%	0.570 [0.547, 0.594]
RE Model	8391	10060		<b>—</b>	<b>&gt;</b>		0.947 [0.882, 0.988]

