

# **Z21 LAN Protocol Specification**



# Legal notices, exclusion of liability

Modelleisenbahn GmbH expressly states that it shall under no circumstances be legally liable for the content in this document or for any additional information specified in this document.

The legal responsibility exclusively lies with the user of the data provided or with the publisher of the additional information in question.

The company Modelleisenbahn GmbH (of Plainbachstrasse 4, A-5101 Bergheim, Austria) expressly accepts no liability for any and all damages caused by the use or by the non-use of the information provided.

Modelleisenbahn GmbH, Plainbachstrasse 4, A-5101 Bergheim, Austria, accepts no responsibility for the up-to-dateness, correctness, completeness or quality of the information provided. No liability claims relating to damages of a material, immaterial or conceptual nature due to the use or non-use of the information shall be accepted.

Modelleisenbahn GmbH, Plainbachstrasse 4, A-5101 Bergheim, Austria, reserves the right to modify, supplement or delete the information provided without prior notice.

All brand names and trademarks mentioned in the document and where applicable protected by third parties, are subject without restriction to the provisions of the applicable trademark law and the ownership rights of the respective registered owners.

The copyright for published information provided by Modelleisenbahn GmbH, Plainbachstrasse 4, A-5101 Bergheim, Austria remains with Modelleisenbahn GmbH, Plainbachstrasse 4, A-5101 Bergheim, Austria.

Reproduction or use of the information provided in other electronic or printed publications is not permitted without express permission.

Should parts or individual formulations of the liability disclaimer not, no longer or not completely comply with the applicable legal position, the remaining parts of the disclaimer remain unaffected in their content and validity.

# **Publishing info**

Apple, iPad, iPhone, iOS are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Google Play is a service mark of Google Inc.

RailCom is a registered trademark of the company Lenz Elektronik GmbH.

Motorola is a registered trademark of Motorola Inc., Tempe-Phoenix, USA

LocoNet is a registered trademark of Digitrax, Inc.

All rights reserved; errors, omissions and delivery options excepted. Specifications and illustrations subject to amendment. Subject to alteration.

Publisher: Modelleisenbahn GmbH, Plainbachstrasse 4, A-5101 Bergheim, Austria



# **Revision history**

Date	Document version	Change
06.02.2013	1.00	Description of LAN interface
		for Z21 FW Version 1.10, 1.11
		and SmartRail FW Version 1.12
20.03.2013	1.01	Z21 FW Version 1.20
		LAN_SET_BROADCASTFLAGS: new Flags
		LAN_GET_HWINFO: new command
		LAN_SET_TURNOUTMODE: MM format
		LocoNet: Gateway functionality
		SmartRail FW Version 1.13
		LAN_GET_HWINFO: new command
29.10.2013	1.02	Z21 FW Version 1.22:
20110.2010	1.02	Reading and writing Decoder CVs
		POM Read and Accessory Decoder: new commands
		LocoNet Dispatch and Track Occupancy Detector
		LAN_LOCONET_DISPATCH_ADDR: new Reply
		LAN SET BROADCASTFLAGS: new Flags
		LAN_LOCONET_DETECTOR: new message
12.02.2014	1.03	Z21 FW Version 1.23
12.02.2014	1.03	Correction of long vehicle address in Chapter 4 Driving
		LAN_X_MM_WRITE_BYTE
		LAN_LOCONET_DETECTOR: Extension for LISSY
25.03.2014	1.04	Z21 FW Version 1.24
25.03.2014	1.04	LAN_SET_BROADCASTFLAGS: Flag 0x00010000
		Chapter 5 Switching: Explanation Turnout addressing LAN_X_GET_TURNOUT_INFO: Queue-Bit Extension
		LAN_X_GET_TORNOOT_INFO. Queue-Bit extension  LAN_X_DCC_WRITE_REGISTER
21.01.2015	1.05	Z21 FW Version 1.25 und 1.26
21.01.2013	1.05	
		Chapter 4 Driving: Explanations about speed steps and format
		LAN_X_DCC_READ_REGISTER
		LAN_X_DCC_WRITE_REGISTER
05.04.0040	4.00	LAN_LOCONET_Z21_TX Binary State Control Instruction
05.04.2016	1.06	Z21 FW Version 1.28
		Chapter 2 System Status Versions: z21start
		LAN_GET_HW_INFO
10.01.0017	1.07	LAN_GET_CODE
19.04.2017	1.07	Z21 FW Version 1.29 und 1.30
		Chapter 8 RailCom
		Chapter 10 CAN
15.01.2018	1.08	Chapter 9 LocoNet : Lissy Examples
23.05.2019	1.09 en	First english edition
		Chapter 4 Driving: added speed step coding infos
		Chapter 7 R-BUS: added 10808 and 10819
		Chapter 9.3.1 fixed Binary State Control Instruction
28.01.2021	1.10 en	Z21 FW Version 1.40
		Chapter 4 LAN_GET_HWINFO: HW-Types
		Chapter 5 Switching: Extended Accessories DCCext
		Chapter 11 zLink



# **Table of contents**

1	BASICS	8
1.1	Communication	8
1.	<ul> <li>Z21 Dataset</li> <li>2.1 Structure</li> <li>2.2 X-BUS Protocol tunneling</li> <li>2.3 LocoNet tunneling</li> </ul>	8 9
1.3	Combining datasets in one UDP packet	
2	SYSTEM, STATUS, VERSIONS	11
2.1	LAN_GET_SERIAL_NUMBER	11
2.2	LAN_LOGOFF	11
2.3	LAN_X_GET_VERSION	11
2.4	LAN_X_GET_STATUS	12
2.5	LAN_X_SET_TRACK_POWER_OFF	12
2.6	LAN_X_SET_TRACK_POWER_ON	12
2.7	LAN_X_BC_TRACK_POWER_OFF	13
2.8	LAN_X_BC_TRACK_POWER_ON	13
2.9	LAN_X_BC_PROGRAMMING_MODE	13
2.10	LAN_X_BC_TRACK_SHORT_CIRCUIT	13
2.11	1 LAN_X_UNKNOWN_COMMAND	14
2.12	2 LAN_X_STATUS_CHANGED	14
2.13	3 LAN_X_SET_STOP	15
2.14	4 LAN_X_BC_STOPPED	15
2.15	5 LAN_X_GET_FIRMWARE_VERSION	15
2.16	6 LAN_SET_BROADCASTFLAGS	16
2.17	7 LAN_GET_BROADCASTFLAGS	17
2.18	B LAN_SYSTEMSTATE_DATACHANGED	17
2.19	P LAN_SYSTEMSTATE_GETDATA	18
2.20	D LAN_GET_HWINFO	18



2.21	LAN_GET_CODE	19
3	SETTINGS	20
3.1	LAN_GET_LOCOMODE	20
3.2	LAN_SET_LOCOMODE	20
3.3	LAN_GET_TURNOUTMODE	21
3.4	LAN_SET_TURNOUTMODE	21
4	DRIVING	22
4.1	LAN_X_GET_LOCO_INFO	22
4.2	LAN_X_SET_LOCO_DRIVE	23
4.3	LAN_X_SET_LOCO_FUNCTION	24
4.4	LAN_X_LOCO_INFO	25
5	SWITCHING	26
5.1	LAN_X_GET_TURNOUT_INFO	27
	LAN_X_SET_TURNOUT	27
5.3	LAN_X_TURNOUT_INFO	30
5.4	LAN_X_SET_EXT_ACCESSORY	31
5.5	LAN_X_GET_EXT_ACCESSORY_INFO	32
5.6	LAN_X_EXT_ACCESSORY_INFO	32
6	READING AND WRITING DECODER CVS	33
6.1	LAN_X_CV_READ	33
6.2	LAN_X_CV_WRITE	33
6.3	LAN_X_CV_NACK_SC	33
6.4	LAN_X_CV_NACK	34
6.5	LAN_X_CV_RESULT	34
6.6	LAN_X_CV_POM_WRITE_BYTE	35
6.7	LAN_X_CV_POM_WRITE_BIT	35
6.8	LAN_X_CV_POM_READ_BYTE	36



6.9	LAN_X_CV_POM_ACCESSORY_WRITE_BYTE	37
6.10	LAN_X_CV_POM_ ACCESSORY_WRITE_BIT	37
6.11	LAN_X_CV_POM_ ACCESSORY_READ_BYTE	38
6.12	LAN_X_MM_WRITE_BYTE	39
6.13	LAN_X_DCC_READ_REGISTER	40
6.14	LAN_X_DCC_WRITE_REGISTER	40
7 F	FEEDBACK – R-BUS	41
7.1	LAN_RMBUS_DATACHANGED	41
7.2	LAN_RMBUS_GETDATA	41
7.3	LAN_RMBUS_PROGRAMMODULE	42
8 F	RAILCOM	43
8.1	LAN_RAILCOM_DATACHANGED	43
8.2	LAN_RAILCOM_GETDATA	44
9 L	LOCONET	45
9.1	LAN_LOCONET_Z21_RX	46
9.2	LAN_LOCONET_Z21_TX	46
<b>9.3</b> 9.3.	LAN_LOCONET_FROM_LAN	
9.4	LAN_LOCONET_DISPATCH_ADDR	47
9.5	LAN_LOCONET_DETECTOR	49
10	CAN	53
10.1	LAN_CAN_DETECTOR	53
11	ZLINK	55
11.1	Adapter	
	.1.1 10838 Z21 pro LINK	
11.2	Booster 10806 und 10807	
11.1 11.1	2.2 LAN_BOOSTER_SET_DESCRIPTION	
11.		
11.	2.4 LAN_BOOSTER_SYSTEMSTATE_DATACHANGED	58
11.3	Decoder 10836 und 10837	59



# Z21 LAN Protocol Specification

11.3.1 LAN_DECODER_GET_DESCRIPTION	59
11.3.2 LAN DECODER SET DESCRIPTION	59
11.3.3 LAN DECODER SYSTEMSTATE GETDATA	60
11.3.4 LAN_DECODER_SYSTEMSTATE_DATACHANGED	60
11.3.4.1 SwitchDecoderSystemState	60
11.3.4.2 SignalDecoderSystemState	62
APPENDIX A – COMMAND OVERVIEW	
Z21 to Client	64
Z21 to Client	



# 1 Basics

#### 1.1 Communication

Communication with the command station Z21 is done via UDP by using port 21105 or 21106. Control applications on the client (PC, App, ...) should primarily use port 21105.

Communication is always asynchronous, i.e. broadcast messages can occur between a request and the corresponding response.




Figure 1 Example Sequence: Communication

Each client is expected to communicate with the Z21 once per minute, otherwise it will be removed from the list of active participants. If possible, a client should log off from the command station with the command LAN\_LOGOFF.

### 1.2 Z21 Dataset

# 1.2.1 Structure

A Z21 data record, i.e. a request or response, is structured in the following way:

DataLen (2 Byte) Header (2 Byte)	Data (n Bytes)
----------------------------------	----------------

- **DataLen** (little endian):
  - Total length over the entire data set including DataLen, Header and Data, i.e. DataLen = 2+2+n.
- Header (little endian):
  - Describes the Command and the Protocol's group.
- Data:

Structure and number depend on the command. For a detailed description, see the respective command.

Unless otherwise specified, the byte order is little-endian, i.e. first the low byte, then the high byte.



### 1.2.2 X-BUS Protocol tunneling

Requests and responses *based* on the X-BUS protocol are transmitted with the Z21-LAN-Header **0x40** (*LAN\_X*\_xxx). This only refers to the protocol, because these commands have nothing to do with the physical X-BUS of the Z21, but are exclusively addressed to the LAN clients or the Z21.

The actual X-BUS command is located inside the Data field within the Z21 data record. The last byte is a checksum and is calculated as XOR via the X-BUS command. Example:

DataLen		en Header		Data			
				X-Header	DB0	DB1	XOR-Byte
0x08	0x00	0x40	0x00	h	x	у	h XOR x XOR y

# 1.2.3 LocoNet tunneling

### From Z21 FW Version 1.20.

With the Z21-LAN headers 0xA0 and 0xA1 (LAN\_LOCONET\_Z21\_RX, LAN\_LOCONET\_Z21\_TX), messages received or sent by the Z21 on the LocoNet bus are forwarded to the LAN client. The LAN client can subscribe to these LocoNet messages by using the **2.16** LAN\_SET\_BROADCASTFLAGS.

The LAN client can write messages to the LocoNet bus via the Z21-LAN header **0xA2** (LAN\_LOCONET\_FROM\_LAN).

This way the Z21 can be used as an Ethernet/LocoNet gateway, where the Z21 is also the LocoNet master managing the refresh slots and generating the DCC packets.

The actual LocoNet message is located inside the Data field within the Z21 data record.

Example Loconet message OPC MOVE SLOTS <0><0> ("DISPATCH GET") is sent by the Z21:

DataLen		Header		Data			
				OPC	ARG1	ARG2	CKSUM
0x08	0x00	0xA0	0x00	0xBA	0x00	0x00	0x45

More information about the LocoNet Gateway can be found in section 9 LocoNet.



# 1.3 Combining datasets in one UDP packet

In the payload data of a UDP packet, several independent Z21 data sets can also be sent together to one recipient. Each recipient must be able to interpret these combined Z21 dataset packets.

# **Example**

Following combined Z21 datasets in one UDP packet...

UDP Paket								
IP Header	UDP Header	JDP Payload						
		Z21 Dataset 1	Z21 Dataset 2	Z21 Dataset 3				
		LAN X GET TOURNOUT INFO #4	LAN X GET TOURNOUT INFO #5	LAN RMBUS GETDATA #0				

... is equivalent to these three UDP packets:

UDP Paket 1						
IP Header	UDP Header	UDP Payload				
		Z21 dataset				
		LAN_X_GET_TOURNOUT_INFO #4				
UDP Paket	12					
IP Header	UDP Header	UDP Payload				
		Z21 dataset				
		LAN_X_GET_TOURNOUT_INFO #5				
LIDD D-L-						
UDP Paket	3					
IP Header	UDP Header	UDP Payload				
		Z21 dataset				
		LAN_RMBUS_GETDATA #0				

The UDP packet must fit into an Ethernet MTU, i.e. considering IPv4 header and UDP header there is a maximum of 1500-20-8 = 1472 bytes of payload data.



# 2 System, Status, Versions

# 2.1 LAN\_GET\_SERIAL\_NUMBER

Reading the serial number of the Z21.

### Request to Z21:

DataLen		Header		Data
0x04	0x00	0x10	0x00	-

# Reply from Z21:

DataLen		Header		Data
80x0	0x00	0x10	0x00	32 Bits Serial number (little endian)

### 2.2 LAN\_LOGOFF

Logging off the client from the Z21.

# Request to Z21:

DataLen		Header		Data
0x04	0x00	0x30	0x00	-

# Reply from Z21:

none

Use the same port number when logging out as when logging in.

**Note:** the login is implicitly done with the first command of the client (e.g. LAN\_SYSTEM\_STATE\_GETDATA, ...).

# 2.3 LAN\_X\_GET\_VERSION

The X-Bus version of the Z21 can be read out with the following command.

# Request to Z21:

DataLen		Header		Data		
				X-Header	DB0	XOR-Byte
0x07	0x00	0x40	0x00	0x21	0x21	0x00

### Reply from Z21:

DataLen	DataLen Header		Data					
				X-Header	DB0	DB1	DB2	XOR-Byte
0x09	0x00	0x40	0x00	0x63	0x21	0x30	0x12	0x60

DB1 ... X-Bus Version 3.0

DB2 ... command station ID, 0x12 = Z21



# 2.4 LAN\_X\_GET\_STATUS

This command can be used to request the Z21 status.

### Request to Z21:

DataLen		Header		Data			
				X-Header	DB0	XOR-Byte	
0x07	0x00	0x40	0x00	0x21	0x24	0x05	

Reply from Z21:

see 2.12 LAN\_X\_STATUS\_CHANGED

This command station status is identical to the CentralState, which is delivered in the system status, see 2.18 LAN\_SYSTEMSTATE\_DATACHANGED.

# 2.5 LAN\_X\_SET\_TRACK\_POWER\_OFF

This command switches off the track voltage.

# Request to Z21:

DataLen		Header		Data		
				X-Header	DB0	XOR-Byte
0x07	0x00	0x40	0x00	0x21	0x80	0xa1

Reply from Z21:

see 2.7 LAN\_X\_BC\_TRACK\_POWER\_OFF

# 2.6 LAN\_X\_SET\_TRACK\_POWER\_ON

This command switches on the track voltage, or terminates either the emergency stop or the programming mode.

# Request to Z21:

DataLen		Header		Data			
				X-Header DB0 XOR-Byte			
0x07	0x00	0x40	0x00	0x21	0x81	0xa0	

Reply from Z21:

see 2.8 LAN\_X\_BC\_TRACK\_POWER\_ON



### 2.7 LAN\_X\_BC\_TRACK\_POWER\_OFF

The following packet is sent from the Z21 to the registered clients when

- a client has sent command 2.5 LAN X SET TRACK POWER OFF.
- or the track voltage has been switched off by some input device (multiMaus).
- and the relevant client has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001

### Z21 to Client:

DataLen		Header		Data		
				X-Header	DB0	XOR-Byte
0x07	0x00	0x40	0x00	0x61	0x00	0x61

# 2.8 LAN\_X\_BC\_TRACK\_POWER\_ON

The following packet is sent from the Z21 to the registered clients when

- a client has sent command 2.6 LAN\_X\_SET\_TRACK\_POWER\_ON.
- or the track voltage has been switched on by some input device (multiMaus).
- and the relevant client has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001

#### Z21 to Client:

DataLen		Header		Data		
				X-Header	DB0 XOR-Byte	
0x07	0x00	0x40	0x00	0x61	0x01	0x60

# 2.9 LAN\_X\_BC\_PROGRAMMING\_MODE

The following packet is sent from the Z21 to the registered clients if the Z21 has been put into CV programming mode by **6.1** LAN\_X\_CV\_READ or **6.2** LAN\_X\_CV\_WRITE and the respective client has activated the corresponding broadcast, see

2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001

### Z21 to Client:

DataLen	DataLen Header			Data			
				X-Header	DB0	XOR-Byte	
0x07	0x00	0x40	0x00	0x61	0x02	0x63	

# 2.10 LAN\_X\_BC\_TRACK\_SHORT\_CIRCUIT

The following packet is sent from the Z21 to the registered clients if a short circuit has occurred and the relevant client has activated the corresponding broadcast, see **2.16** LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001

# Z21 to Client:

DataLen		Header		Data			
				X-Header	DB0 XOR-Byte		
0x07	0x00	0x40	0x00	0x61	0x08	0x69	



# 2.11 LAN\_X\_UNKNOWN\_COMMAND

The following packet is sent from the Z21 to the client in response to an invalid request.

### Z21 to Client:

DataLen		Header		Data			
				X-Header	DB0	XOR-Byte	
0x07	0x00	0x40	0x00	0x61	0x82	E3	

# 2.12 LAN\_X\_STATUS\_CHANGED

The following packet is sent from the Z21 to the client if the client explicitly sets the status to 2.4 LAN\_X\_GET\_STATUS.

### Z21 to Client:

DataLen		Header		Data			
				X-Header	DB0	DB1	XOR-Byte
0x08	0x00	0x40	0x00	0x62	0x22	Status	XOR-Byte

# DB1 ... command station status

# Bitmask for command station status:

```
#define csEmergencyStop 0x01 // The emergency stop is switched on #define csTrackVoltageOff 0x02 // The track voltage is switched off. #define csShortCircuit 0x04 // Short-circuit #define csProgrammingModeActive 0x20 // The programming mode is active
```

This command station status is identical to the SystemState.CentralState, see 2.18 LAN\_SYSTEMSTATE\_DATACHANGED.



### 2.13 LAN\_X\_SET\_STOP

With this command the emergency stop is activated, i.e. the locomotives are stopped but the track voltage remains switched on.

### Request to Z21:

DataLen		Header		Data	
				X-Header	XOR-Byte
0x06	0x00	0x40	0x00	0x80	0x80

Reply from Z21:

see 2.14 LAN\_X\_BC\_STOPPED

# 2.14 LAN\_X\_BC\_STOPPED

The following packet is sent from the Z21 to the registered clients when

- a client has sent command 2.13 LAN X SET STOP.
- or the emergency stop was triggered by some input device (multiMaus).
- and the relevant client has activated the corresponding broadcast, see
   2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001

# Z21 to Client:

DataLen	aLen Header			Data				
				X-Header	DB0	XOR-Byte		
0x07	0x00	0x40	0x00	0x81	0x00	0x81		

### 2.15 LAN\_X\_GET\_FIRMWARE\_VERSION

The firmware version of the Z21 can be read with this command.

### Request to Z21:

DataLen Header			Data			
				X-Header	DB0	XOR-Byte
0x07	0x00	0x40	0x00	0xF1	0x0A	0xFB

# Reply from Z21:

DataLen		Header		Data				
				X-Header	DB0	DB1	DB2	XOR-Byte
0x09	0x00	0x40	0x00	0xF3	0x0A	V_MSB	V_LSB	XOR-Byte

**DB1** ... MSB of the Firmware version **DB2** ... LSB of the Firmware version

The version is specified in BCD format.

# Example:

0x09 0x00 0x40 0x00 0xf3 0x0a 0x01 0x23 0xdb ... means: "Firmware Version 1.23"



### 2.16 LAN\_SET\_BROADCASTFLAGS

Set the broadcast flags in the Z21. These flags are set per client (i.e. per IP + port number) and must be set again the next time you log on.

### Request to Z21:

DataLen		Header		Data
0x08	0x00	0x50	0x00	32 Bits Broadcast-Flags (little endian)

Broadcast flags are an OR-combination of the following values:

0x00000001 Broadcasts and info messages concerning driving and switching are delivered to the

registered clients automatically.

The following messages are concerned: 2.7 LAN\_X\_BC\_TRACK\_POWER\_OFF 2.8 LAN\_X\_BC\_TRACK\_POWER\_ON 2.9 LAN\_X\_BC\_PROGRAMMING\_MODE 2.10 LAN\_X\_BC\_TRACK\_SHORT\_CIRCUIT

2.14 LAN\_X\_BC\_STOPPED

4.4 LAN X LOCO INFO (loco address must be subscribed too)

5.3 LAN X TURNOUT INFO

0x00000002 Changes of the feedback devices on the R-Bus are sent automatically.

Z21 Broadcast messages see 7.1 LAN RMBUS DATACHANGED

0x00000004 Changes of RailCom data of subscribed locomotives are sent automatically.

Z21 Broadcast messages see 8.1 LAN\_RAILCOM\_DATACHANGED

0x00000100 Changes of the Z21 system status are sent automatically.

Z21 Broadcast messages see 2.18 LAN\_SYSTEMSTATE\_DATACHANGED

### From Z21 FW Version 1.20:

0x00010000 Extends flag 0x00000001; client now gets LAN\_X\_LOCO\_INFO LAN\_X\_LOCO\_INFO

without having to subscribe to the corresponding locomotive addresses, i.e. for all

controlled locomotives!

Due to the high network traffic, this flag may only be used by adequate PC railroad automation software and **is NOT intended for mobile hand controllers** under any

circumstances.

From FW V1.20 bis V1.23: LAN\_X\_LOCO\_INFO is sent for all locomotives.

From **FW V1.24**: LAN\_X\_LOCO\_INFO is sent for **all modified** locomotives.

0x01000000 Forwarding messages from LocoNet bus to LAN client without locos and switches.
0x02000000 Forwarding locomotive-specific LocoNet messages to LAN Client:

Forwarding locomotive-specific LocoNet messages to LAN Client: OPC\_LOCO\_SPD, OPC\_LOCO\_DIRF, OPC\_LOCO\_SND, OPC\_LOCO\_F912,

OPC EXP CMD

0x04000000 Forwarding switch-specific LocoNet messages to LAN client:

OPC\_SW\_REQ, OPC\_SW\_REP, OPC\_SW\_ACK, OPC\_SW\_STATE

See also chapter 9 LocoNet.

### From Z21 FW Version 1.22:

0x08000000 Sending status changes of LocoNet track occupancy detectors to the LAN client.

See 9.5 LAN LOCONET DETECTOR

### From Z21 FW Version 1.29:

0x00040000 Sending changes of RailCom data to the LAN Client.

Client gets LAN\_RAILCOM\_DATACHANGED without having to subscribe to the corresponding locomotive addresses, i.e. for all controlled locomotives! Due to the high network traffic, this flag may only be used by adequate PC railroad automation software and is NOT intended for mobile hand controllers under any circumstances.

Z21 Broadcast messages see 8.1 LAN\_RAILCOM\_DATACHANGED



### From Z21 FW Version 1.30:

0x00080000 Sending status changes of CAN-Bus track occupancy detectors to the LAN client. See 10.1 LAN\_CAN\_DETECTOR

Reply from Z21:

none

When preparing the settings for the broadcast flags, always consider the effects on the network load. This applies in particular to the broadcast flags 0x00010000, 0x00040000, 0x02000000 and 0x04000000! The IP packets may be deleted by the router in case of overload and UDP does not offer any detection mechanisms for this! For example, before using flag 0x00000100 (system status) it is worth considering whether 0x00000001 with the corresponding LAN\_X\_BC\_xxx broadcast messages would be a more suitable alternative. Not every application needs to be regularly informed in detail about the latest voltage, current and temperature values of the Z21.

### 2.17 LAN GET BROADCASTFLAGS

Reading the broadcast flags in the Z21.

### Request to Z21:

DataLen		Header		Data
0x04	0x00	0x51	0x00	-

### Reply from Z21:

DataLen		Header		Data	
0x08	0x00	0x51	0x00	Broadcast-Flags 32 Bit (little endian)	

Broadcast-Flags see above.

### 2.18 LAN\_SYSTEMSTATE\_DATACHANGED

Reports a change in the system status from the Z21 to the client.

This message is asynchronously reported to the client by the Z21 when the client

- activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000100.
- explicitly requested the system status, see **2.19** LAN\_SYSTEMSTATE\_GETDATA.

# Z21 to Client:

DataLen		Header		Data
0x14	0x00	0x84	0x00	SystemState (16 Bytes)

**SystemState** is structured as follows (the 16-bit values are little endian):

Byte Offset	Тур	Name		
0	INT16	MainCurrent	mA	Current on the main track
2	INT16	ProgCurrent	mA	Current on programming track
4	INT16	FilteredMainCurrent	mA	smoothed current on the main track
6	INT16	Temperature	°C	command station internal temperature
8	UINT16	SupplyVoltage	mV	supply voltage
10	UINT16	VCCVoltage	mV	internal voltage, identical to track voltage
12	UINT8	CentralState	bitmask	see below
13	UINT8	CentralStateEx	bitmask	see below
14	UINT8	reserved		
15	UINT8	reserved		



#### Bitmask for CentralState:

### 2.19 LAN\_SYSTEMSTATE\_GETDATA

Request the current system status.

### Request to Z21:

DataLen		Header		Data
0x04	0x00	0x85	0x00	-

### Reply from Z21:

see above 2.18 LAN\_SYSTEMSTATE\_DATACHANGED

### 2.20 LAN GET HWINFO

### From Z21 FW Version 1.20 and SmartRail FW Version V1.13.

Read the hardware type and the firmware version of the Z21.

### Request to Z21:

DataLen		Header		Data
0x04	0x00	0x1A	0x00	-

# Reply from Z21:

DataLen Header		Data				
0x0C	0x00	0x1A	0x00	HwType 32 Bit (little endia	า)	FW Version 32 Bit (little endian)

### HwType:

The **FW version** is specified in BCD format.

### Example:

```
0 \times 0 \stackrel{\circ}{\text{C}} 0 \times 000 0 \times 1 \stackrel{\circ}{\text{A}} 0 \times 00 0 \times 000 0 \times 000 0 \times 000 0 \times 20 0 \times 01 0 \times 000 0 \times 0
```



To read out the version of an older firmware, use the alternative command **2.15** LAN\_X\_GET\_FIRMWARE\_VERSION. Apply following rules for older firmware versions:

- V1.10 ... Z21 (hardware variant from 2012)
- V1.11 ... Z21 (hardware variant from 2012)
- V1.12 ... SmartRail (from 2012)

# 2.21 LAN\_GET\_CODE

Read the software feature scope of the Z21 (and z21 or z21start of course).

This command is of particular interest for the hardware variant "z21 start", in order to be able to check whether driving and switching via LAN is blocked or permitted.

### Request to Z21:

DataLer		Header		Data
0x04	0x00	0x18	0x00	-

### Reply from Z21:

DataLen		Header		Data
0x05	0x00	0x18	0x00	Code (8 Bit)

#### Code:



# 3 Settings

The following settings described here are stored in the Z21 persistently.

These settings can be reset by the user to the factory settings by keeping the STOP button on the Z21 pressed until the LEDs flash violet.

# 3.1 LAN\_GET\_LOCOMODE

Read the output format for a given locomotive address.

In the Z21, the output format (DCC, MM) is persistently stored for each locomotive address. A maximum of 256 different locomotive addresses can be stored. Each address >= 256 is DCC automatically.

# Request to Z21:

Data	DataLen I			Data
0x06	0x00	0x60	0x00	16 bits Loco-Address (big endian)

# Reply from Z21:

DataLen He		Header		Data			
0x07	0x00	0x60	0x00	16 bits Loco-Address (big endian)	Mode 8 bit		

Loco Address 2 Bytes, big endian, i.e. first comes high byte, followed by low byte.

Mode 0 ... DCC Format

1 ... MM Format

# 3.2 LAN\_SET\_LOCOMODE

Set the output format for a given locomotive address. The format is stored in the Z21persistently.

### Request to Z21:

DataLen		Header		Data		
		0x00	Loco address 16 Bit (big endian)	Modus 8 bit		

# Reply from Z21:

none

Meaning of the values: see above.

**Note**: each locomotive address >= 256 is and remains "Format DCC" automatically.

**Note:** the speed steps (14, 28, 128) are also stored in the command station persistently. This automatically happens with the loco driving command, see **4.2** LAN\_X\_SET\_LOCO\_DRIVE.



### 3.3 LAN\_GET\_TURNOUTMODE

Read the settings for a given accessory decoder address ("Accessory Decoder" RP-9.2.1).

In the Z21, the output format (DCC, MM) is persistently stored for each accessory decoder address. A maximum of 256 different accessory decoder addresses can be stored. Each address >= 256 automatically is DCC.

### Request to Z21:

DataLen	DataLen Hea			Data		
0x06	0x00	0x70	0x00	16 bits Accessory Decoder Address (big endian)		

### Reply from Z21:

DataLen	DataLen Header			Data				
0x07	0x00	0x70	0x00	16 bits Accessory Decoder Address (big endian) Mode 8 bit				

Accessory Decoder Address 2 Bytes, **big endian**, i.e. first comes high byte, followed by low byte.

Mode 0 ... DCC Format

1 ... MM Format

At the LAN interface and in the Z21, the accessory decoder addresses are addressed from 0, but in the visualization in the apps or on the multiMaus from 1. This is only a decision of the visualization. Example: multiMaus switch address #3, corresponds to address 2 on the LAN and in Z21.

### 3.4 LAN\_SET\_TURNOUTMODE

Set the output format for a given accessory decoder address. The format is stored in the Z21 persistently.

### Request to Z21:

DataLen		Header		Data	
0x07	0x00	0x71	0x00	16 bits Accessory Decoder Address (big endian)	Mode 8 bit

# Reply from Z21:

none

Meaning of the values: see above.

MM accessory decoders are supported by Z21 firmware version 1.20 and higher. MM accessory decoders are not supported by SmartRail.

**Note:** Each accessory decoder >= 256 is and remains DCC automatically.



# 4 Driving

This chapter describes the messages that are required for driving with locomotive decoders.

A client can subscribe to locomotive infos with 4.1 LAN\_X\_GET\_LOCO\_INFO in order to be automatically informed about changes to this locomotive address caused also by other clients or handsets. Furthermore the corresponding broadcast must also be activated for the client, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001.




Figure 2 Example sequence: locomotive control

In order to keep network traffic within reasonable limits, a maximum of 16 locomotive addresses per client can be subscribed to (FIFO). You could also poll the locos, but always consider the network load: the IP packets may be deleted by the router in case of overload and UDP does not offer any detection mechanisms.

# 4.1 LAN\_X\_GET\_LOCO\_INFO

The following command can be used to poll the status of a locomotive. At the same time, the client also "subscribes" to the locomotive information for this locomotive address (only in combination with LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001).

Request to Z21:

DataLen	DataLen Header			Data	Data				
				X-Header	DB0	DB1	DB2	XOR-Byte	
0x09	0x00	0x40	0x00	0xE3	0xF0	Adr_MSB	Adr_LSB	XOR-Byte	

Note: loco address = (Adr\_MSB & 0x3F) << 8 + Adr\_LSB

For locomotive addresses ≥ 128, the two highest bits in DB1 must be set to 1:

**DB1** = (0xC0 | Adr\_MSB). For locomotive addresses < 128, these two highest bits have no meaning.

Reply from Z21:

see 4.4 LAN\_X\_LOCO\_INFO



### 4.2 LAN\_X\_SET\_LOCO\_DRIVE

Change the speed and direction of a locomotive.

Request to Z21:

Datal	_en	Heade	r	Data						
				X-Header	DB0	DB1	DB2	DB3	XOR-Byte	
0x0A	0x00	0x40	0x00	0xE4	0x1S	Adr_MSB	Adr_LSB	RVVVVVV	XOR-Byte	

Note: loco address = (Adr\_MSB & 0x3F) << 8 + Adr\_LSB

For locomotive addresses ≥ 128, the two highest bits in DB1 must be set to 1:

**DB1** = (0xC0 | Adr\_MSB). For locomotive addresses < 128, these two highest bits have no meaning.

0x1**S** Number of speed steps, depending on the rail format set

S=0: DCC 14 speed steps, or MMI with 14 speed steps and F0

S=2: DCC 28 speed steps, or MMII with 14 real speed steps and F0-F4

S=3: DCC 128 speed steps (aka "126 speed steps" when not counting the stops), or MMII with 28 real speed steps (using light-trit) and F0-F4

**RVVVVVV** 

R ... Direction: 1=forward

V ... Speed: depending on the speed steps S. Coding see below.

If the format MM is configured for the locomotive, the conversion of the given DCC speed stage into the real MM speed stage takes place automatically in the Z21.

The coding of the speed is similar to XpressNet<sup>™</sup> (X-BUS), i.e. also similar to NMRA S 9.2 and S 9.2.1. "**Stop**" means "normal stop" or "step 0". "**E-Stop**" means "immediate emergency stop".

Coding speed for "DCC 14":

R000 VVVV	Speed	R000 VVVV	Speed	R000 VVVV	Speed	R000 VVVV	Speed
R000 0000	Stop	R000 0100	Step 3	R000 1000	Step 7	R000 1100	Step 11
R000 0001	E-Stop	R000 0101	Step 4	R000 1001	Step 8	R000 1101	Step 12
R000 0010	Step 1	R000 0110	Step 5	R000 1010	Step 9	R000 1110	Step 13
R000 0011	Step 2	R000 0111	Step 6	R000 1011	Step 10	R000 1111	Step 14 max

Coding speed for "DCC 28" (like "DCC 14", but with additional intermediate speed step in the fifth bit V<sub>5</sub>):

R00V <sub>5</sub> VVVV	Speed	R00V <sub>5</sub> VVVV	Speed	R00V <sub>5</sub> VVVV	Speed	R00V <sub>5</sub> VVVV	Speed
R000 0000	Stop	R000 0100	Step 5	R000 1000	Step 13	R000 1100	Step 21
R001 0000	Stop <sup>1</sup>	R001 0100	Step 6	R001 1000	Step 14	R001 1100	Step 22
R000 0001	E-Stop	R000 0101	Step 7	R000 1001	Step 15	R000 1101	Step 23
R001 0001	E-Stop <sup>1</sup>	R001 0101	Step 8	R001 1001	Step 16	R001 1101	Step 24
R000 0010	Step 1	R000 0110	Step 9	R000 1010	Step 17	R000 1110	Step 25
R001 0010	Step 2	R001 0110	Step 10	R001 1010	Step 18	R001 1110	Step 26
R000 0011	Step 3	R000 0111	Step 11	R000 1011	Step 19	R000 1111	Step 27
R001 0011	Step 4	R001 0111	Step 12	R001 1011	Step 20	R001 1111	Step 28 max

# Coding speed for "DCC 128":

RVVV VVVV	Speed
R000 0000	Stop
R000 0001	E-Stop
R000 0010	Step 1
R000 0011	Step 2
R000 0100	Step 3
R000 0101	Step 4
R111 1110	Step 125
R111 1111	Step 126 max

<sup>&</sup>lt;sup>1</sup> Usage not recommended

-



Reply from Z21:

No standard reply, 4.4 LAN\_X\_LOCO\_INFO to subscribed clients.

**Note**: the number of speed steps (14/28/128) is automatically stored for the given loco address in the command station persistently.

# 4.3 LAN\_X\_SET\_LOCO\_FUNCTION

Change a function of a locomotive.

### Request to Z21:

DataLer	1	Header		Data	Data					
				X-Header	DB0	DB1	DB2	DB3	XOR-Byte	
0x0A	0x00	0x40	0x00	0xE4	0xF8	Adr_MSB	Adr_LSB	TTNN NNNN	XOR-Byte	

Note: loco address = (Adr\_MSB & 0x3F) << 8 + Adr\_LSB

For locomotive addresses ≥ 128, the two highest bits in DB1 must be set to 1:

**DB1** = (0xC0 | Adr\_MSB). For locomotive addresses < 128, these two highest bits have no meaning.

TT switch type: 00=off, 01=on, 10=toggle,11=not allowed

**NNNNN** Function index, 0x00=F0 (light), 0x01=F1 etc.

Reply from Z21:

No standard reply, 4.4 LAN\_X\_LOCO\_INFO to subscribed clients.



# 4.4 LAN\_X\_LOCO\_INFO

This message is sent from the Z21 to the clients in response to the command 4.1 LAN\_X\_GET\_LOCO\_INFO. However, it is also unsolicitedly sent to an associated client if

- the locomotive status has been changed by one of the (other) clients or handset controls
- and the associated client has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001
- and the associated client has subscribed to the locomotive address with 4.1 LAN\_X\_GET\_LOCO\_INFO.

### Z21 to Client:

DataLen	Len Header			Data										
				X-Header DB0 DBn XOR-By						XOR-Byte				
7 + <b>n</b>	0x00	0x40	0x00	0xEF	Locomotive Information					XOR-Byte				

The actual packet length n may vary depending on the data actually sent, with  $7 \le n \le 14$ .

The data for locomotive information is structured as follows:

Data   Meaning		,	Information is structured as follows:
DB1 Adf_LSB Loco address = (Adr_MSB & 0x3F) << 8 + Adr_LSB  DB2 0000BKKK B=1 the locomotive is controlled by another X-BUS handset controller ("busy")  KKK Speed steps information: 0=14, 2=28, 4=128  0: DCC 14 speed steps, or MMI with 14 speed steps and F0  2: DCC 28 speed steps, or MMII with 14 real speed stages and F0-F4  4: DCC 128 speed steps, or MMII with 28 real speed stages (light-trit) and F0-F4  V Speed.  Coding also depends on the speed steps information KKK.  See also above section 4.2 LAN_X_SET_LOCO_DRIVE.  If the format MM is configured for the locomotive, then the conversion of the real MM speed step into the presented DCC speed step has already been done in the Z21.  DB4 ODSLFGHJ D double traction: 1=Loco included in a double traction  S Smartsearch  L F0 (Licht)  F F4  G F3  H F2  J F1  DB5 F5-F12 Function F5 is bit0 (LSB)  DB6 F13-F20 Function F13 is bit0 (LSB)  DB7 F21-F28 Function F21 is bit0 (LSB)			Meaning
DB2 0000BKKK B=1 the locomotive is controlled by another X-BUS handset controller ("busy")  KKK Speed steps information: 0=14, 2=28, 4=128  0: DCC 14 speed steps, or MMI with 14 speed steps and F0  2: DCC 28 speed steps, or MMII with 14 real speed stages and F0-F4  4: DCC 128 speed steps, or MMII with 28 real speed stages (light-trit) and F0-F4  V Speed. Coding also depends on the speed steps information KKK. See also above section 4.2 LAN_X_SET_LOCO_DRIVE.  If the format MM is configured for the locomotive, then the conversion of the real MM speed step into the presented DCC speed step has already been done in the Z21.  DB4 ODSLFGHJ D double traction: 1=Loco included in a double traction  S Smartsearch L F0 (Licht) F F4 G F3 H F2 J F1 DB5 F5-F12 Function F5 is bit0 (LSB)  DB6 F13-F20 Function F13 is bit0 (LSB)  DB7 F21-F28 Function F21 is bit0 (LSB)		_	
KKK Speed steps information: 0=14, 2=28, 4=128  0: DCC 14 speed steps, or MMI with 14 speed steps and F0  2: DCC 28 speed steps, or MMII with 14 real speed stages and F0-F4  4: DCC 128 speed steps, or MMII with 28 real speed stages (light-trit) and F0-F4  V Speed. Coding also depends on the speed steps information KKK. See also above section 4.2 LAN_X_SET_LOCO_DRIVE.  If the format MM is configured for the locomotive, then the conversion of the real MM speed step into the presented DCC speed step has already been done in the Z21.  DB4  ODSLFGHJ  D double traction: 1=Loco included in a double traction S Smartsearch L F0 (Licht) F F4 G F3 H F2 J F1  DB5  F5-F12  Function F5 is bit0 (LSB) DB6  F13-F20 Function F13 is bit0 (LSB) DB7  F21-F28 Function F21 is bit0 (LSB)		_	
DB3 RVVVVVVV R Directon: 1=forward V Speed. Coding also depends on the speed steps information KKK. See also above section 4.2 LAN_X_SET_LOCO_DRIVE. If the format MM is configured for the locomotive, then the conversion of the real MM speed step into the presented DCC speed step has already been done in the Z21.  DB4 ODSLFGHJ D double traction: 1=Loco included in a double traction S Smartsearch L F0 (Licht) F F4 G F3 H F2 J F1 DB5 F5-F12 Function F5 is bit0 (LSB) DB6 F13-F20 Function F13 is bit0 (LSB) DB7 F21-F28 Function F21 is bit0 (LSB)	DB2	0000 <b>BKKK</b>	<b>B</b> =1 the locomotive is controlled by another X-BUS handset controller ("busy")
V Speed. Coding also depends on the speed steps information KKK. See also above section 4.2 LAN_X_SET_LOCO_DRIVE.  If the format MM is configured for the locomotive, then the conversion of the real MM speed step into the presented DCC speed step has already been done in the Z21.  DB4  ODSLFGHJ  D double traction: 1=Loco included in a double traction S Smartsearch L F0 (Licht) F F4 G F3 H F2 J F1  DB5  F5-F12  Function F5 is bit0 (LSB)  DB6  F13-F20  Function F13 is bit0 (LSB)  DB7  F21-F28  Function F21 is bit0 (LSB)			0: DCC 14 speed steps, or MMI with 14 speed steps and F0 2: DCC 28 speed steps, or MMII with 14 real speed stages and F0-F4 4: DCC 128 speed steps, or MMII with 28 real speed stages (light-trit)
V Speed. Coding also depends on the speed steps information KKK. See also above section 4.2 LAN_X_SET_LOCO_DRIVE.  If the format MM is configured for the locomotive, then the conversion of the real MM speed step into the presented DCC speed step has already been done in the Z21.  DB4  ODSLFGHJ  D double traction: 1=Loco included in a double traction S Smartsearch L F0 (Licht) F F4 G F3 H F2 J F1  DB5  F5-F12  Function F5 is bit0 (LSB)  DB6  F13-F20  Function F13 is bit0 (LSB)  DB7  F21-F28  Function F21 is bit0 (LSB)			
S Smartsearch         L F0 (Licht)         F F4         G F3         H F2         J F1         DB5       F5-F12         Function F5 is bit0 (LSB)         DB6       F13-F20         Function F13 is bit0 (LSB)         DB7       F21-F28         Function F21 is bit0 (LSB)			V Speed. Coding also depends on the speed steps information KKK. See also above section 4.2 LAN_X_SET_LOCO_DRIVE. If the format MM is configured for the locomotive, then the conversion of the real MM speed step into the presented DCC speed step has already been done in the Z21.
DB6         F13-F20         Function F13 is bit0 (LSB)           DB7         F21-F28         Function F21 is bit0 (LSB)	DB4	0 <b>DSLFGHJ</b>	S Smartsearch L F0 (Licht) F F4 G F3 H F2
DB6         F13-F20         Function F13 is bit0 (LSB)           DB7         F21-F28         Function F21 is bit0 (LSB)	DB5	F5-F12	Function F5 is bit0 (LSB)
\ /	DB6	F13-F20	
DB <b>n</b> optional, for future extensions	DB7	F21-F28	Function F21 is bit0 (LSB)
	DB <b>n</b>		optional, for future extensions



# 5 Switching

This chapter deals with messages which are required for switching accessory decoders ("Accessory Decoder" according RP-9.2.1, e.g. decoder for turnouts, ...).

The visualization of the turnout number on the user interface is differently solved in some DCC systems and can significantly differ from the real DCC accessory decoder address plus port actually used in the track signal. According to DCC, there are four ports with two outputs each per accessory decoder address. One turnout can be connected per port. Usually one of the following options is used to visualize the turnout number:

- 1. Numbering from 1 with DCC address at 1 starting with 4 ports each (ESU, Uhlenbrock, ...)
  Switch #1: DCC-Addr=1 Port=0; Switch #5: DCC-Addr=2 Port=0; Switch #6: DCC-Addr=2 Port=1
- 2. Numbering from 1 with DCC address at 0 starting with 4 ports each (Roco)
  Switch #1: DCC-Addr=0 Port=0; Switch #5: DCC-Addr=1 Port=0; Switch #6: DCC-Addr=1 Port=1
- 3. Virtual switch number with freely configurable DCC address and port (Twin Center)
- 4. Displaying real DCC-address and port number (Zimo)

None of these visualization options can be described as "wrong" due to lack of specification in RP-9.2.1, where the visualization to the user is not mentioned at all. For the user, however, this can mean in consequence getting used to the fact that one and the same turnout at an ESU control panel is controlled under number 1, while it is switched on the Roco multiMaus and Z21 under number 5 ("shift by 4").

In order to be able to implement the visualization of your choice in your application, it helps to know how the Z21 converts the input parameters for the switching commands (FAdr\_MSB, FAdr\_LSB, A, P, see below) into the corresponding DCC accessory command:

DCC basic accessory decoder packet format: {preamble} 0 10AAAAAA 0 1aaaCDDd 0 EEEEEEEE 1

```
UINT16 FAdr = (FAdr_MSB << 8) + FAdr_LSB;

UINT16 Dcc_Addr = FAdr >> 2;

aaa_AAAAAA = (~Dcc_Addr & 0x1C0) | (Dcc_Addr & 0x003F); // DCC Address

C = A; // Activate or deactivate output

DD = FAdr & 0x03; // Port

d = P; // Switch to the left or to the right
```

### Example:

FAdr=0 equals DCC-Addr=0 Port=0; FAdr=3 equals DCC-Addr=0 Port=3; FAdr=4 equals DCC-Addr=1 Port=0; etc.

On the other hand, for MM Format note: FAdr starts with 0, i.e. FAdr=0: MM-Addr=1; FAdr=1: MM-Addr=2: ...

A client can subscribe to accessory info in order to be automatically notified of changes to accessory decoders caused by other clients or handsets. For this purpose, the corresponding broadcast must be activated for the client, see **2.16** LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001.

The actual position of the turnout depends on the cabling and possibly also on the configuration in the client's application. The command station cannot know anything about this, and that is why the following description deliberately omits the terms "straight" and "branching". Instead we will speak about "output 1" and "output 2".



### 5.1 LAN\_X\_GET\_TURNOUT\_INFO

The following command can be used to poll the status of a turnout (or any accessory function).

### Request to Z21:

DataLen		Header		Data			
				X-Header	DB0	DB1	XOR-Byte
0x08	0x00	0x40	0x00	0x43	FAdr_MSB	FAdr_LSB	XOR-Byte

Note: Function address = (FAdr\_MSB << 8) + FAdr\_LSB

Reply from Z21:

see 5.3 LAN\_X\_TURNOUT\_INFO

# 5.2 LAN\_X\_SET\_TURNOUT

A turnout (or any accessory function) can be switched with the following command.

### Request to Z21:

DataLer	1	Header		Data					
				X-Header	K-Header DB0 DB1 DB2 XOR-Byte				
0x09	0x00	0x40	0x00	0x53	FAdr_MSB	FAdr_LSB	10 <b>Q</b> 0 <b>A</b> 00 <b>P</b>	XOR-Byte	

Note: Function address = (FAdr\_MSB << 8) + FAdr\_LSB

1000**A**00**P A**=0 ... Deactivate turnout output

**A=1** ... Activate turnout output **P=0** ... Select output 1 of the turnout **P=1** ... Select output 2 of the turnout

**Q**=0 ... Execute command immediately

**Q=1** ... **From Z21 FW V1.24**: Insert turnout command into the queue of Z21 and deliver it as soon as possible to the track.

# Reply from Z21:

No standard answer, 5.3 LAN\_X\_TURNOUT\_INFO to subscribed clients.

From Z21 FW V1.24 the Q flag ("Queue") was introduced.

# 5.2.1 LAN\_X\_SET\_TURNOUT with Q=0

With Q=0 the Z21 behaves compatible to the previous versions: the turnout switching command is immediately sent on the track by being mixed into the running loco driving commands. The Activate (A=1) is output until the LAN client sends the corresponding Deactivate. Only one switching command may be active at the same time. This behavior corresponds, for example, to pressing and releasing the multiMaus key.

Please note that with Q=0 the correct sequence of the switching commands (i.e. Activate followed by Deactivate) must be observed strictly. Otherwise, undefined end positions may occur depending on the turnout decoder used.

The LAN client is responsible for the correct serialization and the timing of the switching duration!



### Wrong:

Activate turnout #5/A2 (4,0x89); Activate turnout #6/A2 (5,0x89); Activate turnout #3/A1 (2,0x88); Deactivate turnout #3/A1 (2,0x80); Deactivate turnout #5/A2 (4,0x81); Deactivate turnout #6/A2 (5,0x81);

### Correct:

Activate turnout #5/A2 (4,0x89); wait 100ms; deactivate turnout #5/A2 (4,0x81); wait 50ms; Activate turnout #6/A2 (5,0x89); wait 100ms; deactivate turnout #6/A2 (5,0x81); wait 50ms; Activate turnout #3/A1 (2,0x88); wait 100ms; deactivate turnout #3/A1 (2,0x80); wait 50ms;

### Example:

Activate turnout #7 / A2 (6,0x89); wait 150ms; deactivate turnout #7 / A2 (6,0x81)

```
DCC_preamble=16_LOCO_address=3_ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3 FG1 (0-4) F=Loooo
DCC_preamble=16_LOCO_address=3 FG2 (5-8) F=o7oo
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC preamble=16 LOCO address=3 FG1 (0-4) F=Loooo
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=1 , "Roco_lenz f=7 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 FG2 (5-8) F=o7oo
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC preamble=16 LOCO address=3 FG1 (0-4) F=Loooo
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 FG2 (5-8) F=o7oo
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=1 , "Roco_lenz f=7 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC preamble=16 LOCO address=3 FG1 (0-4) F=Loooo
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 FG2 (5-8) F=o7oo
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 FG1 (0-4) F=Loooo
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=1 , "Roco_lenz f=7 out=A_ACTIVE"
DCC preamble=16 LOCO address=3 FG2 (5-8) F=o7oo
DCC_preamble=16_ACESSORY_raw_data_AA=1_DD=5_C=1_, "Roco_lenz_f=7_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=1 , "Roco_lenz f=7 out=A_ACTIVE"
DCC preamble=16 LOCO address=3 FG1 (0-4) F=Loooo
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=0 , "Roco_lenz f=7 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3 FG2 (5-8) F=o7oo
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=0 , "Roco_lenz f=7 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=0 , "Roco_lenz f=7 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3 FG1 (0-4) F=Loooo
DCC_preamble=16_ACESSORY raw data AA=1 DD=5 C=0 , "Roco_lenz f=7 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3 FG2 (5-8) F=o7oo
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_LOCO_address=3_FG1_(0-4)_F=Loooo
```

Figure 3 DCC Sniff on track with Q=0



# 5.2.2 LAN\_X\_SET\_TURNOUT with Q=1

If **Q=1**, the following behavior occurs: in the Z21 the switching command is first put into an internal queue (FIFO). When generating the track signal, this queue is constantly checked whether a switching command is available for output. This switching command is then taken out of the queue and is written four times onto the track. This liberates the LAN client from the obligation of strict serialization, i.e. the switching commands may be sent mixed to the Z21 with Q=1 (very useful routes!). The LAN client only needs to take care of the Deactivate timing. Depending on the DCC decoder, the Deactivate may even be omitted. With MM you should not do without Deactivate, because e.g. the k83 and some older turnout decoders do not have an automatic shut-off.

### Example:

Activate turnout #25 / A2 (24, 0xA9); Activate turnout #5 / A2 (4, 0xA9); Wait 150ms;

Deactivate turnout #25 / A2 (24, 0xA1)

```
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY_raw_data_AA=6_DD=1_C=1_, "Roco_lenz_f=25_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=6 DD=1 C=1 , "Roco_lenz f=25 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=6 DD=1 C=1 , "Roco_lenz f=25 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_ACESSORY_raw_data_AA=6_DD=1_C=1_, "Roco_lenz_f=25_out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=1 DD=1 C=1 , "Roco_lenz f=5 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=1 DD=1 C=1 , "Roco_lenz f=5 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=1 DD=1 C=1 , "Roco_lenz f=5 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=1 DD=1 C=1 , "Roco_lenz f=5 out=A_ACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3_ss128=0_fwd_Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3_ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=6 DD=1 C=0 , "Roco_lenz f=25 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=6 DD=1_C=0 , "Roco_lenz f=25 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3_ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=6 DD=1 C=0 , "Roco_lenz f=25 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_ACESSORY raw data AA=6 DD=1_C=0 , "Roco_lenz f=25 out=A_INACTIVE"
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
DCC_preamble=16_LOCO_address=3 ss128=0 fwd Speed=Stop
```

Figure 4 DCC Sniff on track with Q=1

Never mix switching commands with Q=0 and switching commands with Q=1 in your application.



### 5.3 LAN\_X\_TURNOUT\_INFO

This message is sent from the Z21 to the clients in response to the command 5.1 LAN\_X\_GET\_TURNOUT\_INFO. However, it is also sent to an associated client unsolicitedly if

- the function status has been changed by one of the (other) clients or a handset controller
- and the associated client has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001

### Z21 to Client:

DataLer	1	Header		Data	Data					
				X-Header	DB0	DB1	DB2	XOR-Byte		
0x09	0x00	0x40	0x00	0x43	FAdr_MSB	FAdr_LSB	000000 <b>ZZ</b>	XOR-Byte		

Note: Function address = (FAdr\_MSB << 8) + FAdr\_LSB

000000**ZZ ZZ**=00 ... Turnout not switched yet

**ZZ**=01 ... Turnout is in position according to switching command "P=0", see *5.2* LAN\_X\_SET\_TURNOUT

**ZZ**=10 ... Turnout is in position according to switching command "P=1", see *5.2* LAN\_X\_SET\_TURNOUT

**ZZ**=11 ... Invalid combination




Figure 5 Example Sequence: Turnout switching



### 5.4 LAN\_X\_SET\_EXT\_ACCESSORY

From Z21 FW V1. 40, a DCC command in the "extended accessory decoder package format" (DCCext) can be sent to an extended accessory decoder with the following request. It allows to send even switching times for turnouts or complex signal aspects with just one single command. See also RCN-213 (Section 2.3).

Request to Z21:

DataL	en	Heade	r	Data	Data					
				X-Header	X-Header DB0 DB1 DB2 DB3 XOR-Byte					
0x0A	0x00	0x40	0x00	0x54	Adr_MSB	Adr_LSB	DDDDDDDD	0x00	XOR-Byte	

Note: RawAddress = (Adr\_MSB << 8) + Adr\_LSB

#### RawAddress

The RawAddress for the first extended accessory decoder is 4 according to RCN-213. This address is usually displayed as "Address 1" in user interfaces. The address calculation is strictly compliant with RCN-213, i.e. there is no longer any different address calculation compared with other compliant systems.

#### DDDDDDDD

256 different states can be transmitted via bits 0 to 7 in DB2.

The content is transferred to the decoder on the track in the **extended accessory decoder package format** according to RCN-213.

#### Note:

Ter 10836 Z21 switch DECODER interprets DDDDDDDD as "switch decoder with reception of switching time" as RZZZZZZZ. The following applies:

- ZZZZZZZ defines the power-on time with a resolution of 100 ms.
  - o A value of 0 means that the output is switched off.
  - a value of 127 means that the output is switched on permanently, i.e. until the next command to this address.
- Bit 7 R is used to select the output within the output pair:
  - R=1 means "green" (straight).
  - o R=0 means "red" (branched).

The **10837 Z21 signaldecoder** interprets DDDDDDDD as One of 256 theoretically possible signal aspects. The actual value range depends to a large extent on the signal type set in the signal decoder. Common values are, for example:

- 0 ... Stop
- 4 ... Clear with speed limit max 40 km/h
- 16 ... Clear
- 65 (0x41) ... shunting allowed
- 66 (0x42) ... turn all lights off (e.g. for distant signals)
- 69 (0x45) ... substitution (permission to pass a defect signal)

The suitable value for the desired signal aspect for a given signal can be found for the Z21 signal DECODER under <a href="https://www.z21.eu/en/products/z21-signal-decoder/signaltypen">https://www.z21.eu/en/products/z21-signal-decoder/signaltypen</a>.

### Reply from Z21:

No standard answer, or 5.6 LAN\_X\_EXT\_ACCESSORY\_INFO to subscribed clients.

# Example:

### 0x0A 0x00 0x40 0x00 0x54 0x00 0x04 0x05 0x00 0x55

meaning: "send to decoder with RawAddress=4 (this address is displayed as address 1 in user dialogs!) a value of DDDDDDDD=5."

If the receiver is a 10836 Z21 switch DECODER, then the output 1 "red" (clamp 1A) will be switched on and switched off again after 5\*100ms automatically.

With this command, it is also possible to send the "emergency stop command for extended accessory decoders" according to RCN-213 (Section 2.4). This corresponds to the value 0 ("Stop") for the RawAddress=2047:

0x0A 0x00 0x40 0x00 0x54 0x07 0xFF 0x00 0x00 0xAC



# 5.5 LAN\_X\_GET\_EXT\_ACCESSORY\_INFO

From Z21 FW V1. 40, the following request can be used to poll the last command transferred to an extended accessory decoder.

Request to Z21:

DataLer	1	Header		Data						
				X-Header	X-Header DB0 DB1 DB2 XOR-Byte					
0x09	0x00	0x40	0x00	0x44	Adr_MSB	Adr_LSB	0x00	XOR-Byte		

Note: RawAddress = (Adr\_MSB << 8) + Adr\_LSB

**RawAddress** The address of the accessory decoder according to RCN-213.

See section 5.4 LAN\_X\_SET\_EXT\_ACCESSORY

**DB2** Reserved for future extensions, should remain initialized with 0 until further notice.

Reply from Z21:

see 5.6LAN\_X\_EXT\_ACCESSORY\_INFO

# 5.6 LAN\_X\_EXT\_ACCESSORY\_INFO

This message is sent from the Z21 to the clients in response to command 5.5 LAN\_X\_GET\_EXT\_ACCESSORY\_INFO.

However, it is also sent to an associated client unsolicitedly if

- the accessory status has been changed by one of the (other) clients or a handset controller
- and the associated client has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000001

# Z21 to Client:

DataL	en	Heade	r	Data						
				X-Header	DB0	DB1	DB2	DB3	XOR-Byte	
0x0A	0x00	0x40	0x00	0x44	Adr_MSB	Adr_LSB	DDDDDDDD	Status	XOR-Byte	

Note: RawAddress = (Adr\_MSB << 8) + Adr\_LSB

**RawAddress** The address of the accessory decoder according to RCN-213.

See section 5.4LAN\_X\_SET\_EXT\_ACCESSORY

**DDDDDDD** Up to 256 possible states encoded in **extended accessory decoder package format** 

according to RCN-213.

See section 5.4 LAN\_X\_SET\_EXT\_ACCESSORY.

**Status** 0x00 ... Data Valid

0xFF ... Data Unknown



# 6 Reading and writing Decoder CVs

This chapter deals with messages required for reading and writing decoder CVs (Configuration Variable, RP-9.2.2, RP-9.2.3).

Whether the decoder is accessed bit-wise or byte-wise depends on the settings in the Z21.

### 6.1 LAN X CV READ

Read a CV in direct mode.

# Request to Z21:

DataLer	)	Header		Data						
				X-Header	X-Header DB0 DB1 DB2 XOR-Byte					
0x09	0x00	0x40	0x00	0x23	0x11	CVAdr_MSB	CVAdr_LSB	XOR-Byte		

Note: CV Address = (CVAdr\_MSB << 8) + CVAdr\_LSB, where 0=CV1, 1=CV2, 255=CV256, etc.

### Reply from Z21:

2.9 LAN\_X\_BC\_PROGRAMMING\_MODE to subscribed clients, as well as the result 6.3 LAN\_X\_CV\_NACK\_SC, 6.4 LAN\_X\_CV\_NACK or 6.5 LAN\_X\_CV\_RESULT.

# 6.2 LAN\_X\_CV\_WRITE

Write a CV in direct mode.

### Request to Z21:

DataL	en	Heade	ſ	Data	Data					
				X-Header	DB0	DB1	DB2	DB3	XOR-Byte	
0x0A	0x00	0x40	0x00	0x24	0x12	CVAdr MSB	CVAdr LSB	Value	XOR-Byte	

Note: CV-Address = (CVAdr\_MSB << 8) + CVAdr\_LSB, where 0=CV1, 1=CV2, 255=CV256, etc.

### Reply from Z21:

2.9 LAN\_X\_BC\_PROGRAMMING\_MODE to subscribed clients, as well as the result 6.3 LAN\_X\_CV\_NACK\_SC, 6.4 LAN\_X\_CV\_NACK or 6.5 LAN\_X\_CV\_RESULT.

# 6.3 LAN\_X\_CV\_NACK\_SC

If the programming failed due to a short circuit on the track, this message is automatically sent to the client that initiated the programming by 6.1 LAN\_X\_CV\_READ or 6.2 LAN\_X\_CV\_WRITE.

# Z21 to Client:

DataLen	DataLen Header		Data					
				X-Header	DB0	XOR-Byte		
0x07	0x00	0x40	0x00	0x61	0x12	0x73		



### 6.4 LAN\_X\_CV\_NACK

If the ACK is missing from the decoder, this message is automatically sent to the client that initiated the programming by  $6.1\,\text{LAN\_X\_CV\_READ}$  or  $6.2\,\text{LAN\_X\_CV\_WRITE}$ .

When reading with byte-wise access, the time until LAN\_X\_CV\_NACK can be very long.

Z21 to Client:

DataLen	DataLen Header		Data				
				X-Header	DB0	XOR-Byte	
0x07	0x00	0x40	0x00	0x61	0x13	0x72	

# 6.5 LAN\_X\_CV\_RESULT

This message is also a "positive ACK" and is automatically sent to the client that initiated the programming by 6.1 LAN\_X\_CV\_READ or 6.2 LAN\_X\_CV\_WRITE. When reading with byte-wise access, the time until LAN\_X\_CV\_RESULT can be very long.

Z21 to Client:

DataLe	n	Header	•	Data	Data					
				X-Header	DB0	DB1	DB2	DB3	XOR-Byte	
0x0A	0x00	0x40	0x00	0x64	0x14	CVAdr_MSB	CVAdr_LSB	Value	XOR-Byte	

Note: CV Address = (CVAdr\_MSB << 8) + CVAdr\_LSB, where 0=CV1, 1=CV2, 255=CV256, etc.




Figure 6 Example Sequence: CV Reading



### 6.6 LAN\_X\_CV\_POM\_WRITE\_BYTE

With the following command a CV of a locomotive decoder ("Multi Function Digital Decoders" according to NMRA S-9.2.1 Section C; Configuration Variable Access Instruction - Long Form) can be written on the main track (POM "Programming on the Main"). This is done in normal operating mode, i.e. the track voltage must be already switched on and the service mode is not activated. There is no feedback.

### Request to Z21:

DataLe	n	Header		Data	Data						
				X-Header	K-Header DB0 DB1 DB2 DB3 DB4 DB5 XOR-Byte						XOR-Byte
0x0C	0x00	0x40	0x00	0xE6	0x30	POM-Parameter XOR-E				XOR-Byte	

The data for **POM parameters** is structured as follows:

Position	Data	Meaning
DB1	Adr_MSB	
DB2	Adr_LSB	Loco Address = (Adr_MSB & 0x3F) << 8 + Adr_LSB
DB3	111011MM	Option 0xEC
		MM CVAdr_MSB
DB4	CVAdr_LSB	CV Address = (MM << 8) + CVAdr_LSB
		(0=CV1., 1=CV2, 255=CV256, etc.)
DB5	Value	New CV Value

Reply from Z21:

none

# 6.7 LAN\_X\_CV\_POM\_WRITE\_BIT

With the following command one bit of a CV of a locomotive decoder ("Multi Function Digital Decoders" according to NMRA S-9.2.1 Section C; Configuration Variable Access Instruction - Long Form) can be written on the main track (POM). This is done in normal operating mode, i.e. the track voltage must be already switched on and the service mode is not activated. There is no feedback.

# Request to Z21:

С	ataLe	n	Header	r	Data	<b>Data</b>						
					X-Header	DB0	DB1	DB2	DB3	DB4	DB5	XOR-Byte
0	x0C	0x00	0x40	0x00	0xE6	0x30	POM-Parameter >				XOR-Byte	

The data for **POM parameters** is structured as follows:

Position	Data	Meaning
DB1	Adr_MSB	
DB2	Adr_LSB	Loco Address = (Adr_MSB & 0x3F) << 8 + Adr_LSB
DB3	111010MM	Option 0xE8
		MM CVAdr_MSB
DB4	CVAdr_LSB	CV Address = (MM << 8) + CVAdr_LSB
		(0=CV1., 1=CV2, 255=CV256, etc.)
DB5	0000 <b>VPPP</b>	PPP Bit-Position in CV
		V New CV Value

Reply from Z21:

none



### 6.8 LAN\_X\_CV\_POM\_READ\_BYTE

### From Z21 FW Version 1.22.

With the following command a CV of a locomotive decoder ("Multi Function Digital Decoders" according to NMRA S-9.2.1 Section C; Configuration Variable Access Instruction - Long Form) can be read on the main track (POM). This is done in normal operating mode, i.e. the track voltage must be already switched on and the service mode is not activated. RailCom must be activated in the Z21. The vehicle decoder to be read must be capable of RailCom, CV28 bit 0 and 1 as well as CV29 bit 3 must be set to 1 in the locomotive decoder (Zimo).

### Request to Z21:

DataLe	n	Header	•	Data	Data						
				X-Header	DB0	DB1	DB2	DB3	DB4	DB5	XOR-Byte
0x0C	0x00	0x40	0x00	0xE6	0x30	POM-P	aramete	r			XOR-Byte

The data for **POM parameters** is structured as follows:

Position	Data	Meaning
DB1	Adr_MSB	
DB2	Adr_LSB	Loco Address = (Adr_MSB & 0x3F) << 8 + Adr_LSB
DB3	111010MM	Option 0xE4
		MM CVAdr_MSB
DB4	CVAdr_LSB	CV Address = (MM << 8) + CVAdr_LSB
		(0=CV1., 1=CV2, 255=CV256, etc.)
DB5	0	

# Reply from Z21:

6.4 LAN\_X\_CV\_NACK or 6.5 LAN\_X\_CV\_RESULT.



## 6.9 LAN\_X\_CV\_POM\_ACCESSORY\_WRITE\_BYTE

## From Z21 FW Version 1.22.

With the following command a CV of an accessory decoder (according to NMRA S-9.2.1 Section D, "Basic Accessory Decoder Packet address for operations mode programming") can be written on the main track (POM). This happens in normal operating mode, i.e. the track voltage must be already switched on and the service mode is not activated. There is no feedback.

Request to Z21:

DataLe	en	Header	•	Data						
				X-Header	X-Header DB0 DB1 DB2 DB3 DB4 DB5				XOR-Byte	
0x0C	0x00	0x40	0x00	0xE6	0x31	POM-P	aramete	r		XOR-Byte

The data for **POM parameters** is structured as follows:

Position	Data	Meaning
DB1	aaaaa	Decoder_Address MSB
DB2	AAAACDDD	Note: aaaaaAAAACDDD = ((Decoder_Address & 0x1FF) << 4)   CDDD;
		In case CDDD=0000, then the CV refers to the whole decoder.
		In case C=1, then DDD is the number of the output to be programmed.
DB3	111011MM	Option 0xEC
		MM CVAdr_MSB
DB4	CVAdr_LSB	CV Address = (MM << 8) + CVAdr_LSB
		(0=CV1, 1=CV2, 255=CV256, etc.)
DB5	Value	new CV value

Reply from Z21:

none

# 6.10 LAN\_X\_CV\_POM\_ ACCESSORY\_WRITE\_BIT

### From Z21 FW Version 1.22.

With the following command a CV of an accessory decoder (according to NMRA S-9.2.1 Section D, "Basic Accessory Decoder Packet address for operations mode programming") can be written on the main track (POM). This happens in normal operating mode, i.e. the track voltage must be already switched on and the service mode is not activated. There is no feedback.

Request to Z21:

DataL	en	Heade	٢	Data							
				X-Header	DB0	DB1	DB2	DB3	DB4	DB5	XOR-Byte
0x0C	0x00	0x40	0x00	0xE6	0x31	POM-P	aramete	r			XOR-Byte

The data for **POM parameters** is structured as follows:

Position	Data	Meaning				
DB1	aaaaa	Decoder_Address MSB				
DB2	AAAACDDD	lote: aaaaaAAAACDDD = ((Decoder_Address & 0x1FF) << 4)   CDDD;				
		In case <b>CDDD</b> =0000, then the CV refers to the whole decoder.				
		In case <b>C</b> =1, then <b>DDD</b> is the number of the output to be programmed.				
DB3	111010MM	Option 0xE8				
		MM CVAdr_MSB				
DB4	CVAdr_LSB	CV Address = (MM << 8) + CVAdr_LSB				
		(0=CV1, 1=CV2, 255=CV256, etc.)				
DB5	0000 <b>VPPP</b>	PPP Bit position in CV				
		V new CV value				



Reply from Z21: none

# 6.11 LAN\_X\_CV\_POM\_ ACCESSORY\_READ\_BYTE

## From Z21 FW Version 1.22.

With the following command a CV of an accessory decoder (according to NMRA S-9.2.1 Section D, "Basic Accessory Decoder Packet address for operations mode programming") can be read on the main track (POM). This happens in normal operating mode, i.e. the track voltage must be already switched on, the service mode is not activated. RailCom must be activated in the Z21. The accessory decoder to be read must be capable of RailCom.

## Request to Z21:

DataL	en	Heade		Data							
				X-Header	DB0	DB1	DB2	DB3	DB4	DB5	XOR-Byte
0x0C	0x00	0x40	0x00	0xE6	0x31	POM-P	aramete	r			XOR-Byte

The data for **POM parameters** is structured as follows:

Position	Data	Meaning
DB1	aaaaa	Decoder_Address MSB
DB2	AAAACDDD	Note: aaaaaAAAACDDD = ((Decoder_Address & 0x1FF) << 4)   CDDD;
		In case <b>CDDD</b> =0000, then the CV refers to the whole decoder.
		In case <b>C</b> =1, then <b>DDD</b> is the number of the output to be programmed.
DB3	111010MM	Option 0xE4
		MM CVAdr_MSB
DB4	CVAdr_LSB	CV Address = (MM << 8) + CVAdr_LSB
		(0=CV1, 1=CV2, 255=CV256, etc.)
DB5	0	new CV value

Reply from Z21:

6.4 LAN\_X\_CV\_NACK or 6.5 LAN\_X\_CV\_RESULT.



### 6.12 LAN\_X\_MM\_WRITE\_BYTE

## From Z21 FW Version 1.23.

With the following command a register of a Motorola decoder can be written on the programming track.

# Request to Z21:

DataLe	n	Header		Data	<b>Data</b>						
				X-Header	DB0	DB1	DB2	DB3	XOR-Byte		
0x0A	0x00	0x40	0x00	0x24	0xFF	0	RegAdr	Value	XOR-Byte		

Note: **RegAdr**: 0=Register1, 1=Register2, ..., 78=Register79.

Note:  $0 \le \text{Value} \le 255$ , but some decoders only accept values from 0 to 80.

Reply from Z21:

2.9 LAN\_X\_BC\_PROGRAMMING\_MODE to subscribed clients, as well as the result 6.3 LAN\_X\_CV\_NACK\_SC or 6.5 LAN\_X\_CV\_RESULT.

**Note**: Programming a Motorola decoder was not possible in the original Motorola format. Therefore there exists no standardized and binding programming procedure for programming Motorola decoders. However, for the programming of Motorola decoders, the so-called "6021 programming mode" was implemented in the Z21. This allows writing values, but there is no way to read them. Hence the success of the write operation cannot be checked (except for short-circuit detection). This programming procedure works for many ESU, Zimo and Märklin decoders, but not necessarily for all MM decoders. For example, Motorola decoders with DIP switches cannot be programmed. Some decoders only accept values from 0 to 80, others accept values from 0 to 255 (see decoder description).

Since no feedback about the success of the write operation comes from the decoder during Motorola programming, the message *LAN\_X\_CV\_RESULT* is only to be understood as "*MM programming process finished*" and **not** as "*MM programming process successful*".

#### Example:

 $0 \times 0 = 0 \times$ 



### 6.13 LAN\_X\_DCC\_READ\_REGISTER

## From Z21 FW Version 1.25.

The following command can be used to read a register of a DCC decoder in register mode (S-9.2.3 Service Mode Instruction Packets for Physical Register Addressing) on the programming track.

## Request to Z21:

DataLen		Header		Data						
				X-Header	DB0	DB1	XOR-Byte			
0x08	0x00	0x40	0x00	0x22	0x11	REG	XOR-Byte			

Note: **REG**: 0x01=Register1, 0x02=Register2, ..., 0x08=Register8.

Note: 0 ≤ **Value** ≤ 255

Reply from Z21:

2.9 LAN\_X\_BC\_PROGRAMMING\_MODE to subscribed clients, as well as the result

6.3 LAN\_X\_CV\_NACK\_SC or 6.5 LAN\_X\_CV\_RESULT.

Note: Programming in register mode is only required for very old DCC decoders. Direct CV is preferred.

# 6.14 LAN\_X\_DCC\_WRITE\_REGISTER

#### From Z21 FW Version 1.25.

With the following command a register of a DCC decoder in register mode (S-9.2.3 Service Mode Instruction Packets for Physical Register Addressing) can be written on the programming track.

# Request to Z21:

DataLe	n	Header		Data	Data							
				X-Header	DB0	DB2	DB3	XOR-Byte				
0x09	0x00	0x40	0x00	0x23	0x12	REG	Value	XOR-Byte				

Note: **REG**: 0x01=Register1, 0x02=Register2, ..., 0x08=Register8.

Note:  $0 \le Value \le 255$ 

Reply from Z21:

2.9 LAN\_X\_BC\_PROGRAMMING\_MODE to subscribed clients, as well as the result

6.3 LAN\_X\_CV\_NACK\_SC or 6.5 LAN\_X\_CV\_RESULT.

**Note**: Programming in register mode is only required for very old DCC decoders. Direct CV is preferred.



# 7 Feedback – R-BUS

The feedback modules (Roco 10787, 10808, 10819) on the R-BUS can be read out and configured with the following commands.

# 7.1 LAN\_RMBUS\_DATACHANGED

Report the changes on the feedback bus from the Z21 to the client.

This message is asynchronously reported to the client by the Z21 when the client

- activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000002
- or explicitly requested the feedback status, see below 7.2 LAN\_RMBUS\_GETDATA.

## Z21 to Client:

DataLen	DataLen Header			Data				
0x0F	0x00	0x80	0x00	Group index (1 Byte)	Feedback status (10 Byte)			

**Group index:** 0 ... feedback module with address from 1 to 10

1 ... feedback module with address from 11 to 20

Feedback status: 1 byte per feedback, 1 bit per input.

The order of feedback address and byte position is ascending.

# Example:

# 7.2 LAN\_RMBUS\_GETDATA

Poll the current status of the feedback modules.

# Request to Z21:

DataLen		Header		Data
0x05	0x00	0x81	0x00	Group index (1 Byte)

Group index: see above

Reply from Z21:

See above 7.1 LAN\_RMBUS\_DATACHANGED



## 7.3 LAN\_RMBUS\_PROGRAMMODULE

Change the address of one feedback module.

# Request to Z21:

DataLen		Header		Data
0x05	0x00	0x82	0x00	Address (1 Byte)

Address: New address for the feedback module to be programmed.

Supported value range: 0 and 1 ... 20.

Reply from Z21:

none

The programming-sequence is transmitted on the R-BUS until this command is sent again to the Z21 with address=0.

Only one single feedback module should be connected to the R-BUS during the programming process.




Figure 7 Example Sequence: Programming the feedback module



# 8 RailCom

The Z21 supports RailCom with:

- Generating the RailCom cutout in the track signal.
- Global RailCom receiver in the Z21.
- Local RailCom receivers, e.g. in the occupancy detectors 10808 or boosters 10806 and 10807.
   The data from RailCom channel 2 of the 10806, 10807 and 10808 can be forwarded via CAN to the Z21 and evaluated there from FW V1.29 onwards.
- Reading POM results.
   See also 6.8 LAN\_X\_CV\_POM\_READ\_BYTE as of FW V1.22.
- Locomotive address recognition for occupancy detectors (CAN, LocoNet, X-BUS).
   See 9.5 LAN\_LOCONET\_DETECTOR from V1.22 and 10.1 LAN\_CAN\_DETECTOR from V1.30.
- Decoder speed (see below) from FW V1.29.
- Decoder QoS (see below) from FW V1.29.

In order to use these features, the decoder must be capable of RailCom, CV28 and CV29 must be correctly configured, and the option "RailCom" must activated in the Z21 settings.

**Note**: It heavily depends on the decoder firmware whether and in which form a decoder supports speed, QoS and POM!

### 8.1 LAN RAILCOM DATACHANGED

This message is sent to the clients by the Z21 from FW version 1.29 on as a response to the command 8.2 LAN\_RAILCOM\_GETDATA.

However, it is also sent to clients unsolicitedly, if

- the corresponding RailCom data have actually changed
- and the associated client has activated the corresponding broadcast.
   (see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000004) and the associated client has subscribed to the locomotive address with 4.1 LAN X GET LOCO INFO.
- or the associated client has subscribed to broadcast 0x00040000 (i.e. RailCom data of all locomotives, for PC control SW only).

# Z21 to Client:

DataLen		Header		Data
0x11	0x00	0x88	0x00	RailComData

The structure RailComData is structured as follows (the 16-bit and 32-bit values are little endian)

Byte Offset	Type	Name	
0	UINT16	LocoAddress	Address of the detected decoder
2	UINT32	ReceiveCounter	Receive counter in Z21
6	UINT16	ErrorCounter	Receive error counter in Z21
8	UINT8	reserved	
9	UINT8	Options	Flags bitmask:
			<pre>#define rcoSpeed1 0x01 // CH7 subindex 0</pre>
			<pre>#define rcoSpeed2 0x02 // CH7 subindex 1</pre>
			#define rcoQoS 0x04 // CH7 subindex 7
10	UINT8	Speed	Speed 1 or 2 (if supported by decoder)
11	UINT8	QoS	Quality of Service (if supported by decoder)
12	UINT8	reserved	

The structure can be increased in the future versions; therefore it is absolutely necessary to consider DataLen in the evaluation.



# 8.2 LAN\_RAILCOM\_GETDATA

Poll RailCom data from Z21, available from FW V1.29 and higher:

# Request to Z21:

DataLen			Header		Data		
0x07	7 0:	x00	0x89	0x00	Type 8 bit	LocoAddress 16 bit (little endian)	

**Type** 0x01 = poll RailCom data for given locomotive address

Loco Address Loco address

0= poll RailCom data of next loco (circular buffer)

Reply from Z21:

See above 8.2 LAN\_RAILCOM\_DATACHANGED



# 9 LocoNet

## From Z21 FW Version 1.20.

As mentioned in the introduction, the Z21 can be used as **an Ethernet/LocoNet gateway**, where the Z21 is also the LocoNet master refreshing the slots and generating the DCC packets.

The LAN client can subscribe to the corresponding LocoNet messages using **2.16** LAN\_SET\_BROADCASTFLAGS in order to receive also the messages from LocoNet.

Messages received by the Z21 from the LocoNet bus are forwarded to the LAN client with the LAN header *LAN LOCONET Z21 RX*.

Messages sent by the Z21 onto the LocoNet bus are also forwarded to the LAN client using the LAN header *LAN\_LOCONET\_Z21\_TX*.

With the Z21-LAN command *LAN\_LOCONET\_FROM\_LAN* the LAN client itself can write messages onto the LocoNet bus. If there are other LAN clients with LocoNet subscriptions at the same time, they will also be notified with a message *LAN\_LOCONET\_FROM\_LAN*. Only the actual sender will not be notified.




Figure 8 Example Sequence: Ethernet/LocoNet gateway

This example shows that even with trivial processes on the LocoNet bus, considerable network traffic can simultaneously occur on the Ethernet or Wi-Fi.

Please note that this Ethernet/LocoNet Gateway functionality has primarily been created for PC control SW as an additional tool for communicating with e.g. LocoNet feedback devices, etc.

When subscribing to the LocoNet messages, you should carefully consider whether the broadcast flags 0x02000000 (LocoNet locomotives) and 0x04000000 (LocoNet switches) are really necessary for your application. For conventional driving and switching, in particular, you should better use the LAN commands already described in chapters 4 Driving, 5 Switching and 6 Reading and writing Decoder CV.



The actual LocoNet protocol is not described in more details in this specification. Please directly contact Digitrax or the manufacturer of the respective LocoNet hardware, especially if that manufacturer has extended the LocoNet protocol for e.g. configuration purposes etc.

# 9.1 LAN\_LOCONET\_Z21\_RX

## From Z21 FW Version 1.20.

This message is asynchronously reported to the client by the Z21 when the client

- activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flags 0x01000000, 0x02000000 or 0x04000000.
- and a message has been received by the Z21 from the LocoNet bus.

#### Z21 to Client:

DataLen		Header		Data
				LocoNet message incl. CKSUM
0x04+n	0x00	0xA0	0x00	n Bytes

# 9.2 LAN\_LOCONET\_Z21\_TX

#### From Z21 FW Version 1.20.

This message is asynchronously reported to the client by the Z21 when the client

- activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flags 0x01000000, 0x02000000 or 0x04000000.
- and a message has been written to the LocoNet bus by the Z21.

### Z21 to Client:

2211001	LET to dilott.							
DataLen		Header		Data				
				LocoNet message incl. CKSUM				
0x04+n	0x00	0xA1	0x00	n Bytes				

# 9.3 LAN LOCONET FROM LAN

#### From Z21 FW Version 1.20.

This message allows a LAN client to write a message to the LocoNet bus.

This message is also asynchronously reported by the Z21 to a client when the client

- activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flags 0x01000000, 0x02000000 or 0x04000000.
- and another LAN client has written a message to the LocoNet bus via the Z21.

# LAN client to Z21, or Z21 to LAN client:

DataLen	•	Header		Data					
				LocoNet message incl. CKSUM					
0x04+n	0x00	0xA2	0x00	n Bytes					



# 9.3.1 DCC Binary State Control Instruction

From FW Version V1.25 any DCC packets can be generated at the track output using LAN\_LOCONET\_FROM\_LAN and the LocoNet command OPC\_IMM\_PACKET, among them the Binary State Control Instruction (also called "F29...F32767"). This also applies to the white z21, which has no physical LocoNet interface, but however has a virtual LocoNet stack inside.

For the structure of the OPC\_IMM\_PACKET see LocoNet Spec (also in "personal edition" for learning purposes). For the structure of the Binary State Control Instruction see NMRA S-9.2.1 Section "Feature Expansion Instruction".

# 9.4 LAN\_LOCONET\_DISPATCH\_ADDR

## From Z21 FW Version 1.20.

Prepare a loco address for the LocoNet dispatch.

This message allows a LAN client to prepare a specific locomotive address for the LocoNet dispatch. This corresponds to a "DISPATCH\_PUT" and means that at the next "DISPATCH\_GET" (triggered by handset controller) the slot belonging to this loco address is reported back by Z21. If necessary, the Z21 automatically occupies a free slot for this purpose.

#### Request to Z21:

DataLen		Header		Data
0x06	0x00	0xA3	0x00	16 bits Loco address (little endian)

#### Reply from Z21:

Z21 FW Version < 1.22: none

**Z21 FW Version ≥ 1.22:** 

## Z21 to Client:

DataLen Header			Data		
0x07	0x00	0xA3	0x00	16 bits Loco address (little endian)	Result 8 bit

# **Result** 0 The "DISPATCH PUT" for the given address failed.

This can happen, for example, if the Z21 is operated as a LocoNet slave and the LocoNet master has rejected the dispatch request because this locomotive address is already assigned to another handset.

>0 The "DISPATCH\_PUT" was executed successfully. The loco address can now be transferred to a handset controller (e.g. FRED). The value of Result corresponds to the current LocoNet slot number for the given loco address.






Figure 9 Example Sequence: LocoNet Dispatch per LAN-Client



# 9.5 LAN\_LOCONET\_DETECTOR

## From Z21 FW Version 1.22.

If LAN client application wants to support a LocoNet track occupancy detector, there are two ways. The first would be to receive the LocoNet packets via **9.1** LAN\_LOCONET\_Z21\_RX and process the corresponding LocoNet messages directly. However, this requires an exact knowledge of the LocoNet protocol and it would produce a lot of network traffic.

Therefore the following alternative was created, with which you can **poll** the occupied status **as well as** be **asynchronously informed** about a change of the occupied status, without having to go into the depths of the LocoNet protocol.

**Information**: please note the following essential difference between the Roco Feedback Module 10787 on the R-BUS (see **7** Feedback – R-BUS) and LocoNet Track Occupancy Detectors:

- 10787 is normally connected with mechanically operated switching contacts, which can be closed and reopened per axis of the train running over it.
- LocoNet track occupancy detectors are usually based on exact current measurement at the
  monitored track section or on advanced technologies (transponder, infrared, RailCom, ..) in order
  to reliably determine the occupancy state of the track. During normal operation, ideally only one
  message is generated when the occupied state changes.

The following command can be used to poll the status of one or more track occupancy detectors.

#### Request to Z21:

DataLen He		Header		Data			
0x07	0x00	0xA4	0x00	Type 8 bit	16 bits report address (little endian)		

# Type

0x80

Request via "Stationary Interrogate Request" (SIC) according to Digitrax procedure. This procedure also can be used for the occupancy detectors from Blücher-Elektronik. The parameter "report address" is 0 (not relevant).

0x81

Request via so-called **report address** for Uhlenbrock occupancy detector. This report address can be configured by the user e.g. UB63320 via LNCV 17 in the occupancy detector. The default value there is 1017.

With type 0x81, this report address is only used for polling and should **not be confused** with the **feedback address**.

**Note**: At the LocoNet bus this query is implemented via turnout switching commands, therefore the value according to LocoNet has to be decremented by 1. Example:

0x07 0x00 0xA4 0x00 0x81 0xF8 0x03

means: "request status of all occupancy detectors with report address 1017 (Report address = 1017 = **0x03F8** +1 = 1016 + 1)"

# 0x82 Status request for LISSY, from Z21 FW Version 1.23

On the other hand, for Uhlenbrock LISSY the report address corresponds to the feedback address however. The type of the subsequent feedback message(s) strongly depends on the configured operating mode of the LISSY receiver. In the LISSY manual you can find out more about the extensive setting options of the LISSY receiver.

Please note that in the case of a single request, several occupancy detectors may be addressed at the same time, and therefore multiple responses are to be expected. Depending on the manufacturer of the occupancy detector, the status of the same input can be also reported several times after one request.



#### Reply from Z21:

# Z21 to Client:

DataLen Header			Data			
0x07 + <b>n</b>	0x00	0xA4	0x00	Type 8 bit	Feedback address 16 bits (little	Info[n]
					endian)	

This message is asynchronously reported to the client by the Z21 when the client

- has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x08000000
- and the Z21 has received a corresponding message from a track occupancy detector due to a status change on its input, or due to an explicit status-request (polling) by a LAN client using the commands described above.

#### Feedback address

Each input of an occupancy detector has its own feedback address, which can be configured by the user (e.g. for Uhlenbrock and Blücher via LNCV), and which describes the monitored block with an unique address.

# Info[n]

Byte-Array; content and length *n* depending on **Type**, see below

## **Type**

For occupancy detector types like Uhlenbrock 63320 or Blücher GBM16XL reporting only the status "occupied" and "free" (by using LocoNet

OPC\_INPUT\_REP, X=1).

#### n=1

0x01

Status of the input belonging to the feedback address can be found in **Info[0]**: **Info[0]**=0 ... sensor is **LOW** ("free")

Info[0]=1 ... sensor is HIGH ("occupied")

# 0x02 Transponder Enters Block 0x03 Transponder Exits Block

For occupancy detectors such as Blücher GBM16**XN** etc. reporting also the information about the vehicle (e.g. locomotive address) inside the block to the command station (by using LocoNet OPC\_MULTI\_SENSE transponding encoding from Digitrax).

In addition to the feedback address, also a so-called transponder address is transmitted. The **transponder address** identifies the vehicle in the block. In the case of the GBM16**XN**, this is the **locomotive address** which was determined by the occupancy detector by using RailCom.

#### n=2

The transponder address is located in **Info[0]** und **Info[1]**, 16 Bit little endian:

Info[0] ... transponder address low byte
Info[1] ... transponder address high byte

Remark: due to lack of specification inside the LocoNet spec, the value ranges in OPC\_MULTI\_SENSE is not quite clear, which leaves the manufacturers of the occupancy detectors sometimes in the dark. Therefore in the case of GBM16XN the following must be observed according to our experience:

- You have to add +1 to the feedback address to get the feedback address configured in GBM16XN.
- Depending on the configuration of the GBM16XN, the direction of the vehicle on the track can also be coded in the bit under the mask 0x1000.
   Such a configuration is not recommended because this bit collides with the address space of long locomotive addresses!



## 0x10 LISSY Loco address from Z21 FW 1.23.

This message is sent to the Z21 LAN Client when an Uhlenbrock LISSY receiver reports a vehicle equipped with a LISSY transmitter and this LISSY receiver is configured to the "Transfer format (ÜF) Uhlenbrock" (LNCV 15=1). Furthermore, this message strongly depends on the configured operating mode (LNCV2, ...) of the LISSY receiver.

See also LISSY manual.

## n=3

The Loco address is located in Info[0] und Info[1], 16 Bit little endian:

Info[0] ... loco address low byte

Info[1] ... loco address high byte

Locomotives have a value range from 1..9999

Wagons have a value range from 10000 to 16382

Info[2] ... Additional info according to following bits: 0 DIR1 DIR0 0 K3 K2 K1 K0

DIR1=0: DIR0 is to be ignored

**DIR1**=1: **DIR0**=0 is forwards, **DIR0**=1 is backwards

K3..K0: 4 bit "class information" stored in the LISSY sender.

Example Configuration for Lissy Receiver 68610:

LNCV	Value	Comment
2	98	optional module reset: sets all LNCV to 0, except LNCV 0 and
		1 (address)
2	0	Basic function: readout locomotive data and direction
		information by using double sensor
15	1	Send using "Transfer format (ÜF) Uhlenbrock" onto LocoNet

## 0x11 LISSY block status from Z21 FW 1.23.

This message is sent to the Z21 LAN Client when an Uhlenbrock LISSY receiver sends a block occupancy status message using the "Transfer format (ÜF) Uhlenbrock". See also LISSY manual.

# n=1

Status of the block belonging to the feedback address is in Info[0]:

Info[0]=0 ... block is free
Info[0]=1 ... block is occupied

Example Configuration for Lissy Receiver 68610:

LNCV	Value	Comment
2	98	optional module reset: sets all LNCV to 0, except LNCV 0 and 1 (address)
2	22	Automation function with block status message:
		Time-controlled waiting station
3	2	Automation active in both driving directions
4	3	Wait time 3 seconds
10	2	Block option:
		Block status change to "free" after 2 seconds
15	1	Send using "transfer format (ÜF) Uhlenbrock" onto LocoNet



# 0x12 LISSY Speed from Z21 FW 1.23.

This message is sent to the Z21 LAN Client when a Uhlenbrock LISSY receiver is configured for speed measurement. See also LISSY manual.

## n=2

The speed is located in Info[0] and Info[1], 16 bit little endian:

Info[0] ... speed low byte
Info[1] ... speed high byte

Example Configuration for Lissy Receiver 68610:

LNCV	Value	Comment
2	98	optional module reset: sets all LNCV to 0, except LNCV 0 and
		1 (address)
2	0	Basic function: readout locomotive data and direction
		information by using double sensor
14	15660	Velocity Scaling factor =
		1566 (H0-scale) * 10mm (sensor distance)
15	1	Send transfer format Uhlenbrock to LocoNet

Note: **Type** will be extended by further IDs in the future as required.



# **10 CAN**

## 10.1 LAN CAN DETECTOR

#### Ab Z21 FW Version 1.30.

The Roco CAN occupancy detector 10808 is supported from FW version 1.30 on. The occupancy detector can be used by the LAN client in four different ways:

- R-BUS emulation: the CAN detector is forwarded to the LAN client as R-BUS detector in the Z21 firmware. So the LAN client can use the CAN detector as described in Chapter 7 Feedback R-BUS.
- 2. **LocoNet emulation**: the CAN detector is forwarded in the Z21 firmware as LocoNet detector to the LAN client. Thus the LAN client can use the CAN detector as described in chapter 9.5 *LAN\_LOCONET\_DETECTOR* (type 0x01 "occupied/free" and the locomotive address via type 0x02 and 0x03 "Transponder Enters Block, Transponder Exits Block").
- LISSY emulation: The CAN detector is emulated in the Z21 firmware by LISSY/Marco messages. The LAN client can use the CAN detector as described in chapter 9.5 LAN\_LOCONET\_DETECTOR (type 0x10 "Locomotive address" and type 0x11 "block status").
- 4. Direct access by the command LAN\_CAN\_DETECTOR (see below).

The type of emulation can be configured via the Z21 Maintenance Tool. The factory setting is: R-BUS emulation=on, LocoNet emulation=on, LISSY emulation=off.

However, the fastest method, however, and the one that is most economic concerning memory and bandwidth, is direct access using the command **LAN\_CAN\_DETECTOR 0xC4**. This is particularly recommended when a large number of CAN occupancy detectors are used at the same time. With the following command, the status of the CAN occupancy detectors can be polled:

# Request to Z21:

DataLen	DataLen F			Data	
0x07	0x00	0xC4	0x00	Type 8 bit	CAN-NetworkID 16 bit (little endian)

Type

0x00

Request the CAN occupancy detector with the given CAN network ID.

The CAN NetworkID 0xD000 means "all CAN detectors".

Example:

0x07 0x00 0xC4 0x00 0x00 0x00 0xD0 means: "poll status of all CAN occupancy detectors"

Please note that with a single request several CAN occupancy detectors are addressed at the same time, and therefore multiple responses are to be expected. Depending on the configuration of the emulation, the status of one and the same input can also be reported several times.



# Reply from Z21:

#### Z21 to Client:

DataLen		Header		Data					
0x0E	0x00	0xC4	0x00	NId	Addr	Port	Type	Value1	Value2
				16 bit	16 bit	8 bit	8 bit	16 bit	16 bit

This message is also reported to the client by the Z21 asynchronously when the client

- Has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00080000
- and the Z21 has received a corresponding message from the CAN detector, due to a status change at its input, OR due to an explicit polling by a LAN client using commands described above.

All 16 bit values are little endian coded.

NId Unchangeable CAN network ID of the occupancy detector.

Addr Configurable module address of the occupancy detector. Each CAN occupancy

detector has a module address which can be set by the user.

Port Input pin number of the CAN occupancy detector (0 to 7)

Type 0x01 Occupancy status of input (free, busy, overload)

0x11 1<sup>st</sup> and 2<sup>nd</sup> recognized locomotive address at the entrance
 0x12 3<sup>rd</sup> and 4<sup>th</sup> recognized locomotive address at the entrance

- -

**0x1F** 29<sup>th</sup> and 30<sup>th</sup>. recognized **locomotive address** at the entrance

The value of Value1 and Value2 depends on the type.

# If Type = 0x01 (occupied status):

Value1	0x0000	Free, without voltage
	0x0100	Free, with voltage
	0x1000	Occupied, without voltage
	0x1100	Occupied, with voltage
	0x1201	Occupied, Overload 1
	0x1202	Occupied, Overload 2
	0x1203	Occupied, Overload 3

# If Type = 0x11 to 0x1F (RailCom Loco address):

Type 0x11 to 0x1F form a list of locomotive addresses. This vehicle list ends with the locomotive address=0.

Value1 First detected locomotive address in section incl. direction information.

0 = no locomotive address detected (e.g. with decoder not capable of RailCom, or no

locomotive), resp. end of locomotive address list

Value2 Second detected locomotive address in section incl. direction information.

0 = no locomotive address detected, resp. end of locomotive address list

The direction information is coded in the most significant two bits of Value1 resp. Value2:

- 0 x No direction detected
- 1 0 Vehicle has been placed forward on the track
- 1 1 Vehicle has been placed backwards on the track

The lower 14 bits contain the locomotive address.



# 11 zLink

The **zLink interface**, introduced for the first time with Z21 single BOOSTER, also allows devices with smaller microcontrollers (without own LAN or Wi-Fi hardware interface) to be integrated into the network of the user.

Terminal devices with zLink interface are (01/2021):

- 10806 Z21 single BOOSTER
- 10807 Z21 dual BOOSTER
- 10836 Z21 switch DECODER
- 10837 Z21 signal DECODER

# 11.1 Adapter

An adapter can be connected to the zLink interface of the terminal devices mentioned above, via which the terminal device can communicate with the outside world.

One such adapter is the **10838 Z21 pro LINK**.

# 11.1.1 10838 Z21 pro LINK

The 10838 Z21 pro LINK connects the zLink interface to the Wi-Fi as a gateway and can thus be used for the following tasks:

- 1. **Configuring** the terminal device (buttons & display, Z21 App, Z21 Maintenance Tool on PC)
- 2. **Firmware update** of the terminal device (Z21 Updater App, Z21 Maintenance Tool on PC)
- 3. Controlling the terminal device by Wi-Fi clients using the **Z21 LAN protocol**

The latter point 3 was initially intended as a test interface, but it soon became clear that this would open up promising possibilities for decentralized layouts connected via Wi-Fi. From a technical point of view, it means that a small Z21 protocol stack is implemented inside the terminal device. However, that reduced Z21 protocol stack had to be tailored to the purpose of the terminal device due to limited memory. See also *Table 1: Messages from Client to Z21* and *Table 2: Messages from Z21 to Clients*. As usual, commands can now be sent to the terminal device using UDP via the Wi-Fi / zLink gateway - just like to a Z21. For example, the track outputs of a booster can be switched on and off via the WLAN / zLink gateway, or the booster system status can be queried. Turnouts can also be switched on the Z21 switch DECODER directly, and signals can be controlled on the Z21 signal DECODER, even without any connection to the main track of the DCC control center. The decoders can even be configured via the zLink interface by using LAN commands for writing CVs.

An attempt was made to make it as transparent as possible for the Wi-Fi client, whether it is communicating with a control center or with a terminal device via the Wi-Fi / zLink gateway. However, regarding the very small CPU in the end device, following points should be considered:

- Restricted bandwidth: the effective transfer rate should remain well below 1024 bytes/s per terminal device. With the devices currently available, more would neither be necessary nor reasonable.
- Give the end device enough time to process the commands and data. Therefore, keep a pause of at least 50 ms between two requests.
- Use Z21 pro LINK preferably in client mode.
- If possible, connect only one Wi-Fi client to a Z21 pro LINK, max. 4 clients allowed.

Operation via UPD broadcasts is possible, but it is recommended to only do so for searching the devices in the network (see below). The terminal devices can then be clearly identified by their hardware type (LAN\_GET\_HWINFO) and serial number (LAN\_GET\_SERIAL\_NUMBER), as well as by the IP address of the respective Z21 pro LINK. In addition, the user can store a name (free text) in each terminal device, which can also be displayed in the user interface.



LAN\_ZLINK\_GET\_HW\_INFO is an example for a command that the Z21 pro LINK does not forward to its terminal device, but rather processes and answers the request itself.

# 11.1.1.1 LAN\_ZLINK\_GET\_HWINFO

This command can be used to query the properties of the Z21 pro LINK.

If this command is sent as a UDP broadcast, it is possible to use the responses to discover the Z21 pro LINKs registered in the Wi-Fi network and then manage a list with their respective MAC address and assigned IP address.

# Request to Z21 pro LINK:

DataLen		Header Data		Data
0x05	0x00	0xE8	0x00	0x06

 $Data[0] = 0x06 = ZLINK_MSG_TYPE_HW_INFO$ 

## Reply from Z21 pro LINK:

DataLen		Header		Data	
DataLon		1104401		Data	
0x3F	0x00	0xE8	0x00	0x06	Z_Hw_Info (58 Bytes)

 $Data[0] = 0x06 = ZLINK_MSG_TYPE_HW_INFO$ 

# **Z\_Hw\_Info** is structured as follows (the 16-bit values are little endian):

Byte Offset	Туре	Name		Example
0	UINT16	HwID		401 (0x191)
2	UINT8	FW_Version_Major		1
3	UINT8	FW_Version_Minor		1
4	UINT16	FW_Version_Build		3217 (0xC91)
6	UINT8[18]	MAC_Address	string	"EC FA BC 4F 04 C6"
24	UINT8[33]	Name	string	"this_is_a_quite_long_device_name"
57	UINT8	Reserved	0x00	0

## **HwID**

401 = 0x191 ... Adapter **10838 Z21 pro LINK** 

# **MAC Address**

MAC address of the adapter as a null-terminated string, 8-bit ASCII.

#### Name

User-configurable name of the adapter as a null-terminated string. Maximum 32 characters plus 0x00 zero terminator, encoding: 8-bit ISO 8859-1 (*Latin-1*). Ignore all characters after the first 0x00.

# Example:

3f 00 e8 00 06 91 ?.....

01 01 01 01 91 0c 45 43 20 46 41 20 42 43 20 34 46

20 30 34 20 43 36 00 74 68 69 73 5f 69 73 5f 61

5f 71 75 69 74 65 5f 6c 6f 6e 67 5f 64 65 76 69

63 65 5f 6e 61 6d 65 00 00

HwID: 0x191 = 401 = 10838 Z21 pro LINK

FW Version: V1.1.3217

MAC Adresse: "EC FA BC 4F 04 C6"
Name: "this\_is\_a\_quite\_long\_device\_name"



#### 11.2 Booster 10806 und 10807

Available commands for boosters see *Table 1: Messages from Client to Z21* and *Table 2: Messages from Z21 to Clients*. In addition, some new commands have been introduced that are only valid for the boosters.

# 11.2.1 LAN\_BOOSTER\_GET\_DESCRIPTION

Read the name from the booster.

The user can store a name (free text) in the booster so that he can later identify the device more easily.

### Request to BOOSTER:

DataLen		Header		Data
0x04	0x00	0xB8	0x00	-

### Reply from BOOSTER:

DataLen	DataLen			Data
0x24	0x00	0xB8	0x00	UINT8 Name[32]

**Name** corresponds to the stored designation as a null-terminated string. The string should be encoded according to **ISO 8859-1** (*Latin-1*) and should not be longer than 16 characters for compatibility with the CAN bus.

**Special case:** Name [0] can be 0xFF if a name has never been stored in the device. This case must be interpreted as an empty string.

# Example: "Test"

	•									24	00	<b>b</b> 8	00	<b>54</b>	65	\$ <b>Te</b>
73	74	00	00	00	00	00	00	00	00	00	00	00	00	00	00	st
00	00	00	00	00	00	00	00	00	00	00	00	00	00			

# 11.2.2 LAN\_BOOSTER\_SET\_DESCRIPTION

Overwrite the name in the booster.

# Request to BOOSTER:

DataLen		Header		Data
0x24	0x00	0xB9	0x00	UINT8 Name[32]

**Name** corresponds to the stored designation as a null-terminated string. The string should be encoded according to **ISO 8859-1** (*Latin-1*) and should not be longer than 16 characters for compatibility with the CAN bus. Fill the rest of data with 0x00.

Not allowed characters are the quotation mark " (0x22) and the backslash \ (0x5C).

Reply from BOOSTER:

None



# 11.2.3 LAN\_BOOSTER\_SYSTEMSTATE\_GETDATA

Request the current system state.

### Request to BOOSTER:

DataLen		Header		Data
0x04	0x00	0xBB	0x00	-

## Reply from BOOSTER:

See below 11.2.4 LAN\_BOOSTER\_SYSTEMSTATE\_DATACHANGED

# 11.2.4 LAN\_BOOSTER\_SYSTEMSTATE\_DATACHANGED

Report a change in system state of the booster to the client.

This message is reported asynchronously from the booster to the client when the latter

- has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000100
- has explicitly requested the system state, see above 11.2.3 LAN\_BOOSTER\_SYSTEMSTATE\_GETDATA.

#### **BOOSTER to Client:**

DataLen		Header		Data
0x1C	0x00	0xBA	0x00	BoosterSystemState (24 Bytes)

BoosterSystemState is structured as follows (the 16-bit values are little endian):

Byte Offset	Туре	Name		
0	INT16	Booster_1_MainCurrent	mA	current 1st track output
2	INT16	Booster_2_MainCurrent	mA	current 2 <sup>nd</sup> track output
4	INT16	Booster_1_FilteredMainCurrent	mA	smoothed current 1st track output
6	INT16	Booster_2_FilteredMainCurrent	mA	smoothed current 2 <sup>nd</sup> track output
8	INT16	Booster_1_Temperature	°C	temperature 1 <sup>st</sup> amplifier
10	INT16	Booster_2_Temperature	°C	temperature 2 <sup>nd</sup> amplifier
12	UINT16	SupplyVoltage	mV	supply voltage
14	UINT16	Booster_1_VCCVoltage	mV	voltage 1 <sup>st</sup> track output
16	UINT16	Booster_2_VCCVoltage	mV	voltage 2 <sup>nd</sup> track output
18	UINT8	CentralState	bitmask	see below
19	UINT8	CentralStateEx	bitmask	see below
20	UINT8	CentralStateEx2	bitmask	see below
21	UINT8	Reserved1		
22	UINT8	CentralStateEx3	bitmask	see below
23	UINT8	Reserved2		

# Bitmasken für CentralState:

#define csTrackVoltageOff	0x02 // track is switched off
#define csConfigMode	0x10 // configuration mode is active
#define csCanConnected	0x20 // CAN connection with Z21 is Ok

# Bitmasken für CentralStateEx:

```
Bitmasken für CentralotateLA.
#define cseHighTemperature
                             0x01 // over temperature
                              0x02 // supply voltage too low
0x04 // short circuit on 1st track output
                              0x80 // no DCC input signal
#define cseNoDCCInput
```



#### Bitmasken für CentralStateEx2:

```
#define cse2Booster_1_RailComActive  
#define cse2Booster_2_RailComActive  
#define cse2Booster_1_MasterSettings  
#define cse2Booster_2_MasterSettings  
#define cse2Booster_1_BgActive  
#define cse2Booster_1_BgActive  
#define cse2Booster_2_BgActive  
#define cse2Booster_1_RailComFwd  
#define cse2Booster_1_RailComFwd  
#define cse2Booster_2_RailComFwd  
#define cse2Booster_3_RailComFwd  
#define cse2Booster_3_RailComFwd  
#define cse2Booster_3_RailComFwd  
#define cse2Booster_3_RailComFwd  
#define cse2Booster_3_RailComFwd  
#define cse3Booster_3_RailComFwd  
#define 
 Bitmasken fürCentralStateEx3:
  #define cse3Booster_1_OutputInverted 0x01 // 1st track output inverted (autoinvert)
   #define cse3Booster_2_OutputInverted 0x02 // 2nd track output inverted (autoinvert)
```

## 11.3 Decoder 10836 und 10837

Available commands for decoders see Table 1: Messages from Client to Z21 and Table 2: Messages from Z21 to Clients. In addition, some new commands have been introduced that are only valid for the decoders.

# 11.3.1 LAN\_DECODER\_GET\_DESCRIPTION

Read the name from the decoder.

The user can store a name (free text) in the decoder so that he can later identify the device more easily.

# Request to DECODER:

DataLen		Header		Data
0x04	0x00	0xD8	0x00	-

# Reply from DECODER:

DataLen		Header		Data
0x24	0x00	0xD8	0x00	UINT8 Name[32]

Name encoding see 11.2.1 LAN\_BOOSTER\_GET\_DESCRIPTION

# 11.3.2 LAN DECODER SET DESCRIPTION

Overwrite the name in the decoder.

# Request to DECODER:

DataLen		Header		Data
0x24	0x00	0xD9	0x00	UINT8 Name[32]

Name encoding see 11.2.2 LAN\_BOOSTER\_SET\_DESCRIPTION.

# Reply from DECODER:

None



# 11.3.3 LAN\_DECODER\_SYSTEMSTATE\_GETDATA

Request the current system state.

## Request to DECODER:

DataLen		Header		Data
0x04	0x00	0xDB	0x00	-

## Reply from DECODER:

See below 11.3.4 LAN\_DECODER\_SYSTEMSTATE\_DATACHANGED

# 11.3.4 LAN\_DECODER\_SYSTEMSTATE\_DATACHANGED

Report a change in system state of the decoder to the client.

This message is reported asynchronously from the decoder to the client when the latter

- has activated the corresponding broadcast, see 2.16 LAN\_SET\_BROADCASTFLAGS, Flag 0x00000100
- has explicitly requested the system state, see above 11.3.3 LAN\_DECODER\_SYSTEMSTATE\_GETDATA.

If the signal decoder does not report after 4 seconds despite the subscription via broadcastflags, because e.g., no signal aspect has changed, polling can also be carried out if necessary.

The responses of 10836 Z21 switch DECODER and 10837 Z21 signal DECODER differ in structure and content and can be recognized by **DataLen**.

# 11.3.4.1 SwitchDecoderSystemState

# 10836 Z21 switch DECODER to client:

DataLen Header			Data	
0x30	0x00	0xDA	0x00	SwitchDecoderSystemState (44 Bytes)

# SwitchdecoderSystemState is structured as follows (the 16-bit values are little endian):

Byte Offset	Туре	Name		
0	INT16	Current	mA	current
2	INT16	FilteredCurrent	mA	smoothed current
4	UINT16	Voltage	mV	internal voltage (3.3V)
6	UINT8	CentralState	bitmask	see below
7	UINT8	CentralStateEx	bitmask	see below
8	UINT8[8]	OutputStates[07]		Status per output
16	UINT8[8]	OutputConfig[07]		Operating mode per output
24	UINT8[4]	OutputDimm[07]		Dimming value per output
32	UINT16	Address		First decoder address
34	UINT16	Address2		Second decoder address
36	UINT8[6]	Reserved1		
42	UINT8	Dimmed		1 bit per output
43	UINT8	Reserved2		



#### **FilteredCurrent**

Sum of internal current + current at the terminal clamps.

#### Bitmasks for **CentralState**:

```
#define csEmergencyStop 0x01 // The emergency stop for decoder #define csTrackVoltageOff 0x02 // The track voltage is switched off #define csShortCircuit 0x04 // Short-circuit #define csConfigMode 0x10 // configuration mode is active
```

# Bitmasks for **CentralStateEx**:

```
#define csePowerLost 0x02 // Input voltage too low #define cseRCN213 0x20 // addressing conform with RCN213 #define cseNoDCCInput 0x80 // no DCC input signal
```

# **OutputState**

## State of the output (enumeration)

#define	oUnknown	0x00
#define	oRedActive	0x11
#define	oRedInactive	0x01
#define	oGreenActive	0x12
#define	oGreenInactive	0x02

### **OutputConfig**

# Operating mode of the output (enumeration)

```
#define ocfgNormal 0 // Impulsbetrieb (default)
#define ocfgBlinker 1 // Wechselblinker
#define ocfgBlinkSm 2 // Wechselblinker mit Ein- und Ausblenden
#define ocfg10775 3 // Momentbetrieb wie 10775
#define ocfgK84 4 // Dauerbetrieb (zB für Beleuchtung)
#define ocfgK84Sm 5 // Dauerbetrieb mit Ein- und Ausblenden
```

#### **OutputDimm**

Dimming value

0 ... dimming deactivated, therefore corresponds to full output power.

1 to 100 ... minimum to maximum possible output power.

# Address

A decoder address corresponds to 4 turnout numbers. That is:

```
First decoder address = 1 \dots Turnout number 1 to 4
First decoder address = 2 \dots Turnout number 5 to 8
First decoder address = 3 \dots Turnout number 9 to 12
and so on...
```

## Address2

Second decoder address = **0**: 2<sup>nd</sup> decoder address **automatically** is "1<sup>st</sup> decoder address + **1**" otherwise:

```
Second decoder address = 1 ... Turnout number 1 to 4
Second decoder address = 2 ... Turnout number 5 to 8
Second decoder address = 3 ... Turnout number 9 to 12
and so on...
```

## **Dimmed**

1 bit per output pair:

0 ... Output pair is not dimmed.

1 ... Output pair is dimmed, or smooth dimming is configured by operation mode (light bulb simulation) LSB = output pair 1; MSB = Output pair 8



# 11.3.4.2 SignalDecoderSystemState

# 10837 Z21 signal DECODER to client:

DataLen		Header		Data
0x2E	0x00	0xDA	0x00	SignalDecoderSystemState (42 Bytes)

SignalDecoderSystemState is structured as follows (the 16-bit values are little endian):

Byte Offset	Туре	Name		·
0	INT16	Current	mA	0 / Reserved
2	INT16	FilteredCurrent	mA	0 / Reserved
4	UINT16	Voltage	mV	voltage at the clamps
6	UINT8	CentralState	bitmask	see below
7	UINT8	CentralStateEx	bitmask	see below
8	UINT8[2]	OutputStates[01]		on/off status for outputs A1 B8
10	UINT8[2]	BlinkStates[01]		blinking status for outputs A1 B8
12	UINT8[4]	SignalDccExt[03]	DCCext	current signal aspect 1st to 4th signal
16	UINT8[4]	SignalCurrAsp[03]	index	current signal aspect 1st to 4th signal
20	UINT8[3]	Reserved1		
23	UINT8	SignalCount	2, 3, 4	number of signals used
24	UINT8[4]	SignalConfig[03]	Signal-ID	signal configuration 1st to 4th signal
28	UINT8[4]	SignalInitAsp[03]	index	Initialization 1st to 4th signal
32	UINT16	Address		First decoder address
34	UINT16[4]	Reserved2		

#### Bitmasks for **CentralState**:

## Bitmasks for **CentralStateEx**:

Billiaoko loi Gonti alotatoex.		
#define csePowerLost	0x02	// Input voltage too low
#define cseEEPromError	0x10	<pre>// EEPROM write / read error</pre>
#define cseRCN213	0x20	// addressing conform with RCN213
#define cseNoDCCInput	0x80	// no DCC input signal

# **OutputStates**

OutputStates[0]: LSB = Output A1; MSB = Output A8 OutputStates[1]: LSB = Output B1; MSB = Output B8

## **BlinkStates**

BlinkStates[0]: LSB = Output A1; MSB = Output A8 BlinkStates[1]: LSB = Output B1; MSB = Output B8

# SignalDccExt and SignalConfig

SignalConfig exactly defines the configured signal type (Signal-ID value).

SignalDccExt defines the currently visible signal aspect (DCCext value) for the given Signal-ID.

For Signal-ID and DCCext values, see <a href="https://www.z21.eu/en/products/z21-signal-decoder/signaltypen">https://www.z21.eu/en/products/z21-signal-decoder/signaltypen</a>.

# **Address**

A decoder address corresponds to 4 signal addresses.

The signal decoder occupies 4 decoder addresses in a row and thus 4x4=16 signal addresses.

First decoder address = 1 ... Signal decoder uses signal addresses 1 to 16 First decoder address = 2 ... Signal decoder uses signal addresses 5 to 20 First decoder address = 3 ... Signal decoder uses signal addresses 9 to 24

and so on...



# Appendix A – Command overview

## Client to Z21

These messages can be sent from a client to a Z21 or zLink device.

Header	Data			Name	LAN		zLink	
	X-Header	DB0	Parameter		Z21 Z21 XL	z21 z21start	Booster 10806 10807	Decoder 10836 10837
0x10	-			LAN_GET_SERIAL_NUMBER	✓	✓	✓	✓
0x18	-			LAN_GET_CODE	✓	<b>✓</b>	×	×
0x1A	-			LAN_GET_HWINFO	✓	<b>✓</b>	✓	<b>✓</b>
0x30	-			LAN_LOGOFF	✓	<b>✓</b>	✓	<b>✓</b>
0x40	0x21	0x21	-	LAN_X_GET_VERSION	✓	✓	✓	✓
0x40	0x21	0x24	-	LAN_X_GET_STATUS	✓	<b>✓</b>	✓	<b>✓</b>
0x40	0x21	0x80	-	LAN_X_SET_TRACK_POWER_OFF	✓	<b>✓</b>	✓	✓
0x40	0x21	0x81	-	LAN_X_SET_TRACK_POWER_ON	✓	<b>✓</b>	✓	✓ (4)
0x40	0x22	0x11	Register	LAN_X_DCC_READ_REGISTER	✓	✓	×	×
0x40	0x23	0x11	CV-Address	LAN_X_CV_READ	<b>✓</b>	<b>✓</b>	×	✓
0x04	0x23	0x12	Register, Value	LAN X DCC WRITE REGISTER	✓	✓	×	×
0x40	0x24	0x12	CV-Address, Value	LAN_X_CV_WRITE	✓	✓	×	✓
0x40	0x24	0xFF	Register, Value	LAN X MM WRITE BYTE	✓	✓	×	×
0x40	0x43		t address	LAN_X_GET_TURNOUT_INFO	✓	✓	×	✓
0x40	0x44		ory decoder address	LAN X GET EXT ACCESSORY INFO	<b>√</b>	✓	×	✓ (3)
0x40	0x53		t address, command	LAN X SET TURNOUT	✓	✓ (1)	×	(o)
0x40	0x54		orv decoder address. State	LAN X SET EXT ACCESSORY	<b>√</b>	√ (1)	×	<b>✓</b>
0x40	0x80	-	ory account address, state	LAN X SET STOP	<b>✓</b>	V.)	×	√ (5)
0x40	0xE3	0xF0	Loco address	LAN X GET LOCO INFO	_	<b>✓</b>	×	× (0)
0x40	0xE4	0x1s	Loco address, Speed	LAN X SET LOCO DRIVE	· /	✓ (1)	×	×
0x40 0x40	0xE4	0xF8	Loco address, Function	LAN X SET LOCO FUNCTION	· /	√ (1)	×	×
0x40	0xE6	0x30	POM-Param, Option 0xEC	LAN X CV POM WRITE BYTE	· /	· (1)	×	<b>✓</b>
0x40 0x40	0xE6	0x30	POM-Param, Option 0xE8	LAN X CV POM WRITE BIT	· ·		×	×
0x40 0x40	0xE6	0x30	POM-Param, Option 0xE4	LAN X CV POM READ BYTE	· ·	· ·	×	~
0x40 0x40	0xE6	0x30	POM-Param, Option 0xEC	LAN X CV POM ACCESSORY WRITE BYTE	· ·	· ·	×	· ·
0x40 0x40	0xE6	0x31	POM-Param, Option 0xE8	LAN X CV POM ACCESSORY WRITE BIT	· ·	•	×	×
0x40 0x40	0xE6	0x31	POM-Param, Option 0xE4	LAN X CV POM ACCESSORY READ BYTE	· ·	•	×	-
0x40 0x40	0xE6 0xF1	0x0A	POW-Param, Option 0xE4	LAN X GET FIRMWARE VERSION		· ·	· ·	· ·
	-		<u> </u>	LAN_X_GET_FIRMWARE_VERSION  LAN_SET_BROADCASTFLAGS	· ·	· ·	V /	<b>V</b> ✓
0x50	Broadcast-F	iags			· ·	· ·	<b>→</b>	· ·
0x51	-	_		LAN_GET_BROADCASTFLAGS		· ·	×	×
0x60	Loco addres			LAN_GET_LOCOMODE		· ·	×	×
0x61	Loco addres			LAN_SET_LOCOMODE	· ·	· ·	×	×
0x70	Accessory d			LAN_GET_TURNOUTMODE	· ·	<b>V</b>	×	×
0x71			address, Mode	LAN_SET_TURNOUTMODE	· ·	<b>V</b>		
0x81	Group index			LAN_RMBUS_GETDATA	✓ ✓	✓ ✓	×	×
0x82	Address			LAN_RMBUS_PROGRAMMODULE		_	×	×
0x85	<u> </u>			LAN_SYSTEMSTATE_GETDATA	✓	✓	×	×
0x89	Address			LAN_RAILCOM_GETDATA	✓	<b>√</b>	✓	×
0xA2	LocoNet me			LAN_LOCONET_FROM_LAN	✓	✓ (1)(2)	×	×
0xA3	Loco addres			LAN_LOCONET_DISPATCH_ADDR	✓	×	×	×
0xA4	Type, Repor	t addres	s	LAN_LOCONET_DETECTOR	✓	✓ (2)	×	×
0xC4	Type, NId			LAN_CAN_DETECTOR	✓	×	×	×
0xB8	-			LAN_BOOSTER_GET_DESCRIPTION	×	×	✓	×
0xB9	String			LAN_BOOSTER_SET_DESCRIPTION	×	×	✓	×
0xBB	-			LAN_BOOSTER_SYSTEMSTATE_GETDATA	×	×	✓	×
0xD8	-			LAN_DECODER_GET_DESCRIPTION	×	×	×	✓
0xD9	String			LAN_DECODER_SET_DESCRIPTION	×	×	×	✓
0xDB	-			LAN_DECODER_SYSTEMSTATE_GETDATA	×	×	×	✓
0xE8	0x06	-		LAN_ZLINK_GET_HWINFO	×	×	✓ (6)	✓ (6)

Table 1: Messages from Client to Z21

- (1) z21start: fully functional only with activation code (order number 10814 or 10818)
- (2) z21, z21start: virtual LocoNet stack (for example GBM16XN with XPN interface)
- (3) from decoder FW V1.11
- (4) Decoder: Turn on signal lamps again (10837 only)
- (5) Decoder: shows stop aspect if the second bit (0x02) is set in CV38 (10837 only)
- (6) Answered by the 10838 Z21 pro LINK, not by its terminal device (booster or decoder)



# Z21 to Client

These messages can be sent to a client from a Z21 or zLink device.

Header	Data			Name	LAN		zLink	
	X-Header	DB0	Daten		Z21 Z21 XL	z21 z21start	Booster 10806 10807	Decoder 10836 10837
0x10	Serialnumbe	r	•	Reply to LAN_GET_SERIAL_NUMBER	✓	✓	✓	✓
0x18	Code			Reply to LAN_GET_CODE	✓	✓	×	×
0x1A	HWType, FV			Reply to LAN_GET_HWINFO	✓	✓	✓	✓
0x40	0x43	Turnou	t information	LAN_X_TURNOUT_INFO	✓	✓ (1)	×	✓
0x40	0x44	Access	ory state information	LAN_X_EXT_ACCESSORY_INFO	<b>✓</b>	✓ (1)	×	✓ (3)
0x40	0x61	0x00	-	LAN_X_BC_TRACK_POWER_OFF	✓	✓	<b>✓</b>	×
0x40	0x61	0x01	-	LAN_X_BC_TRACK_POWER_ON	✓	✓	<b>✓</b>	×
0x40	0x61	0x02	-	LAN_X_BC_PROGRAMMING_MODE	✓	✓	×	×
0x40	0x61	0x08	-	LAN_X_BC_TRACK_SHORT_CIRCUIT	✓	✓	× (4)	× (4)
0x40	0x61	0x12	-	LAN_X_CV_NACK_SC	✓	✓	×	×
0x40	0x61	0x13	-	LAN_X_CV_NACK	✓	✓	×	✓
0x40	0x61	0x82	-	LAN_X_UNKNOWN_COMMAND	✓	✓	<b>✓</b>	<b>✓</b>
0x40	0x62	0x22	State	LAN_X_STATUS_CHANGED	✓	✓	✓	✓
0x40	0x63	0x21	XBus Version, ID	Reply to LAN_X_GET_VERSION	<b>✓</b>	✓	✓	✓
0x40	0x64	0x14	CV-Result	LAN X CV RESULT	✓	✓	×	✓
0x40	0x81	-	•	LAN X BC STOPPED	<b>✓</b>	✓	×	×
0x40	0xEF	Loco in	formation	LAN X LOCO INFO	<b>✓</b>	✓ (1)	×	×
0x40	0xF3	0x0A	Version (BCD)	Reply to LAN_X_GET_FIRMWARE_VERSION	<b>✓</b>	<i>\(  \)</i>	✓	✓
0x51	Broadcast-F	lags		Reply to LAN GET BROADCASTFLAGS	✓	✓	✓	✓
0x60	Loco addres	s, Mode		Reply to LAN GET LOCOMODE	✓	✓	×	×
0x70	Accessory de	ecoder a	address, Mode	Reply to LAN GET TURNOUTMODE	<b>✓</b>	✓	×	×
0x80	Group index	, Feedba	ack status	LAN_RMBUS_DATACHANGED	<b>✓</b>	✓	×	×
0x84	SystemState	)		LAN_SYSTEMSTATE_DATACHANGED	✓	✓	×	×
0x88	RailCom dat	а		LAN RAILCOM DATACHANGED	✓	✓	✓	×
0xA0	LocoNet-Me	ldung		LAN_LOCONET_Z21_RX	✓	×	×	×
0xA1	LocoNet-Me	ldung		LAN_LOCONET_Z21_TX	✓	√ (2)	×	×
0xA2	LocoNet-Me			LAN_LOCONET_FROM_LAN	✓	√ (2)	×	×
0xA3	Loco addres	s, Ergeb	onis	LAN_LOCONET_DISPATCH_ADDR	✓	×	×	×
0xA4	Typee, Feedback address,Info		CK address,Info	LAN_LOCONET_DETECTOR	<b>√</b>	✓ (2)	×	×
0xC4	Occupancy r	nessage	9	LAN_CAN_DETECTOR	✓	×	×	×
0xB8	String			Reply to LAN_BOOSTER_GET_DESCRIPTION	×	×	✓	×
0xBA	BoosterSystemState			LAN BOOSTER SYSTEMSTATE DATACHANGED	×	×	✓	×
0xD8	String			Reply to LAN DECODER GET DESCRIPTION	×	×	×	✓
0xDA	DecoderSys	temState	e	LAN_DECODER_SYSTEMSTATE_DATACHANGED	×	×	×	✓
0xE8		Z_Hw_		Reply to LAN ZLINK GET HWINFO	×	×	√ (5)	√ (5)

Table 2: Messages from Z21 to Clients

- (1) z21start: fully functional only with activation code (order number 10814 or 10818)
- (2) z21, z21start: virtual LocoNet stack (for example GBM16XN with XPN interface)
- (3) from decoder FW V1.11
- (4) Short-circuit is reported in the corresponding booster/decoder system state.
- (5) Answered by the 10838 Z21 pro LINK, not by its terminal device (booster or decoder)



# **List of figures**

Figure 1 Example Sequence: Communication	8
Figure 2 Example sequence: locomotive control	22
Figure 3 DCC Sniff on track with Q=0	
Figure 4 DCC Sniff on track with Q=1	
Figure 5 Example Sequence: Turnout switching	
Figure 6 Example Sequence: CV Reading	
Figure 7 Example Sequence: Programming the feedback module	
Figure 8 Example Sequence: Ethernet/LocoNet gateway	
Figure 9 Example Sequence: LocoNet Dispatch per LAN-Client	

# List of tables

Table 1: Messages from Client to Z21	. 63
Table 2: Messages from Z21 to Clients	. 64