Biofinity® multifocal lens fitting guidelines

A simplified fitting philosophy

Our new fitting process is based on eye care professionals' real-world experiences.

- •Fitting lower ADD powers is now simpler than ever, by using the same D lens design for both eyes
- -Fitting higher ADD powers continues to be flexible, giving you more options for exceptional vision performance



(



Initial visit

Step 1 Start with a new refraction and verification of eye dominance (fogging technique).

Step 2 Select the distance prescription based on spherical equivalent corrected for the vertex distance.

Choose D or N lens design based on needed ADD power:

ADD	Dominant eye	Non-Dominant eye
+1.00	D	D
+1.50	D	D
+2.00	D	N
+2.50	D	N

(

Visual acuity expectations when using D and N lens combination

(

Lens	Distance	Near
Binocularly	20/20	20/20
D Lens	20/20	20/40 or better
N Lens	20/40 or better	20/20

Step 3 Although lens will equilibrate quickly, allow patients to adapt to lenses for a minimum of 15 minutes before assessing vision.

If binocular vision is unacceptable, perform a monocular over refraction, using hand-held trial lenses, to determine which we need improvement.

To improve distance vision add +/-0.25D (up to +/-0.50D) to the eye that needs improvement To improve near vision add +/-0.25D (up to +/-0.50D) to the eye that needs improvement.

Clinical Tips Prescribe

Prescribe maximum plus power for distance vision (Do not over minus)

Test patient's near function vision with their cell phone

Choose the lower ADD power when possible; not necessary to overprescribe the ADD power

Check visual acuity with room lights on





A unique multifocal lens for unique eyes

Balanced Progressive™ Technology

- Optimized for exceptional vision at all distances: near, intermediate, and far
- •Allows for personalized fitting for each wearer and each eye
- •Streamlined fitting process helps ensure success for presbyopic patients





The eye care professional retains the independent clinical judgment on how to fit and prescribe lenses.

©2011 CooperVision, Inc. 0358 5/11 XLITERABF306



Follow-up visit one week later

(

If patient requires further enhancement to distance or near visual acuity.

Step 1	Evaluate	binocular	visual	acuity

Step 2 Check monocular visual acuity.

Step 3 Perform over refraction using hand-held trial lenses (avoid using a phoropter).

FIRST OPTION: To improve either distance or near vision, modify distance vision by +/- 0.25D in the eye that needs improvement.

SECOND OPTION: To improve near vision add +0.50D to the ADD power of the eye that needs improvement.

Product specifications

8.6 mm
14.0 mm
+6.00D to -8.00D (0.50D after -6.00D)
+1.00, +1.50, +2.00, +2.50
D Lens, N Lens
comfilcon A
48%
128
Daily Wear or Extended Wear up to 6 nights/7 days



CooperVision"

www.coopervision.com 800 341 2020

